

Message Number	Data Element Name	XML Tag/Attribute	Condition	Message Status	Message Level	Message Description
1000	SYSTEM ERROR	SYSTEM ERROR	N/A	CRITICAL	Functional*	SYSTEM ERROR.
1001	GET XML FILE	GET XML FILE	Header text does not match XML Specifications	CRITICAL	Functional*	The system cannot find the file specified.
1002	GET XML FILE	GET XML FILE	Data Element Tag/Attribute mismatch	CRITICAL	Functional*	Invalid XML File.
1003	N/A	N/A	File is submitted after the submission deadline for the submission period	CRITICAL	Functional*	The submission deadline for the program initiative has passed. Files are no longer being accepted.
1004	File Number	<file-number>	File Number' element tag is incorrect	CRITICAL	Functional*	File Number [<file-number>] tag is required.
1005	Number of Files	<number-of-files>	Number of Files' element tag is incorrect	CRITICAL	Functional*	Number of Files [<number-of-files>] tag is required.
1006	Registry Name	<registry-name>	Registry Name element tag is incorrect	CRITICAL	Functional*	Registry Name [<registry-name>] tag is required.
1007	Registry ID	<registry-id>	Registry ID element tag is incorrect	CRITICAL	Functional*	Registry ID [<registry-id>] tag is required.
1014	Submission Method	<submission-method>	Submission Method element tag is incorrect	CRITICAL	Functional*	Submission Method [<submission-method>] tag is required.
1015	Submission Method	<submission-method>	Submission method is incorrect	CRITICAL	Functional*	Submission Method is not an allowable value.
1016	Submission Method	<submission-method>	Submission Method must be the same for all submissions	CRITICAL	Functional*	Submission Method has more than one method.
1017	Measure Group	<measure-group>	Measure Group element tag is incorrect	CRITICAL	Functional*	Measure Group [<measure-group ID>] tag is required.
1020	NPI	<npi>	NPI' element tag is incorrect	CRITICAL	Provider**	NPI [<npi>] tag is required for Individual Registry Submission.

\* Functional level messages are relevant to the entire file.

\*\* Provider level messages are specific to provider TIN and/or NPIs within the file.

Message Number	Data Element Name	XML Tag/Attribute	Condition	Message Status	Message Level	Message Description
1021	TIN	<tin>	TIN element tag is incorrect	CRITICAL	Provider**	TIN [<tin>] tag is required.
1022	Waiver Signed	<waiver-signed>	Waiver Signed element tag is incorrect	CRITICAL	Provider**	Waiver signed [<waiver-signed>] tag is required.
1023	Waiver Signed	<waiver-signed>	Waiver Signed can not be a value other than Y or y	CRITICAL	Provider**	Waiver must be signed to participate in the PQRI program initiative.
1024	PQRI Measure Number	<pqri-measure-number>	PQRI Measure Number element tag is incorrect	CRITICAL	Provider**	PQRI Measure Number [<pqri-measure-number>] tag is required.
1025	Eligible Instances	<eligible-instances>	Eligible Instances element tag is incorrect	CRITICAL	Provider**	Eligible Instances [<eligible-instances>] tag is required.
1026	Eligible Instances	<eligible-instances>	Eligible Instances is not a valid value	CRITICAL	Provider**	Eligible Instances is not an allowable value.
1027	Meets Performance Instances	<meets-performance-instances>	Meets Performance Instances' element tag is incorrect	CRITICAL	Provider**	Meets Performance Instances [<meets-performance-instances>] tag is required.
1028	Meets Performance Instances	<meets-performance-instances>	Meets Performance Instances is not a valid value	CRITICAL	Provider**	Meets Performance Instances is not an allowable value.
1029	Performance Exclusion Instances	<performance-exclusion-instances>	Performance Exclusion Instances element tag is incorrect	CRITICAL	Provider**	Performance Exclusion Instances [<performance-exclusion-instances>] tag is required.
1030	Performance Not Met Instances	<performance-not-met-instances>	Performance Not Met Instances element tag is incorrect	CRITICAL	Provider**	Performance Not Met Instances [<performance-not-met-instances>] tag is required.
1031	Reporting Rate	<reporting-rate>	Reporting Rate element tag is incorrect	CRITICAL	Provider**	Reporting Rate [<reporting-rate>] tag is required.

\* Functional level messages are relevant to the entire file.

\*\* Provider level messages are specific to provider TIN and/or NPIs within the file.

Message Number	Data Element Name	XML Tag/Attribute	Condition	Message Status	Message Level	Message Description
1032	Performance Rate	<performance-rate>	Performance Rate element tag is incorrect	CRITICAL	Provider**	Performance Rate [<performance-rate>] tag is required.
1034	Submission	<submission>	Submission Type element tag is incorrect	CRITICAL	Functional*	Submission "Type" attribute is required.
1035	Submission	type	Submission Type is not equal to 'PQRI-REGISTRY'	CRITICAL	Functional*	Submission Type is not an allowable value.
1038	Submission	<submission>	Submission Version attribute is incorrect	CRITICAL	Functional*	Submission "Version" attribute is required.
1042	File Number	<file-number>	Invalid data: null, space, invalid type and length	CRITICAL	Functional*	File Number is not an allowable value.
1043	Number of Files	<number-of-files>	Invalid data: null, space, invalid type and length	CRITICAL	Functional*	Number of Files is not an allowable value.
1044	Registry Name	<registry-name>	Invalid data: null, space, invalid type and length	CRITICAL	Functional*	Registry Name is not an allowable value.
1045	Registry ID	<registry-id>	Invalid data: null, space, invalid type and length	CRITICAL	Functional*	Registry ID is not an allowable value.
1049	Measure Group	<measure-group>	Invalid data: null, space, invalid type and length	CRITICAL	Functional*	Measure Group ID is not an allowable value.
1050	Provider NPI	<npi>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	Provider NPI is not an allowable value.
1051	Provider TIN	<tin>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	Provider TIN is not an allowable value.
1053	PQRI Measure Number	<pqri-measure-number>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	PQRI Measure Number is not an allowable value.
1058	Performance Exclusion Instances	<performance-exclusion-instances>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	Performance Exclusion Instances is not an allowable value.

\* Functional level messages are relevant to the entire file.

\*\* Provider level messages are specific to provider TIN and/or NPIs within the file.

Message Number	Data Element Name	XML Tag/Attribute	Condition	Message Status	Message Level	Message Description
1059	Performance Not Met Instances	<performance-not-met-instances>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	Performance Not Met Instances is not an allowable value.
1060	Reporting Rate	<reporting-rate>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	Reporting Rate is not an allowable value.
1063	Performance Rate	<performance-rate>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	Performance Rate is not an allowable value.
1065	Create Date	<create-date>	Invalid date format	CRITICAL	Functional*	Create Date is not an allowable value.
1067	Create Time	<create-time>	Invalid time format	CRITICAL	Functional*	Create Time is not an allowable value.
1068	Create By	<create-by>	Invalid data	CRITICAL	Functional*	Create By is not an allowable value.
1069	Create Date	<create-date>	Create Date element tag is incorrect	CRITICAL	Functional*	Create Date [<create-date>] tag is required.
1070	Create Time	<create-time>	Create Time element tag is incorrect	CRITICAL	Functional*	Create Time [<create-time>] tag is required.
1071	Create By	<create-by>	Create By element tag is incorrect	CRITICAL	Functional*	Create By [<create-by>] tag is required.
1075	Encounter From Date	<encounter-from-date>	Encounter From Date element tag is incorrect	CRITICAL	Provider**	Encounter From Date [<encounter-from-date>] tag is required.

\* Functional level messages are relevant to the entire file.

\*\* Provider level messages are specific to provider TIN and/or NPIs within the file.

Message Number	Data Element Name	XML Tag/Attribute	Condition	Message Status	Message Level	Message Description
1076	Encounter From Date	<encounter-from-date>	1) Encounter To Date is not in a valid format <ul style="list-style-type: none"> <li>Valid Format = MM-DD-YYYY</li> <li>Month cannot be 00 and cannot be greater than 12.</li> <li>Day cannot be 00 and cannot be greater than 31.</li> <li>Date cannot exceed limit for month</li> </ul> OR 2) 2) Encounter To Date is all 9's	CRITICAL	Provider**	Encounter From Date [<encounter-from-date>] is not an allowable value.
1077	Encounter From Date	<encounter-from-date>	Encounter From Date cannot be greater than Encounter To Date	CRITICAL	Provider**	Encounter From Date [<encounter-from-date>] cannot be greater than Encounter To Date.
1078	Encounter To Date	<encounter-to-date>	Encounter To Date element tag is incorrect	CRITICAL	Provider**	Encounter To Date [<encounter-to-date>] tag is required.

\* Functional level messages are relevant to the entire file.

\*\* Provider level messages are specific to provider TIN and/or NPIs within the file.

Message Number	Data Element Name	XML Tag/Attribute	Condition	Message Status	Message Level	Message Description
1079	Encounter To Date	<encounter-to-date>	1) Encounter To Date is not in a valid format <ul style="list-style-type: none"> <li>Valid Format = MM-DD-YYYY</li> <li>Month cannot be 00 and cannot be greater than 12.</li> <li>Day cannot be 00 and cannot be greater than 31.</li> <li>Date cannot exceed limit for month</li> </ul> OR 2) Encounter To Date is all 9's	CRITICAL	Provider**	Encounter To Date [<encounter-to-date>] is not an allowable value.
1080	FFS Patient Count	<ffs-patient-count>	FFS Patient Count element tag is incorrect	CRITICAL	Provider**	FFS Patient Count [<ffs-patient-count>] tag is required.
1081	FFS Patient Count	<ffs-patient-count>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	FFS Patient Count is not an allowable value.
1082	Group Reporting Rate Numerator	<group-reporting-rate-numerator>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	Group Reporting Rate Numerator is not an allowable value.
1083	Group Reporting Rate Numerator	<group-reporting-rate-numerator>	Group Reporting Rate Numerator element tag is incorrect	CRITICAL	Provider**	Group Reporting Rate Numerator [<group-reporting-rate-numerator>] tag is required.
1084	Group Eligible Instances	<group-eligible-instances>	Group Eligible Instances element tag is incorrect	CRITICAL	Provider**	Group Eligible Instances [<group-eligible-instances>] element tag is required.

\* Functional level messages are relevant to the entire file.

\*\* Provider level messages are specific to provider TIN and/or NPIs within the file.

Message Number	Data Element Name	XML Tag/Attribute	Condition	Message Status	Message Level	Message Description
1085	Group Eligible Instances	<group-eligible-instances>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	Group Eligible Instances is not an allowable value.
1086	Group Reporting Rate	<group-reporting-rate>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	Group Reporting Rate is not an allowable value.
1087	Group Reporting Rate	<group-reporting-rate>	Group Reporting Rate element tag is incorrect	CRITICAL	Provider**	Group Reporting Rate [<group-reporting-rate>] element tag is required.
1089	Measure Group Stat	<measure-group-stat>	Measure Group Stat element can not be blank when Measure Group ID does not equal X	CRITICAL	Functional*	Measure Group Stat [<measure-group-stat>] element is required when Measure Group ID does not equal X.
1090	Measure Group Stat	<measure-group-stat>	Measure Group Stat tag is invalid	CRITICAL	Provider**	Provider has more than one Measure Group Stat.
1091	Version	<version>	Version element tag is incorrect	CRITICAL	Functional*	Version [<version>] tag is required.
1092	Version	<version>	Invalid version format	CRITICAL	Functional*	Version [<version>] is not an allowable value.
1093	Encounter From Date	<encounter-from-date>	Encounter From Date is not within the Reporting Period range.	CRITICAL	Provider**	Encounter From Date [<encounter-from-date>] is not within the Reporting Period range.
1094	Encounter To Date	<encounter-to-date>	Encounter To Date is not within the Reporting Period range.	CRITICAL	Provider**	Encounter To Date [<encounter-to-date>] is not within the Reporting Period range.
1095	Measure Group Stat	<measure-group-stat>	Measure Group Stat element tag is incorrect	CRITICAL	Provider**	PQRI Measure [<pqri-measure>] or Measure Group Stat [<measure-group-stat>] element tag is required.

\* Functional level messages are relevant to the entire file.

\*\* Provider level messages are specific to provider TIN and/or NPIs within the file.

Message Number	Data Element Name	XML Tag/Attribute	Condition	Message Status	Message Level	Message Description
1096	Measure Group Stat	<measure-group-stat>	Measure Group Stat element tag is not valid with Measure Group ID	CRITICAL	Provider**	Measure Group Stat [<measure-group-stat>] element is not valid with the Measure Group ID.
1097	Provider	<provider>	Provider element tag is incorrect	CRITICAL	Provider**	Provider [<provider>] element tag is required.
1099	File Audit Data	<file-audit-data>	File Audit Data element tag is incorrect	CRITICAL	Functional*	File Audit Data [<file-audit-data>] element tag is required.
1100	Registry	<registry>	Registry element tag is incorrect	CRITICAL	Functional*	Registry [<registry>] element tag is required.
1101	PQRI Measure	<pqri-measure>	PQRI Measure element tag is incorrect	CRITICAL	Functional*	PQRI Measure [<pqri-measure>] element tag is required.
1102	Collection Method	<collection-method>	Collection Method element tag is incorrect	CRITICAL	Provider*	Collection Method [<collection-method>] element tag is required.
1103	Collection Method	<collection-method>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	Collection Method is not an allowable value.
1107	Email Address	<email-address>	Email Address element tag is incorrect	CRITICAL	Provider*	Email Address [<email-address>] element tag is required.
1108	Email Address	<email-address>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	Email Address is not an allowable value.
1109	Eligible Instances	<eligible-instances>	Eligible Instances is less than Meets Performance Instances	CRITICAL	Provider**	Eligible Instances cannot be less than Meets Performance Instances.
1111	Reporting Rate	<reporting-rate>	Measure Group is X and Reporting Rate is Null	CRITICAL	Provider**	Reporting Rate is required when the Measure Group is X.

\* Functional level messages are relevant to the entire file.

\*\* Provider level messages are specific to provider TIN and/or NPIs within the file.



Message Number	Data Element Name	XML Tag/Attribute	Condition	Message Status	Message Level	Message Description
1112	Measure Group	<measure-group>	Measure Group ID equals X and submission method does not equal A	CRITICAL	Functional*	Measure Group ID is not valid for Submission Method.
1113	Submission	version	Submission Version is not equal to '6.0'	CRITICAL	Functional*	Submission Version is not an allowable value.
1117	GPRO type	<gpro-type>	GPRO type element tag is incorrect	CRITICAL	Provider**	GPRO type [<gpro-type>] element tag is required.
1118	GPRO type	<gpro-type>	Invalid data: null, invalid type and length	CRITICAL	Provider**	GPRO type is not an allowable value for given submission type.
1119	Submission Type	<submission-type>	Submission Type element tag is incorrect	CRITICAL	Provider**	Submission Type [<submission-type>] tag is required.
1120	Submission Type	<submission-type>	Invalid data: null, space, invalid type and length	CRITICAL	Provider**	Submission-type is not an allowable value.

\* Functional level messages are relevant to the entire file.

\*\* Provider level messages are specific to provider TIN and/or NPIs within the file.