


**2015 Registry Individual Measure Flow**  
**PQRS# 383 NQF# 1879: Adherence to Antipsychotic Medications for Individuals with Schizophrenia**



**Reporting Rate=**

Performance Met (a=4 patients) + Performance Not Met (c=3 patients) =  
 Eligible Population / Denominator (d=8 patients) =

$\frac{7 \text{ patients}}{8 \text{ patients}} = 87.50\%$

**Performance Rate=**

Performance Met (a=4 patients) =  
 Reporting Numerator (7 patients) =

$\frac{4 \text{ patients}}{7 \text{ patients}} = 57.14\%$

**SAMPLE CALCULATIONS:**

\*See the posted Measure Specification for specific coding and instructions to report this measure.

NOTE: Reporting Frequency – Patient - Process

CPT only copyright 2014 American Medical Association. All rights reserved.

v1

**2015 Registry Individual Measure Flow**  
**PQRS #383 NQF #1879: Adherence to Antipsychotic Medications for Individuals with Schizophrenia**

Please refer to the specific section of the Measure Specification to identify the denominator and numerator information for use in reporting this Individual Measure.

1. Start with Denominator
2. Check Patient Age:
  - a. If Patient Age is greater than or equal to 18 Years at the Beginning of the Measurement Year equals No, do not include in Eligible Population or Denominator. Stop Processing.
  - b. If Patient Age is greater than or equal to 18 Years at the Beginning of the Measurement Year equals Yes, proceed to check Patient Diagnosis.
3. Check Patient Diagnosis:
  - a. If Diagnosis of Schizophrenia or Schizoaffective Disorder as Listed in the Denominator equals No, do not include in Eligible Population or Denominator. Stop Processing.
  - b. If Diagnosis of Schizophrenia or Schizoaffective Disorder as Listed in the Denominator equals Yes, proceed to check Patient Diagnosis.
4. Check Patient Diagnosis:
  - a. If Diagnosis of Dementia equals Yes, do not include in Eligible Population or Denominator. Stop Processing.
  - b. If Diagnosis of Dementia equals No, proceed to check Encounter Performed.
5. Check Encounter Performed:
  - a. If Encounter as Listed in the Denominator equals No, proceed to check Place of Service and Encounter Performed
  - b. If Encounter as Listed in the Denominator equals Yes, proceed to check Number of Encounters with Diagnosis.
6. Check Place of Service and Number of Encounters:
  - a. If Place of Service and Number of Encounters equals No, do not include in Eligible Population or Denominator. Stop Processing.
  - b. If Place of Service and Number of Encounters equals Yes, proceed to check Number of Encounters with Diagnosis.
7. Check Number of Encounters with Diagnosis:
  - a. If Number of Encounters with Diagnosis equals No, do not include in Eligible Population or Denominator. Stop Processing.
  - b. If Number of Encounters with Diagnosis equals Yes, not include in Eligible Population or Denominator.
8. Eligible Population or Denominator:
  - a. Eligible population or denominator is all eligible patients in the denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 8 patients in the sample calculation.
9. Start Numerator

10. Check Individual filled at least two prescriptions for any antipsychotic medication and had a PDC of 0.8 or greater:
  - a. If Individual filled at least two prescriptions for any antipsychotic medication and had a PDC of 0.8 or greater equals Yes, include in Reporting Met and Performance Met.
  - b. Reporting Met and Performance Met letter is represented in the Reporting Rate and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 4 patients in Sample Calculation.
  - c. If Individual filled at least two prescriptions for any antipsychotic medication and had a PDC of 0.8 or greater equals No, proceed to check Individual who did not fill at least two Prescriptions for any Antipsychotic Medication or did not have a PDC of 0.8 or Greater.
11. Check Individual who did **not** fill at least two prescriptions for any antipsychotic medication or did not have a PDC of 0.8 or greater:
  - a. If Individual who did not fill at least two Prescriptions for any Antipsychotic Medication or did not have a PDC of 0.8 or Greater Equals Yes, include in Reporting Met and Performance Not Met.
  - b. Reporting Met and Performance Not Met letter is represented in the Reporting Rate in the Sample Calculation listed at the end of this document. Letter c equals 3 patients in the Sample Calculation.
  - c. If Individual who did not fill at least two Prescriptions for any Antipsychotic Medication or did not have a PDC of 0.8 or Greater Equals No, proceed to Reporting Not Met.
12. Check Reporting Not Met
  - a. If Reporting Not Met, the Quality Data Code or equivalent was not reported. 1 patient has been subtracted from the reporting numerator in sample calculation.

#### **SAMPLE CALCULATIONS:**

##### **Reporting Rate=**

$\frac{\text{Performance Met (a=4 patients)} + \text{Performance Not Met (c=3 patients)}}{\text{Eligible Population / Denominator (d=8 patients)}} =$	$\frac{7 \text{ patients}}{8 \text{ patients}} = 87.50\%$
-------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------

##### **Performance Rate=**

$\frac{\text{Performance Met (a=4 patients)}}{\text{Reporting Numerator (7 patients)}} =$	$\frac{4 \text{ patients}}{7 \text{ patients}} = 57.14\%$
-------------------------------------------------------------------------------------------	-----------------------------------------------------------