

LDS Inpatient Data Dictionary

No.	Field Short Name	Field Long Name	Label	Type	Length
Base Claim File					
1	DSYSRTKY	DESY_SORT_KEY	LDS Beneficiary ID	NUM	9
2	CLAIMNO	CLAIM_NO	Claim number	NUM	12
3	PROVIDER	PRVDR_NUM	Provider Number	CHAR	10
4	THRU_DT	CLM_THRU_DT	Claim Through Date (Determines Year of Claim)	DATE	8
5	RIC_CD	NCH_NEAR_LINE_REC_IDENT_CD	NCH Near Line Record Identification Code	CHAR	1
6	CLM_TYPE	NCH_CLM_TYPE_CD	NCH Claim Type Code	CHAR	2
7	QUERY_CD	CLAIM_QUERY_CODE	Claim Query Code	CHAR	1
8	FAC_TYPE	CLM_FAC_TYPE_CD	Claim Facility Type Code	CHAR	1
9	TYPESRVC	CLM_SRVC_CLSFCN_TYPE_CD	Claim Service classification Type Code	CHAR	1
10	FREQ_CD	CLM_FREQ_CD	Claim Frequency Code	CHAR	1
11	FI_NUM	FI_NUM	FI Number	CHAR	5
12	NOPAY_CD	CLM_MDCR_NON_PMT_RSN_CD	Claim Medicare Non Payment Reason Code	CHAR	2
13	PMT_AMT	CLM_PMT_AMT	Claim Payment Amount	NUM	12
14	PRPAYAMT	NCH_PRMRY_PYR_CLM_PD_AMT	NCH Primary Payer Claim Paid Amount	NUM	12
15	PRPAY_CD	NCH_PRMRY_PYR_CD	NCH Primary Payer Code	CHAR	1
16	ACTIONCD	FI_CLM_ACTN_CD	FI Claim Action Code	CHAR	1
17	PRSTATE	PRVDR_STATE_CD	NCH Provider State Code	CHAR	2
18	ORGNPINM	ORG_NPI_NUM	Organization NPI Number	CHAR	10
19	AT_UPIN	AT_PHYSN_UPIN	Claim Attending Physician UPIN Number	CHAR	12
20	AT_NPI	AT_PHYSN_NPI	Claim Attending Physician NPI Number	CHAR	12
21	OP_UPIN	OP_PHYSN_UPIN	Claim Operating Physician UPIN Number	CHAR	12
22	OP_NPI	OP_PHYSN_NPI	Claim Operating Physician NPI Number	CHAR	12
23	OT_UPIN	OT_PHYSN_UPIN	Claim Other Physician UPIN Number	CHAR	12
24	OT_NPI	OT_PHYSN_NPI	Claim Other Physician NPI Number	CHAR	12
25	MCOPDSW	CLM_MCO_PD_SW	Claim MCO Paid Switch	CHAR	1
26	STUS_CD	PTNT_DSCHRG_STUS_CD	Patient Discharge Status Code	CHAR	2
27	PPS_IND	CLM_PPS_IND_CD	Claim PPS Indicator Code	CHAR	1
28	TOT_CHRG	CLM_TOT_CHRG_AMT	Claim Total Charge Amount	NUM	12
29	ADMSN_DT	CLM_ADMSN_DT	Claim Admission Date	DATE	8
30	TYPE_ADM	CLM_IP_ADMSN_TYPE_CD	Claim Inpatient Admission Type Code	CHAR	1
31	SRC_ADMS	CLM_SRC_IP_ADMSN_CD	Claim Source Inpatient Admission Code	CHAR	1
32	PTNTSTUS	NCH_PTNT_STATUS_IND_CD	NCH Patient Status Indicator Code	CHAR	1
33	PER_DIEM	CLM_PASS_THRU_PER_DIEM_AMT	Claim Pass Thru Per Diem Amount	NUM	12
34	DED_AMT	NCH_BENE_IP_DDCTBL_AMT	NCH Beneficiary Inpatient Deductible Amount	NUM	12
35	COIN_AMT	NCH_BENE_PTA_COINSRNC_LBLTY_AM	NCH Beneficiary Part A Coinsurance Liability Amount	NUM	12
36	BLDDEDAM	NCH_BENE_BLOOD_DDCTBL_LBLTY_AM	NCH Beneficiary Blood Deductible Liability Amount	NUM	12
37	PCCHGAMT	NCH_PROFNL_CMPNT_CHRG_AMT	NCH Professional Component Charge Amount	NUM	12
38	NCCHGAMT	NCH_IP_NCVRD_CHRG_AMT	NCH Inpatient Noncovered Charge Amount	NUM	12
39	PPS_CPTL	CLM_TOT_PPS_CPTL_AMT	Claim Total PPS Capital Amount	NUM	12
40	CPTL_FSP	CLM_PPS_CPTL_FSP_AMT	Claim PPS Capital FSP Amount	NUM	12
41	CPTLOUTL	CLM_PPS_CPTL_OUTLIER_AMT	Claim PPS Capital Outlier Amount	NUM	12
42	DISP_SHR	CLM_PPS_CPTL_DSPRPRNT_SHR_AMT	Claim PPS Capital Disproportionate Share Amount	NUM	12
43	IME_AMT	CLM_PPS_CPTL_IME_AMT	Claim PPS Capital IME Amount	NUM	12
44	CPTL_EXP	CLM_PPS_CPTL_EXCPTN_AMT	Claim PPS Capital Exception Amount	NUM	12
45	HLDHRMLS	CLM_PPS_OLD_CPTL_HLD_HRMLS_AMT	Claim PPS Old Capital Hold Harmless Amount	NUM	12

LDS Inpatient Data Dictionary

No.	Field Short Name	Field Long Name	Label	Type	Length
46	DRGWTAMT	CLM_PPS_CPTL_DRG_WT_NUM	Claim PPS Capital DRG Weight Number	NUM	8
47	UTIL_DAY	CLM_UTLZTN_DAY_CNT	Claim Utilization Day Count	NUM	3
48	COIN_DAY	BENE_TOT_COINSRNC_DAYS_CNT	Beneficiary Total Coinsurance Days Count	NUM	3
49	LRD_USE	BENE_LRD_USED_CNT	Beneficiary LRD Used Count	NUM	3
50	NUTILDAY	CLM_NON_UTLZTN_DAYS_CNT	Claim Non Utilization Days Count	NUM	5
51	BLDFRNSH	NCH_BLOOD_PNTS_FRNSHD_QTY	NCH Blood Pints Furnished Quantity	NUM	3
52	NCOVFROM	NCH_VRFD_NCVRD_STAY_FROM_DT	NCH Verified Noncovered Stay From Date	DATE	8
53	NCOVTHRU	NCH_VRFD_NCVRD_STAY_THRU_DT	NCH Verified Noncovered Stay Through Date	DATE	8
54	EXHST_DT	NCH_BENE_MDCR_BNFTS_EXHTD_DT_I	NCH Beneficiary Medicare Benefits Exhausted Date	DATE	8
55	DSCHRGDT	NCH_BENE_DSCHRG_DT	NCH Beneficiary Discharge Date	DATE	8
56	DRG_CD	CLM_DRG_CD	Claim Diagnosis Related Group Code	CHAR	3
57	OUTLR_CD	CLM_DRG_OUTLIER_STAY_CD	Claim Diagnosis Related Group Outlier Stay Code	CHAR	1
58	OUTLRPMT	NCH_DRG_OUTLIER_APRVD_PMT_AMT	NCH DRG Outlier Approved Payment Amount	NUM	12
59	ADMTG_DGNS_CD	ADMTG_DGNS_CD	Claim Admitting Diagnosis Code	CHAR	7
60	ADMTG_DGNS_VRSN_CD	ADMTG_DGNS_VRSN_CD	Claim Admitting Diagnosis Code Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
61	PRNCPAL_DGNS_CD	PRNCPAL_DGNS_CD	Primary Claim Diagnosis Code	CHAR	7
62	PRNCPAL_DGNS_VRSN_CD	PRNCPAL_DGNS_VRSN_CD	Primary Claim Diagnosis Code Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
63	ICD_DGNS_CD1	ICD_DGNS_CD1	Claim Diagnosis Code I	CHAR	7
64	ICD_DGNS_VRSN_CD1	ICD_DGNS_VRSN_CD1	Claim Diagnosis Code I Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
65	CLM_POA_IND_SW1	CLM_POA_IND_SW1	Claim Diagnosis Code I Diagnosis Present on Admission Indicator Code	CHAR	1
66	ICD DGNS CD2	ICD_DGNS_CD2	Claim Diagnosis Code II	CHAR	7
67	ICD DGNS VRSN CD2	ICD_DGNS_VRSN_CD2	Claim Diagnosis Code II Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
68	CLM POA IND SW2	CLM_POA_IND_SW2	Claim Diagnosis Code II Diagnosis Present on Admission Indicator Code	CHAR	1
69	ICD DGNS CD3	ICD_DGNS_CD3	Claim Diagnosis Code III	CHAR	7
70	ICD DGNS VRSN CD3	ICD_DGNS_VRSN_CD3	Claim Diagnosis Code III Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
71	CLM POA IND SW3	CLM_POA_IND_SW3	Claim Diagnosis Code III Diagnosis Present on Admission Indicator Code	CHAR	1
72	ICD DGNS CD4	ICD_DGNS_CD4	Claim Diagnosis Code IV	CHAR	7
73	ICD DGNS VRSN CD4	ICD_DGNS_VRSN_CD4	Claim Diagnosis Code IV Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
74	CLM POA IND SW4	CLM_POA_IND_SW4	Claim Diagnosis Code IV Diagnosis Present on Admission Indicator Code	CHAR	1
75	ICD DGNS CD5	ICD_DGNS_CD5	Claim Diagnosis Code V	CHAR	7
76	ICD DGNS VRSN CD5	ICD_DGNS_VRSN_CD5	Claim Diagnosis Code V Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
77	CLM POA IND SW5	CLM_POA_IND_SW5	Claim Diagnosis Code V Diagnosis Present on Admission Indicator Code	CHAR	1
78	ICD DGNS CD6	ICD_DGNS_CD6	Claim Diagnosis Code VI	CHAR	7
79	ICD DGNS VRSN CD6	ICD_DGNS_VRSN_CD6	Claim Diagnosis Code VI Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
80	CLM POA IND SW6	CLM_POA_IND_SW6	Claim Diagnosis Code VI Diagnosis Present on Admission Indicator Code	CHAR	1
81	ICD DGNS CD7	ICD_DGNS_CD7	Claim Diagnosis Code VII	CHAR	7
82	ICD DGNS VRSN CD7	ICD_DGNS_VRSN_CD7	Claim Diagnosis Code VII Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
83	CLM POA IND SW7	CLM_POA_IND_SW7	Claim Diagnosis Code VII Diagnosis Present on Admission Indicator Code	CHAR	1
84	ICD DGNS CD8	ICD_DGNS_CD8	Claim Diagnosis Code VIII	CHAR	7
85	ICD DGNS VRSN CD8	ICD_DGNS_VRSN_CD8	Claim Diagnosis Code VIII Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
86	CLM POA IND SW8	CLM_POA_IND_SW8	Claim Diagnosis Code VIII Diagnosis Present on Admission Indicator Code	CHAR	1
87	ICD DGNS CD9	ICD_DGNS_CD9	Claim Diagnosis Code IX	CHAR	7
88	ICD DGNS VRSN CD9	ICD_DGNS_VRSN_CD9	Claim Diagnosis Code IX Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
89	CLM POA IND SW9	CLM_POA_IND_SW9	Claim Diagnosis Code IX Diagnosis Present on Admission Indicator Code	CHAR	1
90	ICD DGNS CD10	ICD_DGNS_CD10	Claim Diagnosis Code X	CHAR	7
91	ICD DGNS VRSN CD10	ICD_DGNS_VRSN_CD10	Claim Diagnosis Code X Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1

LDS Inpatient Data Dictionary

No.	Field Short Name	Field Long Name	Label	Type	Length
92	CLM POA IND SW10	CLM_POA_IND_SW10	Claim Diagnosis Code X Diagnosis Present on Admission Indicator Code	CHAR	1
93	ICD DGNS CD11	ICD_DGNS_CD11	Claim Diagnosis Code XI	CHAR	7
94	ICD DGNS VRSN CD11	ICD_DGNS_VRSN_CD11	Claim Diagnosis Code XI Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
95	CLM POA IND SW11	CLM_POA_IND_SW11	Claim Diagnosis Code XI Diagnosis Present on Admission Indicator Code	CHAR	1
96	ICD DGNS CD12	ICD_DGNS_CD12	Claim Diagnosis Code XII	CHAR	7
97	ICD DGNS VRSN CD12	ICD_DGNS_VRSN_CD12	Claim Diagnosis Code XII Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
98	CLM POA IND SW12	CLM_POA_IND_SW12	Claim Diagnosis Code XII Diagnosis Present on Admission Indicator Code	CHAR	1
99	ICD DGNS CD13	ICD_DGNS_CD13	Claim Diagnosis Code XIII	CHAR	7
100	ICD DGNS VRSN CD13	ICD_DGNS_VRSN_CD13	Claim Diagnosis Code XIII Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
101	CLM POA IND SW13	CLM_POA_IND_SW13	Claim Diagnosis Code XIII Diagnosis Present on Admission Indicator Code	CHAR	1
102	ICD DGNS CD14	ICD_DGNS_CD14	Claim Diagnosis Code XIV	CHAR	7
103	ICD DGNS VRSN CD14	ICD_DGNS_VRSN_CD14	Claim Diagnosis Code XIV Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
104	CLM POA IND SW14	CLM_POA_IND_SW14	Claim Diagnosis Code XIV Diagnosis Present on Admission Indicator Code	CHAR	1
105	ICD DGNS CD15	ICD_DGNS_CD15	Claim Diagnosis Code XV	CHAR	7
106	ICD DGNS VRSN CD15	ICD_DGNS_VRSN_CD15	Claim Diagnosis Code XV Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
107	CLM POA IND SW15	CLM_POA_IND_SW15	Claim Diagnosis Code XV Diagnosis Present on Admission Indicator Code	CHAR	1
108	ICD DGNS CD16	ICD_DGNS_CD16	Claim Diagnosis Code XVI	CHAR	7
109	ICD DGNS VRSN CD16	ICD_DGNS_VRSN_CD16	Claim Diagnosis Code XVI Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
110	CLM POA IND SW16	CLM_POA_IND_SW16	Claim Diagnosis Code XVI Diagnosis Present on Admission Indicator Code	CHAR	1
111	ICD DGNS CD17	ICD_DGNS_CD17	Claim Diagnosis Code XVII	CHAR	7
112	ICD DGNS VRSN CD17	ICD_DGNS_VRSN_CD17	Claim Diagnosis Code XVII Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
113	CLM POA IND SW17	CLM_POA_IND_SW17	Claim Diagnosis Code XVII Diagnosis Present on Admission Indicator Code	CHAR	1
114	ICD DGNS CD18	ICD_DGNS_CD18	Claim Diagnosis Code XVIII	CHAR	7
115	ICD DGNS VRSN CD18	ICD_DGNS_VRSN_CD18	Claim Diagnosis Code XVIII Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
116	CLM POA IND SW18	CLM_POA_IND_SW18	Claim Diagnosis Code XVIII Diagnosis Present on Admission Indicator Code	CHAR	1
117	ICD DGNS CD19	ICD_DGNS_CD19	Claim Diagnosis Code XIX	CHAR	7
118	ICD DGNS VRSN CD19	ICD_DGNS_VRSN_CD19	Claim Diagnosis Code XIX Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
119	CLM POA IND SW19	CLM_POA_IND_SW19	Claim Diagnosis Code XIX Diagnosis Present on Admission Indicator Code	CHAR	1
120	ICD DGNS CD20	ICD_DGNS_CD20	Claim Diagnosis Code XX	CHAR	7
121	ICD DGNS VRSN CD20	ICD_DGNS_VRSN_CD20	Claim Diagnosis Code XX Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
122	CLM POA IND SW20	CLM_POA_IND_SW20	Claim Diagnosis Code XX Diagnosis Present on Admission Indicator Code	CHAR	1
123	ICD DGNS CD21	ICD_DGNS_CD21	Claim Diagnosis Code XXI	CHAR	7
124	ICD DGNS VRSN CD21	ICD_DGNS_VRSN_CD21	Claim Diagnosis Code XXI Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
125	CLM POA IND SW21	CLM_POA_IND_SW21	Claim Diagnosis Code XXI Diagnosis Present on Admission Indicator Code	CHAR	1
126	ICD DGNS CD22	ICD_DGNS_CD22	Claim Diagnosis Code XXII	CHAR	7
127	ICD DGNS VRSN CD22	ICD_DGNS_VRSN_CD22	Claim Diagnosis Code XXII Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
128	CLM POA IND SW22	CLM_POA_IND_SW22	Claim Diagnosis Code XXII Diagnosis Present on Admission Indicator Code	CHAR	1
129	ICD DGNS CD23	ICD_DGNS_CD23	Claim Diagnosis Code XXIII	CHAR	7
130	ICD DGNS VRSN CD23	ICD_DGNS_VRSN_CD23	Claim Diagnosis Code XXIII Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
131	CLM POA IND SW23	CLM_POA_IND_SW23	Claim Diagnosis Code XXIII Diagnosis Present on Admission Indicator Code	CHAR	1
132	ICD DGNS CD24	ICD_DGNS_CD24	Claim Diagnosis Code XXIV	CHAR	7
133	ICD DGNS VRSN CD24	ICD_DGNS_VRSN_CD24	Claim Diagnosis Code XXIV Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
134	CLM POA IND SW24	CLM_POA_IND_SW24	Claim Diagnosis Code XXIV Diagnosis Present on Admission Indicator Code	CHAR	1
135	ICD DGNS CD25	ICD_DGNS_CD25	Claim Diagnosis Code XXV	CHAR	7
136	ICD DGNS VRSN CD25	ICD_DGNS_VRSN_CD25	Claim Diagnosis Code XXV Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
137	CLM POA IND SW25	CLM_POA_IND_SW25	Claim Diagnosis Code XXV Diagnosis Present on Admission Indicator Code	CHAR	1

LDS Inpatient Data Dictionary

No.	Field Short Name	Field Long Name	Label	Type	Length
138	FST_DGNS_E_CD	FST_DGNS_E_CD	First Claim Diagnosis E Code	CHAR	7
139	FST_DGNS_E_VRSN_CD	FST_DGNS_E_VRSN_CD	First Claim Diagnosis E Code Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
140	ICD_DGNS_E_CD1	ICD_DGNS_E_CD1	Claim Diagnosis E Code I	CHAR	7
141	ICD_DGNS_E_VRSN_CD1	ICD_DGNS_E_VRSN_CD1	Claim Diagnosis E Code I Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
142	CLM_E_POA_IND_SW1	CLM_E_POA_IND_SW1	Claim Diagnosis E Code I Diagnosis Present on Admission Indicator Code	CHAR	1
143	ICD_DGNS_E_CD2	ICD_DGNS_E_CD2	Claim Diagnosis E Code II	CHAR	7
144	ICD_DGNS_E_VRSN_CD2	ICD_DGNS_E_VRSN_CD2	Claim Diagnosis E Code II Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
145	CLM_E_POA_IND_SW2	CLM_E_POA_IND_SW2	Claim Diagnosis E Code II Diagnosis Present on Admission Indicator Code	CHAR	1
146	ICD_DGNS_E_CD3	ICD_DGNS_E_CD3	Claim Diagnosis E Code III	CHAR	7
147	ICD_DGNS_E_VRSN_CD3	ICD_DGNS_E_VRSN_CD3	Claim Diagnosis E Code III Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
148	CLM_E_POA_IND_SW3	CLM_E_POA_IND_SW3	Claim Diagnosis E Code III Diagnosis Present on Admission Indicator Code	CHAR	1
149	ICD_DGNS_E_CD4	ICD_DGNS_E_CD4	Claim Diagnosis E Code IV	CHAR	7
150	ICD_DGNS_E_VRSN_CD4	ICD_DGNS_E_VRSN_CD4	Claim Diagnosis E Code IV Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
151	CLM_E_POA_IND_SW4	CLM_E_POA_IND_SW4	Claim Diagnosis E Code IV Diagnosis Present on Admission Indicator Code	CHAR	1
152	ICD_DGNS_E_CD5	ICD_DGNS_E_CD5	Claim Diagnosis E Code V	CHAR	7
153	ICD_DGNS_E_VRSN_CD5	ICD_DGNS_E_VRSN_CD5	Claim Diagnosis E Code V Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
154	CLM_E_POA_IND_SW5	CLM_E_POA_IND_SW5	Claim Diagnosis E Code V Diagnosis Present on Admission Indicator Code	CHAR	1
155	ICD_DGNS_E_CD6	ICD_DGNS_E_CD6	Claim Diagnosis E Code VI	CHAR	7
156	ICD_DGNS_E_VRSN_CD6	ICD_DGNS_E_VRSN_CD6	Claim Diagnosis E Code VI Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
157	CLM_E_POA_IND_SW6	CLM_E_POA_IND_SW6	Claim Diagnosis E Code VI Diagnosis Present on Admission Indicator Code	CHAR	1
158	ICD_DGNS_E_CD7	ICD_DGNS_E_CD7	Claim Diagnosis E Code VII	CHAR	7
159	ICD_DGNS_E_VRSN_CD7	ICD_DGNS_E_VRSN_CD7	Claim Diagnosis E Code VII Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
160	CLM_E_POA_IND_SW7	CLM_E_POA_IND_SW7	Claim Diagnosis E Code VII Diagnosis Present on Admission Indicator Code	CHAR	1
161	ICD_DGNS_E_CD8	ICD_DGNS_E_CD8	Claim Diagnosis E Code VIII	CHAR	7
162	ICD_DGNS_E_VRSN_CD8	ICD_DGNS_E_VRSN_CD8	Claim Diagnosis E Code VIII Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
163	CLM_E_POA_IND_SW8	CLM_E_POA_IND_SW8	Claim Diagnosis E Code VIII Diagnosis Present on Admission Indicator Code	CHAR	1
164	ICD_DGNS_E_CD9	ICD_DGNS_E_CD9	Claim Diagnosis E Code VIX	CHAR	7
165	ICD_DGNS_E_VRSN_CD9	ICD_DGNS_E_VRSN_CD9	Claim Diagnosis E Code VIX Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
166	CLM_E_POA_IND_SW9	CLM_E_POA_IND_SW9	Claim Diagnosis E Code VIX Diagnosis Present on Admission Indicator Code	CHAR	1
167	ICD_DGNS_E_CD10	ICD_DGNS_E_CD10	Claim Diagnosis E Code X	CHAR	7
168	ICD_DGNS_E_VRSN_CD10	ICD_DGNS_E_VRSN_CD10	Claim Diagnosis E Code X Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
169	CLM_E_POA_IND_SW10	CLM_E_POA_IND_SW10	Claim Diagnosis E Code X Diagnosis Present on Admission Indicator Code	CHAR	1
170	ICD_DGNS_E_CD11	ICD_DGNS_E_CD11	Claim Diagnosis E Code XI	CHAR	7
171	ICD_DGNS_E_VRSN_CD11	ICD_DGNS_E_VRSN_CD11	Claim Diagnosis E Code XI Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
172	CLM_E_POA_IND_SW11	CLM_E_POA_IND_SW11	Claim Diagnosis E Code XI Diagnosis Present on Admission Indicator Code	CHAR	1
173	ICD_DGNS_E_CD12	ICD_DGNS_E_CD12	Claim Diagnosis E Code XII	CHAR	7
174	ICD_DGNS_E_VRSN_CD12	ICD_DGNS_E_VRSN_CD12	Claim Diagnosis E Code XII Diagnosis Version Code (ICD-9 or ICD-10)	CHAR	1
175	CLM_E_POA_IND_SW12	CLM_E_POA_IND_SW12	Claim Diagnosis E Code XII Diagnosis Present on Admission Indicator Code	CHAR	1
176	ICD_PRCDR_CD1	ICD_PRCDR_CD1	Claim Procedure Code I	CHAR	7
177	ICD_PRCDR_VRSN_CD1	ICD_PRCDR_VRSN_CD1	Claim Procedure Code I Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
178	PRCDR_DT1	PRCDR_DT1	Claim Procedure Code I Date	DATE	8
179	ICD_PRCDR_CD2	ICD_PRCDR_CD2	Claim Procedure Code II	CHAR	7
180	ICD_PRCDR_VRSN_CD2	ICD_PRCDR_VRSN_CD2	Claim Procedure Code II Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
181	PRCDR_DT2	PRCDR_DT2	Claim Procedure Code II Date	DATE	8
182	ICD_PRCDR_CD3	ICD_PRCDR_CD3	Claim Procedure Code III	CHAR	7
183	ICD_PRCDR_VRSN_CD3	ICD_PRCDR_VRSN_CD3	Claim Procedure Code III Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1

LDS Inpatient Data Dictionary

No.	Field Short Name	Field Long Name	Label	Type	Length
184	PRCDR_DT3	PRCDR_DT3	Claim Procedure Code III Date	DATE	8
185	ICD_PRCDR_CD4	ICD_PRCDR_CD4	Claim Procedure Code IV	CHAR	7
186	ICD_PRCDR_VRSN_CD4	ICD_PRCDR_VRSN_CD4	Claim Procedure Code IV Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
187	PRCDR_DT4	PRCDR_DT4	Claim Procedure Code IV Date	DATE	8
188	ICD_PRCDR_CD5	ICD_PRCDR_CD5	Claim Procedure Code V	CHAR	7
189	ICD_PRCDR_VRSN_CD5	ICD_PRCDR_VRSN_CD5	Claim Procedure Code V Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
190	PRCDR_DT5	PRCDR_DT5	Claim Procedure Code V Date	DATE	8
191	ICD_PRCDR_CD6	ICD_PRCDR_CD6	Claim Procedure Code VI	CHAR	7
192	ICD_PRCDR_VRSN_CD6	ICD_PRCDR_VRSN_CD6	Claim Procedure Code VI Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
193	PRCDR_DT6	PRCDR_DT6	Claim Procedure Code VI Date	DATE	8
194	ICD_PRCDR_CD7	ICD_PRCDR_CD7	Claim Procedure Code VII	CHAR	7
195	ICD_PRCDR_VRSN_CD7	ICD_PRCDR_VRSN_CD7	Claim Procedure Code VII Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
196	PRCDR_DT7	PRCDR_DT7	Claim Procedure Code VII Date	DATE	8
197	ICD_PRCDR_CD8	ICD_PRCDR_CD8	Claim Procedure Code VIII	CHAR	7
198	ICD_PRCDR_VRSN_CD8	ICD_PRCDR_VRSN_CD8	Claim Procedure Code VIII Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
199	PRCDR_DT8	PRCDR_DT8	Claim Procedure Code VIII Date	DATE	8
200	ICD_PRCDR_CD9	ICD_PRCDR_CD9	Claim Procedure Code IX	CHAR	7
201	ICD_PRCDR_VRSN_CD9	ICD_PRCDR_VRSN_CD9	Claim Procedure Code IX Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
202	PRCDR_DT9	PRCDR_DT9	Claim Procedure Code IX Date	DATE	8
203	ICD_PRCDR_CD10	ICD_PRCDR_CD10	Claim Procedure Code X	CHAR	7
204	ICD_PRCDR_VRSN_CD10	ICD_PRCDR_VRSN_CD10	Claim Procedure Code X Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
205	PRCDR_DT10	PRCDR_DT10	Claim Procedure Code X Date	DATE	8
206	ICD_PRCDR_CD11	ICD_PRCDR_CD11	Claim Procedure Code XI	CHAR	7
207	ICD_PRCDR_VRSN_CD11	ICD_PRCDR_VRSN_CD11	Claim Procedure Code XI Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
208	PRCDR_DT11	PRCDR_DT11	Claim Procedure Code XI Date	DATE	8
209	ICD_PRCDR_CD12	ICD_PRCDR_CD12	Claim Procedure Code XII	CHAR	7
210	ICD_PRCDR_VRSN_CD12	ICD_PRCDR_VRSN_CD12	Claim Procedure Code XII Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
211	PRCDR_DT12	PRCDR_DT12	Claim Procedure Code XII Date	DATE	8
212	ICD_PRCDR_CD13	ICD_PRCDR_CD13	Claim Procedure Code XIII	CHAR	7
213	ICD_PRCDR_VRSN_CD13	ICD_PRCDR_VRSN_CD13	Claim Procedure Code XIII Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
214	PRCDR_DT13	PRCDR_DT13	Claim Procedure Code XIII Date	DATE	8
215	ICD_PRCDR_CD14	ICD_PRCDR_CD14	Claim Procedure Code XIV	CHAR	7
216	ICD_PRCDR_VRSN_CD14	ICD_PRCDR_VRSN_CD14	Claim Procedure Code XIV Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
217	PRCDR_DT14	PRCDR_DT14	Claim Procedure Code XIV Date	DATE	8
218	ICD_PRCDR_CD15	ICD_PRCDR_CD15	Claim Procedure Code XV	CHAR	7
219	ICD_PRCDR_VRSN_CD15	ICD_PRCDR_VRSN_CD15	Claim Procedure Code XV Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
220	PRCDR_DT15	PRCDR_DT15	Claim Procedure Code XV Date	DATE	8
221	ICD_PRCDR_CD16	ICD_PRCDR_CD16	Claim Procedure Code XVI	CHAR	7
222	ICD_PRCDR_VRSN_CD16	ICD_PRCDR_VRSN_CD16	Claim Procedure Code XVI Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
223	PRCDR_DT16	PRCDR_DT16	Claim Procedure Code XVI Date	DATE	8
224	ICD_PRCDR_CD17	ICD_PRCDR_CD17	Claim Procedure Code XVII	CHAR	7
225	ICD_PRCDR_VRSN_CD17	ICD_PRCDR_VRSN_CD17	Claim Procedure Code XVII Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
226	PRCDR_DT17	PRCDR_DT17	Claim Procedure Code XVII Date	DATE	8
227	ICD_PRCDR_CD18	ICD_PRCDR_CD18	Claim Procedure Code XVIII	CHAR	7
228	ICD_PRCDR_VRSN_CD18	ICD_PRCDR_VRSN_CD18	Claim Procedure Code XVIII Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
229	PRCDR_DT18	PRCDR_DT18	Claim Procedure Code XVIII Date	DATE	8

LDS Inpatient Data Dictionary

No.	Field Short Name	Field Long Name	Label	Type	Length
230	ICD_PRCDR_CD19	ICD_PRCDR_CD19	Claim Procedure Code XIX	CHAR	7
231	ICD_PRCDR_VRSN_CD19	ICD_PRCDR_VRSN_CD19	Claim Procedure Code XIX Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
232	PRCDR_DT19	PRCDR_DT19	Claim Procedure Code XIX Date	DATE	8
233	ICD_PRCDR_CD20	ICD_PRCDR_CD20	Claim Procedure Code XX	CHAR	7
234	ICD_PRCDR_VRSN_CD20	ICD_PRCDR_VRSN_CD20	Claim Procedure Code XX Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
235	PRCDR_DT20	PRCDR_DT20	Claim Procedure Code XX Date	DATE	8
236	ICD_PRCDR_CD21	ICD_PRCDR_CD21	Claim Procedure Code XXI	CHAR	7
237	ICD_PRCDR_VRSN_CD21	ICD_PRCDR_VRSN_CD21	Claim Procedure Code XXI Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
238	PRCDR_DT21	PRCDR_DT21	Claim Procedure Code XXI Date	DATE	8
239	ICD_PRCDR_CD22	ICD_PRCDR_CD22	Claim Procedure Code XXII	CHAR	7
240	ICD_PRCDR_VRSN_CD22	ICD_PRCDR_VRSN_CD22	Claim Procedure Code XXII Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
241	PRCDR_DT22	PRCDR_DT22	Claim Procedure Code XXII Date	DATE	8
242	ICD_PRCDR_CD23	ICD_PRCDR_CD23	Claim Procedure Code XXIII	CHAR	7
243	ICD_PRCDR_VRSN_CD23	ICD_PRCDR_VRSN_CD23	Claim Procedure Code XXIII Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
244	PRCDR_DT23	PRCDR_DT23	Claim Procedure Code XXIII Date	DATE	8
245	ICD_PRCDR_CD24	ICD_PRCDR_CD24	Claim Procedure Code XXIV	CHAR	7
246	ICD_PRCDR_VRSN_CD24	ICD_PRCDR_VRSN_CD24	Claim Procedure Code XXIV Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
247	PRCDR_DT24	PRCDR_DT24	Claim Procedure Code XXIV Date	DATE	8
248	ICD_PRCDR_CD25	ICD_PRCDR_CD25	Claim Procedure Code XXV	CHAR	7
249	ICD_PRCDR_VRSN_CD25	ICD_PRCDR_VRSN_CD25	Claim Procedure Code XXV Claim Procedure Version Code (ICD-9 or ICD-10)	CHAR	1
250	PRCDR_DT25	PRCDR_DT25	Claim Procedure Code XXV Date	DATE	8
251	DOB_DT	DOB_DT	LDS Age Category	NUM	1
252	GNDR_CD	GNDR_CD	Gender Code from Claim	CHAR	1
253	RACE_CD	BENE_RACE_CD	Race Code from Claim	CHAR	1
254	CNTY_CD	BENE_CNTY_CD	County Code from Claim (SSA)	CHAR	3
255	STATE_CD	BENE_STATE_CD	State Code from Claim (SSA)	CHAR	2
256	CWF_BENE_MDCR_STUS_CD	CWF_BENE_MDCR_STUS_CD	CWF Beneficiary Medicare Status Code	CHAR	2

Condition Code File

1	DSYSRTKY	DESY_SORT_KEY	LDS Beneficiary ID	NUM	9
2	CLAIMNO	CLAIM_NO	LDS Claim Number	NUM	12
3	RLTCNDSQ	RLT_COND_CD_SEQ	Claim Related Condition Code Sequence	CHAR	2
4	THRU_DT	CLM_THRU_DT	Claim Through Date (Determines Year of Claim)	DATE	8
5	CLM_TYPE	NCH_CLM_TYPE_CD	NCH Claim Type Code	CHAR	2
6	RLT_COND	CLM_RLT_COND_CD	Claim Related Condition Code	CHAR	2

Occurrence Code File

1	DSYSRTKY	DESY_SORT_KEY	LDS Beneficiary ID	NUM	9
2	CLAIMNO	CLAIM_NO	LDS Claim Number	NUM	12
3	RLTOCRSQ	RLT_OCRNC_CD_SEQ	Claim Related Occurrence Code Sequence	CHAR	2
4	THRU_DT	CLM_THRU_DT	Claim Through Date (Determines Year of Claim)	DATE	8
5	CLM_TYPE	NCH_CLM_TYPE_CD	NCH Claim Type Code	CHAR	2
6	OCRNC_CD	CLM_RLT_OCRNC_CD	Claim Related Occurrence Code	CHAR	2
7	OCRNCDT	CLM_RLT_OCRNC_DT	Claim Related Occurrence Date	DATE	8

Value Code File

LDS Inpatient Data Dictionary

No.	Field Short Name	Field Long Name	Label	Type	Length
1	DSYSRTKY	DESY_SORT_KEY	LDS Beneficiary ID	NUM	9
2	CLAIMNO	CLAIM_NO	LDS Claim Number	NUM	12
3	RLTVALSQ	RLT_VAL_CD_SEQ	Claim Related Value Code Sequence	CHAR	2
4	THRU_DT	CLM_THRU_DT	Claim Through Date (Determines Year of Claim)	DATE	8
5	CLM_TYPE	NCH_CLM_TYPE_CD	NCH Claim Type Code	CHAR	2
6	VAL_CD	CLM_VAL_CD	Claim Value Code	CHAR	2
7	VAL_AMT	CLM_VAL_AMT	Claim Value Amount	NUM	12

Revenue Center File

1	DSYSRTKY	DESY_SORT_KEY	LDS Beneficiary ID	NUM	9
2	CLAIMNO	CLAIM_NO	LDS Claim Number	NUM	12
3	CLM_LN	CLM_LINE_NUM	Claim Line Number	NUM	3
4	THRU_DT	CLM_THRU_DT	Claim Through Date (Determines Year of Claim)	DATE	8
5	CLM_TYPE	NCH_CLM_TYPE_CD	NCH Claim Type Code	CHAR	2
6	REV_CNTR	REV_CNTR	Revenue Center Code	CHAR	4
7	HCPCS_CD	HCPCS_CD	Revenue Center HCFA Common Procedure Coding System	CHAR	5
8	REV_UNIT	REV_CNTR_UNIT_CNT	Revenue Center Unit Count	NUM	8
9	REV_RATE	REV_CNTR_RATE_AMT	Revenue Center Rate Amount	NUM	12
10	REV_CHRG	REV_CNTR_TOT_CHRG_AMT	Revenue Center Total Charge Amount	NUM	12
11	REV_NCVR	REV_CNTR_NCVRD_CHRG_AMT	Revenue Center Non-Covered Charge Amount	NUM	12
12	REVDEDCD	REV_CNTR_DDCTBL_COINSRNC_CD	Revenue Center Deductible Coinsurance Code	CHAR	1
13	APCHIPPS	REV_CNTR_APC_HIPPS_CD	Revenue Center APC/HIPPS	CHAR	5

Base Claim File

Variable	Description	Possible Values	Notes
DSYSRTKY	This field contains the key to link data for each beneficiary across all claim files.		
CLAIMNO	The unique number used to identify a unique claim.		
PROVIDER	The identification number of the institutional provider certified by Medicare to provide services to the beneficiary.		
THRU_DT	The last day on the billing statement covering services rendered to the beneficiary (a.k.a. 'Statement Covers Thru Date').		
RIC_CD	A code defining the type of claim record being processed.		
CLM_TYPE	The code used to identify the type of claim record being processed in NCH.		Effective with Version 'J', 3 new code values have been added to include a type code for the Medicare Advantage claims (IME/GME, no-pay and paid as FFS). During the Version 'J' conversion, these type codes were populated throughout history.
QUERY_CD	Code indicating the type of claim record being processed with respect to payment (debit/credit indicator; interim/final indicator).	<p>CODES:</p> <ul style="list-style-type: none"> 0 - Credit adjustment 1 - Interim bill 2 - Home Health Agency (HHA) benefits exhausted (obsolete 7/98) 3 - Final bill 4 - Discharge notice (obsolete (7/98) 5 - Debit adjustment 	
FAC_TYPE	The first digit of the type of bill (TOB1) submitted on an institutional claim used to identify the type of facility that provided care to the beneficiary.		
TYPESRVC	The second digit of the type of bill (TOB2) submitted on an institutional claim record to indicate the classification of the type of service provided to the beneficiary.		
FREQ_CD	The third digit of the type of bill (TOB3) submitted on an institutional claim record to indicate the sequence of a claim in the beneficiary's current episode of care.		
FI_NUM	The identification number assigned by CMS to a fiscal intermediary authorized to process institutional claim records.		Effective October 2006, the Medicare Administrative Contractors (MACs) began replacing the existing fiscal intermediaries and started processing institutional claim records for states assigned to its jurisdiction. NOTE: The 5-position MAC number will be housed in the existing FL_NUM field. During the transition from an FI to a MAC the FL_NUM field could contain either a FI number or a MAC number. See the FI_NUM table of codes to identify the new MAC numbers and their effective dates.
NOPAY_CD	The reason that no Medicare payment is made for services on an institutional claim.		NOTE3: Effective with Version 'J', the field has been expanded on the NCH claim to 2 bytes. With this expansion the NCH will no longer use the character values to represent the official two byte values being sent in by CWF since 4/2002. During the Version 'J' conversion, all character values were converted to the two byte values.
PMT_AMT	Amount of payment made from the Medicare trust fund for the services covered by the claim record. Generally, the amount is calculated by the FI or carrier; and represents what was paid to the institutional provider, physician, or supplier, with the exceptions noted.		may be pre- sent; e.g., (1) when a beneficiary is charged the full deductible during a short stay and the deductible exceeded the amount Medicare pays; or (2) when beneficiary is charged a coinsurance amount during a long stay and the coinsurance amount exceeds the amount Medicare pays (most prevalent situation involves psych hospitals who are paid a daily per diem rate no matter what the charges are.) Under IP PPS, inpatient hospital services are paid based on a predetermined rate per discharge, using the DRG patient classification system and the PRICER program. On the IP PPS claim, the payment amount includes the DRG outlier approved payment amount, disproportionate share (since 5/1/86), indirect medical education (since 10/1/88), total PPS capital (since 10/1/91). After 4/1/03, the payment amount could also include a "new technology" add-on amount. It does NOT include the pass-thru amounts (i.e., capital- related costs, direct medical education costs, kidney acquisition costs, bad debts); or any beneficiary-paid amounts (i.e., deductibles and coinsurance); or any any other payer reimbursement. Under IRFPPS, inpatient rehabilitation services are paid based on a predetermined rate per discharge, using the Case Mix Group (CMG) classification system and the PRICER
PRPAYAMT	The amount of a payment made on behalf of a Medicare beneficiary by a primary payer other than Medicare, that the provider is applying to covered Medicare charges on a non-institutional claim.		
PRPAY_CD	The code on an institutional claim, specifying a federal non-Medicare program or other source that has primary responsibility for the payment of the Medicare beneficiary's health insurance bills.		
ACTIONCD	The type of action requested by the intermediary to be taken on an institutional claim.		
PRSTATE	The two position SSA state code where provider facility is located.		

ORGNPINM	On an institutional claim, the National Provider Identifier (NPI) number assigned to uniquely identify the institutional provider certified by Medicare to provide services to the beneficiary.		CMS has determined that dual provider identifiers (old legacy numbers and new NPI) must be available in the NCH. After the 5/07 NPI implementation, the standard system maintainers will add the legacy number to the claim when it is adjudicated. We will continue to receive the OSCAR provider number and any currently issued UPINs. Effective May 2007, no NEW UPINs (legacy number) will be generated for NEW physicians (Part B and outpatient claims), so there will only be NPIs sent in to the NCH for those physicians.
AT_UPIN	On an institutional claim, the unique physician identification number (UPIN) of the physician who would normally be expected to certify and recertify the medical necessity of the services rendered and/or who has primary responsibility for the beneficiary's medical care and treatment (attending physician).		This field is ENCRYPTED for the Limited Data Set Standard View of the Inpatient/SNF files.
AT_NPI	On an institutional claim, the national provider identifier (NPI) number assigned to uniquely identify the physician who has overall responsibility for the beneficiary's care and treatment.		CMS has determined that dual provider identifiers (old legacy numbers and new NPI) must be available in the NCH. After the 5/07 NPI implementation, the standard system maintainers will add the legacy number to the claim when it is adjudicated. We will continue to receive the OSCAR provider number and any currently issued UPINs. Effective May 2007, no NEW UPINs (legacy number) will be generated for NEW physicians (Part B and outpatient claims), so there will only be NPIs sent in to the NCH for those physicians. This field is ENCRYPTED for the Limited Data Set Standard View of the Inpatient/SNF files.
OP_UPIN	On an institutional claim, the unique physician identification number (UPIN) of the physician who performed the principal procedure. This element is used by the provider to identify the operating physician who performed the surgical procedure.		This field is ENCRYPTED for the Limited Data Set Standard View of the Inpatient/SNF files.
OP_NPI	On an institutional claim, the National Provider Identifier (NPI) number assigned to uniquely identify the physician with the primary responsibility for performing the surgical procedure(s).		CMS has determined that dual provider identifiers (old legacy numbers and new NPI) must be available in the NCH. After the 5/07 NPI implementation, the standard system maintainers will add the legacy number to the claim when it is adjudicated. We will continue to receive the OSCAR provider number and any currently issued UPINs. Effective May 2007, no NEW UPINs (legacy number) will be generated for NEW physicians (Part B and outpatient claims), so there will only be NPIs sent in to the NCH for those physicians. This field is ENCRYPTED for the Limited Data Set Standard View of the Inpatient/SNF files.
OT_UPIN	On an institutional claim, the unique physician identification number (UPIN) of the other physician associated with the institutional claim.		This field is ENCRYPTED for the Limited Data Set Standard View of the Inpatient/SNF files.
OT_NPI	On an institutional claim, the National Provider Identifier (NPI) number assigned to uniquely identify the other physician associated with the institutional claim.		CMS has determined that dual provider identifiers (old legacy numbers and new NPI) must be available in the NCH. After the 5/07 NPI implementation, the standard system maintainers will add the legacy number to the claim when it is adjudicated. We will continue to receive the OSCAR provider number and any currently issued UPINs. Effective May 2007, no NEW UPINs (legacy number) will be generated for NEW physicians (Part B and outpatient claims), so there will only be NPIs sent in to the NCH for those physicians. This field is ENCRYPTED for the Limited Data Set Standard View of the Inpatient/SNF files.
MCOPDSW	A switch indicating whether or not a Managed Care Organization (MCO) has paid the provider for an institutional claim.	CODES: 1 = MCO has paid the provider for a claim Blank or 0 = MCO has not paid the provider COMMENT: Prior to Version H this field was named: CLM_GHO_PD_SW.	
STUS_CD	The code used to identify the status of the patient as of the CLM_THRU_DT.		
PPS_IND	Effective with Version H, the code indicating whether or not the (1) claim is PPS and/or (2) the beneficiary is a deemed insured Medicare Qualified Government Employee (MQGE).		NOTE: Beginning with NCH weekly process date 10/3/97 through 5/29/98, this field was populated with only the PPS indicator. Beginning with NCH weekly process date 6/5/98, this field was additionally populated with the deemed MQGE indicator. Claims processed prior to 10/3/97 will contain spaces.

TOT_CHRG	Effective with Version G, the total charges for all services included on the institutional claim. This field is redundant with revenue center code 0001/total charges.		
ADMSN_DT	On an institutional claim, the date the beneficiary was admitted to the hospital, skilled nursing facility, or christian science sanitorium.		For the Limited Data Set Standard View of the Inpatient/SNF files, the admission date for the claim is coded as when the admission occurred.
TYPE_ADM	The code indicating the type and priority of an inpatient admission associated with the service on an intermediary submitted claim.		
		<p>CODES:</p> <p>0 = ANOMALY: invalid value, if present, translate to '9'</p> <p>1 = Non-Health Care Facility Point of Origin (Physician Referral) - The patient was admitted to this facility upon an order of a physician.</p> <p>2 = Clinic referral - The patient was admitted upon the recommendation of this facility's clinic physician.</p> <p>3 = HMO referral - Reserved for national Prior to 3/08, HMO referral - The patient was admitted upon the recommendation of an health maintenance organization (HMO) physician.</p> <p>4 = Transfer from hospital (Different Facility) - The patient was admitted to this facility as a hospital transfer from an acute care facility where he or she was an inpatient.</p> <p>5 = Transfer from a skilled nursing facility (SNF) or Intermediate Care Facility (ICF) - The patient was admitted to this facility as a transfer from a SNF or ICF where he or she was a resident.</p> <p>6 = Transfer from another health care facility - The patient was admitted to this facility as a transfer from another type of health care facility not defined elsewhere in this code list where he or she was an inpatient.</p> <p>7 = Emergency room - The patient was admitted to this facility after receiving services in this facility's emergency room department.</p> <p>8 = Court/law enforcement - The patient was admitted upon the direction of a court of law or upon the request of a law enforcement agency's representative.</p>	
SRC_ADMS	The code indicating the source of the referral for the admission or visit.		
PTNTSTUS	Effective with Version H, the code on an inpatient/SNF and Hospice claim, indicating whether the beneficiary was discharged, died or still a patient (used for internal CWFMQA editing purposes.)	<p>CODES:</p> <p>A = Discharged</p> <p>B = Died</p> <p>C = Still patient</p>	During the Version H conversion this field was populated throughout history (back to service year 1991).
PER_DIEM	The amount of the established reimbursable costs for the current year divided by the estimated Medicare days for the current year (all PPS claims), as calculated by the FI and reimbursement staff. Items reimbursed as a pass-through include capital-related costs; direct medical education costs; kidney acquisition costs for hospitals approved as RTCs; and bad debts (per Provider Reimbursement Manual, Part 1, Section 2405.2). Note: Pass throughs are not included in the Claim Payment Amount.		
DED_AMT	The amount of the deductible the beneficiary paid for inpatient services, as originally submitted on the institutional claim.		
COIN_AMT	The amount of money for which the intermediary has determined that the beneficiary is liable for Part A coinsurance on the institutional claim.		
BLDDEDAM	The amount of money for which the intermediary determined the beneficiary is liable for the blood deductible.		
PCCHGAMT	Effective with Version H, for inpatient and outpatient claims, the amount of physician and other professional charges covered under Medicare Part B (used for internal CWFMQA editing purposes and other internal processes (e.g. if computing interim payment these charges are deducted)).		During the Version H conversion this field was populated throughout history (back to service year 1991).
NCCHGAMT	Effective with Version H, the noncovered charges for all accommodations and services, reported on an inpatient claim (used for internal CWFMQA editing purposes).		During the Version H conversion this field was populated throughout history (back to service year 1991).
PPS_CPTL	The total amount that is payable for capital PPS for the claim. This is the sum of the capital hospital specific portion, federal specific portion, outlier portion, disproportionate share portion, indirect medical education portion, exception payments, and hold harmless payments.		
CPTL_FSP	Effective 3/2/92, the amount of the federal specific portion of the PPS payment for capital.		
CPTLOUTL	Effective 3/2/92, the amount of the outlier portion of the PPS payment for capital.		
DISP_SHR	Effective 3/2/92, the amount of disproportionate share (rate reflecting indigent population served) portion of the PPS payment for capital.		

IME_AMT	Effective 3/2/92, the amount of the indirect medical education (IME) (reimbursable amount for teaching hospitals only; an added amount passed by Congress to augment normal PPS payments for teaching hospitals to compensate them for higher patient costs resulting from medical education programs for interns and residents) portion of the PPS payment for capital.		
CPTL_EXP	Effective 3/2/92, the capital PPS amount of exception payments provided for hospitals with inordinately high levels of capital obligations. Exception payments expire at the end of the 10-year transition period.		
HLDRMLS	Effective 3/2/92, this amount is the hold harmless amount payable for old capital as computed by PRICER for providers with a payment code equal to 'A'. The hold harmless amount-old capital is 100 percent of the reasonable costs of old capital for sole community sole community hospitals, or 85 percent of the reasonable costs associated with old capital for all other hospitals, plus a payment for new capital.		
DRGWTAMT	Effective 3/2/92, the number used to determine a transfer adjusted case mix index for capital PPS. The number is determined by multiplying the DRG weight times the discharge fraction.		
UTIL_DAY	On an institutional claim, the number of covered days of care that are chargeable to Medicare facility utilization that includes full days, coinsurance days, and lifetime reserve days. It excludes any days classified as non-covered, leave of absence days, and the day of discharge or death.		
COIN_DAY	The count of the total number of coinsurance days involved with the beneficiary's stay in a facility.		
LRD_USE	The number of lifetime reserve days that the beneficiary has elected to use during the period covered by the institutional claim. Under Medicare, each beneficiary has a one-time reserve of sixty additional days of inpatient hospital coverage that can be used after 90 days of inpatient care have been provided in a single benefit period. This count is used to subtract from the total number of lifetime reserve days that a beneficiary has available.		
NUTILDAY	On an institutional claim, the number of days of care that are not chargeable to Medicare facility utilization.		
BLDFRNSH	Number of whole pints of blood furnished to the beneficiary, as reported on the carrier claim (non-DMERC).		Prior to Version H this field was stored in a blood trailer. Version H eliminated the blood trailer.
NCOVFROM	Effective with Version H, the beginning date of the beneficiary's noncovered stay (used for internal CWFMQA editing purposes.) NOTE: During the Version H conversion this field was populated with data throughout history (back to service year 1991).		
NCOVTHRU	Effective with Version H, the ending date of the beneficiary's noncovered stay (used for internal CWFMQA editing purposes.)		During the Version H conversion this field was populated throughout history (back to service year 1991).
EXHST_DT	The last date for which the beneficiary has Medicare coverage. This is completed only where benefits were exhausted before the date of discharge and during the billing period covered by this institutional claim.		
DSCHRGDT	Effective with Version H, on an inpatient and HHA claim, the date the beneficiary was discharged from the facility or died (used for internal CWFMQA editing purposes.)		During the Version H conversion this field was populated throughout history (back to service year 1991).
DRG_CD	The diagnostic related group to which a hospital claim belongs for prospective payment purposes.		GROUPER is the software that determines the DRG from data elements reported by the hospital. Once determined, the DRG code is one of the elements used to determine the price upon which to base the reimbursement to the hospitals under prospective payment. Nonpayment claims (zero reimbursement) may not have a DRG present.
OUTLR_CD	On an institutional claim, the code that indicates the beneficiary stay under the prospective payment system which, although classified into a specific diagnosis related group, has an unusually long length (day outlier) or exceptionally high cost (cost outlier).		
OUTLRPMT	On an institutional claim, the additional payment amount approved by the Peer Review Organization due to an outlier situation for a beneficiary's stay under the prospective payment system, which has been classified into a specific diagnosis related group.		
ADMTG_DGNS_CD	A diagnosis code on the institutional claim indicating the beneficiary's initial diagnosis at admission.		Effective 1/1/2004 with the implementation of NCH/NMUD CR#1, the admitting diagnosis (also known as reason for patient visit) was added to the Outpatient claim. This data was stored in positions 572-576 (FILLER) until the implementation of NCH/NMUD CR#2. Prior to 1/1/2004, this field was only present on inpatient claims. Additional exception: Virgin Island hospitals and hospitals that furnish only inpatient Part B services.
ADMTG_DGNS_VRSN_CD	Effective with Version 'J', the code used to indicate if the diagnosis code is ICD-9 or ICD-10.		With 5010 the diagnosis and procedure codes have been expanded to accommodate ICD-10, even though ICD-10 is not scheduled for implementation until 10/2013.
PRNCPAL_DGNS_CD	The diagnosis code identifying the diagnosis, condition, problem or other reason for the admission/encounter/visit shown in the medical record to be chiefly responsible for the services provided.		Effective with Version 'J', this field has been expanded from 5 bytes to 7 bytes to accommodate the future implementation of ICD-10.
PRNCPAL_DGNS_VRSN_CD	Effective with Version 'J', the code used to indicate if the diagnosis is ICD-9 or ICD-10.		With 5010, the diagnosis and procedure codes have been expanded to accommodate ICD-10, even though ICD-10 is not scheduled for implementation until 10/2013.
ICD DGNS CD1 to CD25	The diagnosis code identifying the beneficiary's principal or other diagnosis (including E code).		NOTE1: Effective with Version 'J', this field has been expanded from 5 bytes to 7 bytes to accommodate the future implementation of ICD-10. NOTE2: Effective with Version 'J', the diagnosis E codes are stored in a separate trailer (CLM_DGNS_E_GRP).
ICD DGNS VRSN CD1 to CD25	Effective with Version 'J', the code used to indicate if the diagnosis code is ICD-9 or ICD-10.		With 5010, the diagnosis and procedure codes have been expanded to accommodate ICD-10, even though ICD-10 is not scheduled for implementation until 10/2013.

CLM POA IND SW1 to SW25	Effective with Version 'J', the code used to identify the present on admission(POA) indicator code associated with the diagnosis codes (principal and secondary). The present on admission indicators for the diagnosis E codes are stored in the present on admission diagnosis E trailer.		Prior to Version 'J', the POA indicators were stored in a 10-byte field in the fixed portion of the claim. The field was named: CLM_POA_IND_CD.
FST_DGNS_E_CD	The code used to identify the first external cause of injury, poisoning, or other adverse effect. This diagnosis E code is also stored as the first occurrence of the diagnosis E code trailer.		Effective with Version 'J', this field has been expanded from 5 bytes to 7 bytes to accommodate the future implementation of ICD-10.
FST_DGNS_E_VRSN_CD	Effective with Version 'J', the code used to indicate if the diagnosis code is ICD-9 or ICD-10.		With 5010, the diagnosis and procedure codes have been expanded to accommodate ICD-10, even though ICD-10 is not scheduled for implementation until 10/2013.
ICD DGNS E CD1 to CD12	Effective with Version J, the code used to identify the external cause of injury, poisoning, or other adverse affect.		Effective with Version 'J', this field has been expanded from 5 bytes to 7 bytes to accommodate the future implementation of ICD-10. During the Version 'J' conversion this field was populated throughout history.
ICD DGNS E VRSN CD1 to CD12	Effective with Version 'J', the code used to indicate if the diagnosis code is ICD-9 or ICD-10.		With 5010, the diagnosis and procedure codes have been expanded to accommodate ICD-10, even though ICD-10 is not scheduled for implementation until 10/2013.
CLM E POA IND SW1 to SW12	Effective with Version 'J', the code used to identify the present on admission(POA) indicator code associated with the diagnosis codes.		Prior to Version 'J', the POA indicators were stored in a 10-byte field in the fixed portion of the claim. The field was named: CLM_POA_IND_CD.
ICD_PRCDR_CD1 to CD25	The code that indicates the principal or other procedure performed during the period covered by the institutional claim.		Effective July 2004, ICD-9-CM procedure codes are no longer being accepted on Outpatient claims. The ICD-9-CM codes were named as the HIPPA standard code set for inpatient hospital procedures. HCPCS/CPT codes were named as the standard code set for physician services and other health care services.
ICD_PRCDR_VRSN_CD1 to CD25	Effective with Version 'J', the code used to indicate if the surgical procedure code is ICD-9 or ICD-10.		With 5010, the diagnosis and procedure codes have been expanded to accommodate ICD-10, even though ICD-10 is not scheduled for implementation until 10/2013.
PRCDR_DT1 to DT25	On an institutional claim, the date on which the principal or other procedure was performed.		For the Limited Data Set Standard View of the Inpatient/SNF files, the claim procedure performed date is coded as when the procedure was performed.
DOB_DT	The beneficiary's date of birth.	CODES: 0 = Unknown 1 = <65 2 = 65 Thru 69 3 = 70 Thru 74 4 = 75 Thru 79 5 = 80 Thru 84 6 = >84	For the Limited Data Set Standard View of the Inpatient/SNF files, the beneficiary's date of birth is coded as a range.
GNDR_CD	The sex of a beneficiary.	CODES: 1 = Male 2 = Female 0 = Unknown	
RACE_CD	The race of a beneficiary.	CODES: 0 = Unknown 1 = White 2 = Black 3 = Other 4 = Asian 5 = Hispanic 6 = North American Native	
CNTY_CD	The SSA standard county code of a beneficiary's residence.		
STATE_CD	The SSA standard state code of a beneficiary's residence.		1. Used in conjunction with a county code, as selection criteria for the determination of payment rates for HMO reimbursement. 2. Concerning individuals directly billable for Part B and/or Part A premiums, this element is used to determine if the beneficiary will receive a bill in English or Spanish. 3. Also used for special studies.
CWF_BENE_MDCR_STUS_CD	The CWF-derived reason for a beneficiary's entitlement to Medicare benefits, as of the reference date (CLM_THRU_DT).	CODES: 10 = Aged without ESRD 11 = Aged with ESRD 20 = Disabled without ESRD 21 = Disabled with ESRD 31 = ESRD only	

Condition Code File

Variable	Description	Possible Values	Notes
DSYSRTKY	This field contains the key to link data for each beneficiary across all claim files.		
CLAIMNO	The unique number used to identify a unique claim.		
RLTCNDSQ	The sequence number of the related institutional condition code for normal forms layout used in CCW.		
THRU_DT	The last day on the billing statement covering services rendered to the beneficiary (a.k.a. 'Statement Covers Thru Date').		
CLM_TYPE	The code used to identify the type of claim record being processed in NCH.		Effective with Version 'J', 3 new code values have been added to include a type code for the Medicare Advantage claims (IME/GME, no-pay and paid as FFS). During the Version 'J' conversion, these type codes were populated throughout history.
RLT_COND	The code that indicates a condition relating to an institutional claim that may affect payer processing.	<p>CODES:</p> <p>01 THRU 16 = Insurance related</p> <p>17 THRU 30 = Special condition</p> <p>31 THRU 35 = Student status codes which are required when a patient is a dependent child over 18 years old</p> <p>36 THRU 45 = Accommodation</p> <p>46 THRU 54 = CHAMPUS information</p> <p>55 THRU 59 = Skilled nursing facility</p> <p>60 THRU 70 = Prospective payment</p> <p>71 THRU 99 = Renal dialysis setting</p> <p>A0 THRU B9 = Special program codes</p> <p>C0 THRU C9 = PRO approval services</p> <p>D0 THRU W0 = Change conditions</p>	

Occurrence Code File

Variable	Description	Possible Values	Notes
DSYSRTKY	This field contains the key to link data for each beneficiary across all claim files.		
CLAIMNO	The unique number used to identify a unique claim.		
RLTOCRSQ	The sequence number of the related institutional occurrence code for normal forms layout used in CCW.		
THRU_DT	The last day on the billing statement covering services rendered to the beneficiary (a.k.a. 'Statement Covers Thru Date').		
CLM_TYPE	The code used to identify the type of claim record being processed in NCH.		Effective with Version 'J', 3 new code values have been added to include a type code for the Medicare Advantage claims (IME/GME, no-pay and paid as FFS). During the Version 'J' conversion, these type codes were populated throughout history.
OCRNC_CD	The code that identifies a significant event relating to an institutional claim that may affect payer processing. These codes are claim-related occurrences that are related to a specific date.	<p>CODES:</p> <p>01 THRU 09 = Accident</p> <p>10 THRU 19 = Medical condition</p> <p>20 THRU 39 = Insurance related</p> <p>40 THRU 69 = Service related</p> <p>A1-A3 = Miscellaneous</p>	
OCRNC DT	The date associated with a significant event related to an institutional claim that may affect payer processing.		For the Limited Data Set Standard View of the Inpatient/SNF files, the claim procedure performed date is coded as when the procedure was performed.

Value Code File

Variable	Description	Possible Values	Notes
DSYSRTKY	This field contains the key to link data for each beneficiary across all claim files.		
CLAIMNO	The unique number used to identify a unique claim.		
RLTVALSQ	The sequence number of the related institutional value code for normal forms layout used in CCW.		
THRU_DT	The last day on the billing statement covering services rendered to the beneficiary (a.k.a. 'Statement Covers Thru Date').		
CLM_TYPE	The code used to identify the type of claim record being processed in NCH.		Effective with Version 'J', 3 new code values have been added to include a type code for the Medicare Advantage claims (IME/GME, no-pay and paid as FFS). During the Version 'J' conversion, these type codes were populated throughout history.
VAL_CD	The code indicating the value of a monetary condition which was used by the intermediary to process an institutional claim.		
VAL_AMT	The amount related to the condition identified in the CLM_VAL_CD which was used by the intermediary to process the institutional claim.		

Revenue Center File

Variable	Description	Possible Values	Notes
DSYSRTKY	This field contains the key to link data for each beneficiary across all claim files.		

CLAIMNO	The unique number used to identify a unique claim.		
CLM_LN	The claim line number for detail revenue or part B line.		
THRU_DT	The last day on the billing statement covering services rendered to the beneficiary (a.k.a. 'Statement Covers Thru Date').		
CLM_TYPE	The code used to identify the type of claim record being processed in NCH.		Effective with Version 'J', 3 new code values have been added to include a type code for the Medicare Advantage claims (IME/GME, no-pay and paid as FFS). During the Version 'J' conversion, these type codes were populated throughout history.
REV_CNTR	The provider-assigned revenue code for each cost center for which a separate charge is billed (type of accommodation or ancillary). A cost center is a division or unit within a hospital (e.g., radiology, emergency room, pathology). EXCEPTION: Revenue center code 0001 represents the total of all revenue centers included on the claim.		
HCPCS_CD	The Health Care Common Procedure Coding System (HCPCS) is a collection of codes that represent procedures, supplies, products and services which may be provided to Medicare beneficiaries and to individuals enrolled in private health insurance programs.		<p>Level I Codes and descriptors copyrighted by the American Medical Association's Current Procedural Terminology, Fourth Edition (CPT-4). These are 5 position numeric codes representing physician and nonphysician services. Note: CPT-4 codes including both long and short descriptions shall be used in accordance with the CMS/AMA agreement. Any other use violates the AMA copyright.</p> <p>Level II Includes codes and descriptors copyrighted by the American Dental Association's Current Dental Terminology, Fifth Edition (CDT-5). These are 5 position alpha-numeric codes comprising the D series. All other level II codes and descriptors are approved and maintained jointly by the alpha-numeric editorial panel (consisting of CMS, the Health Insurance Association of America, and the Blue Cross and Blue Shield Association). These are 5 position alpha- numeric codes representing primarily items and nonphysician services that are not represented in the level I codes.</p> <p>Level III Codes and descriptors developed by Medicare carriers for use at the local (carrier) level. These are 5 position alpha-numeric codes in the W, X, Y or Z series representing physician and nonphysician services that are not represented in the level I or level II codes.</p>
REV_UNIT	A quantitative measure (unit) of the number of times the service or procedure being reported was performed according to the revenue center/HCPCS code definition as described on an institutional claim. Depending on type of service, units are measured by number of covered days in a particular accommodation, pints of blood, emergency room visits, clinic visits, dialysis treatments (sessions or days), outpatient therapy visits, and outpatient clinical diagnostic laboratory tests.		When revenue center code = '0022' (SNF PPS) the unit count will reflect the number of covered days for each HIPPS code and, if applicable, the number of visits for each rehab therapy code.
REV_RATE	Charges relating to unit cost associated with the revenue center code. Exception (encounter data only): If plan (e.g. MCO) does not know the actual rate for the accommodations, \$1 will be reported in the field.		<p>NOTE1: For SNF PPS claims (when revenue center code equals '0022'), CMS has developed a SNF PRICER to compute the rate based on the provider supplied coding for the MDS RUGS III group and assessment type (HIPPS code, stored in revenue center HCPCS code field).</p> <p>NOTE2: For OP PPS claims, CMS has developed a PRICER to compute the rate based on the Ambulatory Payment Classification (APC), discount factor, units of service and the wage index.</p> <p>NOTE3: Under HH PPS (when revenue center code equals '0023'), CMS has developed a HHA PRICER to compute the rate. On the RAP, the rate is determined using the case mix weight associated with the HIPPS code, adjusting it for the wage index for the beneficiary's site of service, then multiplying the result by 60% or 50%, depending on whether or not the RAP is for a first episode. On the final claim, the HIPPS code could change the payment if the therapy threshold is not met, or partial episode payment (PEP) adjustment or a significant change in condition (SCIC) adjustment. In cases of SCICs, there will be more than one '0023' revenue center line, each representing the payment made at each case-mix level.</p> <p>NOTE4: For IRF PPS claims (when revenue center code equals '0024'), CMS has developed a PRICER to compute the rate based on the HIPPS/CMG (HIPPS code, stored in revenue center HCPCS code field).</p>

			<p>EXCEPTIONS:</p> <p>(1) For SNF RUGS demo claims only (9000 series revenue center codes), this field contains SNF customary accommodation charge, (ie., charges related to the accommodation revenue center code that would have been applicable if the provider had not been participating in the demo).</p> <p>(2) For SNF PPS (non demo claims), when revenue center code = '0022', the total charges will be zero.</p> <p>(3) For Home Health PPS (RAPs), when revenue center code = '0023', the total charges will equal the dollar amount for the '0023' line.</p> <p>(4) For Home Health PPS (final claim), when revenue center code = '0023', the total charges will be the sum of the revenue center code lines (other than '0023').</p> <p>(5) For Inpatient Rehabilitation Facility (IFR) PPS, when the revenue center code = '0024', the total charges will be zero. For accommodation revenue codes (010X - 021X), total charges must equal the rate times the units.</p> <p>(6) For encounter data, if the plan (e.g. MCO) does not know the actual charges for the accommodations the total charges will be \$1 (rate) times units (days).</p>
REV_CHRG	The total charges (covered and non-covered) for all accommodations and services (related to the revenue code) for a billing period before reduction for the deductible and coinsurance amounts and before an adjustment for the cost of services provided. NOTE: For accommodation revenue center total charges must equal the rate times units (days).		
REV_NCVR	The charge amount related to a revenue center code for services that are not covered by Medicare.		
REVEDECD	Code indicating whether the revenue center charges are subject to deductible and/or coinsurance.		
APCHIPPS	Effective with Version 'I', this field was created to house two pieces of data. The Ambulatory Payment Classification (APC) code and the HIPPS code. The APC is used to identify groupings of outpatient services. APC codes are used to calculate payment for services under OPPS. The APC is a four byte field. The HIPPS codes are used to identify patient classifications for SNFPPS, HHPPS and IRFPPS that will be used to calculate payment. The HIPPS code is a five byte field.		<p>NOTE1: The APC field is populated for those claims that are required to process through Outpatient PPS Pricer. The type of bills (TOB) required to process through are: 12X, 13X, 14X (except Maryland providers, Indian Health Providers, hospitals located in American Samoa, Guam and Saipan and Critical Access Hospitals (CAH)); 76X; 75X and 34X if certain HCPCS are on the bill; and any outpatient type of bill with a condition code '07' and certain HCPCS. These claim types could have lines that are not required to price under OPPS rules so those lines would not have data in this field.</p> <p>Additional exception: Virgin Island hospitals and hospitals that furnish only inpatient Part B services with dates of service 1/1/02 and forward.</p> <p>NOTE2: Under SNFPPS, HHPPS & IRFPPS, HIPPS codes are stored in the HCPCS field. **EXCEPTION: if a HHPPS HIPPS code is downcoded/upcoded the downcoded/ upcoded HIPPS will be stored in this field.</p> <p>NOTE3: Beginning with NCH weekly process date 8/18/00, this field will be populated with data. Claims processed prior to 8/18/00 will contain spaces in this field.</p>