

HEDIS® 2020 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2019 MEASUREMENT YEAR)

3.1 HEADER RECORD

Note: Include one header row per file as the first record.

- Column 1: Record Identifier—use the tilde (~) character to start the line.
- Column 2-6: CMS Contract Number—only one contract number per submission (e.g., H1205, R1234).
- Column 7-66: Organization Name—as reported to NCQA for summary-level data submission.
- Column 67-71: Submission ID—the unique identifier assigned by NCQA to the CMS contract for summary-level data submission.

*Due to the addition of 5-digit submission IDs, please follow the guidelines below:
Submission IDs must be left justified and 4-digit submission IDs should blank fill column 71.

Example: In columns 67 – 71, a 5-digit ID would be entered as (12345).
A 4-digit ID would be entered starting at column 67 as (1234) with ‘1’ in column 67, leaving column 71 blank.

Column 72-854: Blank fill with spaces.

Specifications - Reporting patient-level data should encompass only the members included in the timeframes used in summary measures submitted by your plan;
i.e., HEDIS specifications regarding timeframes should be strictly followed for each measure and should in no instance include experience from 2020.

Specifications - The sum of a field should equal the numerator or denominator for the corresponding measure entered in the HEDIS 2020 Interactive Data Submission System (IDSS) for that measure.

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
1-12		12	HICN or MBI HICN - A beneficiary's individual Health Insurance Claim Number MBI - A beneficiary's Medicare Beneficiary Identifier	HICN - A beneficiary's individual health insurance claim number. For most beneficiaries, the HICN consists of a nine-digit Social Security Number followed by one or two alphanumeric characters (e.g., 111223333A, 123456789C1). Only beneficiaries entitled to Medicare under the Railroad Retirement Board will have a different format, usually starting with one or two alpha characters (e.g., WA123456). All alpha characters must be capitalized. The HICN must be a continuous string, with no hyphens or embedded spaces. Blank fill with spaces to right of value. MBI - MBI has 11 characters. MBIs are numbers and upper-case letters. MBI uses numbers 0-9 and all letters from A to Z, except for S, L, O, I, B, and Z. The MBI's 2nd, 5th, 8th, and 9th positions will always be a letter, except for S, L, O, I, B, and Z. Positions 1st, 4th, 7th, 10th, and 11th will always be a number. Even though Position 1 allows numbers, it cannot contain the number "0". The 3rd and 6th positions will be a letter or a number. MBI does not have spaces and dashes. The MBI must be a continuous string, with no hyphens or embedded spaces. For a list of valid HICN formats and MBI formats, please refer to Section 2.3 and 2.5 in '2020_HEDIS_Patient_Level_Data_File_Specifications_File_1_of_2.docx.' This field is mandatory—do not leave blank. NOTE: Submit either HICN or MBI.
13-36		24	Last Name. A beneficiary's individual Last Name	The Last Name must be filled by no more than 24 characters. Blank fill with spaces to right of value. This field is mandatory—do not leave blank.
37-51		15	First Name. A beneficiary's individual First Name	The First Name must be filled by no more than 15 characters. Blank fill with spaces to right of value. This field is mandatory—do not leave blank.
52-73		22	City. A beneficiary's individual City of residence	The City must be filled by no more than 22 characters. Blank fill with spaces to right of value. This field is mandatory—do not leave blank.
74-75		2	State. A beneficiary's individual State of residence	The State must be filled with the postal code (ex. Maryland would be MD). This field is mandatory—do not leave blank.
76-80		5	Zip Code. A beneficiary's individual Zip Code	The Zip Code must be filled with 5 digits. This field is mandatory—do not leave blank. NOTE: This field is to be submitted as a 5 digit numeric field to avoid dropping leading zeroes. Only numbers (0-9) may be used as each digit.
81		1	Sex. A beneficiary's gender assigned at birth	Enter: 'F' if this member is female 'M' if this member is male 'O' if the member refused to provide gender This field is mandatory—do not leave blank.
82-89		8	Birth Date. A beneficiary's individual Birth Date	The Birth Date must contain 8 digits with Month, Day, Year in the Format MMDDYYYY (ex. May 3, 1970 would be 05031970) No characters other than numbers are allowed This field is mandatory—do not leave blank.
90-92		3	Plan ID Number. A beneficiary's assigned plan benefit number	The 3 digit number assigned to the specific plan benefit package that the beneficiary is enrolled in under the contract number identified in the Header record (e.g., 001, 045, 134). NOTE: This field is to be submitted as a 3 digit character field to avoid dropping leading zeroes. However, only numbers (0-9) may be used as each digit.
93		1	SNP Enrollee Type. SNP benefit package at end of measurement year	Enter: '0' if this member is NOT enrolled in an SNP plan benefit package '1' if this member is enrolled in a DUAL ELIGIBLE SNP benefit package '2' if this member is enrolled in an INSTITUTIONAL SNP benefit package '3' if this member is enrolled in a CHRONIC CONDITION SNP benefit package
94-95		2	Member Months. The member month contribution (MMC) this member adds to the denominator. Each Medicare enrollee in a given contract should be listed in the text file. The MMC is simply the number of months each Medicare member was enrolled in the contract in the measurement year. The MMC pertains only to Utilization measures; it does not apply to the Effectiveness of Care or Readmission measures, and does not vary by measure. The Enrollment by Product Line (ENP) measure should be used to determine member months.	Each member should have an MMC value between 0 and 12
96	ABA	1	Denominator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
97	ABA	1	Numerator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
98	COL	1	Denominator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
99	COL	1	Numerator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
100	BCS	1	Denominator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
101	BCS	1	Numerator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
102	OMW	1	Denominator for Osteoporosis Management in Women Who Had a Fracture (OMW)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
103	OMW	1	Numerator for Osteoporosis Management in Women Who Had a Fracture (OMW)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
104	CBP	1	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
105	CBP	1	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
106	PBH	1	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
107	PBH	1	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
108	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
109	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
110	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
111	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
112	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
113	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
114	CDC	1	Denominator for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
115	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): Eye exam (retinal) performed	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
116	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
117	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
118	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): Blood pressure control <140/90 mm Hg	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
119	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): Blood pressure control <140/90 mm Hg	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
120	SPR	1	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
121	SPR	1	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
122-123	PCE	2	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
124-125	PCE	2	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
126-127	PCE	2	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
128-129	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
130-131	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
132-133	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
134-135	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
136-137	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
138-139	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
140-141	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
142-143	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
144-145	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
146	AMM	1	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
147	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
148	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
149	ART	1	Denominator for Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
150	ART	1	Numerator for Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
151	DAE	1	Denominator for Use of High-Risk Medications in Older Adults (DAE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
152	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): At Least Two Prescriptions	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
153	DDE	1	Denominator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
154	DDE	1	Numerator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
155	DDE	1	Denominator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
156	DDE	1	Numerator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
157	DDE	1	Denominator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
158	DDE	1	Numerator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
159	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
160	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
161	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
162	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
163	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
164	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
165	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
166	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
167	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
168	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
169	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
170	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
171	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
172	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
173	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
174	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Total	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
175	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
176	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
177	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
178	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
179	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
180	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
181	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
182	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
183	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
184	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
185	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
186	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Total	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
187	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
188	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
189-191	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Bariatric weight loss surgery	Enter: The number of times this member is in the count '0' if the member is not in the count
192-194	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): CABG	Enter: The number of times this member is in the count '0' if the member is not in the count
195-197	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): PCI	Enter: The number of times this member is in the count '0' if the member is not in the count
198-200	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Cardiac catheterization	Enter: The number of times this member is in the count '0' if the member is not in the count
201-203	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Carotid endarterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
204-206	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Open Cholecystectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
207-209	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Laparoscopic cholecystectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
210-212	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Back surgery	Enter: The number of times this member is in the count '0' if the member is not in the count
213-215	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Abdominal hysterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
216-218	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Vaginal hysterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
219-221	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Prostatectomy	Enter: The number of times this member is in the count '0' if the member is not in the count

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
222-224	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Total hip replacement	Enter: The number of times this member is in the count '0' if the member is not in the count
225-227	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Total knee replacement	Enter: The number of times this member is in the count '0' if the member is not in the count
228-230	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Mastectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
231-233	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Lumpectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
234	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Alcohol Disorder	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
235	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Opioid Disorder	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
236	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Other or Unspecified Drug Disorders	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
237	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Total	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
238	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Alcohol Disorder	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
239	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Opioid Disorder	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
240	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
241	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Total	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
242	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Alcohol Disorder	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
243	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Opioid Disorder	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
244	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
245	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Total	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
246	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/Medication Treatment - Alcohol Disorder	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
247	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/Medication Treatment - Opioid Disorder	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
248	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/Medication Treatment - Other or Unspecified Drug Disorders	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
249	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/Medication Treatment - Total	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
250	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Alcohol Disorder	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
251	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Opioid Disorder	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
252	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
253	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Total	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
254	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Alcohol Disorder	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
255	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Opioid Disorder	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
256	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
257	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Total	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
258	MPT	1	Mental Health Utilization (MPT): Percentage of Members Receiving Any Service	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
259	MPT	1	Mental Health Utilization (MPT): Percentage of Members Receiving Inpatient Services	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
260	MPT	1	Mental Health Utilization (MPT): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
261	MPT	1	Mental Health Utilization (MPT): Percentage of Members Receiving Outpatient Services	Enter: '1' if this member has an outpatient service '0' if the member does not have an outpatient service OR the information is missing
262	MPT	1	Mental Health Utilization (MPT): Percentage of Members Receiving ED Services	Enter: '1' if this member has an ED service '0' if the member does not have an ED service OR the information is missing
263	MPT	1	Mental Health Utilization (MPT): Percentage of Members Receiving Telehealth Services	Enter: '1' if this member has a telehealth service '0' if the member does not have a telehealth service OR the information is missing
264-267	ABX	4	Antibiotic Utilization (ABX): Total number of antibiotic prescriptions	Enter: The number of times this member is in the count '0' if the member is not in the count
268-271	ABX	4	Antibiotic Utilization (ABX): Total days supplied for all antibiotic prescriptions	Enter: The total number of days for this member '0' if the member did not have any days
272-275	ABX	4	Antibiotic Utilization (ABX): Total number of prescriptions for antibiotics of concern	Enter: The number of times this member is in the count '0' if the member is not in the count
276-279	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Quinolones	Enter: The number of times this member is in the count '0' if the member is not in the count
280-283	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Cephalosporins 2nd-4th Generation	Enter: The number of times this member is in the count '0' if the member is not in the count
284-287	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Azithromycin and Clarithromycin	Enter: The number of times this member is in the count '0' if the member is not in the count
288-291	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Amoxicillin/Clavulanate	Enter: The number of times this member is in the count '0' if the member is not in the count
292-295	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Ketolides	Enter: The number of times this member is in the count '0' if the member is not in the count
296-299	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Clindamycin	Enter: The number of times this member is in the count '0' if the member is not in the count
300-303	ABX	4	Antibiotic Utilization (ABX): Miscellaneous Antibiotics of Concern	Enter: The number of times this member is in the count '0' if the member is not in the count

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
304-307	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Absorbable Sulfonamides	Enter: The number of times this member is in the count '0' if the member is not in the count
308-311	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Aminoglycosides	Enter: The number of times this member is in the count '0' if the member is not in the count
312-315	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—First Generation Cephalosporins	Enter: The number of times this member is in the count '0' if the member is not in the count
316-319	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Lincosamides (other than Clindamycin)	Enter: The number of times this member is in the count '0' if the member is not in the count
320-323	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Macrolides (other than Azithromycin and Clarithromycin)	Enter: The number of times this member is in the count '0' if the member is not in the count
324-327	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Penicillins	Enter: The number of times this member is in the count '0' if the member is not in the count
328-331	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Tetracyclines	Enter: The number of times this member is in the count '0' if the member is not in the count
332-335	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Miscellaneous Antibiotics	Enter: The number of times this member is in the count '0' if the member is not in the count
336	PSA	1	Denominator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
337	PSA	1	Numerator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
338-339	MRP	2	Denominator for Medication Reconciliation Post-Discharge (MRP)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
340-341	MRP	2	Numerator for Medication Reconciliation Post-Discharge (MRP)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
342	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
343	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
344	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
345	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
346	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
347	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
348	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
349	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
350	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
351	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
352	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
353	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
354	AHU	1	Acute Hospital Utilization (AHU): Non-Outliers	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
355	AHU	1	Acute Hospital Utilization (AHU): Outliers	Enter: '1' if this member is an outlier '0' if this member is not an outlier
356-358	AHU	3	Acute Hospital Utilization (AHU): Observed Discharges, Surgery	Enter: The total number of discharges for this member '0' if the member does not have any discharges
359-361	AHU	3	Acute Hospital Utilization (AHU): Observed Discharges, Medicine	Enter: The total number of discharges for this member '0' if the member does not have any discharges
362-364	AHU	3	Acute Hospital Utilization (AHU): Observed Discharges, Total Inpatient	Enter: The total number of discharges for this member '0' if the member does not have any discharges
365-376	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
377-388	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
389-400	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
401-412	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
413-424	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
425-436	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
437-448	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
449-460	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
461-472	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
473-484	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
485-496	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
497-508	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
509	EDU	1	Emergency Department Utilization (EDU): Eligible Population	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
510-512	EDU	3	Emergency Department Utilization (EDU): Observed ED Visits	Enter: The total number of visits for this member '0' if the member does not have any visits
513-524	EDU	12	Emergency Department Utilization (EDU): PPV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
525-536	EDU	12	Emergency Department Utilization (EDU): PPV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
537-548	EDU	12	Emergency Department Utilization (EDU): PPV Base Risk Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
549-560	EDU	12	Emergency Department Utilization (EDU): PUCV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
561-572	EDU	12	Emergency Department Utilization (EDU): PUCV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
573-584	EDU	12	Emergency Department Utilization (EDU): PUCV Base Risk Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
585	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
586	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
587	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
588	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
589	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
590	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
591-592	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Chronic ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
593-594	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Acute ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
595-596	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Total ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
597-608	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
609-620	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
621-632	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
633-644	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
645-656	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
657-668	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
669-680	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
681-692	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
693-704	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
705-716	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
717-728	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
729-740	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
741-742	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
743-744	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
745-746	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
747-748	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
749-750	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
751-752	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
753-754	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
755-756	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
757-758	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
759-760	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
761-762	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
763-764	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
765-766	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
767-768	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
769-770	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
771	HDO	1	Denominator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
772	HDO	1	Numerator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
773	UOP	1	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
774	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
775	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
776	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
777-778	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
779-780	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
781-782	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
783-784	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
785-786	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
787-788	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
789-790	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
791-792	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
793-794	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
795-796	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
797-798	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
799-800	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
801-802	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
803-804	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
805-806	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
807-808	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
809-810	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
811-812	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
813-814	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
815-816	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
817	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
818	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
819	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, LIS/DE	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
820	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, LIS/DE	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
821	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
822	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
823	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, LIS/DE and Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
824	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, LIS/DE and Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
825	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, Other	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
826	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, Other	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
827	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Eligible Population, Unknown	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
828	BCS	1	SES Stratification for Breast Cancer Screening (BCS): Numerator, Unknown	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
829	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
830	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
831	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, LIS/DE	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
832	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, LIS/DE	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
833	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
834	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
835	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, LIS/DE and Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
836	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, LIS/DE and Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
837	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, Other	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
838	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, Other	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
839	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Eligible Population, Unknown	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
840	COL	1	SES Stratification for Colorectal Cancer Screening (COL): Numerator, Unknown	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
841	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
842	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, Non-LIS/DE, Nondisability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
843	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, LIS/DE	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
844	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, LIS/DE	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
845	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
846	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
847	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, LIS/DE and Disability	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
848	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, LIS/DE and Disability	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
849	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, Other	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
850	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, Other	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
851	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Eligible Population, Unknown	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
852	CDC	1	SES Stratification for Comprehensive Diabetes Care (CDC) Eye exam (retinal) performed: Numerator, Unknown	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
853	SAA	1	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
854	SAA	1	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing