

HEDIS® MEASUREMENT YEAR (MY) 2022 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2023 Reporting)

3.1 HEADER RECORD

Note: Include one header row per file as the first record.

Column 1: Record Identifier—use the tilde (~) character to start the line.  
Column 2-6: CMS Contract Number—only one contract number per submission (e.g., H1205, R1234).  
Column 7-66: Organization Name—as reported to NCQA for summary-level data submission.  
Column 67-71: Submission ID—the unique identifier assigned by NCQA to the CMS contract for summary-level data submission.

\*Due to the addition of 5-digit submission IDs, please follow the guidelines below:

Submission IDs must be left justified and 4-digit submission IDs should blank fill column 71.

Example: In columns 67 – 71, a 5-digit ID would be entered as (12345).

A 4-digit ID would be entered starting at column 67 as (1234) with '1' in column 67, leaving column 71 blank.

Column 72-615: Blank fill with spaces.

Specifications - Reporting patient-level data should encompass only the members included in the timeframes used in summary measures submitted by your plan;  
i.e., HEDIS specifications regarding timeframes should be strictly followed for each measure and should in no instance include experience from 2023.

Specifications - The sum of a field should equal the numerator or denominator for the corresponding measure entered in the HEDIS MY 2022 Interactive Data Submission System (IDSS) for that measure.

HEDIS® MY 2022 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
1-11		11	MBI - A beneficiary's Medicare Beneficiary Identifier	<p>MBI has 11 characters. MBIs are numbers and upper-case letters. MBI uses numbers 0-9 and all letters from A to Z, except for S, L, O, I, B, and Z. The MBI's 2nd, 5th, 8th, and 9th positions will always be a letter, except for S, L, O, I, B, and Z. Positions 1st, 4th, 7th, 10th, and 11th will always be a number. Even though Position 1 allows numbers, it cannot contain the number "0". The 3rd and 6th positions will be a letter or a number. MBI does not have spaces and dashes.</p> <p>The MBI must be a continuous string, with no hyphens or embedded spaces.</p> <p>For a list of valid MBI formats, please refer to 'HEDIS_MY_2022_Patient_Level_Data_File_Specifications_File_1_of_2.docx.'</p> <p>This field is mandatory—do not leave blank.</p>
12-35		24	Last Name. A beneficiary's individual Last Name	<p>The Last Name must be filled by no more than 24 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p>
36-50		15	First Name. A beneficiary's individual First Name	<p>The First Name must be filled by no more than 15 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p>
51-72		22	City. A beneficiary's individual City of residence	<p>The City must be filled by no more than 22 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p>
73-74		2	State. A beneficiary's individual State of residence	<p>The State must be filled with the postal code (ex. Maryland would be MD).</p> <p>This field is mandatory—do not leave blank.</p>
75-79		5	Zip Code. A beneficiary's individual Zip Code	<p>The Zip Code must be filled with 5 digits.</p> <p>This field is mandatory—do not leave blank.</p> <p>NOTE: This field is to be submitted as a 5 digit numeric field to avoid dropping leading zeroes. Only numbers (0-9) may be used as each digit.</p>
80		1	Sex. A beneficiary's gender assigned at birth	<p>Enter:</p> <p>'F' if this member is female</p> <p>'M' if this member is male</p> <p>'O' if the member refused to provide gender</p> <p>This field is mandatory—do not leave blank.</p>
81-88		8	Birth Date. A beneficiary's individual Birth Date	<p>The Birth Date must contain 8 digits with Month, Day, Year in the Format MMDDYYYY (ex. May 3, 1970 would be 05031970)</p> <p>No characters other than numbers are allowed</p> <p>This field is mandatory—do not leave blank.</p>
89-91		3	Plan ID Number. A beneficiary's assigned plan benefit number	<p>The 3 digit number assigned to the specific plan benefit package that the beneficiary is enrolled in under the contract number identified in the Header record (e.g., 001, 045, 134).</p> <p>NOTE: This field is to be submitted as a 3 digit character field to avoid dropping leading zeroes. However, only numbers (0-9) may be used as each digit.</p>
92		1	SNP Enrollee Type. SNP benefit package at end of measurement year	<p>Enter:</p> <p>'0' if this member is NOT enrolled in an SNP plan benefit package</p> <p>'1' if this member is enrolled in a DUAL ELIGIBLE SNP benefit package</p> <p>'2' if this member is enrolled in an INSTITUTIONAL SNP benefit package</p> <p>'3' if this member is enrolled in a CHRONIC CONDITION SNP benefit package</p>
93-94		2	Member Months. The member month contribution (MMC) this member adds to the denominator. Each Medicare enrollee in a given contract should be listed in the text file. The MMC is simply the number of months each Medicare member was enrolled in the contract in the measurement year. The MMC pertains only to Utilization measures; it does not apply to the Effectiveness of Care or Readmission measures, and does not vary by measure. The Enrollment by Product Line (ENP) measure should be used to determine member months.	<p>Each member should have an MMC value between 0 and 12</p>
95	COL	1	Denominator for Colorectal Cancer Screening (COL): 46-49 years	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
96	COL	1	Numerator for Colorectal Cancer Screening (COL) : 46-49 years	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
97	COL	1	Denominator for Colorectal Cancer Screening (COL): 50-75 years	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
98	COL	1	Numerator for Colorectal Cancer Screening (COL) : 50-75 years	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
99	BCS	1	Denominator for Breast Cancer Screening (BCS)	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
100	BCS	1	Numerator for Breast Cancer Screening (BCS)	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
101	OMW	1	Denominator for Osteoporosis Management in Women Who Had a Fracture (OMW)	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>

HEDIS® MY 2022 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
102	OMW	1	Numerator for Osteoporosis Management in Women Who Had a Fracture (OMW)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
103	CBP	1	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
104	CBP	1	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
105	PBH	1	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
106	PBH	1	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
107	SPR	1	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
108	SPR	1	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
109-110	PCE	2	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
111-112	PCE	2	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
113-114	PCE	2	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
115-116	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
117-118	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
119-120	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
121-122	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
123-124	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
125-126	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
127-128	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
129-130	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
131-132	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
133	AMM	1	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
134	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
135	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

HEDIS® MY 2022 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
136	DAE	1	Denominator for Use of High-Risk Medications in Older Adults (DAE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
137	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
138	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
139	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Total Rate	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
140	DDE	1	Denominator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
141	DDE	1	Numerator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
142	DDE	1	Denominator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
143	DDE	1	Numerator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
144	DDE	1	Denominator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
145	DDE	1	Numerator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
146	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
147	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
148	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
149	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
150	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
151	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
152-153	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
154-155	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
156-157	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
158-159	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Opioid use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
160-161	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
162-163	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

## HEDIS® MY 2022 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
164-165	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
166-167	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
168-169	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
170-171	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18+ years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
172-173	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
174-175	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
176-177	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18+ years Opioid use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
178-179	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
180-181	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
182-183	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18+ years Other substance use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
184-185	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18+ years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
186-187	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18+ years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
188-190	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Bariatric weight loss surgery	Enter: The number of times this member is in the count '0' if the member is not in the count
191-193	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): CABG	Enter: The number of times this member is in the count '0' if the member is not in the count
194-196	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): PCI	Enter: The number of times this member is in the count '0' if the member is not in the count
197-199	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Cardiac catheterization	Enter: The number of times this member is in the count '0' if the member is not in the count
200-202	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Carotid endarterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
203-205	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Open Cholecystectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
206-208	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Laparoscopic cholecystectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
209-211	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Back surgery	Enter: The number of times this member is in the count '0' if the member is not in the count
212-214	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Abdominal hysterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
215-217	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Vaginal hysterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count

## HEDIS® MY 2022 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
218-220	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Prostatectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
221-223	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Total hip replacement	Enter: The number of times this member is in the count '0' if the member is not in the count
224-226	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Total knee replacement	Enter: The number of times this member is in the count '0' if the member is not in the count
227-229	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Mastectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
230-232	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Lumpectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
233	PSA	1	Denominator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
234	PSA	1	Numerator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
235	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
236	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
237	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
238	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
239	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
240	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
241	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
242	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
243	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
244	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
245	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
246	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
247	AHU	1	Acute Hospital Utilization (AHU): Non-Outliers	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
248	AHU	1	Acute Hospital Utilization (AHU): Outliers	Enter: '1' if this member is an outlier '0' if this member is not an outlier
249-251	AHU	3	Acute Hospital Utilization (AHU): Observed Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges

HEDIS® MY 2022 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
252-263	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
264-275	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
276-287	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
288-299	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
300	EDU	1	Emergency Department Utilization (EDU): Non-Outliers	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
301	EDU	1	Emergency Department Utilization (EDU): Outliers	Enter: '1' if this member is an outlier '0' if this member is not an outlier
302-304	EDU	3	Emergency Department Utilization (EDU): Observed ED Visits	Enter: The total number of visits for this member '0' if the member does not have any visits
305-316	EDU	12	Emergency Department Utilization (EDU): PPV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
317-328	EDU	12	Emergency Department Utilization (EDU): PPV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
329-340	EDU	12	Emergency Department Utilization (EDU): PUCV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
341-352	EDU	12	Emergency Department Utilization (EDU): PUCV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
353	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
354	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
355	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
356	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
357	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
358	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
359-360	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Chronic ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
361-362	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Acute ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
363-364	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Total ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges

HEDIS® MY 2022 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
365-376	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
377-388	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
389-400	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
401-412	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
413-424	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
425-436	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
437-448	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
449-460	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
461-472	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
473-484	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
485-496	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
497-508	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
509-510	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
511-512	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
513-514	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
515-516	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
517-518	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
519-520	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing



HEDIS® MY 2022 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
521-522	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
523-524	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
525-526	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
527-528	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
529-530	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
531-532	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
533-534	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
535-536	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
537-538	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
539	HDO	1	Denominator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
540	HDO	1	Numerator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
541	UOP	1	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
542	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
543	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
544	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
545-546	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
547-548	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
549-550	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
551-552	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
553-554	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
555-556	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
557-558	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

HEDIS® MY 2022 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
559-560	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
561-562	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
563-564	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
565-566	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
567-568	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
569-570	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
571-572	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
573-574	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
575-576	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
577-578	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
579-580	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
581-582	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
583-584	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
585	SAA	1	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
586	SAA	1	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
587	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
588	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
589	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 65-74 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
590	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 65-74 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
591	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 75-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
592	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 75-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
593	CRE	1	Denominator for Cardiac Rehabilitation (CRE): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

HEDIS® MY 2022 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
594	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Initiation, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
595	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 1, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
596	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 2, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
597	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Achievement, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
598	CRE	1	Denominator for Cardiac Rehabilitation (CRE): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
599	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Initiation, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
600	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 1, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
601	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 2, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
602	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Achievement, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
603	OSW	1	Denominator for Osteoporosis Screening in Older Women (OSW)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
604	OSW	1	Numerator for Osteoporosis Screening in Older Women (OSW)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
605	BPD	1	Denominator for Blood Pressure Control for Patients With Diabetes (BPD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
606	BPD	1	Numerator for Blood Pressure Control for Patients With Diabetes (BPD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
607	HBD	1	Denominator for Hemoglobin A1c Control for Patients With Diabetes (HBD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
608	HBD	1	Numerator for Hemoglobin A1c Control for Patients With Diabetes (HBD): HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
609	HBD	1	Numerator for Hemoglobin A1c Control for Patients With Diabetes (HBD): HbA1c Poor Control >9%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
610	EED	1	Denominator for Eye Exam for Patients With Diabetes (EED)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
611	EED	1	Numerator for Eye Exam for Patients With Diabetes (EED)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
612-613	POD	2	Denominator for Pharmacotherapy for Opioid Use Disorder (POD)	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
614-615	POD	2	Numerator for Pharmacotherapy for Opioid Use Disorder (POD)	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing