# Medicare-Medicaid Enrollee State Profile

Connecticut - 2008

Centers for Medicare & Medicaid Services

### Table of Contents

I.	Introduction1								
II.	Res	ults							
	A.	Popu	ation Overview						
	B.	Demo	ographic Characteristics						
	C.	5	Physical, Mental Health and Disability Related Conditions among Fee-for-Service Enrollees						
		Condi	tions Prevalence5						
	D.	. Utilization of Services among Fee-For-Service Enrollees							
	E. Medicare and Medicaid Expenditures among Fee-for-Service Enrollees								
		1. <i>N</i>	Aedicare Expenditures						
		2. <i>N</i>	Aedicaid Expenditures14						
III.	Acr	onym	List15						
Арр	oend	ix A:	Representativeness of Study Population, CY 2008						
Арр	oend	ix B:	Methodology17						
App	oend	ix C:	Claim Types Included in Medicare Services23						
App	oend	ix D:	Claim Types Included in Medicaid Services24						
App	oend	ix E:	Medicare Fee-for-Service Enrollee Count by Medicare-Medicaid Eligibility Type Examined in the Medicare Expenditure Analysis, Connecticut, CY 200825						
Арр	oend	ix F:	Medicaid Fee-for-Service Enrollee Count by Medicare-Medicaid Eligibility Type Examined in the Medicaid Expenditure Analysis, Connecticut, CY 200826						

### I. Introduction

This report focuses on the State of Connecticut and is based on Medicare-Medicaid enrollee data from 2008.

In 2008, more than 60 million people in the U.S. were covered by Medicaid or the Children's Health Insurance Program (CHIP).<sup>1</sup> Medicaid is a state-administered program with shared funding and oversight from the federal government (Title XIX of Social Security Act). Each state must provide the minimum federally mandated services and coverage for federally mandated eligibility groups; however, states may also cover a wide range of optional benefits across different benefit designs and optional eligibility groups that vary from state to state. Depending on each state, these may include coverage for long term services and supports (LTSS), behavioral health, dental services and/or vision services. Many groups of people are covered by Medicaid, depending on the state's requirements (e.g., age; whether pregnant, disabled, blind, or age 65+; income level and resources; U.S. citizenship or lawful immigration status).

Medicare is the primary health insurance program for individuals age 65 and older, people under age 65 with disabilities, and persons of all ages with end-stage renal disease (ESRD).<sup>2</sup> Medicare is comprised of Parts A, B, C, and D types of coverage. Nearly all individuals enrolled in Medicare have Part A coverage, which includes inpatient hospital care, skilled nursing facility stays, home health services, and hospice care. The majority of Medicare-enrollees also have Part B fee-forservice (FFS) coverage of physician services, hospital outpatient care, durable medical equipment (DME) and some home health care. Alternatively, those Medicare enrollees who are not enrolled in fee-for-service Part B are typically enrolled in a Medicare Part C managed care plan, called "Medicare Advantage." Lastly, as of 2006, the Medicare Part D program made available federallysponsored prescription drug coverage to Medicare enrollees, including Medicare-Medicaid enrollees who have transitioned under this program.

At the national level, approximately 9 million qualified for both programs at the same time. These Medicare-Medicaid enrollees (dual eligible) are the core of the study. This report provides details basic counts and demographic information on the approximately 104,000 Medicare-Medicaid enrollees in the State of Connecticut. In addition, for a smaller FFS sample of Medicare-Medicaid enrollees in Connecticut, this report also provides information on physical, mental, and disability-related health condition prevalence rates as well as Medicare and Medicaid services utilization and associated expenditures. The Medicare-Medicaid enrollees include three main segments: Full Benefit (Qualified Medicare Beneficiary-Plus (QMB-Plus), Specified Low-Income Medicare Beneficiaries (SLMB-Plus) and Other Full Benefit), QMB-only and Partial Benefit (Specified Low-Income Medicare Beneficiaries (SLMB-only), Qualified Disabled Working Individuals (QDWI), and Qualifying Individuals (QI)). The study adds a new focus on those under 65 versus 65 and over, to illuminate areas in which their experiences differ, and compares them, respectively, to persons enrolled in Medicare but not Medicaid (i.e., "Medicare-only"), as well as those enrolled in Medicaid, qualifying due to disability, but not Medicare (i.e., "Medicaid-only").

<sup>&</sup>lt;sup>1</sup> http://www.ccwdata.org/web/guest/medicare-tables-reports

<sup>&</sup>lt;sup>2</sup> Ibid.

### II. Results

### A. Population Overview

**Table 1** shows the number of Medicare-Medicaid enrollees and the proportion by type of Medicare-Medicaid eligibility, in 2008. Full Benefit enrollees represent the largest segment in Connecticut (just over 76%), in line with the national level (77%). Both QMB-only enrollees (11%) and Partial Benefit enrollees (12%) make up a lower proportion of the total Medicare-Medicaid enrollees in Connecticut, at the same rates as the national level (11% and 12% respectively).

# Table 1: Overview of Medicare-Medicaid Eligibility Type in Connecticut as Compared to the Nation as a Whole: Number and Relative Distribution of Medicare-Medicaid Enrollees, CY 2008

	State	of Connecticut	National	
	Number of Enrollees (In State)	Relative Distribution of Medicare-Medicaid enrollee types	Number of Enrollees (National)	Relative Distribution of Medicare-Medicaid enrollee types
Full Benefit Medicare-Medicaid Enrollee	79,094	76.1%	6,984,789	76.8%
QMB-only Medicare-Medicaid Enrollee	11,369	11.0%	984,558	10.8%
Partial Benefit Medicare-Medicaid Enrollee	13,455	12.9%	1,126,647	12.4%
TOTAL Medicare-Medicaid Dual Enrollees	103,918	100%	9,095,994	100%


Source: CY 2008 MMLEADS data

<u>Note</u>: While "QMB-only" Medicare-Medicaid enrollees are technically considered "Partial Benefit," in this Report QMBonly is presented separately from "Partial Benefit," with the latter referring only to all *other* types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., "SLMB-only"), Qualified Disabled Working Individuals (i.e., "QDWI"), and Qualifying Individuals (i.e., "QI").

The focus of the analysis is within the different segments of the Medicare-Medicaid enrollee population. As mentioned, the study also provides, when appropriate, comparisons of the Medicare-Medicaid enrollees to Medicaid-only enrollees with disability and the Medicare-only enrollees.

#### B. Demographic Characteristics


Age and race characteristics were examined within the study cohorts. An analysis of age patterns shows that Medicare-Medicaid enrollees are predominantly in the 40-64 and 65-84 age groups (68% to 86% of the cohorts' populations), although we also find that the Full Benefit group has 10% of the population in the under 40 segment. As expected, the majority of Medicare-only beneficiaries are 65 and over (92%), while 99% of Medicaid-only enrollees with disability are under 65. **Figure 1** shows the age distribution by the study groups.






Source: CY 2008 MMLEADS data

An analysis of ethnicity and race shows that White beneficiaries comprise the largest group (**Figure 2**) across all Medicare-Medicaid enrollees. Hispanic beneficiaries represent the second largest group within Medicare-Medicaid enrollees in the state of Connecticut closely followed by African American beneficiaries. The Medicaid-only with disability cohort has the largest percentage of African American beneficiaries (22%) and smallest percentage of White beneficiaries (46%) across all groups.





Source: CY 2008 MMLEADS data

### C. Physical, Mental Health and Disability Related Conditions among Fee-for-Service Enrollees

This section analyzes enrollees in each cohort along a number of selected chronic conditions.

For analyses in all subsequent sections, in order to ensure complete claims data, the study only includes individuals enrolled in Medicare FFS and/or Medicaid FFS during the entire calendar year. See **Appendix A** for an analysis of representativeness of the study population.

### Conditions Prevalence:

This section presents the prevalence of certain conditions for FFS enrollees across each Medicare-Medicaid enrollee eligibility/age subgroup.


To determine the health status of the study population, we utilized the Chronic Conditions Data Warehouse (CCW) which includes a series of algorithms that generate indicators for select physical, mental and disability related conditions. **Appendix B** details the wider set of conditions that were examined individually to determine prevalence in the study population as well as a smaller subset that were utilized in analysis of condition counts.


We analyzed the physical, mental and disability related conditions among the different cohorts to identify prevailing conditions as well as differences between the groups. We also looked at both the number of enrollees with specific conditions and the number of comorbidities.

As shown in **Figure 3**, our analysis indicates that a significant percentage of Medicare-Medicaid enrollees presents with at least one condition, with figures ranging from 62% for Partial Benefit enrollees 65 and over to 93% for Full Benefit enrollees 65 and over. Full Benefit enrollee rates are significantly higher than the Medicare-only 65 and over cohort, in which approximately 65% of individuals have at least one condition. Among Medicaid-only with disability, 76% have at least one condition.

Among Medicare-Medicaid enrollees that are under 65, Full Benefit enrollees have higher rates of co-morbidities with three or more conditions (41%) compared to QMB-only enrollees and Partial Benefit enrollees with approximately 30% each. Full-Benefit enrollees under age 65 also have much higher rates of having five or more conditions (14%) than do other Medicare-Medicaid enrollee in the under 65 cohorts (ranging from 7% to 8%). Overall Medicare-Medicaid enrollee comorbidity rates are higher than those of Medicaid–only with disability, among whom 25% present with three or more conditions.

Those who are Full Benefit and 65 or older have a very different pattern than the other cohorts with approximately 30% presenting with five or more conditions and 65% with three or more conditions. Rates of five or more conditions are five times higher than any other Medicare-Medicaid enrollee 65 and over cohort (QMB-only and Partial Benefit enrollees both with 6%) and over six times higher than Medicare-only beneficiaries (5%). When considering three or more comorbidities, Full Benefit enrollees 65 and over have rates more than twice as high as the other Medicare-Medicaid enrollee 65.





Source: CY 2008 MMLEADS data for FFS enrollees in Medicare and/or Medicaid

**Table 2** shows prevalence rates for a wider set of physical, mental health, and disability related conditions among enrollees by eligibility type. In general, we find higher prevalence rates for mental health conditions (except Alzheimer's) among beneficiaries under age 65 and higher prevalence of Alzheimer's and physical health conditions among those age 65 and older.

Overall, hypertension is the most prevalent condition across cohorts, with important differences between the under 65 and 65 and older groups. This condition has significantly higher prevalence among Full Benefit enrollees 65 and older (nearly 72%) than any other age/enrollee cohort, though close to 50% or more of individuals in every segment 65 and over has a hypertension diagnosis. Beyond hypertension, there are a number of conditions that affect at least 25% of individuals in a given segment. These include diabetes and hyperlipidemia (across all Medicare-Medicaid enrollee segments), ischemic heart disease (in all 65 and older cohorts), and depression (in all under 65 cohorts). Several conditions are particularly prevalent in the Full Benefit 65 and older cohort, including Alzheimer's and related disorders, anemia, chronic kidney disease, depression, and heart failure.

Condition	Full Benefit (<65)	QMB- only (<65)	Partial Benefit (<65)	Medicaid- only (<65)	Full Benefit (65+)	QMB- only (65+)	Partial Benefit (65+)	Medicare- only (65+)
Acquired hypothyroidism	8.5%	6.0%	5.8%	4.5%	11.9%	6.2%	6.4%	7.8%
Acute myocardial infarction	0.4%	0.4%	0.5%	0.4%	1.6%	1.1%	1.2%	1.0%
Alzheimer's disease and Alzheimer's related disorders	7.4%	2.4%	3.3%	3.3%	48.9%	6.4%	7.2%	10.1%
Anemia	20.4%	16.3%	15.8%	12.5%	39.6%	21.2%	21.2%	24.8%
Anxiety	22.2%	20.4%	20.1%	18.1%	13.2%	6.5%	6.2%	5.1%
Asthma	11.6%	9.1%	8.8%	10.8%	7.2%	5.1%	4.3%	4.2%
Atrial fibrillation	1.6%	2.1%	2.3%	1.4%	14.1%	7.4%	8.5%	11.4%
Attention deficit hyperactivity disorder (ADHD)	5.1%	2.3%	1.5%	3.3%	1.7%	0.2%	0.1%	0.2%
Autism	2.0%	0.4%	0.4%	1.2%	0.1%	0.0%	0.0%	0.0%
Benign prostatic hyperplasia	1.7%	1.4%	1.9%	0.7%	5.2%	3.4%	3.0%	7.1%
Bipolar disorder	17.9%	15.6%	14.1%	14.4%	4.1%	1.1%	1.1%	0.7%
Brain injury	1.8%	0.8%	1.1%	0.9%	0.8%	0.2%	0.2%	0.4%
Breast cancer (Female)	0.4%	0.6%	0.8%	2.7%	0.9%	1.1%	1.3%	3.3%
Breast cancer (Male)	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Cataract	9.4%	5.7%	6.5%	5.2%	22.8%	17.2%	16.5%	27.7%
Cerebral palsy	3.6%	0.6%	0.5%	1.8%	0.5%	0.1%	0.1%	0.0%
Chronic kidney disease	10.2%	10.0%	10.6%	7.7%	23.8%	12.0%	11.2%	12.0%
Chronic obstructive pulmonary disease (COPD)	9.1%	9.9%	10.9%	7.1%	19.9%	12.4%	11.0%	10.0%
Colorectal cancer (Female)	0.1%	0.1%	0.0%	0.4%	0.4%	0.3%	0.4%	0.8%

0.1%

0.1%

0.2%

0.5%

0.5%

0.4%

0.4%

Colorectal cancer (Male)

#### Table 2: Rate of Physical and Mental Health Conditions, and Conditions Related to Intellectual, Development and Physical Disabilities among Fee-for-Service Enrollees by Medicare-Medicaid Eligibility Type and Age in Connecticut, CY 2008

0.9%

Condition	Full Benefit (<65)	QMB- only (<65)	Partial Benefit (<65)	Medicaid- only (<65)	Full Benefit (65+)	QMB- only (65+)	Partial Benefit (65+)	Medicare- only (65+)
Cystic fibrosis	0.6%	0.3%	0.2%	0.4%	0.4%	0.3%	0.2%	0.3%
Deafness or hearing impairment	3.4%	1.6%	2.0%	1.3%	5.5%	2.4%	3.0%	3.8%
Depression	34.1%	31.4%	32.0%	23.9%	30.0%	9.0%	9.1%	9.1%
Diabetes	25.5%	26.7%	26.5%	23.9%	40.6%	31.2%	25.2%	24.7%
Endometrial cancer (Female)	0.0%	0.0%	0.0%	0.4%	0.1%	0.1%	0.1%	0.3%
Epilepsy	8.8%	4.5%	3.0%	5.2%	3.6%	0.9%	0.8%	0.8%
Glaucoma	5.8%	5.0%	5.4%	4.9%	12.5%	10.5%	9.9%	15.5%
Heart failure	8.7%	8.8%	9.8%	6.4%	32.8%	15.2%	15.8%	15.3%
Hip fracture	0.3%	0.2%	0.2%	0.2%	3.4%	0.7%	0.7%	1.0%
Hyperlipidemia	29.0%	31.6%	31.8%	16.2%	37.9%	40.7%	36.4%	49.9%
Hypertension	34.5%	38.0%	38.5%	29.4%	71.9%	55.6%	49.8%	61.7%
Intellectual disability	23.9%	2.4%	2.2%	12.0%	2.8%	0.2%	0.0%	0.0%
Ischemic heart disease	13.7%	17.0%	18.2%	11.5%	43.6%	29.8%	28.1%	32.9%
Learning disability	0.2%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%
Lung cancer (Female)	0.1%	0.2%	0.3%	0.5%	0.2%	0.2%	0.3%	0.6%
Lung cancer (Male)	0.1%	0.1%	0.1%	0.6%	0.3%	0.4%	0.6%	0.7%
Mobility disability	5.1%	1.9%	2.4%	2.6%	6.8%	0.8%	1.2%	1.5%
Multiple sclerosis	2.1%	1.7%	2.0%	0.9%	0.8%	0.3%	0.2%	0.2%
Muscular dystrophy	0.4%	0.2%	0.1%	0.3%	0.1%	0.0%	0.0%	0.0%
Osteoporosis	3.5%	1.7%	2.2%	1.2%	11.7%	5.7%	6.6%	8.1%
Other developmental disorder	0.6%	0.2%	0.2%	0.3%	0.0%	0.0%	0.0%	0.0%
Personality disorder	6.5%	5.0%	4.6%	4.3%	1.2%	0.4%	0.3%	0.1%
Post-traumatic stress disorder (PTSD)	5.4%	4.9%	4.9%	6.4%	0.3%	0.2%	0.1%	0.1%
Prostate cancer (Male)	0.1%	0.2%	0.2%	0.5%	1.3%	1.4%	1.8%	5.0%
Rheumatoid osteo-arthritis	15.6%	18.0%	18.0%	10.6%	34.5%	22.5%	22.0%	26.1%
Schizophrenia	24.5%	17.3%	16.1%	18.2%	13.8%	2.1%	1.8%	1.6%
Spina bifida	0.7%	0.4%	0.4%	0.5%	0.2%	0.1%	0.1%	0.1%
Spinal injury	0.8%	0.4%	0.4%	0.4%	0.4%	0.0%	0.1%	0.2%
Stroke	2.5%	1.6%	1.8%	2.0%	11.1%	2.6%	2.8%	3.9%
Tobacco use	16.0%	19.0%	17.0%	11.2%	4.1%	6.4%	3.4%	2.4%
Visual impairment	1.1%	0.6%	0.8%	0.6%	2.0%	0.4%	0.5%	0.5%


Source: CY 2008 MMLEADS data for FFS enrollees in Medicare and/or Medicaid

<u>Note</u>: While "QMB-only" Medicare-Medicaid enrollees are technically considered "Partial Benefit," in this Report QMBonly is presented separately from "Partial Benefit," with the latter referring only to all *other* types of Partial Benefit Medicare-Medicaid enrollees: Specified Low-income Medicare Beneficiaries (i.e., "SLMB-only"), Qualified Disabled Working Individuals (i.e., "QDWI"), and Qualifying Individuals (i.e., "QI").

Note: Sex-specific cancer prevalence rates are presented.

### D. Utilization of Services among Fee-For-Service Enrollees


**Figure 4** shows the relative distribution of FFS service utilization among those Medicare-Medicaid enrollees under age 65 and Medicaid-only beneficiaries with disability under age 65. Among all Medicare-Medicaid enrollees under age 65, Full Benefit enrollees under 65 utilize more services than the other Medicare-Medicaid enrollee cohorts across most categories. Across all eligibility types under 65, we find that Medicaid enrollees with disability under 65 utilize more services in a number of areas including Medicaid prescription fills, emergency room visits, home health and inpatient care.




# Figure 4: Fee-for-Service Utilization Rates by Medicare-Medicaid Eligibility Type and Age (<65) in Connecticut, CY 2008

Source: CY 2008 MMLEADS data for FFS enrollees in Medicare and/or Medicaid

As shown in **Figure 5**, Medicare-Medicaid enrollees in 65 and over utilize services at higher rates than Medicare-only beneficiaries. Among Medicare-Medicaid enrollee cohorts, Full Benefit enrollees have higher utilization rates across all categories.





Source: CY 2008 MMLEADS data for FFS enrollees in Medicare and/or Medicaid

### E. Medicare and Medicaid Expenditures among Fee-for-Service Enrollees


**Table 3** and **Figure 6** show the per capita expenditures for each of the eligibility/age subgroups. Full-Benefit Medicare-Medicaid enrollees 65 and over incur close to \$51,000 in per capita expenditures, approximately five times the per capita expenditures of QMB-only enrollees 65 and over and Partial Benefits beneficiaries 65 and over as well as those of Medicare-only beneficiaries (approximately \$10,000 each cohort). Combined Medicare and Medicaid per capita expenditures for Full Benefit Medicare-Medicaid enrollees under 65 are also significantly higher (\$48,000) than the other groups under 65, three times the per capita expenditures of QMB-only enrollees and Partial Benefit enrollees (approximately \$16,000) and just over 1.6 times than Medicaid-only with disability enrollees (\$29,000).


	Number of Medicare FFS Enrollees	Medicare Per Capita Expenditures	Number of Medicaid FFS Enrollees	Medicaid Per Capita Expenditures	Total Per Capita Expenditures
Full Benefit (<65)	26,362	\$17,369	27,360	\$30,833	\$48,202
QMB-only (<65)	4,125	\$14,660	3,744	\$1,594	\$16,254
Partial Benefit (<65)	2,230	\$14,931	1,992	\$905	\$15,836
Medicaid-only with disability (<65)			23,108	\$29,389	\$29,389
Full Benefit (65+)	36,998	\$19,919	40,212	\$31,083	\$51,002
QMB-only (65+)	4,526	\$9,695	4,784	\$699	\$10,394
Partial Benefit (65+)	6,328	\$9,896	7,728	\$110	\$10,007
Medicare-only (65+)	313,658	\$9,680			\$9,680

## Table 3: Total Fee-for-Service Medicaid and Medicare Expenditures by Medicare-Medicaid Eligibility Type and Age Category in Connecticut, CY 2008

Source: CY 2008 MMLEADS data for FFS enrollees in Medicare and/or Medicaid

**Figure 6** shows total per capita expenditures among FFS enrollees by eligibility type and age category. Full-Benefit enrollees have significantly higher expenditures than all other Medicare-Medicaid enrollee cohorts with Medicaid expenditures responsible for over 60% of the total.






Source: CY 2008 MMLEADS data for FFS enrollees in Medicare and/or Medicaid


### 1. Medicare Expenditures

Total Medicare expenditures among FFS Medicare enrollees were examined by setting of care (**Figure 7**). The numbers of enrollees by eligibility type and age category are found in **Appendix E**. Examples of Medicare service types are found in **Appendix C**.

Medicare-Medicaid enrollees that are 65 and over have a higher percentage of their total Medicare expenditures that are comprised of Part A claims (ranging from 46% to 57%) than do those under 65 (36% to 37%), while those under 65 have a higher proportion of their total Medicare expenditures that are comprised of Part D expenses (approximately 35%) compared to those 65 and over (18% to 21%).

Among Medicare-Medicaid enrollees 65 and over, Medicare Part B comprises a smaller proportion of Medicare expenditures particularly for Full Benefit enrollees where this category is just 17%, much lower than Medicare-only beneficiaries (29%). By contrast, Medicare Part D expenditures comprise a higher proportion of Medicare-Medicaid enrollees 65 and over expenditures (18% to 21%) compared to Part D expenditures for Medicare-only enrollees, which account for just 5%.





Source: CY 2008 MMLEADS data for FFS enrollees in Medicare


### 2. Medicaid Expenditures


The distribution of Medicaid expenditures by service type was examined among FFS enrollees (**Figure 8**). The numbers of enrollees examined for each eligibility type and age category are found in **Appendix F.** The Medicaid service types and examples are found in **Appendix D**.

Among Full Benefit enrollees and Partial Benefit enrollees 65 and over, the vast majority of Medicaid expenditures are for long-term institutional care settings (78% and 73% respectively), while acute services account for the greatest proportion of Medicaid expenditures among QMB-only enrollees 65 and over (58%).

For the under 65 cohorts, long-term non institutional care account for over 50% of Medicaid spending for Full Benefit and Partial Benefit enrollees, while QMB-only enrollees spend mostly on acute services (53%). Medicaid-only with disability enrollees have a more evenly distributed expenditure pattern across categories with higher expenditure levels for long-term non-institutional care (30%) and acute services (29%).

#### Figure 8: Medicaid Expenditure Distribution among Fee-for-Service Enrollees by Medicare-Medicaid Eligibility Type and Age in Connecticut, CY 2008





### III. Acronym List

Acronym	Definition			
ADHD	Attention Deficit hyperactivity Disorder			
AMI	AMI Acute Myocardial Infarction			
ASC	Ambulatory Surgery Center			
CCW	Chronic Condition Data Warehouse			
CMS	Centers for Medicare & Medicaid Services			
COPD	Chronic Obstructive Pulmonary Disease			
DME	Durable Medical Equipment			
ESRD	End-Stage Renal Disease			
FFS Fee-for-Service				
НН	Home Health			
НМО	Health Maintenance Organization			
MAX	Medicaid Analytic Extract			
MDS	Minimum Data Set			
MMLEADS	Medicare-Medicaid Linked Enrollee Analytic Data Source			
PTSD	Post-Traumatic Stress Disorder			
QMB	Qualified Medicare Beneficiary			

Appendix A:	Representativeness of Study Population, CY 2008	
-------------	---	--

		Conditions Prevalence Analyses	Medicare Expenditure and Utilization Analyses	Medicaid Expenditure and Utilization Analyses	
Managed care exclusion criteria		Excludes enrollees with Medicare OR Medicaid managed care	Excludes enrollees with Medicare managed care	Excludes enrollees with Medicaid managed care	
Other exclusion criteria	Excludes Medicaid-only enrollees eligible due to disability and ages 65+, excludes Medicare-only enrollees under age 65; excludes enrollees only eligible for part of the year		Excludes Medicaid- only enrollees eligible due to disability and ages 65+; excludes enrollees only eligible for part of the year	Excludes Medicare- only enrollees under age 65; excludes enrollees only eligible for part of the year	
Cohorts	Cohorts Study Population as Percent of all Enrollees by Enrollee Type				
Full Benefit (<65)	32,351	93.7%	81.5%	84.6%	
QMB-only (<65)	5,133	91.1%	80.4%	72.9%	
Partial Benefit (<65)	3,021	86.6%	73.8%	65.9%	
Medicaid-only with Disability (<65)	31,277	73.9%		73.9%	
Full Benefit (65+)	46,743	95.9%	79.2%	86.0%	
QMB-only (65+)	6,236	89.1%	72.6%	76.7%	
Partial Benefit (65+)	10,434	87.4%	60.6%	74.1%	
Medicare-only (65+)	434,722	72.2%	72.2%		

Source: CY 2008 MMLEADS data

### Appendix B: Methodology

### Data sources

Profiles were created for each state as well as for the nation as a whole using the 2008 CMS Medicare-Medicaid Linked Enrollee Analytic Data Source (MMLEADS). Across five linked files, MMLEADS combines person-level enrollment and claims summary data from Medicare and Medicaid thereby making possible a comprehensive examination of demographic characteristics, condition prevalence, and service-level utilization and payments for dually enrolled Medicare-Medicaid enrollees, as well as Medicare-only enrollees and Medicaid-only enrollees with disabilities. The MMLEADS Medicare Beneficiary File contains enrollment information obtained from the Medicare Enrollment Database (EDB). The MMLEADS Medicaid Beneficiary File consists of demographic information from the Medicaid Analytic eXtract (MAX) Person Summary (PS) file. MMLEADS also contains two service level files specific to Medicare and Medicaid, as well as one aggregated health conditions file.

The percentage of the overall Medicare and Medicaid population comprised of Medicare-Medicaid eligible enrollees (Partial Benefit, QMB-only and Full Benefit Medicare-Medicaid enrollees) was examined by state and compared to national totals.

A listing of all the source data files appears in **Table B-1**.

Data Source	Input to Research File
MMLEADS Medicare Beneficiary File 2008	Cohort identification, demographics, and monthly Medicare enrollment for all Medicare-Medicaid enrollees and Medicare-only enrollees
MMLEADS Medicaid Beneficiary File 2008	Cohort identification, demographics, and monthly Medicaid enrollment for all Medicare-Medicaid enrollees and Medicaid-only enrollees with disability
MMLEADS Condition File 2008	Prevalence of conditions of interest
MMLEADS Medicare Service-level File 2008	Medicare setting specific utilization and expenditure
MMLEADS Medicaid Service-level File 2008	Medicaid setting specific expenditure and utilization

 Table B-1: Description of Data Sources

### Sample Identification and Data File Construction

### 1. Demographic characteristics

Because individuals may reside in more than one state in a given year, algorithms were necessary to assign each individual to only one state. Therefore, in our study population, Medicare-Medicaid eligible and Medicaid-only enrollees with disabilities were assigned to states based on state submitted Medicaid Statistical Information System (MSIS) data available in the MAX Personal Summary (PS) file. Medicare-only enrollees were assigned a single state based on the billing address of the individual at the end of 2008 as reported in the Medicare Enrollment Database (EDB).

Age was categorized into four groups: under 40, 40-64, 65-84, and 85+ years. Age category assignments were determined using an enrollee's age as of December 31, 2008 or the age at death if an individual died during 2008. Race/ethnicity characteristics for Medicare-only and Medicare-

Medicaid eligible enrollees were from the RTI race code. Race for Medicaid-only with disability enrollees was based on the state reported race code available in the MAX PS file. The race values for each eligibility group are similar, but the RTI race code available for Medicare enrollees uses additional logic for assignment of race based on surname. The RTI race code was not available for Medicaid enrollees since the MAX file does not contain surname. Race was categorized as Non-Hispanic White, African American, Hispanic, Asian/Pacific Islander, American Indian/Alaskan Native, and Other Races.

### 2. Exclusion of Managed Care Enrollees

Statistics related to condition prevalence, utilization and annual expenditures were limited to full FFS enrollees. Specifically, analyses of condition prevalence were limited to enrollees with FFS Medicare or Medicaid since complete administrative claims would be available through one program for identification of conditions. Analyses of Medicare payment and utilization statistics were limited to FFS Medicare enrollees, and Medicaid payment and utilization statistics were limited to FFS Medicaid enrollees. Please see **Appendix A** for a detailed analysis of the representativeness of the study populations.

There are multiple reasons for this method of sample identification. The encounter claims for Medicare managed care were not available for 2008 data, as Medicare did not begin collecting them until 2012. In addition, while the CCW data include complete FFS claims for Medicaid and Medicare (as provider reimbursement is conditional upon submission of accurate and complete claims for FFS enrollees), the completeness of Medicaid encounter data is known to vary by state. We chose to structure our analysis in a fashion that would ensure a consistent methodological approach for each state analyzed.

Medicare full FFS enrollees were defined as those with Medicare Part A and Part B coverage and no Medicare Advantage coverage for all months alive during the reference year. Medicaid full FFS enrollees were defined as those without eligible pre-paid plan coverage of comprehensive managed care, long term care managed care, program of all-inclusive care for the elderly (PACE), primary care case management (PCCM), behavioral managed care, or prenatal managed care.

To allow for suitable comparisons, the FFS populations were categorized into eight groups by Medicare-Medicaid eligibility type and age category (<65 or 65+ years) for analyses of condition prevalence, utilization, and expenditures:

- 1. Full Benefit Medicare-Medicaid enrollees (<65)
- 2. QMB-only Medicare-Medicaid enrollees (<65)
- 3. Partial Benefit Medicare-Medicaid enrollees (<65)
- Medicaid-only with a disability (<65) and
- 5. Full Benefit Medicare-Medicaid enrollees (65+)
- 6. QMB-only Medicare-Medicaid enrollees (65+)
- 7. Partial Benefit Medicare-Medicaid enrollees (65+)
- 8. Medicare-only (65+)

### 3. Health, Mental Health and Disability-related Conditions

Prevalence rates for a wide set of physical, mental health, and disability-related conditions were examined by Medicare-Medicaid eligibility type and age category.

A subset of these conditions, based on algorithms created for analysis of Medicare and/or Medicaid enrollees, were utilized to determine the total count of conditions per individual by Medicare-Medicaid eligibility and age group. **Table B-2** lists conditions evaluated in the study populations and indicates which of these were included in a count of conditions per enrollee. Some conditions were grouped into categories to reduce duplication while others were excluded as they were not accurate indicators of ongoing comorbidities in the population. Details of groupings and logic for inclusion or exclusion are included in **Table B-2**.

Condition	Category used in Condition Count	Comments
Acquired hypothyroidism		Excluded since the condition is easily maintained with medication
Acute myocardial infarction (AMI)	Heart disease/failure	Counted as part of Heart disease/failure condition including AMI, IHD, and Heart failure
Alzheimer's disease and Alzheimer's related disorders	Alzheimer's disease and Alzheimer's related disorders	
Anemia		Excluded as it may be a symptom of another condition
Anxiety	Anxiety & PTSD	Counted as part of a condition including anxiety and PTSD
Asthma	Asthma & COPD	Counted as part of a condition including COPD and asthma
Atrial fibrillation		Excluded as it may be a symptom of another condition and has low prevalence
Attention deficit hyperactivity disorder (ADHD)		Excluded since it has less relevance for the Medicare- Medicaid population
Autism	Intellectual & developmental disabilities	Counted as part of a condition including autism, learning disabilities, intellectual & related disabilities, and other developmental delays
Benign prostatic hyperplasia		Excluded as it is a benign condition, common in men over 50, that is not related to cancer risk
Bipolar disorder	Bipolar disorder	
Brain injury	Mobility-related impairments & spine/brain injury	Counted as part of a condition including mobility impariments, spinal cord injury, and brain injury
Breast cancer (Female)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Breast cancer (Male)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Cataract	Visual impairment	Counted as part of a visual impairment condition including cataract, glaucoma, and blindness/visual impairment
Cerebral palsy	Cerebral palsy	
Chronic kidney disease	Chronic kidney disease	

Table B-2: Inclusion of Conditions in Condition Count

Condition	Category used in Condition Count	Comments
Chronic obstructive pulmonary disease (COPD)	Asthma & COPD	Counted as part of a condition including COPD and asthma
Colorectal cancer (Female)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Colorectal cancer (Male)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Cystic fibrosis	Cystic fibrosis	
Deafness or hearing impairment	Deafness & hearing impairment	
Depression	Depression	
Diabetes	Diabetes	
Endometrial cancer (Female)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Epilepsy	Epilepsy	
Glaucoma	Visual impairment	Counted as part of a visual impairment condition including cataract, glaucoma, and blindness/visual impairment
Heart failure	Heart disease/failure	Counted as part of Heart Disease/failure condition including AMI, IHD, and Heart failure
Hip fracture		Excluded as this is a distinct event occuring at one point in time rather than an ongoing condition
Hyperlipidemia		Excluded as it may be a symptom of a more serious condition
Hypertension		Excluded as it may be a symptom of a more serious condition
Intellectual disability	Intellectual & developmental disabilities	Counted as part of a condition including autism, learning disabilities, intellectual & related disabilities, and other developmental delays
Ischemic heart disease (IHD)	Heart disease/failure	Counted as part of Heart Disease/failure condition including AMI, IHD, and Heart failure
Learning disability	Intellectual & developmental disabilities	Counted as part of a condition including autism, learning disabilities, intellectual & related disabilities, and other developmental delays
Lung cancer (Female)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Lung cancer (Male)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Mobility disability	Mobility-related impairments & spine/brain injury	Counted as part of a condition including mobility impariments, spinal cord injury, and brain injury
Multiple sclerosis	Multiple sclerosis	
Muscular dystrophy	Muscular dystrophy	
Osteoporosis	Osteoporosis	
Other developmental disorder	Intellectual & developmental disabilities	Counted as part of a condition including autism, learning disabilities, intellectual & related disabilities, and other developmental delays

Condition	Category used in Condition Count	Comments
Personality disorder	Personality disorder	
Post-traumatic stress disorder (PTSD)	Anxiety & PTSD	Counted as part of a condition including anxiety and PTSD
Prostate cancer (Male)	Cancer	Counted as part of a condition including breast , colorectal, endometrial, lung, and prostate cancers
Rheumatoid osteo-arthritis	Rheumatoid osteo- arthritis	
Schizophrenia	Schizophrenia	
Spina bifida	Spina bifida	
Spinal injury	Mobility-related impairments & spine/brain injury	Counted as part of a condition including mobility impariments, spinal cord injury, and brain injury
Stroke	Stroke	
Tobacco use		Excluded since this is a behavior that is a risk factor for developing other conditions
Visual impairment	Visual impairment	Counted as part of a visual impairment condition including cataract, glaucoma, and blindness/visual impairment

Five individual cancer conditions (breast, endometrial, prostate, colorectal, and lung) were combined to create an overall cancer condition, and other similar diagnoses were grouped together and counted once for each condition. The final list of conditions included in the condition count include the following: Alzheimer's disease and Alzheimer's related disorders, asthma & chronic obstructive pulmonary disease (COPD), anxiety & PTSD, bipolar disorder, cancer, cerebral palsy, chronic kidney disease, cystic fibrosis, deafness & hearing impairment, depression, diabetes, epilepsy, heart disease/failure, intellectual & developmental disabilities, mobility-related impairments & spine/brain injury, multiple sclerosis, muscular dystrophy, osteoporosis, personality disorder, rheumatoid osteo-arthritis, schizophrenia, spina bifida, stroke, and visual impairment.

Proportions of Medicare-Medicaid, Medicare-only, and Medicaid-only enrollees with disability populations in the following categories were examined: enrollees with none of the included conditions, one to two conditions, three to four conditions, and five or more conditions.

### 4. Medicare and Medicaid Utilization

The services covered by Medicare and Medicaid differ. Medicare utilization statistics included the following: hospital outpatient services, skilled nursing facilities (SNF), and Medicare Part D prescription fills. Medicaid utilization statistics included the following: Medicaid drug prescriptions, personal care services, and nursing facility claims. The services covered by Medicare and Medicaid, including emergency room, inpatient stays, and home health visits were examined across programs. Per capita utilization rates of these services were examined for full FFS enrollees.

### 5. Medicare and Medicaid Expenditures

The percentage of total expenditures by Medicare-Medicaid eligibility type was calculated, including the mean per capita Medicare and Medicaid expenditures and the proportion of Medicare expenditures attributed to Medicare Parts A, Part B (non-institutional), Hospital Outpatient (Part B Institutional) and Part D claims. The distribution of Medicaid expenditures are presented by service type based on circumstances of care. Medicare and Medicaid service types are listed in **Appendix C** and **Appendix D** respectively.

### **Study Limitations**

The condition, utilization, and expenditure analyses necessarily excluded enrollees who received services under Medicare and Medicaid managed care programs since, in 2008, managed care encounter claims were not reported to Medicare and were not reliably reported to Medicaid. As a result, statistics presented may not be entirely generalizable to the entire enrolled populations. This warrants concern given that state Medicaid programs are heading in the direction of managed care programs instead of FFS, and Medicare eligible individuals enrolled in managed care programs may not have as high a rate of chronic conditions as FFS Medicare enrollees.

Twenty-four percent of the Connecticut cohort in the MMLEADS data did not receive benefits under FFS in either Medicare or Medicaid programs and were excluded from the condition analysis. Refer to **Appendix E** and **Appendix F** for more information about managed care enrollment and population sizes.

### Appendix C: Claim Types Included in Medicare Services

Medicare Service Type	Included Services					
Hospital Outpatient	Community Mental Health Center					
	End Stage Renal Disease					
	Other Hospital Outpatient					
	Other Skilled Nursing Facility					
	Outpatient Clinic					
	Outpatient Prospective Payment Schedule					
	Outpatient Therapy					
Part A	Home Health					
	Hospice					
	Inpatient					
	Other Inpatient (Inpatient Psychiatric Facility)					
	Other Post Acture Care (Long Term Care, Inpatient Rehabilitation Facility)					
	Skilled Nursing Facility					
Part B	Ambulatory Surgical Center					
	Durable Medical Equipment					
	Imaging					
	Laboratory and Testing					
	Part B Drug					
	Physician Evaluation and Management					
	Procedure					
Part D	Prescription Drug					

### Appendix D: Claim Types Included in Medicaid Services

Medicaid Service Type	Included Services (Medicaid Type of Service)					
	01 - Inpatient hospital					
	11 - Outpatient hospital					
	08 - Physician					
	15 - Lab X-ray					
	09 - Dental					
	10 - Other practitioners					
	12 - Clinic					
	19 - Other services					
Acute	24 - Sterilizations					
	25 - Abortions					
	34 - PT, OT, Speech, Hearing services					
	36 - Nurse midwife services					
	37 - Nurse practitioner services					
	39 - Religious non-medical health care institutions					
	53 - Psychiatric services					
	99 - Unknown					
Drug	16 - Prescribed drugs					
	02 - Mental hospital services for the aged					
	04 - Inpatient psychiatric facility for individuals under the age of 21					
Long Term Care Institutional	05 - Intermediate care facility (ICF) for individuals with intellectual disabilities					
	07 - Nursing facility services (NFS) - all other					
	33 - Rehabilitative services, waiver					
	13 - Home health					
	35 - Hospice benefits					
Long Term Care Non-Institutional	51 - Durable medical equipment (DME) and supplies (including emergency response systems and home modifications					
	30 - Personal care services					
	52 - Residential care					
	54 - Adult day care					
	26 - Transportation services					
	31 - Targeted case management					
	38 - Private duty nursing					
Managed Care	20 - Capitated payments to HMO or HIO plan					
	21 - Capitated payments to prepaid health plans (PHPs)					
	22 - Capitated payments for primary care case management (PCCM)					
Other	Charges but Type of Service was not populated					

### Appendix E: Medicare Fee-for-Service Enrollee Count by Medicare-Medicaid Eligibility Type Examined in the Medicare Expenditure Analysis, Connecticut, CY 2008

	Medicare Managed Care		Medicare Fee-for-Service		Not all Months Alive Medicare Fee-for-Service		Total Medicare
	Number	Percent	Number	Percent	Number	Percent	Denominator
Full Benefit (<65)	2,449	7.6%	26,362	81.5%	3,540	10.9%	32,351
QMB-only (<65)	633	12.3%	4,125	80.4%	375	7.3%	5,133
Partial Benefit (<65)	593	19.6%	2,230	73.8%	198	6.6%	3,021
Full Benefit (65+)	5,942	12.7%	36,998	79.2%	3,803	8.1%	46,743
QMB-only (65+)	1,512	24.2%	4,526	72.6%	198	3.2%	6,236
Partial Benefit (65+)	3,949	37.8%	6,328	60.6%	157	1.5%	10,434
Medicare-only (65+)	69,381	16.0%	313,658	72.2%	51,683	11.9%	434,722

### Appendix F: Medicaid Fee-for-Service Enrollee Count by Medicare-Medicaid Eligibility Type Examined in the Medicaid Expenditure Analysis, Connecticut, CY 2008

	Medicaid Managed Care		Medicaid Fee-for-Service		Not all Months Alive Medicaid Fee-for-Service		Total Medicaid
	Number	Percent	Number	Percent	Number	Percent	Denominator
Full Benefit (<65)	49	0.2%	27,360	84.6%	4,942	15.3%	32,351
QMB-only (<65)		0.0%	3,744	72.9%	1,389	27.1%	5,133
Partial Benefit (<65)		0.0%	1,992	65.9%	1,029	34.1%	3,021
Medicaid-only with disability (<65)	60	0.2%	23,108	73.9%	8,109	25.9%	31,277
Full Benefit (65+)	3	0.0%	40,212	86.0%	6,528	14.0%	46,743
QMB-only (65+)		0.0%	4,784	76.7%	1,452	23.3%	6,236
Partial Benefit (65+)		0.0%	7,728	74.1%	2,706	25.9%	10,434