

# **Medicare Current Beneficiary Survey**

Section Specifications for 2012 R64 PMQ

PRESCRIBED MEDICINE UTILIZATION

Created on 6/12/2013 5:40:49 PM

# PMINTROA

No Entry

## QUESTION TEXT

[Now let's talk about prescribed medicines [you have/(SP) has] obtained since (REFERENCE DATE).]

(While talking about medical visits, you mentioned some medicine(s): [READ MEDICINE NAME(S) BELOW.]

(Now I'd like to talk about prescribed medicines.)

## FIELD 1: PMINTA

### FIELD 1 ROUTING

Value	Label	Route
1	CONTINUE	PM1 - PMFILLED
	Empty	PM1 - PMFILLED

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

## OTHER PROGRAMMING INSTRUCTIONS

### REPORT DISPLAY

If SP reported PM's in the current round utilization, display the following report.

Display report below question text.

Column 1, header = Medicine Name

Column, 1, display = Display the name and strength of the medicine, EVNT.PMEDNAME + ' ' + EVNT.PMSTRUNI.

# PM1

Yes/No

## QUESTION TEXT

[Besides that medicine, /Besides those medicines, ] [(Since/since) (REFERENCE DATE)/(Between/between) (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)] [have you had/has (SP) had/did (SP) have] any (other) prescriptions filled?

## FIELD 1: PMFILLED

### FIELD 1 ROUTING

Value	Label	Route
1	YES	BOX PMA1
2	NO	PM3 - PMREFILL
3	INDICATED YES BY DATAPREP	DO NOT DISPLAY. DATA EDITING ONLY.
	Don't Know	PM3 - PMREFILL
	Refused	PM3 - PMREFILL

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
HRND.PMFILLED	1

# BOX PMA1

## **BOX INSTRUCTIONS**

IF THE PROBE FOR PRESCRIPTION MEDICINE BOTTLES HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO PM1A - PM1PMMEDS.

ELSE GO TO PM2 - MEDICINE\_PM1.

## **OTHER PROGRAMMING INSTRUCTIONS**

### **DESIGN NOTES**

Only probe for prescription medicine bottles once during the current round.

Adding a new TEMP flag, GETPMMEDS. GETPMMEDS is set to 1/Yes whenever the Prescription Bottle probe is asked during the current round. This will get set anywhere in utilization or cost series.

# PM1A

No Entry

## QUESTION TEXT

It would be helpful if I could look at any medicine bottle(s), container(s), or bag(s) that you have so that I can spell the medicine name correctly and enter the strength of the medicine. [Also, please

take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements, which should have that same information on them.]

[IF RESPONDENT HAS BOTTLE, ASK:] I'll need that same information for all of the medicines [you/(SP)] obtained since the last interview, if you'd like to get those bottles, too.

## FIELD 1: PM1PMMEDS

### FIELD 1 ROUTING

Value	Label	Route
1	CONTINUE	PM2 - MEDICINE_PM1
	Empty	PM2 - MEDICINE_PM1

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

The question displayed at PM1A is repeated in other utilization sections. Only show this probe for prescription medicine bottles once during the current round interview.

If PM1A is asked, set flag as instructed below:

Variable Name	Assignment Instructions
GETPMMEDS	Set GETPMMEDS=1/Yes.



# PM2

## Roster

### QUESTION TEXT

What is the name of the medicine?

SELECT OR ADD ALL MEDICINES AT THIS ROSTER.  
CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING.  
INCLUDE STRENGTH WITH NAME.

### FIELD 1: MEDICINE PM1

#### FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	PM3 - PMREFILL

#### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

### OTHER PROGRAMMING INSTRUCTIONS

#### ROSTER/GRID INSTRUCTIONS

Display all Prescription Medicine events where:

EVNT.EVNTDFLG ^=1/Yes, and  
EVNT.EVNTTYPE='PM'.

Display in alphabetical order.

#### ROSTER/GRID DISPLAY

Column #	Header	Instructions
1	Medicine	Display prescription medicine name, EVNT.PMEDNAME.

Column #	Header	Instructions
2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

## BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM

EVNT.EVNTNUM = Number of PM event selected.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM	Event number
EVNT.EVNTRNDC	Round number
EVNT.EVNTTYPE	PM
EVNT.PMEDNAME	Prescription Medicine name
EVNT.PMSTRUNI	Prescription Medicine strength text field
EVNT.EVNTPROV	02
BASE.LASTEVT	Highest EVNT.EVNTNUM

For all Prescription Medicines selected, create a current round PMRO. Note: a current round PMRO may already exist for a Prescription Medicine event if it has already been selected earlier in the interview.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND

PMRO.PMROEVNT = EVNT.EVNTNUM of PM event selected.

PMRO.PMRORND = current round.

Set variables as specified below.

Variable Name	Assignment Instructions
PMROEVNT	PMRO.PMROEVNT = EVNT.EVNTNUM of prescription medicine selected.
PMRORND	PMRO.PMRORND = current round.



Variable Name	Assignment Instructions
PMROTYPE	PMRO.PMROTYPE = PM.

# PM3

Yes/No

## **QUESTION TEXT**

People sometimes forget to mention refills of earlier prescriptions. (In addition to what you've told me about, did/Did) [you/(SP)] have any prescriptions refilled [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]?

## **FIELD 1: PMREFILL**

### **FIELD 1 ROUTING**

Value	Label	Route
1	YES	BOX PMA2
2	NO	PM5 - PMDRPHON
	Don't Know	PM5 - PMDRPHON
	Refused	PM5 - PMDRPHON

### **FIELD 1 ATTRIBUTES**

Cheshire Name	Answers Allowed
HRND.PMREFILL	1

# BOX PMA2

## **BOX INSTRUCTIONS**

IF THE PROBE FOR PRESCRIPTION MEDICINE BOTTLES HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO PM3A - PM2PMMEDS.

ELSE GO TO PM4 - MEDICINE\_PM2.

## **OTHER PROGRAMMING INSTRUCTIONS**

### **DESIGN NOTES**

Only probe for prescription medicine bottles once during the current round.

Adding a new TEMP flag, GETPMMEDS. GETPMMEDS is set to 1/Yes whenever the Prescription Bottle probe is asked during the current round. This will get set anywhere in utilization or cost series.

# PM3A

No Entry

## QUESTION TEXT

It would be helpful if I could look at any medicine bottle(s), container(s), or bag(s) that you have so that I can spell the medicine name correctly and enter the strength of the medicine. [Also, please

take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements, which should have that same information on them.]

[IF RESPONDENT HAS BOTTLE, ASK:] I'll need that same information for all of the medicines [you/(SP)] obtained since the last interview, if you'd like to get those bottles, too.

## FIELD 1: PM2PMMEDS

### FIELD 1 ROUTING

Value	Label	Route
1	CONTINUE	PM4 - MEDICINE_PM2
	Empty	PM4 - MEDICINE_PM2

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

The question displayed at PM1A is repeated in other utilization sections. Only show this probe for prescription medicine bottles once during the current round interview.

If PM3A is asked, set flag as instructed below:

Variable Name	Assignment Instructions
GETPMMEDS	Set GETPMMEDS=1/Yes.



# PM4

## Roster

### QUESTION TEXT

What is the name of the medicine?

SELECT OR ADD ALL MEDICINES AT THIS ROSTER.  
CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING.  
INCLUDE STRENGTH WITH NAME.

### FIELD 1: MEDICINE PM2

#### FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	PM5 - PMDRPHON

#### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

### OTHER PROGRAMMING INSTRUCTIONS

#### ROSTER/GRID INSTRUCTIONS

Display all Prescription Medicine events where:

EVNT.EVNTDFLG ^=1/Yes, and  
EVNT.EVNTTYPE='PM'.

Display in alphabetical order.

#### ROSTER/GRID DISPLAY

Column #	Header	Instructions
1	Medicine	Display prescription medicine name, EVNT.PMEDNAME.

Column #	Header	Instructions
2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

## BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM

EVNT.EVNTNUM = Number of PM event selected.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM	Event number
EVNT.EVNTRNDC	Round number
EVNT.EVNTTYPE	PM
EVNT.PMEDNAME	Prescription Medicine name
EVNT.PMSTRUNI	Prescription Medicine strength text field
EVNT.EVNTPROV	02
BASE.LASTEVT	Highest EVNT.EVNTNUM

For all Prescription Medicines selected, create a current round PMRO. Note: a current round PMRO may already exist for a Prescription Medicine event if it has already been selected earlier in the interview.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND

PMRO.PMROEVNT = EVNT.EVNTNUM of PM event selected.

PMRO.PMRORND = current round.

Set variables as specified below.

Variable Name	Assignment Instructions
PMROEVNT	PMRO.PMROEVNT = EVNT.EVNTNUM of prescription medicine selected.
PMRORND	PMRO.PMRORND = current round.

Variable Name	Assignment Instructions
PMROTYPE	PMRO.PMROTYPE = PM.



# PM5

Yes/No

## QUESTION TEXT

People sometimes forget to mention prescriptions that were phoned in by a doctor. (In addition to what you've told me about, did/Did) [you/(SP)] get any medicine prescribed by a doctor in a telephone call to a drugstore or pharmacy [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)]?

## FIELD 1: PMDRPHON

### FIELD 1 ROUTING

Value	Label	Route
1	YES	BOX PMA3
2	NO	BOX PM1
	Don't Know	BOX PM1
	Refused	BOX PM1

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
HRND.PMDRPHON	1

# BOX PMA3

## **BOX INSTRUCTIONS**

IF THE PROBE FOR PRESCRIPTION MEDICINE BOTTLES HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO PM5A - PM3PMMEDS.

ELSE GO TO PM6 - MEDICINE\_PM3.

## **OTHER PROGRAMMING INSTRUCTIONS**

### **DESIGN NOTES**

Only probe for prescription medicine bottles once during the current round.

Adding a new TEMP flag, GETPMMEDS. GETPMMEDS is set to 1/Yes whenever the Prescription Bottle probe is asked during the current round. This will get set anywhere in utilization or cost series.

# PM5A

No Entry

## QUESTION TEXT

It would be helpful if I could look at any medicine bottle(s), container(s), or bag(s) that you have so that I can spell the medicine name correctly and enter the strength of the medicine. [Also, please

take out [your/(SP's)] (MEDICARE PRESCRIPTION DRUG PLAN NAME) medicine statements, which should have that same information on them.]

[IF RESPONDENT HAS BOTTLE, ASK:] I'll need that same information for all of the medicines [you/(SP)] obtained since the last interview, if you'd like to get those bottles, too.

## FIELD 1: PM3PMMEDS

### FIELD 1 ROUTING

Value	Label	Route
1	CONTINUE	PM6 - MEDICINE_PM3
	Empty	PM6 - MEDICINE_PM3

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

The question displayed at PM1A is repeated in other utilization sections. Only show this probe for prescription medicine bottles once during the current round interview.

If PM5A is asked, set flag as instructed below:

Variable Name	Assignment Instructions
GETPMMEDS	Set GETPMMEDS=1/Yes.



# PM6

## Roster

### QUESTION TEXT

What is the name of the medicine?

SELECT OR ADD ALL MEDICINES AT THIS ROSTER.  
CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING.  
INCLUDE STRENGTH WITH NAME.

### FIELD 1: MEDICINE PM3

#### FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX PM1

#### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

### OTHER PROGRAMMING INSTRUCTIONS

#### ROSTER/GRID INSTRUCTIONS

Display all Prescription Medicine events where:

EVNT.EVNTDFLG ^=1/Yes, and  
EVNT.EVNTTYPE='PM'.

Display in alphabetical order.

#### ROSTER/GRID DISPLAY

Column #	Header	Instructions
1	Medicine	Display prescription medicine name, EVNT.PMEDNAME.

Column #	Header	Instructions
2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

## BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM

EVNT.EVNTNUM = Number of PM event selected.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM	Event number
EVNT.EVNTRNDC	Round number
EVNT.EVNTTYPE	PM
EVNT.PMEDNAME	Prescription Medicine name
EVNT.PMSTRUNI	Prescription Medicine strength text field
EVNT.EVNTPROV	02
BASE.LASTEVT	Highest EVNT.EVNTNUM

For all Prescription Medicines selected, create a current round PMRO. Note: a current round PMRO may already exist for a Prescription Medicine event if it has already been selected earlier in the interview.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND

PMRO.PMROEVNT = EVNT.EVNTNUM of PM event selected.

PMRO.PMRORND = current round.

PM6 can be asked more than once if response to PM17=1/Yes, there are more PM's to enter. If at PM6, a medicine is selected that was previously displayed at PM6A and GETNUM was set to 0, we will reset GETNUM=empty so that the medicine will be displayed again at PM6A. See additional instructions below.

Variable Name	Assignment Instructions
PMROEVNT	PMRO.PMROEVNT = EVNT.EVNTNUM of prescription medicine selected.
PMRORND	PMRO.PMRORND = current round.
PMROTYPE	PMRO.PMROTYPE = PM.
GETNUM	If PMRO.GETNUM = 0, set PMRO.GETNUM = empty.

### DESIGN NOTES

Begin Loop 1: PM6A is the first question in the 1st, larger loop in PM. It is asked the first time through PM and is also asked each time PM17=1/Yes, the probe for more medicines.

# BOX PM1

## **BOX INSTRUCTIONS**

IF SP REPORTED AT LEAST ONE PRESCRIPTION MEDICINE IN THE CURRENT ROUND UTILIZATION THAT DOES NOT HAVE NUMBER OF PURCHASES ENTERED, GO TO PM6A - GETNUM.

ELSE GO TO PM17 - PMMORE.

## **OTHER PROGRAMMING INSTRUCTIONS**

### **DESIGN NOTES**

BOX PM1 checks for any PM's reported during the current round utilization sections, including PMs selected at PM2, PM4 and PM6. The PM's entered in utilization sections, PM2, and PM4 do not have number of purchases entered. However, because PM6 could be asked more than once in PM and we do not prohibit PM's from being selected more than once at PM6, BOX PM1 excludes any PM that has been selected in an earlier loop and GETNUM has already been asked.



# PM6A

Grid

## QUESTION TEXT

IF ALL MEDICINES ARE NOT LISTED, USE "PREVIOUS PAGE" AND ADD THE MEDICINE TO THE ROSTER. REFER TO STATEMENTS OR RECEIPTS, IF AVAILABLE.

How many times [since (REFERENCE DATE)/between (REFERENCE DATE) and (DATE OF DEATH/DATE OF INSTITUTIONALIZATION)] did [(you/(SP)) obtain (MEDICINE NAME)]?

## FIELD 1: GETNUM

### FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX PM1A
	Don't Know	BOX PM1A
	Refused	BOX PM1A

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.GETNUM	1

## OTHER PROGRAMMING INSTRUCTIONS

### ROSTER/GRID INSTRUCTIONS

Display all PM's reported during the current round utilization that do not have number of purchases collected.

Display in order of entry.

**ROSTER/GRID DISPLAY**

<b>Column #</b>	<b>Header</b>	<b>Instructions</b>
1	Medicine Name	Display the name and strength of the medicine, EVNT.PMEDNAME + ' ' + EVNT.PMSTRUNI. Display only.
2	# Purchases	PMRO.GETNUM. Input column 1.

# BOX PM1A

## **BOX INSTRUCTIONS**

IF AT LEAST ONE PRESCRIPTION MEDICINE DISPLAYED AT PM6A HAS NUMBER OF PURCHASES > 0 OR EQUAL TO DK OR RF, GO TO BOX PM1AB.

ELSE GO TO PM17 - PMMORE.

## **OTHER PROGRAMMING INSTRUCTIONS**

### **DESIGN NOTES**

We do not collect PM details for PMs where number of purchases = 0. If all PMs selected at the PM roster and displayed at PM6A have PM6A - GETNUM = 0, BOX PM1A is routed to PM17, a probe for more PMs.

# BOX PM1AB

## **BOX INSTRUCTIONS**

IF THIS IS ROUND 67 AND PM6AB - RXNOFILL HAS NOT BEEN ASKED IN THE CURRENT ROUND, GO TO PM6AB - RXNOFILL.

ELSE GO TO PM6A\_IN - NAVIGATOR.

# PM6AB

List

## QUESTION TEXT

SHOW CARD PM1

Please think about the medicines you have obtained since (REFERENCE DATE), including [READ MEDICINE NAME(S) BELOW.] Since (REFERENCE DATE), how often did [you/(SP)] do any of the following things for these medicines. Did [you/(SP)] often, sometimes, or never...

## FIELD 1: RXNOFILL

decide not to fill or refill a prescription because the medicine cost too much?

## FIELD 1 ROUTING

Value	Label	Route
1	OFTEN	PM6AB - RXDELAY
2	SOMETIMES	PM6AB - RXDELAY
3	NEVER	PM6AB - RXDELAY
	Don't Know	PM6AB - RXDELAY
	Refused	PM6AB - RXDELAY

## FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
HRND.RXNOFILL	1

## FIELD 2: RXDELAY

delay getting a prescription filled or refilled because the medicine cost too much?

## FIELD 2 ROUTING

Value	Label	Route
1	OFTEN	PM6AB - RXSKIP

Value	Label	Route
2	SOMETIMES	PM6AB - RXSKIP
3	NEVER	PM6AB - RXSKIP
	Don't Know	PM6AB - RXSKIP
	Refused	PM6AB - RXSKIP

**FIELD 2 ATTRIBUTES**

Cheshire Name	Answers Allowed
HRND.RXDELAY	1

**FIELD 3: RXSKIP**

skip doses to make the medicine last longer?

**FIELD 3 ROUTING**

Value	Label	Route
1	OFTEN	PM6AB - RXDOSE
2	SOMETIMES	PM6AB - RXDOSE
3	NEVER	PM6AB - RXDOSE
	Don't Know	PM6AB - RXDOSE
	Refused	PM6AB - RXDOSE

**FIELD 3 ATTRIBUTES**

Cheshire Name	Answers Allowed
HRND.RXSKIP	1

**FIELD 4: RXDOSE**

take smaller doses to make the medicine last longer?

**FIELD 4 ROUTING**

<b>Value</b>	<b>Label</b>	<b>Route</b>
1	OFTEN	PM6A_IN - NAVIGATOR
2	SOMETIMES	PM6A_IN - NAVIGATOR
3	NEVER	PM6A_IN - NAVIGATOR
	Don't Know	PM6A_IN - NAVIGATOR
	Refused	PM6A_IN - NAVIGATOR

**FIELD 4 ATTRIBUTES**

<b>Cheshire Name</b>	<b>Answers Allowed</b>
HRND.RXDOSE	1

**OTHER PROGRAMMING INSTRUCTIONS****REPORT DISPLAY**

Display all PM's displayed at PM6A that have number of purchases > 0, DK or RF.

Display report below question text.

Column 1, column header= MEDICINES REPORTED FOR CURRENT REFERENCE PERIOD  
 Column 1, display = Display the name and strength of the medicine, EVNT.PMEDNAME + ' ' + EVNT.PMSTRUNI.

# PM6A\_IN

Instance Navigator

**FIELD 1: NAVIGATOR****FIELD 1 ROUTING**

Value	Label	Route
1	ITEM SELECTED IN INSTANCE NAVIGATOR	BOX PM1A-1
2	CONTINUE INTERVIEW SELECTED	BOX PM3A

**FIELD 1 ATTRIBUTES**

Cheshire Name	Answers Allowed
N/A	1



# BOX PM1A-1

## **BOX INSTRUCTIONS**

IF (SP REPORTED RECEIVING HEALTH CARE SERVICES THROUGH V.A. IN THE CURRENT ROUND OR ANY PREVIOUS ROUND), GO TO PM6A1 - PMSATVA.

ELSE GO TO BOX PM1AA.

# PM6A1

Yes/No

**QUESTION TEXT**

Did [you/(SP)] obtain (this purchase/any of these purchases) of (MEDICINE NAME) through the Department of Veterans Affairs or V.A.?

**FIELD 1: PMSATVA****FIELD 1 ROUTING**

Value	Label	Route
1	YES	BOX PM1AA
2	NO	BOX PM1AA
	Don't Know	BOX PM1AA
	Refused	BOX PM1AA

**FIELD 1 ATTRIBUTES**

Cheshire Name	Answers Allowed
PMRO.PMSATVA	1

# BOX PM1AA

## **BOX INSTRUCTIONS**

IF SP COVERED BY A MEDICARE MANAGED CARE PLAN OR A PRIVATE MANAGED CARE PLAN ANYTIME DURING THE CURRENT ROUND, GO TO PM6B - PMSATHMO.

ELSE GO TO PMINTROB - PMINTB.

# PM6B

Yes/No

## QUESTION TEXT

Did [you/(SP)] obtain (this purchase/any of these purchases) of (MEDICINE NAME) at [READ MANAGED CARE PLAN NAME(S) BELOW] or through a service or discount offered through [READ MANAGED CARE PLAN NAME(S) BELOW]?

[PROBE: This could include obtaining the purchases at a plan pharmacy; at a pharmacy that honors [your/(SP's)] plan card; or through a mail order service that the managed care plan referred [you/(SP)] to.]

## FIELD 1: PMSATHMO

### FIELD 1 ROUTING

Value	Label	Route
1	YES	PMINTROB - PMINTB
2	NO	PMINTROB - PMINTB
	Don't Know	PMINTROB - PMINTB
	Refused	PMINTROB - PMINTB

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.PMSATHMO	1

## OTHER PROGRAMMING INSTRUCTIONS

### REPORT DISPLAY

Display all Medicare managed care plans and Private managed care plans SP was covered by anytime during the current round.

Display managed care plan name(s) below question text.

Display plans in the following order: Medicare Managed Care plans, Private Managed Care plans.

If there is more than one plan for any specific plan type, display in order of entry.

Column 1, header = "MANAGED CARE PLANS".

Column 1, display = Health insurance plan name "(PLAN NAME) Managed Care Plan".

# PMINTROB

No Entry

## QUESTION TEXT

[ASK R TO GET BOTTLES AND/OR STATEMENTS IF YOU HAVE NOT ALREADY DONE SO.]

(Now) I need to ask you a few (more) questions about the (MEDICINE NAME).

## FIELD 1: PMINTB

### FIELD 1 ROUTING

Value	Label	Route
1	CONTINUE	BOX PM1B
	Empty	BOX PM1B

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

## OTHER PROGRAMMING INSTRUCTIONS

### DESIGN NOTES

Begin Loop 4:

PMINTROB is the first question in the larger PM detail loop.

DISALLOW PREVIOUS PAGE

# BOX PM1B

## BOX INSTRUCTIONS

GO TO PM8 - PMBOTTLE.

# PM8

Code 1

## QUESTION TEXT

CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT, BOTTLE OR BAG IS PRESENT.

Do you have the medicine bottle, container, or bag available?

IF R DOES NOT HAVE BOTTLE, PROBE TO DETERMINE IF R CAN ANSWER QUESTIONS ABOUT THE FORM, STRENGTH, AND QUANTITY OF THE MEDICINE.

## FIELD 1: PMBOTTLE

### FIELD 1 ROUTING

Value	Label	Route
1	YES	BOX PM1B-1
2	NO	BOX PM2
3	NO BUT R CAN ANSWER QUESTIONS	BOX PM1B-1
	Don't Know	BOX PM2
	Refused	BOX PM2

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.PMBOTTLE	1



# BOX PM1B-1

## **BOX INSTRUCTIONS**

IF (SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND FORM WAS ASKED AND DID NOT EQUAL DK) AND (SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND STRENGTH WAS ASKED AND DID NOT EQUAL DK) AND ((SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND NUMBER WAS ASKED AND DID NOT EQUAL DK) OR (SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND AMOUNT WAS ASKED AND DID NOT EQUAL DK)), GO TO PM8AA - SAMEFSAM.

IF SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND FORM WAS ASKED AND DID NOT EQUAL DK, GO TO PM8A - SAMEFORM.

ELSE GO TO BOX PM1B-2A.

# PM8AA

Yes/No

## QUESTION TEXT

CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT, BOTTLE OR BAG IS PRESENT AND FORM, STRENGTH AND AMOUNT ARE THE SAME AS IN THE PREVIOUS INTERVIEW.

At the time of the last interview, [you/(SP)] purchased (MEDICINE NAME) in the form of (MEDICINE FORM).

The strength of [each pill/each suppository/each patch/the (STRENGTH MEDICINE FORM)] was [READ STRENGTH BELOW].

(STRENGTH 1)

(STRENGTH 2)

[The amount of the (MEDICINE FORM) in the container when it was obtained was (PREVIOUS ROUND MEDICINE AMOUNT)./The number of (MEDICINE FORM) in the container when it was obtained was (PREVIOUS ROUND NUMBER).]

Is this medicine in the same strength, form and amount?

CODE "NO" UNLESS STRENGTH, FORM AND AMOUNT EXACTLY MATCH PREVIOUS ROUND.

## FIELD 1: SAMEFSAM

### FIELD 1 ROUTING

Value	Label	Route
1	YES	BOX PM2
2	NO	PM8A - SAMEFORM
	Don't Know	PM8A - SAMEFORM
	Refused	PM8A - SAMEFORM

**FIELD 1 ATTRIBUTES**

<b>Cheshire Name</b>	<b>Answers Allowed</b>
PMRO.SAMEFSAM	1

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

If PM8AA - SAMEFSAM = 1/Yes, copy the prescription medicine form, strength, and amount from the previous round PMRO fields to the current round fields.

<b>Variable Name</b>	<b>Assignment Instructions</b>
PMFORM	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.PMFORM = previous round PMRO.PMFORM.
PMFORMOS	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.PMFORMOS = previous round PMRO.PMFORMOS.
STRNUNIT	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNUNIT = previous round PMRO.STRNUNIT.
STRNUNOS	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNUNOS = previous round PMRO.STRNUNOS.
STRNNUM	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNNUM = previous round PMRO.STRNNUM.
STRNPER	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNPER = previous round PMRO.STRNPER.
STRNUNI2	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNUNI2 = previous round PMRO.STRNUNI2.
STRNUNO2	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNUNO2 = previous round PMRO.STRNUNO2.

Variable Name	Assignment Instructions
STRNNUM2	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNNUM2 = previous round PMRO.STRNNUM2.
STRNPER2	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.STRNPER2 = previous round PMRO.STRNPER2.
COMPFLAG	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.COMPFLAG = previous round PMRO.COMPFLAG.
AMTUNIT	If PM8AA- SAMEFSAM = 1/Yes, set current round PMRO.AMTUNIT = previous round PMRO.AMTUNIT.
AMTUNOS	If PM8AA - SAMEFSAM = 1/Yes, set current round PMRO.AMTUNOS = previous round PMRO.AMTUNOS.
AMTNUM	If PM8AA - SAMEFSAM = 1/Yes, set current round PMRO.AMTNUM = previous round PMRO.AMTNUM.
TABNUM	If PM8AA - SAMEFSAM = 1/Yes, set current round PMRO.TABNUM = previous round PMRO.TABNUM.

# PM8A

Yes/No

## QUESTION TEXT

CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT, BOTTLE OR BAG IS PRESENT AND FORM IS SAME AS PREVIOUS INTERVIEW.

(I would like to record what is different about this medicine.)

At the time of the last interview, [you/(SP)] purchased (MEDICINE NAME) in the form of (MEDICINE FORM). Is this medicine in the same form?

## FIELD 1: SAMEFORM

### FIELD 1 ROUTING

Value	Label	Route
1	YES	BOX PM1B-2
2	NO	BOX PM1B-2A
	Don't Know	BOX PM1B-2A
	Refused	BOX PM1B-2A

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.SAMEFORM	1

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

If PM8A - SAMEFORM = 1/Yes, copy the prescription medicine form from the previous round PMRO fields to the current round fields.

Variable Name	Assignment Instructions
PMFORM	If PM8A - SAMEFORM = 1/Yes, set current round PMRO.PMFORM = previous round PMRO.PMFORM.
PMFORMOS	If PM8A - SAMEFORM = 1/Yes, set current round PMRO.PMFORMOS = previous round PMRO.PMFORMOS.

# BOX PM1B-2

## **BOX INSTRUCTIONS**

IF SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND STRENGTH WAS ASKED AND DID NOT EQUAL DK, GO TO PM9A - SAMESTRN.

ELSE GO TO PM10 - STRNUNIT.

# BOX PM1B-2A

## **BOX INSTRUCTIONS**

IF PM8 - PMBOTTLE=1/Yes, GO TO PMINTROC - PMINTC.

ELSE GO TO PM9 - PMFORM.



# PMINTROC

No Entry

**QUESTION TEXT**

COMPLETE PM9 -- PM16 USING INFORMATION FROM STATEMENT, RECEIPT, MEDICINE BOTTLE OR CONTAINER. IF THERE IS MORE THAN ONE FOR THE SAME MEDICINE, USE THE MOST RECENT CONTAINER.

**FIELD 1: PMINTC****FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	PM9 - PMFORM
	Empty	PM9 - PMFORM

**FIELD 1 ATTRIBUTES**

Cheshire Name	Answers Allowed
TEMP	1

# PM9

Code 1

## QUESTION TEXT

IN WHAT FORM IS THE MEDICINE?

## FIELD 1: PMFORM

### FIELD 1 ROUTING

Value	Label	Route
1	PILLS (TABLETS, CAPSULES)	PM10 - STRNUNIT
2	LIQUID (TO BE TAKEN ORALLY)	PM10 - STRNUNIT
3	DROPS (EYE/EAR/NOSE)	PM10 - STRNUNIT
4	OINTMENT, CREAM, LOTION (TOPICAL OR INTERNAL)	PM10 - STRNUNIT
5	SUPPOSITORIES	PM10 - STRNUNIT
6	AEROSOL/SPRAY, INHALANT, SOLUTIONS, DISKUS	PM10 - STRNUNIT
7	SHAMPOO, SOAP	PM10 - STRNUNIT
8	INJECTION	PM10 - STRNUNIT
9	IV INJECTION	PM10 - STRNUNIT
10	PATCHES	PM10 - STRNUNIT
11	GEL OR JELLY (TOPICAL OR INTERNAL)	PM10 - STRNUNIT
12	POWDER, GRANULES	PM10 - STRNUNIT
91	OTHER	PM9 - PMFORMOS
	Don't Know	BOX PM1B-4

**FIELD 1 ATTRIBUTES**

Cheshire Name	Answers Allowed
PMRO.PMFORM	1

**FIELD 2: PMFORMOS**

OTHER (SPECIFY)

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	PM10 - STRNUNIT

**FIELD 2 ATTRIBUTES**

Cheshire Name	Answers Allowed
PMRO.PMFORMOS	1

# PM9A

Yes/No

## QUESTION TEXT

CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT, BOTTLE OR BAG IS PRESENT AND STRENGTH IS SAME AS PREVIOUS INTERVIEW.

At the time of the last interview, the strength of [each pill/each suppository/each patch/the (MEDICINE FORM)] was [READ STRENGTH BELOW].

(STRENGTH 1)

(STRENGTH 2)

Is this medicine in the same strength?

## FIELD 1: SAMESTRN

### FIELD 1 ROUTING

Value	Label	Route
1	YES	BOX PM1B-4
2	NO	PM10 - STRNUNIT
	Don't Know	PM10 - STRNUNIT
	Refused	PM10 - STRNUNIT

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.SAMESTRN	1

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

If PM9A - SAMESTRN = 1/Yes, copy the prescription medicine strength from the previous round PMRO fields to the current round fields.

Variable Name	Assignment Instructions
STRNUNIT	If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNUNIT = previous round PMRO.STRNUNIT.
STRNUNOS	If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNUNOS = previous round PMRO.STRNUNOS.
STRNNUM	If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNNUM = previous round PMRO.STRNNUM.
STRNPER	If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNPER = previous round PMRO.STRNPER.
STRNUNI2	If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNUNI2 = previous round PMRO.STRNUNI2.
STRNUNO2	If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNUNO2 = previous round PMRO.STRNUNO2.
STRNNUM2	If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNNUM2 = previous round PMRO.STRNNUM2.
STRNPER2	If PM9A - SAMESTRN = 1/Yes, set current round PMRO.STRNPER2 = previous round PMRO.STRNPER2.
COMPFLAG	If PM9A - SAMESTRN = 1/Yes, set current round PMRO.COMPFLAG = previous round PMRO.COMPFLAG.

# PM10

Quantity Unit

## QUESTION TEXT

WHAT IS THE STRENGTH OF [EACH PILL/EACH PATCH/THE (MEDICINE FORM)]?

IF COMPOUND MEDICINE: ENTER STRENGTH OF 1ST MEDICINE, THEN CHECK THE BOX BELOW.

## FIELD 1: STRNUNIT

### FIELD 1 ROUTING

Value	Label	Route
1	MICROGRAMS (mcg, mc)	PM10 - STRNNUM
2	MILLIGRAMS (mg)	PM10 - STRNNUM
3	GRAINS (gr)	PM10 - STRNNUM
4	MILLIEQUIVALENTS (meq)	PM10 - STRNNUM
5	GRAMS (g, gm)	PM10 - STRNNUM
6	PERCENT (%)	PM10 - STRNPER
7	INTERNATIONAL UNITS (IU)	PM10 - STRNNUM
8	UNITS (U)	PM10 - STRNNUM
91	OTHER	PM10 - STRNUNOS
96	COMPOUND/MORE THAN ONE MEDICINE COMBINED	DO NOT DISPLAY.
	Don't Know	PM10 - STRNUNIT96

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.STRNUNIT	1

**FIELD 2: STRNUNOS**

OTHER (SPECIFY)

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	PM10 - STRNNUM

**FIELD 2 ATTRIBUTES**

Cheshire Name	Answers Allowed
PMRO.STRNUNOS	1

**FIELD 3: STRNNUM****FIELD 3 ROUTING**

Value	Label	Route
1	[Continuous answer.]	PM10 - STRNUNIT96
	Don't Know	PM10 - STRNUNIT96

**FIELD 3 ATTRIBUTES**

Cheshire Name	Answers Allowed
PMRO.STRNNUM	1

**FIELD 4: STRNPER****FIELD 4 ROUTING**

Value	Label	Route
1	[Continuous answer.]	PM10 - STRNUNIT96
	Don't Know	PM10 - STRNUNIT96

**FIELD 4 ATTRIBUTES**

Cheshire Name	Answers Allowed
PMRO.STRNPER	1

**FIELD 5: STRNUNIT96****FIELD 5 ROUTING**

Value	Label	Route
1	COMPOUND/MORE THAN ONE MEDICINE COMBINED	BOX PM1B-3
	Empty	BOX PM1B-3

**FIELD 5 ATTRIBUTES**

Cheshire Name	Answers Allowed
NONE  REPLACES THE FOLLOWING CHESHIRE VALUE: If STRNUNIT96 = 1/Compound, set PMRO.STRNUNIT = 96/Compound.	1

**OTHER PROGRAMMING INSTRUCTIONS****BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
COMPFLAG	If PM10 - STRNUNIT96 = 1/Compound, set PMRO.COMPFLAG=1/Indicated.



# BOX PM1B-3

## BOX INSTRUCTIONS

IF PM10 - STRNUNIT96 = 1/Compound, GO TO PM10B - STRNUNI2.

ELSE GO TO BOX PM1B-4.

# PM10B

Quantity Unit

## QUESTION TEXT

WHAT WAS THE STRENGTH OF THE 2ND MEDICINE IN THE COMPOUND?

## FIELD 1: STRNUNI2

### FIELD 1 ROUTING

Value	Label	Route
1	MICROGRAMS (mcg, mc)	PM10B - STRNNUM2
2	MILLIGRAMS (mg)	PM10B - STRNNUM2
3	GRAINS (gr)	PM10B - STRNNUM2
4	MILLIEQUIVALENTS (meq)	PM10B - STRNNUM2
5	GRAMS (g, gm)	PM10B - STRNNUM2
6	PERCENT (%)	PM10B - STRNPER2
7	INTERNATIONAL UNITS (IU)	PM10B - STRNNUM2
8	UNITS (U)	PM10B - STRNNUM2
91	OTHER	PM10B - STRNUNO2
96	COMPOUND/MORE THAN ONE MEDICINE COMBINED	DO NOT DISPLAY.
	Don't Know	BOX PM1B-4

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.STRNUNI2	1

## FIELD 2: STRNUNO2

OTHER (SPECIFY)

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	PM10B - STRNNUM2

**FIELD 2 ATTRIBUTES**

Cheshire Name	Answers Allowed
PMRO.STRNUNO2	1

**FIELD 3: STRNNUM2****FIELD 3 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX PM1B-4
	Don't Know	BOX PM1B-4

**FIELD 3 ATTRIBUTES**

Cheshire Name	Answers Allowed
PMRO.STRNNUM2	1

**FIELD 4: STRNPER2****FIELD 4 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX PM1B-4
	Don't Know	BOX PM1B-4

**FIELD 4 ATTRIBUTES**

<b>Cheshire Name</b>	<b>Answers Allowed</b>
PMRO.STRNPER2	1

# BOX PM1B-4

## **BOX INSTRUCTIONS**

IF PM9A - SAMESTRN = 1/Yes AND SP REPORTED THE PRESCRIPTION MEDICINE IN THE PREVIOUS ROUND AND THE PREVIOUS ROUND AMOUNT WAS ASKED AND DID NOT EQUAL DK, GO TO PM15A - SAMEAMNT.

ELSE IF THE PRESCRIPTION MEDICINE FORM IS PILLS, SUPPOSITORIES OR PATCHES, GO TO PM11 - TABNUM.

ELSE GO TO PM16 - AMTUNIT.

# PM11

Numeric

**QUESTION TEXT**

HOW MANY (PILLS/SUPPOSITORIES/PATCHES) WERE IN THE CONTAINER WHEN IT WAS OBTAINED?

**FIELD 1: TABNUM****FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX PM1C
	Don't Know	BOX PM1C

**FIELD 1 ATTRIBUTES**

Cheshire Name	Answers Allowed
PMRO.TABNUM	1

# BOX PM1C

## **BOX INSTRUCTIONS**

IF PRESCRIPTION MEDICINE FORM IS PILLS OR SUPPOSITORIES AND PM11 - TABNUM  
= DK, GO TO PM12 - TABSADAY.

ELSE GO TO BOX PM2.

# PM12

Numeric

## QUESTION TEXT

HOW MANY (PILLS/SUPPOSITORIES) ARE TO BE TAKEN IN A DAY?

## FIELD 1: TABSADAY

### FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	PM12 - TABSADAY95
	Empty	PM12 - TABSADAY95
	Don't Know	PM12 - TABSADAY95

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.TABSADAY	1

## FIELD 2: TABSADAY95

### FIELD 2 ROUTING

Value	Label	Route
1	LESS THAN WHOLE	BOX PM1D
2	TAKE AS NEEDED	BOX PM1D
	Empty	BOX PM1D



**FIELD 2 ATTRIBUTES**

<b>Cheshire Name</b>	<b>Answers Allowed</b>
NONE  REPLACES THE FOLLOWING CHESHIRE VALUE: If TABSADAY95 = 1/LessThanWhole, set PMRO.TABSADAY=95. Else if TABSADAY95=2/TakeAsNeeded, set PMRO.TABSADAY=96.	1

# BOX PM1D

## **BOX INSTRUCTIONS**

IF PM12 - TABSADAY = DK, GO TO BOX PM2.

ELSE IF PM12 - TABSADAY95 = 2/TakeAsNeeded, GO TO PM13 - TABTAKE.

ELSE GO TO PM14 - TAKEUNIT.

# PM13

Numeric

## QUESTION TEXT

How many (pills/suppositories) (do/did/does) [you/(SP)] usually take in a day?

## FIELD 1: TABTAKE

### FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	PM13 - TABTAKE96
	Empty	PM13 - TABTAKE96
	Don't Know	PM13 - TABTAKE96

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.TABTAKE	1

## FIELD 2: TABTAKE96

### FIELD 2 ROUTING

Value	Label	Route
1	DON'T TAKE EVERY DAY	BOX PM1E
	Empty	BOX PM1E

**FIELD 2 ATTRIBUTES**

<b>Cheshire Name</b>	<b>Answers Allowed</b>
NONE  REPLACES THE FOLLOWING CHESHIRE VALUE: If TABTAKE96=1/DontTakeEveryDay, set PMRO.TABTAKE=96.	1

# BOX PM1E

## **BOX INSTRUCTIONS**

IF PM13 - TABTAKE96 = 1/DontTakeEveryDay, GO TO BOX PM2.

ELSE GO TO PM14 - TAKEUNIT.

# PM14

Quantity Unit

## QUESTION TEXT

HOW MANY DAYS OR WEEKS WAS THE MEDICINE TO BE TAKEN?

## FIELD 1: TAKEUNIT

### FIELD 1 ROUTING

Value	Label	Route
1	DAYS	PM14 - TAKENUM
2	WEEKS	PM14 - TAKENUM
3	TAKE UNTIL GONE	BOX PM2
4	TAKE AS NEEDED	BOX PM2
5	TAKE EVERY DAY	BOX PM2
	Don't Know	BOX PM2

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.TAKEUNIT	1

## FIELD 2: TAKENUM

### FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX PM2

**FIELD 2 ATTRIBUTES**

<b>Cheshire Name</b>	<b>Answers Allowed</b>
PMRO.TAKENUM	1

# PM15A

Yes/No

## QUESTION TEXT

CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT, BOTTLE OR BAG IS PRESENT AND AMOUNT IS SAME AS PREVIOUS INTERVIEW.

At the time of the last interview, the amount of the (PREVIOUS ROUND MEDICINE FORM) was (PREVIOUS ROUND MEDICINE AMOUNT). Is this medicine in the same amount?

## FIELD 1: SAMEAMNT

### FIELD 1 ROUTING

Value	Label	Route
1	YES	BOX PM2
2	NO	PM16 - AMTUNIT
	Don't Know	PM16 - AMTUNIT
	Refused	PM16 - AMTUNIT

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.SAMEAMNT	1

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

If PM15A - SAMEAMNT = 1/Yes, copy the prescription medicine amount from the previous round PMRO fields to the current round fields.

Variable Name	Assignment Instructions
AMTUNIT	If PM15A - SAMEAMNT = 1/Yes, set current round PMRO.AMTUNIT = previous round PMRO.AMTUNIT.



Variable Name	Assignment Instructions
AMTUNOS	If PM15A - SAMEAMNT = 1/Yes, set current round PMRO.AMTUNOS = previous round PMRO.AMTUNOS.
AMTNUM	If PM15A - SAMEAMNT = 1/Yes, set current round PMRO.AMTNUM = previous round PMRO.AMTNUM.

# PM16

Quantity Unit

## QUESTION TEXT

HOW MUCH MEDICINE WAS IN THE CONTAINER WHEN IT WAS OBTAINED?

[PLEASE ENTER THE AMOUNT IN THE CONTAINER, NOT THE STRENGTH OF THE MEDICINE.]

## FIELD 1: AMTUNIT

### FIELD 1 ROUTING

Value	Label	Route
1	OUNCES (oz)	PM16 - AMTNUM
2	GRAMS (g, gm)	PM16 - AMTNUM
3	MILLILITERS (ml, cc)	PM16 - AMTNUM
4	MILLIEQUIVALENTS (meq)	PM16 - AMTNUM
5	MILLIGRAMS (mg)	PM16 - AMTNUM
6	MICROGRAMS (mcg)	PM16 - AMTNUM
7	PUFFS, DOSES, BLISTERS	PM16 - AMTNUM
91	OTHER	PM16 - AMTUNOS
	Don't Know	BOX PM2

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.AMTUNIT	1

## FIELD 2: AMTUNOS

OTHER (SPECIFY)

**FIELD 2 ROUTING**

Value	Label	Route
1	[Continuous answer.]	PM16 - AMTNUM

**FIELD 2 ATTRIBUTES**

Cheshire Name	Answers Allowed
PMRO.AMTUNOS	1

**FIELD 3: AMTNUM****FIELD 3 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX PM2
	Don't Know	BOX PM2

**FIELD 3 ATTRIBUTES**

Cheshire Name	Answers Allowed
PMRO.AMTNUM	1

# BOX PM2

## **BOX INSTRUCTIONS**

IF (NOT ADMINISTERING ST AND NOT ADMINISTERING NS) AND (SP IS ALIVE AND NOT INSTITUTIONALIZED) AND (UTILIZATION IS NOT BEING COLLECTED FOR THE FIRST TIME FOR THIS SP) AND (THIS IS ROUND 67) AND (AT LEAST ONE RESPONSE AT PM6AB = 1/OFTEN OR 2/SOMETIMES) AND (AT LEAST TWO PRESCRIPTION MEDICINES DISPLAYED AT PM6A HAVE NUMBER OF PURCHASES > 0 OR EQUAL TO DK OR RF) AND (THIS IS ONE OF THE FIRST 15 MEDICINES BEING ASKED ABOUT IN PM), GO TO PM16A1 - NOFILLED.

ELSE GO TO BOX PM3.

# PM16A1

Code 1

## QUESTION TEXT

SHOW CARD PM1

Since (REFERENCE DATE), how often did [you/(SP)] decide not to fill or refill (MEDICINE) because it cost too much?

## FIELD 1: NOFILLED

### FIELD 1 ROUTING

Value	Label	Route
1	OFTEN	PM16A - DELAYFIL
2	SOMETIMES	PM16A - DELAYFIL
3	NEVER	PM16A - DELAYFIL
	Don't Know	PM16A - DELAYFIL
	Refused	PM16A - DELAYFIL

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.NOFILLED	1

## OTHER PROGRAMMING INSTRUCTIONS

### BACKGROUND VARIABLE ASSIGNMENTS

Each time PM16A1 - NOFILLED is asked for a prescription medicine in PM, increment counter as specified below. This counter is used to control how many times we ask the fall round series: PM16A1, PM16A, PM16B and PM16C. We only ask these questions for the 1st 15 medicines reported in PM section if at least one response at PM6AB = 1/Often or 2/Sometimes.

Variable Name	Assignment Instructions
TOTALPMASK	TOTALPMASK = TOTALPMASK + 1.



# PM16A

Code 1

**QUESTION TEXT**

SHOW CARD PM1

Since (REFERENCE DATE), how often did [you/(SP)] delay filling or refilling a prescription for (MEDICINE NAME) because it cost too much?

**FIELD 1: DELAYFIL****FIELD 1 ROUTING**

Value	Label	Route
1	OFTEN	PM16B - SKIPDOSE
2	SOMETIMES	PM16B - SKIPDOSE
3	NEVER	PM16B - SKIPDOSE
	Don't Know	PM16B - SKIPDOSE
	Refused	PM16B - SKIPDOSE

**FIELD 1 ATTRIBUTES**

Cheshire Name	Answers Allowed
PMRO.DELAYFIL	1

# PM16B

Code 1

## QUESTION TEXT

SHOW CARD PM1

Since (REFERENCE DATE), how often did [you/(SP)] skip doses of (MEDICINE NAME) to make the medicine last longer?

[IF THE RESPONSE IS "NEVER", PROBE: Do you mean that [you/(SP)] never skipped doses of the medicine to make it last longer, or that (you/he/she) never took the medicine at all?]

## FIELD 1: SKIPDOSE

### FIELD 1 ROUTING

Value	Label	Route
1	OFTEN	PM16C - CUTDOSE
2	SOMETIMES	PM16C - CUTDOSE
3	NEVER	PM16C - CUTDOSE
4	NEVER TOOK THE MEDICINE AT ALL	BOX PM3
	Don't Know	PM16C - CUTDOSE
	Refused	PM16C - CUTDOSE

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.SKIPDOSE	1



# PM16C

Code 1

## QUESTION TEXT

SHOW CARD PM1

Since (REFERENCE DATE), how often did [you/(SP)] take smaller doses of (MEDICINE NAME) to make the medicine last longer?

[IF THE RESPONSE IS "NEVER", PROBE: Do you mean that [you/(SP)] never took smaller doses of the medicine to make it last longer, or that (you/he/she) never took the medicine at all?]

## FIELD 1: CUTDOSE

### FIELD 1 ROUTING

Value	Label	Route
1	OFTEN	BOX PM3
2	SOMETIMES	BOX PM3
3	NEVER	BOX PM3
4	NEVER TOOK THE MEDICINE AT ALL	BOX PM3
	Don't Know	BOX PM3
	Refused	BOX PM3

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.CUTDOSE	1

# BOX PM3

## BOX INSTRUCTIONS

GO TO PM6A\_IN - NAVIGATOR.

# BOX PM3A

## **BOX INSTRUCTIONS**

IF CURRENTLY ADMINISTERING ST, GO TO BOX ST43.

ELSE IF CURRENTLY ADMINISTERING NS, GO TO BOX NS43.

ELSE GO TO PM17 - PMMORE.

## **OTHER PROGRAMMING INSTRUCTIONS**

### **DESIGN NOTES**

If administering ST or NS, BOX PM3A is routed back to ST/NS.  
Else probe for more PMs.

# PM17

Yes/No

## QUESTION TEXT

([NO MEDICINES HAVE BEEN REPORTED FOR (SP) FOR THE CURRENT REFERENCE PERIOD/THE NAMES OF ALL MEDICINES REPORTED FOR THE CURRENT REFERENCE PERIOD ARE DISPLAYED BELOW.] )

REVIEW THIS INFORMATION WITH THE RESPONDENT.

[REVIEW THE INFORMATION BELOW WITH THE RESPONDENT. ASK, OR CODE AS APPROPRIATE IF R ALREADY INDICATED: Are there any (more) medicines since (REFERENCE DATE) that we haven't talked about?]

## FIELD 1: PMMORE

### FIELD 1 ROUTING

Value	Label	Route
1	YES	PM6 - MEDICINE_PM3
2	NO	BOX PMEND

### FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

## OTHER PROGRAMMING INSTRUCTIONS

### REPORT DISPLAY

Display the names of all prescription medicine purchases reported in the current round.

Display report below question text.

Column 1, column header= MEDICINES REPORTED FOR CURRENT REFERENCE PERIOD  
 Column 1, display = Display the name and strength of the medicine, EVNT.PMEDNAME + ' ' + EVNT.PMSTRUNI.

**DESIGN NOTES**

End Loop 1:

PM17 is a larger loop that is initiated the first time PM17 is asked. If PM17 = 1/Yes, return to PM6 to collect additional current round prescription medicines.

# BOX PMEND

## BOX INSTRUCTIONS

GO TO NEXT SECTION