

## HEDIS® 2018 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2017 MEASUREMENT YEAR)

### 3.1 HEADER RECORD

**Note:** Include one header row per file as the first record.

Column 1: **Record Identifier**—use the tilde (~) character to start the line.

Column 2-6: **CMS Contract Number**—only one contract number per submission (e.g., H1205, R1234).

Column 7-66: **Organization Name**—as reported to NCQA for summary-level data submission.

Column 67-71: **Submission ID**—the unique identifier assigned by NCQA to the CMS contract for summary-level data submission.

**\*Due to the addition of 5-digit submission IDs, please follow the guidelines below:**

Submission IDs must be left justified and 4-digit submission IDs should blank fill column 71.

**Example:** In columns 67 – 71, a 5-digit ID would be entered as (12345).

A 4-digit ID would be entered starting at column 67 as (1234) with '1' in column 67, leaving column 71 blank.

Column 72-823: Blank fill with spaces.

**Specifications - Reporting patient-level data should encompass only the members included in the timeframes used in summary measures submitted by your plan;**

i.e., HEDIS specifications regarding timeframes should be strictly followed for each measure and should in no instance include experience from 2018.

**Specifications - The sum of a field should equal the numerator or denominator for the corresponding measure entered in the HEDIS 2018 Interactive Data Submission System (IDSS) for that measure.**

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
1-12		12	HICN or MBI  HICN - A beneficiary's individual Health Insurance Claim Number.  MBI - A beneficiary's Medicare Beneficiary Identifier.	HICN - A beneficiary's individual health insurance claim number. For most beneficiaries, the HICN consists of a nine-digit Social Security Number followed by one or two alphanumeric characters (e.g., 111223333A, 123456789C1). Only beneficiaries entitled to Medicare under the Railroad Retirement Board will have a different format, usually starting with one or two alpha characters (e.g., WA123456). All alpha characters must be capitalized. The HICN must be a continuous string, with no hyphens or embedded spaces. Blank fill with spaces to right of value.  MBI - MBI has 11 characters. MBIs are numbers and upper-case letters. MBI uses numbers 0-9 and all letters from A to Z, except for S, L, O, I, B, and Z. The MBI's 2nd, 5th, 8th, and 9th positions will always be a letter, except for S, L, O, I, B, and Z. Positions 1st, 4th, 7th, 10th, and 11th will always be a number. Even though Position 1 allows numbers, it cannot contain the number "0". The 3rd and 6th positions will be a letter or a number. MBI does not have spaces and dashes. The MBI must be a continuous string, with no hyphens or embedded spaces.  For a list of valid HICN format and MBI format, please refer to section 2.3 and 2.5 in '2018_HEDIS_Patient_Level_Data_File_Specifications_File_1_of_2.docx.' This field is mandatory—do not leave blank.  NOTE: Submit either HICN or MBI.
13-36		24	Last Name. A beneficiary's individual Last Name.	The Last Name must be filled by no more than 24 characters. Blank fill with spaces to right of value. This field is mandatory—do not leave blank.
37-51		15	First Name. A beneficiary's individual First Name	The First Name must be filled by no more than 15 characters. Blank fill with spaces to right of value. This field is mandatory—do not leave blank.
52-73		22	City. A beneficiary's individual City of residence	The City must be filled by no more than 22 characters. Blank fill with spaces to right of value. This field is mandatory—do not leave blank.
74-75		2	State. A beneficiary's individual State of residence	The State must be filled with the postal code (ex. Maryland would be MD). This field is mandatory—do not leave blank.
76-80		5	Zip Code. A beneficiary's individual Zip Code	The Zip Code must be filled with 5 digits. This field is mandatory—do not leave blank. NOTE: This field is to be submitted as a 5 digit numeric field to avoid dropping leading zeroes. Only numbers (0-9) may be used as each digit.
81		1	Sex. A beneficiary's gender assigned at birth.	Enter: 'F' if this member is female 'M' if this member is male 'O' if the member refused to provide gender This field is mandatory—do not leave blank.
82-89		8	Birth Date. A beneficiary's individual Birth Date	The Birth Date must contain 8 digits with Month, Day, Year in the Format MMDDYYYY (ex. May 3, 1970 would be 05031970) No characters other than numbers are allowed This field is mandatory—do not leave blank.
90-92		3	Plan ID Number. A beneficiary's assigned plan benefit number	The 3 digit number assigned to the specific plan benefit package that the beneficiary is enrolled in under the contract number identified in the Header record (e.g., 001, 045, 134). NOTE: This field is to be submitted as a 3 digit character field to avoid dropping leading zeroes. However, only numbers (0-9) may be used as each digit.
93		1	SNP Enrollee Type. SNP benefit package at end of measurement year	Enter: '0' if this member is NOT enrolled in an SNP plan benefit package '1' if this member is enrolled in a DUAL ELIGIBLE SNP benefit package '2' if this member is enrolled in an INSTITUTIONAL SNP benefit package '3' if this member is enrolled in a CHRONIC CONDITION SNP benefit package
94-95		2	Member Months. The member month contribution (MMC) this member adds to the denominator. Each Medicare enrollee in a given contract should be listed in the text file. The MMC is simply the number of months each Medicare member was enrolled in the contract in the measurement year. The MMC pertains only to Utilization measures; it does not apply to the Effectiveness of Care or Readmission measures, and does not vary by measure. The Inpatient Utilization-General Hospital/Acute Care measure should be used to determine member months.	Each member should have an MMC value between 0 and 12.
96	ABA	1	Denominator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
97	ABA	1	Numerator for Adult BMI Assessment (ABA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
98	COL	1	Denominator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
99	COL	1	Numerator for Colorectal Cancer Screening (COL)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
100	BCS	1	Denominator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
101	BCS	1	Numerator for Breast Cancer Screening (BCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
102	OMW	1	Denominator for Osteoporosis Management in Women Who Had a Fracture (OMW)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
103	OMW	1	Numerator for Osteoporosis Management in Women Who Had a Fracture (OMW)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
104	CBP	1	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
105	CBP	1	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
106	PBH	1	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
107	PBH	1	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
108	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
109	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Testing	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
110	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
111	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Poor Control >9%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
112	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
113	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): HbA1c Control <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
114	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): Eye exam (retinal) performed	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
115	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): Eye exam (retinal) performed	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
116	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
117	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): Medical Attention for Nephropathy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
118	CDC	1	Denominator for Comprehensive Diabetes Care (CDC): Blood pressure control <140/90 mm Hg	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
119	CDC	1	Numerator for Comprehensive Diabetes Care (CDC): Blood pressure control <140/90 mm Hg	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
120	SPR	1	Denominator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
121	SPR	1	Numerator for Use of Spirometry Testing in the Assessment and Diagnosis of COPD (SPR)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
122-123	PCE	2	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
124-125	PCE	2	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
126-127	PCE	2	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
128-129	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
130-131	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
132-133	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
134	AMM	1	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
135	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
136	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
137	ART	1	Denominator for Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
138	ART	1	Numerator for Disease-Modifying Anti-Rheumatic Drug Therapy for Rheumatoid Arthritis (ART)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
139	DAE	1	Denominator for Use of High-Risk Medications in the Elderly (DAE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
140	DAE	1	Numerator for Use of High-Risk Medications in the Elderly (DAE): At Least One Prescription	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
141	DAE	1	Numerator for Use of High-Risk Medications in the Elderly (DAE): At Least Two Prescriptions	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
142	DDE	1	Denominator 1 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Rate 1	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
143	DDE	1	Numerator 1 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
144	DDE	1	Denominator 2 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Rate 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
145	DDE	1	Numerator 2 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
146	DDE	1	Denominator 3 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Rate 3	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
147	DDE	1	Numerator 3 for Potentially Harmful Drug-Disease Interactions in the Elderly (DDE): Rate 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
148	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
149	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
150	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
151	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
152	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
153	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
154	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
155	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
156	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
157	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
158	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
159	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
160	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
161	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
162	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
163	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 13-17 years Total	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
164	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 13-17 years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
165	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 13-17 years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
166	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
167	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
168	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Alcohol abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
169	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
170	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
171	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Opioid abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
172	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
173	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
174	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Other drug abuse or dependence	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
175	IET	1	Denominator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): 18+ years Total	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
176	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Initiation of AOD Treatment, 18+ years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
177	IET	1	Numerator for Initiation and Engagement of Alcohol and Other Drug Abuse or Dependence Treatment (IET): Engagement of AOD Treatment, 18+ years Total	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
178-180	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Bariatric weight loss surgery	Enter: The number of times this member is in the count '0' if the member is not in the count
181-183	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): CABG	Enter: The number of times this member is in the count '0' if the member is not in the count
184-186	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): PCI	Enter: The number of times this member is in the count '0' if the member is not in the count
187-189	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Cardiac catheterization	Enter: The number of times this member is in the count '0' if the member is not in the count
190-192	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Carotid endarterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
193-195	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Open Cholecystectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
196-198	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Laparoscopic cholecystectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
199-201	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Back surgery	Enter: The number of times this member is in the count '0' if the member is not in the count
202-204	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Abdominal hysterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
205-207	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Vaginal hysterectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
208-210	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Prostatectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
211-213	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Total hip replacement	Enter: The number of times this member is in the count '0' if the member is not in the count
214-216	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Total knee replacement	Enter: The number of times this member is in the count '0' if the member is not in the count
217-219	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Mastectomy	Enter: The number of times this member is in the count '0' if the member is not in the count
220-222	FSP	3	Number of procedures for Frequency of Selected Procedures (FSP): Lumpectomy	Enter: The number of times this member is in the count '0' if the member is not in the count

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
223-225	IPU	3	Inpatient Utilization—General Hospital/Acute Care (IPU): Total Inpatient Discharges	Enter: The total discharges for this member '0' if the member did not have any discharges
226-228	IPU	3	Inpatient Utilization—General Hospital/Acute Care (IPU): Total Inpatient Days	Enter: The total number of days for this member '0' if the member did not have any days
229-231	IPU	3	Inpatient Utilization—General Hospital/Acute Care (IPU): Medicine Discharges	Enter: The total discharges for this member '0' if the member did not have any discharges
232-234	IPU	3	Inpatient Utilization—General Hospital/Acute Care (IPU): Medicine Days	Enter: The total number of days for this member '0' if the member did not have any days
235-237	IPU	3	Inpatient Utilization—General Hospital/Acute Care (IPU): Surgery Discharges	Enter: The total discharges for this member '0' if the member did not have any discharges
238-240	IPU	3	Inpatient Utilization—General Hospital/Acute Care (IPU): Surgery Days	Enter: The total number of days for this member '0' if the member did not have any days
241-243	IPU	3	Inpatient Utilization—General Hospital/Acute Care (IPU): Maternity Discharges	Enter: The total discharges for this member '0' if the member did not have any discharges
244-246	IPU	3	Inpatient Utilization—General Hospital/Acute Care (IPU): Maternity Days	Enter: The total number of days for this member '0' if the member did not have any days
247-249	AMB	3	Ambulatory Care (AMB): Outpatient Visits	Enter: The total number of visits for this member '0' if the member did not have any visits
250-252	AMB	3	Ambulatory Care (AMB): ED Visits	Enter: The total number of visits for this member '0' if the member did not have any visits
253	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Alcohol Disorder	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
254	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Opioid Disorder	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
255	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Other or Unspecified Drug Disorders	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
256	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Any Service - Total	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
257	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Alcohol Disorder	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
258	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Opioid Disorder	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
259	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
260	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Inpatient Services - Total	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
261	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Alcohol Disorder	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
262	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Opioid Disorder	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
263	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing
264	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services - Total	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have and Intensive outpatient or partial hospitalization service OR the information is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
265	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/MAT Services - Alcohol Disorder	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
266	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/MAT Services - Opioid Disorder	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
267	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/MAT Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
268	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Outpatient/MAT Services - Total	Enter: '1' if this member has an Outpatient/MAT Service '0' if the member does not have an Outpatient Service OR the information is missing
269	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Alcohol Disorder	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
270	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Opioid Disorder	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
271	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
272	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving ED Services - Total	Enter: '1' if this member has an ED Service '0' if the member does not have an ED Service OR the information is missing
273	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Alcohol Disorder	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
274	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Opioid Disorder	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
275	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Other or Unspecified Drug Disorders	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
276	IAD	1	Identification of Alcohol and Other Drug Services (IAD): Percentage of Members Receiving Telehealth Services - Total	Enter: '1' if this member has a Telehealth Service '0' if the member does not have a Telehealth Service OR the information is missing
277	MPT	1	Mental Health Utilization (MPT): Percentage of Members Receiving Any Service	Enter: '1' if this member has any service '0' if the member does not have any service OR the information is missing
278	MPT	1	Mental Health Utilization (MPT): Percentage of Members Receiving Inpatient Services	Enter: '1' if this member has an inpatient service '0' if the member does not have an inpatient service OR the information is missing
279	MPT	1	Mental Health Utilization (MPT): Percentage of Members Receiving Intensive Outpatient or Partial Hospitalization Services	Enter: '1' if this member has an Intensive outpatient or partial hospitalization service '0' if the member does not have an Intensive outpatient or partial hospitalization service OR the information is missing
280	MPT	1	Mental Health Utilization (MPT): Percentage of Members Receiving Outpatient Services	Enter: '1' if this member has an outpatient service '0' if the member does not have an outpatient service OR the information is missing
281	MPT	1	Mental Health Utilization (MPT): Percentage of Members Receiving ED Services	Enter: '1' if this member has an ED service '0' if the member does not have an ED service OR the information is missing
282	MPT	1	Mental Health Utilization (MPT): Percentage of Members Receiving Telehealth Services	Enter: '1' if this member has a telehealth service '0' if the member does not have a telehealth service OR the information is missing
283-286	ABX	4	Antibiotic Utilization (ABX): Total number of antibiotic prescriptions	Enter: The number of times this member is in the count '0' if the member is not in the count
287-290	ABX	4	Antibiotic Utilization (ABX): Total days supplied for all antibiotic prescriptions	Enter: The total number of days for this member '0' if the member did not have any days
291-294	ABX	4	Antibiotic Utilization (ABX): Total number of prescriptions for antibiotics of concern	Enter: The number of times this member is in the count '0' if the member is not in the count
295-298	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Quinolones	Enter: The number of times this member is in the count '0' if the member is not in the count



COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
299-302	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Cephalosporins 2nd- 4th Generation	Enter: The number of times this member is in the count '0' if the member is not in the count
303-306	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Azithromycin and Clarithromycin	Enter: The number of times this member is in the count '0' if the member is not in the count
307-310	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Amoxicillin/Clavulanate	Enter: The number of times this member is in the count '0' if the member is not in the count
311-314	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Ketolides	Enter: The number of times this member is in the count '0' if the member is not in the count
315-318	ABX	4	Antibiotic Utilization (ABX): Antibiotics of Concern—Clindamycin	Enter: The number of times this member is in the count '0' if the member is not in the count
319-322	ABX	4	Antibiotic Utilization (ABX): Miscellaneous Antibiotics of Concern	Enter: The number of times this member is in the count '0' if the member is not in the count
323-326	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Absorbable Sulfonamides	Enter: The number of times this member is in the count '0' if the member is not in the count
327-330	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Aminoglycosides	Enter: The number of times this member is in the count '0' if the member is not in the count
331-334	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—First Generation Cephalosporins	Enter: The number of times this member is in the count '0' if the member is not in the count
335-338	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Lincosamides (other than Clindamycin)	Enter: The number of times this member is in the count '0' if the member is not in the count
339-342	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Macrolides (other than Azithromycin and Clarithromycin)	Enter: The number of times this member is in the count '0' if the member is not in the count
343-346	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Penicillins	Enter: The number of times this member is in the count '0' if the member is not in the count
347-350	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Tetracyclines	Enter: The number of times this member is in the count '0' if the member is not in the count
351-354	ABX	4	Antibiotic Utilization (ABX): All Other Antibiotics—Miscellaneous Antibiotics	Enter: The number of times this member is in the count '0' if the member is not in the count
355	PSA	1	Denominator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
356	PSA	1	Numerator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
357-358	MRP	2	Denominator for Medication Reconciliation Post-Discharge (MRP)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
359-360	MRP	2	Numerator for Medication Reconciliation Post-Discharge (MRP)	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
361	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
362	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
363	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
364	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
365	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
366	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
367	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
368	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
369	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
370	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
371	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
372	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
373	AHU	1	Acute Hospital Utilization (AHU): Eligible Population	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
374	AHU	1	Acute Hospital Utilization (AHU): Non-Outliers	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
375	AHU	1	Acute Hospital Utilization (AHU): Outliers	Enter: '1' if this member is an outlier '0' if this member is not an outlier
376-378	AHU	3	Acute Hospital Utilization (AHU): Observed Inpatient Discharges, Surgery	Enter: The total number of discharges for this member '0' if the member does not have any discharges
379-381	AHU	3	Acute Hospital Utilization (AHU): Observed Inpatient Discharges, Medicine	Enter: The total number of discharges for this member '0' if the member does not have any discharges
382-384	AHU	3	Acute Hospital Utilization (AHU): Observed Inpatient Discharges, Total Inpatient	Enter: The total number of discharges for this member '0' if the member does not have any discharges
385-396	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
397-408	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
409-420	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
421-432	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
433-444	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
445-456	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
457-468	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
469-480	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
481-492	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
493-504	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight, Surgery	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
505-516	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight, Medicine	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
517-528	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight, Total	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
529	EDU	1	Emergency Department Utilization (EDU): Eligible Population	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
530-532	EDU	3	Emergency Department Utilization (EDU): Observed ED Visits	Enter: The total number of visits for this member '0' if the member does not have any visits
533-544	EDU	12	Emergency Department Utilization (EDU): PPV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
545-556	EDU	12	Emergency Department Utilization (EDU): PPV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
557-568	EDU	12	Emergency Department Utilization (EDU): PPV Base Risk Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
569-580	EDU	12	Emergency Department Utilization (EDU): PUCV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
581-592	EDU	12	Emergency Department Utilization (EDU): PUCV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
593-604	EDU	12	Emergency Department Utilization (EDU): PUCV Base Risk Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
605	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Eligible Population	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
606	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
607	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
608	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
609	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
610-611	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Chronic ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
612-613	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Acute ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
614-615	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Total ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
616-627	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
628-639	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
640-651	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
652-663	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
664-675	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
676-687	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
688-699	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
700-711	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
712-723	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
724-735	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
736-747	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
748-759	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
760-761	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM)	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
762-763	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
764-765	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
766-767	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
768-769	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
770-771	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
772-773	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
774-775	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
776-777	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Alcohol and Other Drug Abuse or Dependence (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
778	UOD	1	Denominator for Use of Opioids at High Dosage (UOD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
779	UOD	1	Numerator for Use of Opioids at High Dosage (UOD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
780	UOP	1	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
781	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
782	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
783	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
784-785	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
786-787	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
788-789	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
790-791	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
792-793	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
794-795	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
796-797	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
798-799	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
800-801	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
802-803	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
804-805	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
806-807	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
808-809	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
810-811	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
812-813	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
814-815	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
816-817	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With High-Risk Multiple Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
818-819	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With High-Risk Multiple Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
820-821	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With High-Risk Multiple Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
822-823	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With High-Risk Multiple Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing