

	Satya-Murti	Calega	Carlson	Dehmer	Dullum	Maisel	Moscucci	Umscheid	Atkinson	Thomas	Hammill	Packer	Voting Member Average	Overall Average
1	How confident are you that the evidence is adequate to draw conclusions about the health outcomes of interest to patients treated with catheter ablation for atrial fibrillation?													
	<i>1 Not Confident -2- 3 Moderately Confident -4- 5 Highly Confident</i>													
a. Recurrence of Arrhythmia	4	4	4	4	2	4		5	5	4	4	4	4.00	4.00
b. Symptom relief	3	4	4	4	4	4		3	3	3	5	5	3.63	3.82
c. Stroke	2	2	2	3	5	2		1	2	1	1	1	2.38	2.00
d. Survival	1	1	1	1	5	1		1	1	1	1	1	1.50	1.36

Overall Average

2.33



		Satya-Murti	Calega	Carlson	Dehmer	Dullum	Maisel	Moscucci	Umscheid	Atkinson	Thomas	Hammill
4	How confident are you that the outcomes can be extrapolated to:											
	1 <i>Not Confident</i> -2-											
	3 <i>Moderately Confident</i> -4-											
	5 <i>Highly Confident</i>											
	a. Patients outside a controlled clinical study?	3	2	5	3	1	4	2	2	3	3	2
	population (age 65 years and older, 56% female)?	2	2	3	3	1	3	2	3	1	3	4

Packer	Voting Member Average	Overall Average
3	2.78	2.75
4	2.22	2.58

		Satya-Murti	Calega	Carlson	Dehmer	Dullum	Maisel	Moscucci	Umscheid	Atkinson	Thomas	Hamill	Packer
5	How confident are you that additional evidence is needed?												
	1 Not Confident -2-												
	3 Moderately Confident -4-												
	5 Highly Confident												
	a. Recurrence of Arrhythmia	2	3	1	2	5	2		2	2	3	2	2
	b. Symptom relief	4	3	2	2	5	2		4	3	3	1	2
	c. Stroke	5	5	4	4	5	4		5	5	5	5	5
	d. Survival	5	4	4	5	5	4		5	5	5	5	5

