

**Addendum**

**Technical Release Notes:  
Addendum to the 2016 Annual Update of Eligible Hospitals and Eligible  
Clinicians Electronic Clinical Quality Measures (eCQMs)  
ICD-10 Updates Only**

**This page has been left blank for double-sided copying.**

**CMS32v6 - Median Time from ED Arrival to ED Departure for Discharged ED Patients**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Psychiatric/Mental Health Patient (2.16.840.1.113883.3.117.1.7.1.299): Added 13 ICD10CM codes and deleted 4 ICD10CM codes (F32.8, F34.8, F42, F50.8).	Value Set		ICD-10 Addendum

**CMS53v5 - Primary PCI Received Within 90 Minutes of Hospital Arrival**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set PCI (2.16.840.1.113762.1.4.1045.67): Added 96 ICD10PCS codes.	Value Set		ICD-10 Addendum

**CMS55v5 - Median Time from ED Arrival to ED Departure for Admitted ED Patients**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Psychiatric/Mental Health Patient (2.16.840.1.113883.3.117.1.7.1.299): Added 13 ICD10CM codes and deleted 4 ICD10CM codes (F32.8, F34.8, F42, F50.8).	Value Set		ICD-10 Addendum

**CMS71v6 - Anticoagulation Therapy for Atrial Fibrillation/Flutter**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Hemorrhagic Stroke (2.16.840.1.113883.3.117.1.7.1.212): Added 1 ICD10CM code (I60.2) and deleted 3 ICD10CM codes (I60.20, I60.21, I60.22).	Value Set		ICD-10 Addendum
Value set Ischemic Stroke (2.16.840.1.113883.3.117.1.7.1.247): Added 18 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS72v5 - Antithrombotic Therapy By End of Hospital Day 2**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Hemorrhagic Stroke (2.16.840.1.113883.3.117.1.7.1.212): Added 1 ICD10CM code (I60.2) and deleted 3 ICD10CM codes (I60.20, I60.21, I60.22).	Value Set		ICD-10 Addendum
Value set Ischemic Stroke (2.16.840.1.113883.3.117.1.7.1.247): Added 18 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS102v5 - Assessed for Rehabilitation**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Hemorrhagic Stroke (2.16.840.1.113883.3.117.1.7.1.212): Added 1 ICD10CM code (I60.2) and deleted 3 ICD10CM codes (I60.20, I60.21, I60.22).	Value Set		ICD-10 Addendum
Value set Ischemic Stroke (2.16.840.1.113883.3.117.1.7.1.247): Added 18 ICD10CM codes.	Value Set		ICD-10 Addendum



**CMS104v5 - Discharged on Antithrombotic Therapy**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Hemorrhagic Stroke (2.16.840.1.113883.3.117.1.7.1.212): Added 1 ICD10CM code (I60.2) and deleted 3 ICD10CM codes (I60.20, I60.21, I60.22).	Value Set		ICD-10 Addendum
Value set Ischemic Stroke (2.16.840.1.113883.3.117.1.7.1.247): Added 18 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS105v5 - Discharged on Statin Medication**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Hemorrhagic Stroke (2.16.840.1.113883.3.117.1.7.1.212): Added 1 ICD10CM code (I60.2) and deleted 3 ICD10CM codes (I60.20, I60.21, I60.22).	Value Set		ICD-10 Addendum
Value set Ischemic Stroke (2.16.840.1.113883.3.117.1.7.1.247): Added 18 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS107v5 - Stroke Education**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Hemorrhagic Stroke (2.16.840.1.113883.3.117.1.7.1.212): Added 1 ICD10CM code (I60.2) and deleted 3 ICD10CM codes (I60.20, I60.21, I60.22).	Value Set		ICD-10 Addendum
Value set Ischemic Stroke (2.16.840.1.113883.3.117.1.7.1.247): Added 18 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS108v5 - Venous Thromboembolism Prophylaxis**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Hemorrhagic Stroke (2.16.840.1.113883.3.117.1.7.1.212): Added 1 ICD10CM code (I60.2) and deleted 3 ICD10CM codes (I60.20, I60.21, I60.22).	Value Set		ICD-10 Addendum
Value set Hip Replacement Surgery (2.16.840.1.113883.3.117.1.7.1.259): Added 8 ICD10PCS codes (0SPA0JZ, OSPE0JZ, OSPROJZ, OSPS0JZ, OSWA0JZ, OSWE0JZ, OSWROJZ, OSWS0JZ).	Value Set		ICD-10 Addendum
Value set Ischemic Stroke (2.16.840.1.113883.3.117.1.7.1.247): Added 18 ICD10CM codes.	Value Set		ICD-10 Addendum
Value set Knee Replacement Surgery (2.16.840.1.113883.3.117.1.7.1.261): Added 18 ICD10PCS codes.	Value Set		ICD-10 Addendum
Value set Mental Health Diagnoses (2.16.840.1.113883.3.464.1003.105.12.1004): Added 13 ICD10CM codes.	Value Set		ICD-10 Addendum
Value set Obstetrics (2.16.840.1.113883.3.117.1.7.1.263): Added 67 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS111v5 - Median Admit Decision Time to ED Departure Time for Admitted Patients**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Psychiatric/Mental Health Patient (2.16.840.1.113883.3.117.1.7.1.299): Added 13 ICD10CM codes and deleted 4 ICD10CM codes (F32.8, F34.8, F42, F50.8).	Value Set		ICD-10 Addendum

**CMS113v5 - Elective Delivery**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Conditions Possibly Justifying Elective Delivery Prior to 39 Weeks Gestation (2.16.840.1.113883.3.117.1.7.1.286): Added 18 ICD10CM codes and deleted 18 ICD10CM codes.	Value Set		ICD-10 Addendum
Value set Cornual Ectopic Pregnancy (2.16.840.1.113762.1.4.1110.12): Added 2 ICD10CM codes (O00.80, O00.81).	Value Set		ICD-10 Addendum

**CMS190v5 - Intensive Care Unit Venous Thromboembolism Prophylaxis**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Hip Replacement Surgery (2.16.840.1.113883.3.117.1.7.1.259): Added 8 ICD10PCS codes (OSPA0JZ, OSPE0JZ, OSPROJZ, OSPS0JZ, OSWA0JZ, OSWE0JZ, OSWROJZ, OSWS0JZ).	Value Set		ICD-10 Addendum
Value set Knee Replacement Surgery (2.16.840.1.113883.3.117.1.7.1.261): Added 18 ICD10PCS codes.	Value Set		ICD-10 Addendum
Value set Obstetrics (2.16.840.1.113883.3.117.1.7.1.263): Added 67 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS2v6 - Preventive Care and Screening: Screening for Depression and Follow-Up Plan**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Depression diagnosis (2.16.840.1.113883.3.600.145): Added 3 ICD10CM codes (F32.89, F34.81, F34.89) and deleted 1 ICD10CM code (F32.8).	Value Set		ICD-10 Addendum



**CMS22v5 - Preventive Care and Screening: Screening for High Blood Pressure and Follow-Up Documented**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Diagnosis of hypertension (2.16.840.1.113883.3.600.263): Added 3 ICD10CM codes (I16.0, I16.1, I16.9).	Value Set		ICD-10 Addendum

**CMS56v5 - Functional Status Assessment for Total Hip Replacement**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Fracture - Lower Body (2.16.840.1.113883.3.464.1003.113.12.1037): Added 282 ICD10CM codes.	Value Set		ICD-10 Addendum

---

**CMS65v6 - Hypertension: Improvement in Blood Pressure**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Pregnancy (2.16.840.1.113883.3.526.3.378): Added 40 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS66v5 - Functional Status Assessment for Total Knee Replacement**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Fracture - Lower Body (2.16.840.1.113883.3.464.1003.113.12.1037): Added 282 ICD10CM codes.	Value Set		ICD-10 Addendum

---

**CMS69v5 - Preventive Care and Screening: Body Mass Index (BMI) Screening and Follow-Up**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Pregnancy Dx (2.16.840.1.113883.3.600.1.1623): Added 63 ICD10CM codes and deleted 8 ICD10CM codes (O00.0, O00.1, O00.2, O00.8, O00.9, O33.7, O34.21, O70.2).	Value Set		ICD-10 Addendum

**CMS90v6 - Functional Status Assessments for Congestive Heart Failure**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set All Cancer (2.16.840.1.113883.3.464.1003.108.12.1011): Added 12 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS117v5 - Childhood Immunization Status**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Hepatitis B (2.16.840.1.113883.3.464.1003.110.12.1025): Deleted 1 ICD10CM code (Z22.51).	Value Set		ICD-10 Addendum

---

**CMS122v5 - Diabetes: Hemoglobin A1c (HbA1c) Poor Control (> 9%)**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Diabetes (2.16.840.1.113883.3.464.1003.103.12.1001): Added 156 ICD10CM codes.	Value Set		ICD-10 Addendum



**CMS123v5 - Diabetes: Foot Exam**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Diabetes (2.16.840.1.113883.3.464.1003.103.12.1001): Added 156 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS131v5 - Diabetes: Eye Exam**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Diabetes (2.16.840.1.113883.3.464.1003.103.12.1001): Added 156 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS132v5 - Cataracts: Complications within 30 Days Following Cataract Surgery Requiring Additional Surgical Procedures**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Glaucoma (2.16.840.1.113883.3.526.3.1423): Added 20 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS133v5 - Cataracts: 20/40 or Better Visual Acuity within 90 Days Following Cataract Surgery**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Degeneration of Macula and Posterior Pole (2.16.840.1.113883.3.526.3.1453): Added 36 ICD10CM codes.	Value Set		ICD-10 Addendum
Value set Diabetic Macular Edema (2.16.840.1.113883.3.526.3.1455): Added 180 ICD10CM codes.	Value Set		ICD-10 Addendum
Value set Diabetic Retinopathy (2.16.840.1.113883.3.526.3.327): Added 240 ICD10CM codes.	Value Set		ICD-10 Addendum
Value set Glaucoma (2.16.840.1.113883.3.526.3.1423): Added 20 ICD10CM codes.	Value Set		ICD-10 Addendum
Value set Retinal Vascular Occlusion (2.16.840.1.113883.3.526.3.1479): Added 24 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS134v5 - Diabetes: Medical Attention for Nephropathy**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Diabetes (2.16.840.1.113883.3.464.1003.103.12.1001): Added 156 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS135v5 - Heart Failure (HF): Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) Therapy for Left Ventricular Systolic Dysfunction (LVSD)**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Pregnancy (2.16.840.1.113883.3.526.3.378): Added 40 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS136v6 - ADHD: Follow-Up Care for Children Prescribed Attention-Deficit/ Hyperactivity Disorder (ADHD) Medication**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Mental Health Diagnoses (2.16.840.1.113883.3.464.1003.105.12.1004): Added 13 ICD10CM codes.	Value Set		ICD-10 Addendum

---

**CMS142v5 - Diabetic Retinopathy: Communication with the Physician Managing Ongoing Diabetes Care**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Diabetic Retinopathy (2.16.840.1.113883.3.526.3.327): Added 240 ICD10CM codes.	Value Set		ICD-10 Addendum



**CMS143v5 - Primary Open-Angle Glaucoma (POAG): Optic Nerve Evaluation**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Primary Open-Angle Glaucoma (2.16.840.1.113883.3.526.3.326): Added 20 ICD10CM codes.	Value Set		ICD-10 Addendum

---

**CMS153v5 - Chlamydia Screening for Women**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Complications of Pregnancy, Childbirth and the Puerperium (2.16.840.1.113883.3.464.1003.111.12.1012): Added 69 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS154v5 - Appropriate Treatment for Children with Upper Respiratory Infection (URI)**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Competing Conditions for Respiratory Conditions (2.16.840.1.113883.3.464.1003.102.12.1017): Added 1 ICD10CM code (L03.213).	Value Set		ICD-10 Addendum

**CMS155v5 - Weight Assessment and Counseling for Nutrition and Physical Activity for Children and Adolescents**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Pregnancy (2.16.840.1.113883.3.526.3.378): Added 40 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS157v5 - Oncology: Medical and Radiation – Pain Intensity Quantified**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Cancer (2.16.840.1.113883.3.526.3.1010): Added 12 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS158v5 - Pregnant women that had HBsAg testing**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Delivery - Diagnosis (2.16.840.1.113883.3.67.1.101.1.278): Added 6 ICD10CM codes (O24.425, O24.435, O70.20, O70.21, O70.22, O70.23) and deleted 1 ICD10CM code (O70.2).	Value Set		ICD-10 Addendum
Value set Hepatitis B (2.16.840.1.113883.3.67.1.101.1.269): Deleted 1 ICD10CM code (Z22.51).	Value Set		ICD-10 Addendum

**CMS164v5 - Ischemic Vascular Disease (IVD): Use of Aspirin or Another Antiplatelet**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Ischemic Vascular Disease (2.16.840.1.113883.3.464.1003.104.12.1003): Added 12 ICD10CM codes.	Value Set		ICD-10 Addendum

---

**CMS165v5 - Controlling High Blood Pressure**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Pregnancy (2.16.840.1.113883.3.526.3.378): Added 40 ICD10CM codes.	Value Set		ICD-10 Addendum



**CMS166v6 - Use of Imaging Studies for Low Back Pain**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set All Cancer (2.16.840.1.113883.3.464.1003.108.12.1011): Added 12 ICD10CM codes.	Value Set		ICD-10 Addendum
Value set Trauma (2.16.840.1.113883.3.464.1003.113.12.1036): Added 669 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS167v5 - Diabetic Retinopathy: Documentation of Presence or Absence of Macular Edema and Level of Severity of Retinopathy**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set Diabetic Retinopathy (2.16.840.1.113883.3.526.3.327): Added 240 ICD10CM codes.	Value Set		ICD-10 Addendum

**CMS169v5 - Bipolar Disorder and Major Depression: Appraisal for alcohol or chemical substance use**

<b>Technical Release Notes</b>	<b>Type of TRN</b>	<b>Measure Section</b>	<b>Source of Change</b>
Value set BH Condition Involving Bipolar Disorder (2.16.840.1.113883.3.1257.1.1504): Added 1 ICD10CM code (F34.89).	Value Set		ICD-10 Addendum
Value set BH Condition Involving Unipolar Depression (2.16.840.1.113883.3.1257.1.1505): Added 2 ICD10CM codes (F32.81, F32.89) and deleted 1 ICD10CM code (F32.8).	Value Set		ICD-10 Addendum