

CHAPTER VI

**SURGERY: DIGESTIVE SYSTEM
CPT CODES 40000 – 49999**

MEDICAID NATIONAL CORRECT CODING INITIATIVE POLICY MANUAL

Current Procedural Terminology (CPT) codes, descriptions and other data only are copyright 2024 American Medical Association. All rights reserved.

CPT® is a registered trademark of the American Medical Association.

Applicable FARS/DFARS Restrictions Apply to Government Use.

Fee schedules, relative value units, conversion factors, and/or related components aren't assigned by the AMA, aren't part of CPT, and the AMA isn't recommending their use. The AMA doesn't directly or indirectly practice medicine or dispense medical services. The AMA assumes no liability for the data contained or not contained herein.

CMS issues the Hospital Outpatient Prospective Payment System (OPPS) and Ambulatory Surgical Center (ASC) Payment System.

Revision Date (Medicaid): 1/1/2025

Table of Contents

Chapter VI VI-3

 Surgery: Digestive System VI-3

 CPT Codes 40000 - 49999..... VI-3

 A. Introduction VI-3

 B. Evaluation & Management (E&M) Services VI-3

 C. Endoscopic Services VI-5

 D. Esophageal Procedures VI-7

 E. Abdominal Procedures VI-7

 F. Laparoscopy VI-9

 G. Medically Unlikely Edits (MUEs)..... VI-11

 H. General Policy Statements VI-11

Revision Date (Medicaid): 1/1/2025

Chapter VI
Surgery: Digestive System
CPT Codes 40000 - 49999

A. Introduction

The principles of correct coding discussed in Chapter I apply to the Current Procedural Terminology (CPT) codes in the range 40000-49999. Several general guidelines are repeated in this Chapter. However, those general guidelines from Chapter I not discussed in this Chapter are nonetheless applicable.

Physicians shall report the Healthcare Common Procedure Coding System/Current Procedural Terminology (HCPCS/CPT) code that describes the procedure performed to the greatest specificity possible. A HCPCS/CPT code shall be reported only if all services described by the code are performed. A physician shall not report multiple HCPCS/CPT codes if a single HCPCS/CPT code exists that describes the services performed. This type of unbundling is incorrect coding.

HCPCS/CPT codes include all services usually performed as part of the procedure as a standard of medical/surgical practice. A physician shall not separately report these services simply because HCPCS/CPT codes exist for them.

Specific issues unique to this section of CPT are clarified in this chapter.

B. Evaluation & Management (E&M) Services

Physician services can be categorized as either major surgical procedures, minor surgical procedures, non-surgical procedures, or Evaluation & Management (E&M) services. This section summarizes some of the rules for reporting E&M services in relation to major surgical, minor surgical, and non-surgical procedures. Even in the absence of National Correct Coding Initiative (NCCI) Procedure-to-Procedure (PTP) edits, providers shall bill for their services following these rules.

The Medicaid NCCI program uses the same definition of major and minor surgery procedures as the Medicare program.

- Major surgery – those codes with 090 Global Days in the “Medicare Physician Fee Schedule Database/Relative Value File”
- Minor surgery – those codes with 000 or 010 Global Days

The Medicare designation of global days can be found on the Medicare designation of global days can be found on the Medicare/National Physician Fee Schedule/PFS Relative Value Files page of the CMS Medicare webpage at:

Select the calendar year and the file name with highest alphabetical suffix – e.g., RVUxxD – for

Revision Date (Medicaid): 1/1/2025

the most recent version of the fee schedule. In the zip file, select document “PPRRVU...xlsx” and refer to “Column O, Global Days.”

An E&M service is separately reportable on the same date of service as a major or minor surgical procedure under limited circumstances.

If an E&M service is performed on the same date of service as a major surgical procedure to decide whether to perform this surgical procedure, the E&M service is separately reportable with modifier 57. Other preoperative E&M services on the same date of service as a major surgical procedure are included in the global package for the procedure and are not separately reportable. There are currently no NCCI PTP edits based on this rule.

In general, E&M services performed on the same date of service as a minor surgical procedure are included in the payment for the procedure. The decision to perform a minor surgical procedure is included in the payment for the minor surgical procedure and shall not be reported separately as an E&M service. However, a significant and separately identifiable E&M service unrelated to the decision to perform the minor surgical procedure is separately reportable with modifier 25. The E&M service and minor surgical procedure do not require different diagnoses. If a minor surgical procedure is performed on a new patient, the same rules for reporting E&M services apply. The fact that the patient is “new” to the provider is not sufficient alone to justify reporting an E&M service on the same date of service as a minor surgical procedure. The NCCI program contains many, but not all, possible edits based on these principles.

For major and minor surgical procedures, postoperative E&M services related to recovery from the surgical procedure during the postoperative period are included in the global package as are E&M services related to complications of the surgery. Postoperative visits unrelated to the diagnosis for which the surgical procedure was performed, unless related to a complication of surgery, may be reported separately on the same day as a surgical procedure with modifier 24 (Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During a Postoperative Period).

Many non-surgical procedures are performed by physicians and have inherent pre-procedure, intra-procedure, and post-procedure work usually performed each time the procedure is completed. This work shall not be reported as a separate E&M code. Other non-surgical procedures are not usually performed by a physician and have no physician work associated with them. A physician shall not report a separate E&M code with these procedures for the supervision of others performing the procedure or for the interpretation of the procedure. With most non-surgical procedures, the physician may, however, perform a significant and separately identifiable E&M service that is above and beyond the usual pre- and post-operative work of the procedure on the same date of service which may be reported by appending modifier 25 to the E&M code. This E&M service may be related to the same diagnosis necessitating performance of the non-surgical procedure but cannot include any work inherent in the non-surgical procedure, supervision of others performing the non-surgical procedure, or time for interpreting the result of the non-surgical procedure. Appending modifier 25 to a significant, separately identifiable E&M service when performed on the same date of service as a non-surgical

Revision Date (Medicaid): 1/1/2025

procedure **may be appropriate in some instances.**

C. Endoscopic Services

Endoscopic services may be performed in many places of service (e.g., office, outpatient, ambulatory surgical centers (ASC)). Services that are an integral component of an endoscopic procedure are not separately reportable. These services include, but are not limited to, venous access (e.g., CPT code 36000), infusion/injection (e.g., CPT codes 96360-96379), non-invasive oximetry (e.g., CPT codes 94760 and 94761), and anesthesia provided by the surgeon.

1. Per *CPT Professional codebook* instructions, surgical endoscopy includes diagnostic endoscopy. A diagnostic endoscopy HCPCS/CPT code shall not be reported with a surgical endoscopy code.
2. If multiple endoscopic services are performed, the most comprehensive code describing the service(s) rendered shall be reported. If multiple services are performed and not adequately described by a single HCPCS/CPT code, more than one code may be reported. The multiple procedure modifier 51 should be appended to the secondary HCPCS/CPT code. Only medically necessary services may be reported. Incidental examination of other areas shall not be reported separately.
3. If the same endoscopic procedure (e.g., polypectomy) is performed multiple times at a single patient encounter in the same region as defined by the *CPT Professional codebook* narrative, only one CPT code may be reported with one unit of service.
4. Gastroenterological procedures included in CPT code ranges 43753-43757 and 91010-91299 are frequently complementary to endoscopic procedures. Esophageal and gastric washings for cytology when performed are integral components of an esophagogastroduodenoscopy (e.g., CPT code 43235). Gastric or duodenal intubation with or without aspiration (e.g., CPT codes 43753, 43754, 43756) shall not be separately reported when performed as part of an upper gastrointestinal endoscopic procedure. Gastric or duodenal stimulation testing (e.g., CPT codes 43755, 43757) may be facilitated by gastrointestinal endoscopy (e.g., procurement of gastric or duodenal specimens). When performed concurrent with an upper gastrointestinal endoscopy, CPT code 43755 or 43757 should be reported with modifier 52 indicating that a reduced level of service was performed.
5. If an endoscopy or enteroscopy is performed as a common standard of practice when performing another service, the endoscopy or enteroscopy is not separately reportable. For example, if a small intestinal endoscopy or enteroscopy is performed during the creation or revision of an enterostomy, the small intestinal endoscopy or enteroscopy is not separately reportable.
6. An endoscopy to assess anatomic landmarks or assess extent of disease preceding another surgical procedure at the same patient encounter is not separately reportable. However, an

Revision Date (Medicaid): 1/1/2025

endoscopic procedure for diagnostic purposes to decide whether a more extensive open procedure needs to be performed is separately reportable. In the latter situation, modifier 58 may be used to indicate that the diagnostic endoscopy and more extensive open procedure were staged procedures.

If an endoscopic procedure is performed at the same patient encounter as a non-endoscopic procedure to ensure no intraoperative injury occurred or verify the procedure was performed correctly, the endoscopic procedure is not separately reportable with the non-endoscopic procedure.

7. If a non-endoscopic esophageal dilation (e.g., CPT codes 43450, 43453) fails and is followed by an endoscopic esophageal dilation procedure (e.g., CPT codes 43213, 43214, 43233), only the endoscopic esophageal dilation procedure may be reported. The physician shall not report the failed procedure.
8. If it is necessary to perform diagnostic or surgical endoscopy of the hepatic/biliary/pancreatic system using different methodologies (e.g., biliary T-tube endoscopy, ERCP) multiple CPT codes may be reported. Modifier 51 should be appended to indicate that multiple procedures were performed at the same patient encounter.
9. Intubation of the gastrointestinal tract (e.g., percutaneous placement of G-tube) includes subsequent non-endoscopic removal of the tube. CPT codes such as 43247 (Upper gastrointestinal endoscopic removal of foreign body(s)) shall not be reported for non-endoscopic removal of previously placed therapeutic devices. However, if a previously placed therapeutic device must be removed endoscopically because it cannot be removed by a non-endoscopic procedure, a CPT code such as 43247 may be reported for the endoscopic removal.
10. Rules for reporting biopsies performed at the same patient encounter as an excision, destruction, or other type of removal are discussed in Section H (General Policy Statements), Subsection 22.
11. Control of bleeding is an integral component of endoscopic procedures and is not separately reportable. For example, if a provider/supplier performs endoscopic band ligation(s) by flexible sigmoidoscopy (CPT code 45350) or colonoscopy (CPT code 45398), control of bleeding is not separately reportable with CPT codes 45334 (Flexible sigmoidoscopic control of bleeding) or 45382 (Colonoscopic control of bleeding) respectively.

If it is necessary to repeat an endoscopy to control bleeding at a separate patient encounter on the same date of service, the HCPCS/CPT code for endoscopy for control of bleeding is separately reportable with modifier 78 indicating that the procedure required return to the operating room (or endoscopy suite) for a related procedure during the postoperative period.

Revision Date (Medicaid): 1/1/2025

12. Only the more extensive endoscopic procedure may be reported for a patient encounter. For example, if a sigmoidoscopy is completed and the physician also performs a colonoscopy during the same patient encounter, only the colonoscopy may be reported.
13. If an endoscopic procedure fails and is converted into an open procedure at the same patient encounter, only the open procedure is reportable. Neither a surgical endoscopy nor diagnostic endoscopy procedure code shall be reported with the open procedure code when an endoscopic procedure is converted to an open procedure.
14. If a transabdominal colonoscopy via colostomy and/or standard sigmoidoscopy or colonoscopy is performed as a necessary part of an open procedure (e.g., colectomy), the endoscopic procedure(s) is (are) not separately reportable. However, if either endoscopic procedure is performed as a diagnostic procedure upon which the decision to perform the open procedure is made, the endoscopic procedure may be reported separately. Modifier 58 may be used to indicate that the diagnostic endoscopy and the open procedure were staged or planned services.
15. If the larynx is viewed through an esophagoscope or upper gastrointestinal endoscope during endoscopy, a laryngoscopy CPT code cannot be reported separately. However, if a medically necessary laryngoscopy is performed with a separate laryngoscope, both the laryngoscopy and esophagoscopy (or upper gastro-intestinal endoscopy) CPT codes may be reported with NCCI PTP-associated modifiers.
16. Fluoroscopy (CPT code 76000) is an integral component of all endoscopic procedures when performed. CPT code 76000 shall not be reported separately with an endoscopic procedure. For example, fluoroscopy (e.g., CPT code 76000) is not separately reportable with CPT codes describing gastrointestinal endoscopy for foreign body removal (e.g., 43194, 43215, 43247, 44390, 45332, 45379).

D. Esophageal Procedures

The CPT codes 39000 and 39010 describe mediastinotomy by cervical or thoracic approaches respectively with “exploration, drainage, removal of foreign body, or biopsy.” Exploration of the surgical field is not separately reportable with another procedure performed in the surgical field. The CPT codes 39000 and 39010 shall not be reported separately for exploration of the mediastinum when performed with an esophageal procedure. These codes may be reported separately if mediastinal drainage, removal of foreign body, or biopsy is performed. However, these codes shall not be reported separately for removal of foreign body with CPT code 43020 (Esophagotomy, cervical approach, with removal of foreign body) or CPT code 43045 (Esophagotomy, thoracic approach, with removal of foreign body).

E. Abdominal Procedures

1. During an open abdominal procedure, exploration of the surgical field is routinely performed to identify anatomic structures and disease. An exploratory laparotomy (CPT

Revision Date (Medicaid): 1/1/2025

code 49000) is not separately reportable with an open abdominal procedure.

2. Hepatectomy procedures (e.g., CPT codes 47120-47130, 47133-47142) include removal of the gallbladder, based on anatomic considerations and standards of practice. A cholecystectomy CPT code is not separately reportable with a hepatectomy CPT code.
3. A medically necessary appendectomy may be reported separately. However, an incidental appendectomy of a normal appendix during another abdominal procedure is not separately reportable.
4. If a hernia repair is performed at the site of an incision for an open or laparoscopic abdominal procedure, the hernia repair (e.g., CPT codes 15778, 49591-49596, 49613-49618, 49621-49623) is not separately reportable. The hernia repair is separately reportable if it is performed at a site other than the incision for an open or laparoscopic abdominal procedure, and is medically reasonable and necessary. An incidental hernia repair is not medically reasonable and necessary and shall not be reported separately. (CPT codes 49560, 49566, 49652, and 49657 were deleted January 1, 2023.)
5. Subsection deleted, January 1, 2024.
6. The CPT code 49568 was an Add-on Code (AOC) describing implantation of mesh or other prosthesis for incisional or ventral hernia repair. (CPT code 49568 was deleted January 1, 2023.)
7. Most CPT codes that describe a procedure that includes a hernia repair include insertion of mesh or other prosthesis. CPT codes describing implantation of mesh or other prosthesis (e.g., 15777, 49568, 57267, 0437T) shall not be reported with a procedure including a hernia repair unless there is a *CPT Professional codebook* instruction specifically stating that the implantation of mesh or other prosthesis CPT code may be reported with that procedure. (CPT code 49568 was deleted January 1, 2023.)
8. Removal of excessive skin and subcutaneous tissue (panniculectomy) at the site of an abdominal incision for an open procedure including hernia repair is not separately reportable. CPT code 15830 shall not be reported for this type of panniculectomy. However, an abdominoplasty which requires significantly more work than a panniculectomy is separately reportable.
9. Open enterolysis (CPT code 44005) and laparoscopic enterolysis (CPT code 44180) are defined by the *CPT Professional codebook* as “separate procedures.” They are not separately reportable with other intra-abdominal or pelvic procedures.
10. If an iatrogenic laceration/perforation occurs during the course of another procedure, repair of the laceration/perforation is not separately reportable. Treatment of an iatrogenic complication of surgery such as an intestinal laceration/perforation is not a separately reportable service. For example, CPT codes describing suture of the small intestine (CPT

Revision Date (Medicaid): 1/1/2025

codes 44602, 44603) or suture of large intestine (CPT codes 44604, 44605) shall not be reported for repair of an intestinal laceration/perforation during an enterectomy, colectomy, gastrectomy, pancreatectomy, hysterectomy, or oophorectomy procedure.

11. A Whipple-type pancreatectomy procedure (CPT codes 48150-48154) includes removal of the gallbladder. A cholecystectomy (e.g., CPT codes 47562-47564, 47600-47620) shall not be reported separately.
12. If closure of a fistula requires excision of a portion of an organ into which the fistula passes, excision of that tissue shall not be reported separately. For example, if closure of an enterocolic fistula requires removal of a portion of adjacent small intestinal tissue and a portion of adjacent colonic tissue, closure of the enterocolic fistula (CPT code 44650) includes the removal of the small and large intestinal tissue. The excision of the small intestinal or colonic tissue shall not be reported separately.
13. Pelvic exenteration procedures (CPT codes 45126, 51597, 58240) include extensive removal of structures from the pelvis. Physicians shall not separately report codes for the removal of pelvic structures (e.g., colon, rectum, urinary bladder, uterine body and/or cervix, fallopian tubes, ovaries, lymph nodes, prostate gland).
14. Liver allotransplantation (e.g., CPT code 47135) requires arterial anastomosis of the hepatic artery and anastomosis of the extrahepatic biliary ducts. Physicians shall not separately report other CPT codes describing these types of services (e.g., 47760, 47780, 47800).
15. Liver allotransplantation procedures include, if performed, biliary tract T-tube insertion/conversion/exchange/removal, drainage, or stent procedures (e.g., CPT codes 47533-47540). CPT codes such as 47531-47541 or 47801 should not be reported with a liver allotransplantation procedure.
16. CPT code 47544 (Removal of calculi/debris from biliary duct(s) and/or gallbladder, percutaneous...) is a Type I AOC. The primary codes are defined by the *CPT Professional codebook* and include CPT codes 47531-47540 (percutaneous biliary tract procedures). The *CPT Professional codebook* also includes a separate instruction indicating that CPT code 47544 shall not be reported with CPT codes 47531-47540 for incidental removal of debris. Thus, CPT code 47544 may be reported with CPT codes 47531-47540 only for percutaneous removal of calculi or non-incidental debris.

F. Laparoscopy

1. Surgical laparoscopy includes diagnostic laparoscopy which is not separately reportable. If a diagnostic laparoscopy leads to a surgical laparoscopy at the same patient encounter, only the surgical laparoscopy may be reported.
2. If a laparoscopy is performed to assess the surgical field or extent of disease, it is not

Revision Date (Medicaid): 1/1/2025

separately reportable. If the findings of a diagnostic laparoscopy lead to the decision to perform an open procedure, the diagnostic laparoscopy may be separately reportable. Modifier 58 may be reported to indicate that the diagnostic laparoscopy and non-laparoscopic therapeutic procedures were staged or planned procedures. The medical record must indicate the medical necessity for the diagnostic laparoscopy.

3. CPT code 49321 describes a laparoscopic biopsy. If this procedure is performed for diagnostic purposes and the decision to proceed with an open or laparoscopic –ectomy procedure is based on this biopsy, CPT code 49321 may be reported in addition to the CPT code for the –ectomy procedure. However, if the laparoscopic biopsy is performed for a different purpose such as assessing the margins of resection, CPT code 49321 is not separately reportable.
4. If a laparoscopic procedure is converted to an open procedure, only the open procedure may be reported. Neither a surgical laparoscopy nor a diagnostic laparoscopy code shall be reported with the open procedure code when a laparoscopic procedure is converted to an open procedure.
5. Laparoscopic lysis of adhesions (CPT codes 44180 or 58660) is not separately reportable with other surgical laparoscopic procedures.
6. The CPT code 44970 describes a laparoscopic appendectomy and may be reported separately with another laparoscopic procedure code when a diseased appendix is removed. Since removal of a normal appendix with another laparoscopic procedure is not separately reportable, this code shall not be reported for an incidental laparoscopic appendectomy.
7. Fluoroscopy (CPT code 76000) is an integral component of all laparoscopic procedures when performed. The CPT code 76000 shall not be reported separately with a laparoscopic procedure.
8. A diagnostic laparoscopy includes “washing,” infusion and/or removal of fluid from the body cavity. A physician shall not report CPT codes 49082-49083 (Abdominal paracentesis) or 49084 (Peritoneal lavage) for infusion and/or removal of fluid from the body cavity performed during a diagnostic or surgical laparoscopic procedure.
9. Injection of air into the abdominal or pelvic cavity is integral to many laparoscopic procedures. Physicians shall not separately report CPT code 49400 (Injection of air or contrast into peritoneal cavity (separate procedure)) for this service.
10. CPT codes 43821 and 43282 describe laparoscopic paraesophageal hernia repair with fundoplasty, if performed, without or with mesh implantation respectively. These codes shall not be reported for a figure-of-eight suture often performed during gastric restrictive procedures.

Revision Date (Medicaid): 1/1/2025

G. Medically Unlikely Edits (MUEs)

1. Medically Unlikely Edits (MUEs) are described in Chapter I, Section V.
2. Providers should be cautious about reporting services on multiple lines of a claim using modifiers to bypass MUEs. The MUE values are set so that such occurrences should be uncommon. If a provider does this frequently for any HCPCS/CPT code, the provider may be coding units of service (UOS) incorrectly. The provider may consider contacting their national health care organization or the national medical/surgical society whose members commonly perform the procedure to clarify the correct reporting of UOS.
3. The MUE values for surgical procedures that may be performed bilaterally are based on the NCCI coding principle that a bilateral surgical procedure should be reported on one line of a claim with modifier 50 and one unit of service unless the code descriptor defines the procedure as “bilateral.” If the code descriptor defines the procedure as a “bilateral” procedure, it shall be reported with one unit of service without modifier 50. This coding principle does not apply to non-surgical diagnostic and therapeutic procedures.
4. Gastrointestinal endoscopy CPT codes describing dilation of stricture(s) (e.g., CPT codes 43213, 45340, 45386) include dilation of all strictures dilated during the endoscopic procedure. These codes shall not be reported with more than one unit of service if more than one stricture is dilated.
5. The UOS for CPT code 43277 (Endoscopic retrograde cholangiopancreatography (ERCP); with trans-endoscopic balloon dilation of biliary/pancreatic duct(s) or of ampulla (sphincteroplasty), including sphincterotomy, when performed, each duct) is each duct. One unit of service includes trans-endoscopic balloon dilation of one or more strictures within each duct. Dilation of one or more strictures in the pancreatic duct including the major and minor ductal branches is reported as a single unit of service. Similarly, dilation of one or more strictures in each of the following ducts may be reported as a single unit of service for each duct: common bile duct, cystic duct, right hepatic duct, and left hepatic duct.

H. General Policy Statements

1. The MUE values and NCCI PTP edits are based on services provided by the same physician to the same beneficiary on the same date of service. Physicians shall not inconvenience beneficiaries nor increase risks to beneficiaries by performing services on different dates of service to avoid MUE or NCCI PTP edits.
2. In this manual many policies are described using the term “physician.” Unless indicated differently the use of this term does not restrict the policies to physicians only but applies to all practitioners, hospitals, or providers eligible to bill the relevant HCPCS/CPT codes pursuant to applicable portions of the Social Security Act (SSA) of 1965, the Code of Federal Regulations (CFR), and Medicaid rules. In some sections of this Manual, the

Revision Date (Medicaid): 1/1/2025

term “physician” would not include some of these entities because specific rules do not apply to them.

3. In 2010, the *CPT Professional codebook* modified the numbering of codes so that the sequence of codes as they appear in the *CPT Professional codebook* does not necessarily correspond to a sequential numbering of codes. In the *Medicaid NCCI Policy Manual*, use of a numerical range of codes reflects all codes that numerically fall within the range regardless of their sequential order in the *CPT Professional codebook*.
4. With few exceptions the payment for a surgical procedure includes payment for dressings, supplies, and local anesthesia. These items are not separately reportable under their own HCPCS/CPT codes. Wound closures using adhesive strips or tape alone are not separately reportable. In the absence of an operative procedure, these types of wound closures are included in an E&M service. Under limited circumstances wound closure using tissue adhesive may be reported separately. If a practitioner uses a tissue adhesive alone for a wound closure, it may be reported separately with HCPCS code G0168 (Wound closure using tissue adhesive(s) only). If a practitioner uses tissue adhesive in addition to staples or sutures to close a wound, HCPCS code G0168 is not separately reportable but is included in the tissue repair. Facilities may report wound closure using sutures, staples, or tissue adhesives, singly or in combination with each other, with the appropriate CPT code in the “Repair (Closure)” section of the *CPT Professional codebook*.
5. A glossectomy procedure reported with CPT codes 41153 (Glossectomy; composite procedure with resection floor of mouth, with suprahyoid neck dissection) or 41155 (Glossectomy; composite procedure with resection floor of mouth, mandibular resection, and radical neck dissection (Commando type)) includes resection of the ipsilateral submandibular and sublingual glands. CPT codes 42450 (Excision of sublingual gland) and 42440 (Excision of submandibular (submaxillary) gland) shall not be reported separately for excision of the ipsilateral submandibular or sublingual glands.
6. The vagotomy CPT codes (e.g., 43635-43641, 64755-64760) are not separately reportable with esophageal or gastric procedures that include vagotomy as part of the service. For example, the esophagogastrostomy procedure described by CPT code 43320 includes a vagotomy if performed. The vagotomy procedures are mutually exclusive, and only one vagotomy procedure code may be reported at a patient encounter.
7. If closure of an enterostomy or fistula involving the intestine requires resection and anastomosis of a segment of intestine, the resection and anastomosis of the intestine are not separately reportable.
8. If multiple services are used to treat hemorrhoids at the same patient encounter, only one HCPCS/CPT code describing the most extensive procedure may be reported. If an abscess is drained during the treatment of hemorrhoids, the incision and drainage is not separately reportable unless the incision and drainage is at a separate site unrelated to the

Revision Date (Medicaid): 1/1/2025

hemorrhoids. In the latter case, the incision and drainage code may be reported appending an anatomic modifier or modifier 59 or XS.

9. Diagnostic anoscopy (CPT code 46600) is not separately reportable with an open or endoscopic procedure of the anus (e.g., 46020-46942, 0184T, 46948). The diagnostic anoscopy (CPT code 46600) is an included service that is not separately reportable. It is a misuse of CPT codes describing diagnostic proctosigmoidoscopy (CPT code 45300), sigmoidoscopy (CPT code 45330), or colonoscopy (CPT code 45378) to report an examination limited to the anus. If the physician performs a complete diagnostic proctosigmoidoscopy, sigmoidoscopy, or colonoscopy, the procedure may be reported separately.
10. The *CPT Professional codebook* contains groups of codes describing different approaches or methods to accomplish similar results. These codes are generally mutually exclusive of one another. For example, CPT codes 45110-45123 describe different proctectomy procedures and are mutually exclusive of one another. Other examples include groups of codes for colectomy (CPT codes 44140-44160), gastrectomy (CPT codes 43620-43635), and pancreatectomy (CPT codes 48140-48155).
11. An enterostomy closure HCPCS/CPT code shall not be reported with a code for creation or revision of a colostomy. Closure of an enterostomy is mutually exclusive with the creation or revision of the colostomy.
12. If an excised section of intestine includes a fistula tract, a fistula closure code shall not be reported separately. Closure of the fistula is included in the excision of intestine.
13. The mouth and anus have mucocutaneous margins. Numerous procedures (e.g., biopsy, destruction, excision) have CPT codes that describe the procedure as an integumentary procedure (CPT codes 10000-19999) or as a digestive system procedure (CPT codes 40000-49999). If a procedure is performed on a lesion at or near a mucocutaneous margin, only one CPT code which best describes the procedure may be reported. If the code descriptor of a CPT code from the digestive system (or any other system) includes a tissue transfer service (e.g., flap, graft), the CPT codes for such services (e.g., transfer, graft, flap) from the integumentary system (e.g., CPT codes 14000-15770) shall not be reported separately.
14. If a physician must drain an abscess to complete a sialolithotomy procedure, the drainage of the abscess is not separately reportable. If a definitive surgical procedure requires access through diseased tissue, treatment of the diseased tissue for this access is not separately reportable.
15. An open cholecystectomy includes an examination of the abdomen through the abdominal wall incision. If this examination is performed laparoscopically, it is not separately reportable as CPT code 49320 (Diagnostic laparoscopy).

Revision Date (Medicaid): 1/1/2025

16. The CPT code 92502 (Otolaryngologic examination under general anesthesia) is not separately reportable with any other otolaryngologic procedure performed under general anesthesia.
17. The CPT codes 43770-43774 describe laparoscopic gastric restrictive procedures. Only one of these procedure codes may be reported for a single patient encounter. If a patient develops a complication during the postoperative period of the initial procedure requiring return to the operating room for a different laparoscopic gastric restrictive procedure to treat the complication, the second procedure should be reported with modifier 78.
18. With the exception of moderate conscious sedation (see below), the NCCI program does not allow separate reporting of anesthesia for a medical or surgical procedure when it is provided by the physician performing the procedure. The physician shall not report CPT codes 00100-01999, 62320-62327, or 64400-64530 for anesthesia for a procedure. Additionally, the physician shall not unbundle the anesthesia procedure and report component codes individually. For example, introduction of a needle or intracatheter into a vein (CPT code 36000), venipuncture (CPT code 36410), drug administration (e.g., CPT codes 96360-96379) or cardiac assessment (e.g., CPT codes 93000-93010, 93040-93042) shall not be reported when these procedures are related to the delivery of an anesthetic agent.

The NCCI program generally allows separate reporting for moderate conscious sedation services (e.g., CPT codes 99151-99153) when it is provided by the same physician performing a medical or surgical procedure except when the anesthesia service is bundled into the procedure, e.g., radiation treatment management.

Under the NCCI program, drug administration services related to operative procedures are included in the associated procedural HCPCS/CPT codes. Examples of such drug administration services include, but are not limited to, anesthesia (local or other), hydration, and medications such as anxiolytics or antibiotics. Providers shall not report CPT codes 96360-96379 for these services.

Under the NCCI program, postoperative pain management is not separately reportable when it is provided by the physician performing an operative procedure. The CPT codes 36000, 36410, 62320-62327, 64400-64489, and 96360-96379 describe some services that may be used for postoperative pain management. The services described by these codes may be reported by the physician performing the operative procedure only if unrelated to the postoperative pain management, the operative procedure, or anesthesia for the procedure.

If a physician performing an operative procedure provides a drug administration service (e.g., CPT codes 96360-96379) unrelated to anesthesia, intra-operative care, or post-procedure pain management, the drug administration service (e.g., CPT codes 96360-96379) may be reported with an NCCI PTP-associated modifier if performed in a non-facility site of service.

Revision Date (Medicaid): 1/1/2025

19. The global package includes insertion of urinary catheters. CPT codes 51701-51703 (insertion of bladder catheters) shall not be reported with a surgical procedure.
20. Wound repair CPT codes 12001-13153 shall not be reported separately to describe closure of incisions for surgical procedures. Closure/repair of a surgical incision is included in the global package.
21. Control of bleeding during an operative procedure is an integral component of a surgical procedure and is not separately reportable. Postoperative control of bleeding not requiring return to the operating room is included in the global package and is not separately reportable. However, control of bleeding requiring return to the operating room in the postoperative period is separately reportable using modifier 78.
22. For more information regarding biopsies, see Chapter I, Section A, Introduction.
23. Fine needle aspiration (FNA) biopsies (CPT codes 10004-10012, and 10021) shall not be reported with another biopsy procedure code for the same lesion. For example, a FNA specimen is usually examined for adequacy when the specimen is aspirated. If the specimen is adequate for diagnosis, it is not necessary to obtain an additional biopsy specimen. However, if the specimen is not adequate and another type of biopsy (e.g., needle, open) is subsequently performed at the same patient encounter, the physician shall report only one code, either the biopsy code or the FNA code.
24. The NCCI PTP edit with Column One CPT code 45385 (Flexible colonoscopy with removal of tumor(s), polyp(s), or lesion(s) by snare technique) and Column Two CPT code 45380 (Flexible colonoscopy with single or multiple biopsies) may be appropriately bypassed by using modifier 59 or XS. Use of modifier 59 or XS is only appropriate if the 2 procedures are performed on separate lesions. Use of modifier 59 or XE is only appropriate if the 2 procedures are performed at separate patient encounters.
25. If the code descriptor of a HCPCS/CPT code includes the phrase, “separate procedure,” the procedure is subject to NCCI PTP edits based on this designation. The NCCI program does not allow separate reporting of a procedure designated as a “separate procedure” when it is performed at the same patient encounter as another procedure in an anatomically related area through the same skin incision, orifice, or surgical approach.
26. Most NCCI PTP edits for codes describing procedures that may be performed on bilateral organs or structures (e.g., arms, eyes, kidneys, or lungs) allow use of NCCI PTP-associated modifiers (Correct Coding Modifier Indicator (CCMI) of “1”) because the 2 codes of the code pair edit may be reported if the 2 procedures are performed on contralateral organs or structures. Most of these code pairs should not be reported with NCCI PTP-associated modifiers when the corresponding procedures are performed on the ipsilateral organ or structure unless there is a specific coding rationale to bypass the edit. The existence of the NCCI PTP edit indicates that the 2 codes generally should not be reported together unless the 2 corresponding procedures are performed at 2 separate

Revision Date (Medicaid): 1/1/2025

patient encounters or 2 separate anatomic sites. However, if the corresponding procedures are performed at the same patient encounter and in contiguous structures, NCCI PTP-associated modifiers should generally not be used.

27. If fluoroscopy is performed during an endoscopic procedure, it is integral to the procedure. This principle applies to all endoscopic procedures including, but not limited to, laparoscopy, hysteroscopy, thoracoscopy, arthroscopy, esophagoscopy, colonoscopy, other GI endoscopy, laryngoscopy, bronchoscopy, and cystourethroscopy.
28. If the code descriptor for a HCPCS/CPT code, *CPT Professional codebook* instruction for a code, or Medicaid NCCI policy for a code indicates that the procedure includes radiologic guidance, a physician shall not separately report a HCPCS/CPT code for radiologic guidance including, but not limited to, fluoroscopy, ultrasound, computed tomography, or magnetic resonance imaging codes. If the physician performs an additional procedure on the same date of service for which a radiologic guidance or imaging code may be separately reported, the radiologic guidance or imaging code appropriate for that additional procedure may be reported separately with an NCCI PTP-associated modifier if appropriate.
29. A cystourethroscopy (CPT code 52000) performed near the termination of an intra-abdominal, intra-pelvic, or retroperitoneal surgical procedure to assure that there was no intraoperative injury to the ureters or urinary bladder and that they are functioning properly is not separately reportable with the surgical procedure.
30. CPT code 36591 describes “collection of blood specimen from a completely implantable venous access device.” CPT code 36592 describes “collection of blood specimen using an established central or peripheral catheter, venous, not otherwise specified.” These codes shall not be reported with any service other than a laboratory service. **However**, these codes may be reported if the only non-laboratory service performed is the collection of a blood specimen by one of these methods.
31. CPT code 96523 describes “irrigation of implanted venous access...” This code may be reported only if no other service is reported for the patient encounter.

Revision Date (Medicaid): 1/1/2025