

IRF Data Submission Specifications Errata Version 5.01.0 for Final Data Specifications V5.00.1

Errata History

Date	Changes Made
06/14/2022	Issues 01-12 were added.
08/01/2022	Issues 13-16 were added.
02/10/2023	Issues 17-19 were added.

Issue(s)Added:

Issue ID	Problem	Resolution	Status
01	<p>Edit -5055 currently reads as follows:</p> <p>(a) If C0100 = [0], then the following items must equal [^]: C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500.</p> <p>(b) If C0100 = [1], then the following items must not equal [^]: C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500.</p> <p>(c) If C0100 = [-], then the following items must equal [-]:C0200, C0300A, C0300B, C0300C, C0400A, C0400B, C0400C, C0500.</p> <p>Item C0600 was inadvertently omitted from the edit.</p>	<p>Edit -5055 will be revised as follows:</p> <p>(a) If C0100=[0], then all items from C0200 through C0600 must be equal to [^].</p> <p>(b) If C0100=[1], then all items from C0200 through C0600 must not be equal to [^].</p> <p>(c) If C0100=[-], then all items from C0200 through C0500 must be equal to [-].</p> <p>Note that C0600 is not included in subedit c because it is handled by edit -5058:</p> <p>(a) If C0500=[99,-], then C0600 must be equal to [1,-].</p> <p>(b) If C0500=[00-15], then C0600 must be equal to [0].</p>	<p>This change will be made in the next version of the IRF Data Submission Specs. It will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>
02	<p>Edit -1024 currently reads as follows:</p> <p>Facility information updated: Submitted values for the item(s) listed are not the same as the values in the CMS National database. The database has been updated.</p> <p>Facility information is no longer being updated in this manner.</p>	<p>Edit -1024 will be revised to read as follows:</p> <p>Facility information updated: Submitted values for the item(s) listed are not the same as the values in the CMS National database. The database has NOT been updated.</p>	<p>This change will be made in the next version of the IRF Data Submission Specs. It will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>

Issue ID	Problem	Resolution	Status
03	<p>Edit -5091 reads as follows:</p> <p>(a) If D0150A1_1=[0], then D0150A2_1 must equal [0].</p> <p>(b) If D0150A1_1=[1], then D0150A2_1 must equal [0,1,2,3].</p> <p>(c) If D0150A1_1=[9], then D0150A2_1 must equal [^].</p> <p>(d) If D0150A1_1=[-], then D0150A2_1 must equal [-].</p> <p>Similarly, edit -5092 applies for D0150A1_2 and D0150A2_2, edit -5093 for D0150B1_1 and D0150B2_1, and edit -5094 for D0150B1_2/ D0150B2_2.</p> <p>Per revisions to the guidance for these D0150 items, edits -5091 through -5094 must handle the dash [-] differently.</p>	<p>For edits -5091 through -5094, subedit c must be revised and subedit d must be deleted.</p> <p>Edit -5091 will read as follows:</p> <p>(a) If D0150A1_1=[0], then D0150A2_1 must equal [0].</p> <p>(b) If D0150A1_1=[1], then D0150A2_1 must equal [0,1,2,3].</p> <p>(c) If D0150A1_1=[9,-], then D0150A2_1 must equal [^].</p> <p>Edits -5092 through -5094 will be revised in a similar manner.</p>	<p>These changes will be made in the next version of the IRF Data Submission Specs.</p> <p>They will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>
04	<p>Edit -5095 reads as follows:</p> <p>(a) If D0150C1_1=[0], then D0150C2_1 must equal [0].</p> <p>(b) If D0150C1_1=[1], then D0150C2_1 must equal [0,1,2,3].</p> <p>(c) If D0150C1_1=[9,^], then D0150C2_1 must equal [^].</p> <p>(d) If D0150C1_1=[-], then D0150C2_1 must equal [-].</p> <p>Similarly, edit -5155 applies for D0150C1_2 and D0150C2_2, edit -5096 for D0150D1_1 and D0150D2_1, edit -5097 for D0150D1_2 and D0150D2_2, edit -5098 for D0150E1_1 and D0150E2_1, edit -5099 for D0150E1_2 and D0150E2_2, edit -5100 for D0150F1_1 and D0150F2_1, edit -5101 for D0150F1_2 and D0150F2_2, edit -5102 for D0150G1_1 and D0150G2_1, edit -5103 for D0150G1_2 and D0150G2_2, edit -5104 for D0150H1_1 and D0150H2_1, edit -5105 for D0150H1_2 and D0150H2_2, edit -5106 for D0150I1_1 and D0150I2_1, and edit -5107 for D0150I1_2 and D0150I2_2.</p> <p>Per revisions to the guidance for these D0150 items, edit -5155 and edits -5095 through -5107 must handle the dash [-] differently.</p>	<p>For edit -5155 and edits -5095 through -5107, subedit c must be revised and subedit d must be deleted.</p> <p>Edit -5095 will be revised as follows:</p> <p>(a) If D0150C1_1=[0], then D0150C2_1 must equal [0].</p> <p>(b) If D0150C1_1=[1], then D0150C2_1 must equal [0,1,2,3].</p> <p>(c) If D0150C1_1=[9,^,-], then D0150C2_1 must equal [^].</p> <p>Edit -5155 and edits -5096 through -5107 will be revised in a similar manner.</p>	<p>These changes will be made in the next version of the IRF Data Submission Specs.</p> <p>They will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>

Issue ID	Problem	Resolution	Status
05	<p>Edit -5108 reads as follows:</p> <p>(a) If D0150A2_1=[0,1,^,-] and D0150B2_1=[0,1,^,-], then the following items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.</p> <p>(b) If D0150A2_1=[2,3] or D0150B2_1=[2,3], then the following items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.</p> <p>Per revisions to the guidance for these D0150 items, this edit must be revised to reflect additional scenarios.</p>	<p>Edit -5108 will be revised to read as follows:</p> <p>(a) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.</p> <p>(b) If D0150A1_1 = [-] or D0150B1_1 = [-], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.</p> <p>(c) If D0150A1_1 = [9] and D0150B1_1 = [9], then the following active items must equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.</p> <p>(d) If (D0150A2_1 = [^] and D0150B2_1 = [0,1]) OR (D0150A2_1 = [0,1] and D0150B2_1 = [^]), then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.</p> <p>(e) If D0150A2_1 = [2,3] or D0150B2_1 = [2,3], then the following active items must not equal [^]: D0150C1_1, D0150D1_1, D0150E1_1, D0150F1_1, D0150G1_1, D0150H1_1, D0150I1_1.</p>	<p>These changes will be made in the next version of the IRF Data Submission Specs.</p> <p>They will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>

Issue ID	Problem	Resolution	Status
06	<p>Edit -5109 reads as follows:</p> <p>(a) If D0150A2_2=[0,1,^,-] and D0150B2_2=[0,1,^,-], then the following items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.</p> <p>(b) If D0150A2_2=[2,3] or D0150B2_2=[2,3], then the following items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.</p> <p>Per revisions to the guidance for these D0150 items, this edit must be revised to reflect additional scenarios.</p>	<p>Edit -5109 will be revised to read as follows:</p> <p>(a) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.</p> <p>(b) If D0150A1_2 = [-] or D0150B1_2 = [-], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.</p> <p>(c) If D0150A1_2 = [9] and D0150B1_2 = [9], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.</p> <p>(d) If (D0150A2_2 = [^] and D0150B2_2 = [0,1]) OR (D0150A2_2 = [0,1] and D0150B2_2 = [^]), then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.</p> <p>(e) If D0150A2_2 = [2,3] or D0150B2_2 = [2,3], then the following active items must not equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.</p>	<p>These changes will be made in the next version of the IRF Data Submission Specs.</p> <p>They will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>

Issue ID	Problem	Resolution	Status
07	<p>Edit -5153 reads as follows: Total Severity Score Calculation: D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I2_1. Format integer Items to the nearest integer.</p> <p>(a) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I2_1.</p> <p>(b) If one of the following items = [^,-], then D0160_1 must equal the sum of the remaining items times 9/8(1.125): D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I2_1.</p> <p>(c) If two of the following items = [^,-], then D0160_1 must equal the sum of the remaining items times 9/7(1.286): D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I2_1.</p> <p>(d) If three or more items = [^,-], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I2_1.</p> <p>Per revisions to the guidance for these D0150 and D0160 items, this edit must be revised to reflect additional scenarios.</p>	<p>Edit -5153 will be revised to read as follows: Total Severity Score Calculation:</p> <p>(a) If D0150A1_1 = [9] and D0150B1_1 = [9], then D0160_1 must equal [^].</p> <p>(b) If D0150A2_1 = [0,1] and D0150B2_1 = [0,1], then D0160_1 must equal the sum of the values from D0150A2_1 and D0150B2_1.</p> <p>Otherwise, the PHQ-9 must be completed, and D0160_1 must equal the sum of the values of the following nine items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1. Format integer Items to nearest integer.</p> <p>The following rules explain how to compute the score that is placed in item D0160_1.</p> <p>(c) If the following items equal [0,1,2,3], then D0160_1 must equal the sum of these items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.</p> <p>(d) If one of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.</p> <p>(e) If two of the following items = [^], then D0160_1 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.</p> <p>(f) If three or more of the following items = [^], then D0160_1 must equal [99]: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1.</p>	<p>These changes will be made in the next version of the IRF Data Submission Specs.</p> <p>They will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>

Issue ID	Problem	Resolution	Status
08	<p>Edit -5154 reads as follows:</p> <p>Total Severity Score Calculation:</p> <p>D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I2_2. Format integer Items to the nearest integer.</p> <p>(a) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I2_2.</p> <p>(b) If one of the following items = [^,-], then D0160_2 must equal the sum of the remaining items times 9/8(1.125): D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I2_2.</p> <p>(c) If two of the following items = [^,-], then D0160_2 must equal the sum of the remaining items times 9/7(1.286): D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I2_2.</p> <p>(d) If three or more items = [^,-], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I2_2.</p> <p>Per revisions to the guidance for these D0150 and D0160 items, this edit must be revised to reflect additional scenarios.</p>	<p>Edit -5154 will be revised to read as follows:</p> <p>Total Severity Score Calculation:</p> <p>(a) If D0150A1_2 = [9] and D0150B1_2 = [9], then D0160_2 must equal [^].</p> <p>(b) If D0150A2_2 = [0,1] and D0150B2_2 = [0,1], then D0160_2 must equal the sum of the values from D0150A2_2 and D0150B2_2.</p> <p>Otherwise, the PHQ-9 must be completed, and D0160_2 must equal the sum of the values of the following nine items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2. Format integer Items to nearest integer.</p> <p>The following rules explain how to compute the score that is placed in item D0160_2.</p> <p>(c) If the following items equal [0,1,2,3], then D0160_2 must equal the sum of these items: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p> <p>(d) If one of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/8(1.125), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p> <p>(e) If two of the following items = [^], then D0160_2 must equal the sum of the remaining items times 9/7(1.286), rounded to the nearest integer: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p> <p>(f) If three or more of the following items = [^], then D0160_2 must equal [99]: D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p>	<p>These changes will be made in the next version of the IRF Data Submission Specs.</p> <p>They will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>

Issue ID	Problem	Resolution	Status
09	<p>Per revisions to the guidance for the D0150 and D0160 items, the dash will no longer be a valid value for the D0150 Symptom Frequency items.</p>	<p>The dash [-] will be removed as an allowed value for the following items: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1, D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p>	<p>These changes will be made in the next version of the IRF Data Submission Specs. They will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>
10	<p>Edit -5004 reads as follows: A dash (-) submitted in this item may result in a payment reduction for your facility of two percentage points for the affected payment determination. Since the dash will no longer be a valid value for the D0150 Symptom Frequency items, these items no longer apply to this edit.</p>	<p>The mappings of edit -5004 to the following items will be deleted: D0150A2_1, D0150B2_1, D0150C2_1, D0150D2_1, D0150E2_1, D0150F2_1, D0150G2_1, D0150H2_1, D0150I_1, D0150A2_2, D0150B2_2, D0150C2_2, D0150D2_2, D0150E2_2, D0150F2_2, D0150G2_2, D0150H2_2, D0150I_2.</p>	<p>These changes will be made in the next version of the IRF Data Submission Specs. They will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>
11	<p>Edit -5125 currently reads as follows: (a) If N0415Z1_1=[1], then the following items must equal [0]: N0415A1_1, N0415E1_1, N0415F1_1, N0415H1_1, N0415I1_1, N0415J1_1. (b) If N0415Z1_1=[0], then at least one of the following active items must equal [1], and the remaining items must equal [0,1]: N0415A1_1, N0415E1_1, N0415F1_1, N0415H1_1, N0415I1_1, N0415J1_1. (c) If N0415Z1_1=[-], then the following items must equal [-]: N0415A1_1, N0415E1_1, N0415F1_1, N0415H1_1, N0415I1_1, N0415J1_1. The guidance for the dash [-] on the N0415 items is that it can be used as needed without affecting other items. Therefore, subedit b will be revised and subedit c will be removed.</p>	<p>Edit -5125 will be revised as follows: (a) If N0415Z1_1=[1], then the following items must equal [0]: N0415A1_1, N0415E1_1, N0415F1_1, N0415H1_1, N0415I1_1, N0415J1_1. (b) If N0415Z1_1=[0], then at least one of the following active items must equal [1]: N0415A1_1, N0415E1_1, N0415F1_1, N0415H1_1, N0415I1_1, N0415J1_1. Subedit c will be deleted.</p>	<p>This change will be made in the next version of the IRF Data Submission Specs. It will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>

Issue ID	Problem	Resolution	Status
12	<p>Edit -5126 currently reads as follows:</p> <p>(a) If N0415Z1_2=[1], then the following items must equal [0]: N0415A1_2, N0415E1_2, N0415F1_2, N0415H1_2, N0415I1_2, N0415J1_2.</p> <p>(b) If N0415Z1_2=[0], then at least one of the following active items must equal [1], and the remaining items must equal [0,1]: N0415A1_2, N0415E1_2, N0415F1_2, N0415H1_2, N0415I1_2, N0415J1_2.</p> <p>(c) If N0415Z1_2=[-], then the following items must equal [-]: N0415A1_2, N0415E1_2, N0415F1_2, N0415H1_2, N0415I1_2, N0415J1_2.</p> <p>The guidance for the dash [-] on the N0415 items is that it can be used as needed without affecting other items. Therefore, subedit b will be revised and subedit c will be removed.</p>	<p>Edit -5126 will be revised as follows:</p> <p>(a) If N0415Z1_2=[1], then the following items must equal [0]: N0415A1_2, N0415E1_2, N0415F1_2, N0415H1_2, N0415I1_2, N0415J1_2.</p> <p>(b) If N0415Z1_2=[0], then at least one of the following active items must equal [1]: N0415A1_2, N0415E1_2, N0415F1_2, N0415H1_2, N0415I1_2, N0415J1_2.</p> <p>Subedit c will be deleted.</p>	<p>This change will be made in the next version of the IRF Data Submission Specs.</p> <p>It will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>
13	<p>The item values for items D0160_1 and D0160_2 include the dash [-], but do not include the caret [^]. This is incorrect because of the edit changes described in issue 08 above (edit -5154).</p>	<p>The allowed values for both D0160_1 and D0160_2 will be revised to be as follows: [00-27, 99, ^].</p>	<p>This change will be made in the next version of the IRF Data Submission Specs.</p> <p>It will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>
14	<p>The XML tags were changed for Section C items to add a “_1” for the existing items, since these items are now being collected at two timepoints. However, this makes additional work for developers/vendors.</p>	<p>No changes will be made to the XML submission tags for existing Section C items. The new Section C items will contain the “_2” as currently specified.</p>	<p>No changes.</p>
15	<p>Edit -5066 subedit c was inadvertently missing from the PDF files for the final data specs. It is present in the Access database.</p>	<p>Edit -5066 will continue to have this subedit:</p> <p>c) If GG0170Q3=[-], then items GG0170R3, GG0170RR3, GG0170S3, and GG0170SS3 must be equal to [-].</p>	<p>This subedit will remain in production.</p>

Issue ID	Problem	Resolution	Status
16	<p>In issues 11 and 12, subedit c for edits -5125 and -5126 were deleted. Updated guidance has now been determined on the use of the dash [-] for items N0415Z1_1 and N0415Z1_2.</p>	<p>The following subedit will be added to edit -5125: (c) If N0415Z1_1=[-], then at least one of the following active items must equal [-] and the rest of the active items must be [0,-]: N0415A1_1, N0415E1_1, N0415F1_1, N0415H1_1, N0415I1_1, N0415J1_1.</p> <p>The following subedit will be added to edit -5126: (c) If N0415Z1_2=[-], then at least one of the following active items must equal [-] and the rest of the active items must be [0,-]: N0415A1_2, N0415E1_2, N0415F1_2, N0415H1_2, N0415I1_2, N0415J1_2.</p>	<p>This change will be made in the next version of the IRF Data Submission Specs. It will be implemented in production for the upcoming iQIES release on 10/01/2022.</p>
17	<p>A new skip pattern will be added to determine entry for A2121 and A2123, based on the value entered for the discharge destination (item 44D).</p> <p>As a result, edit -5163 will be revised to remove subedit b, since item 44D will now be used to determine whether items A2121 and A2123 are skipped when item 44C = [1] (and, therefore, 44D is not skipped, per edit -1102).</p>	<p>Edit -5164 will be added, and it will read as follows:</p> <p>(a) IF 44D = [01, 99], then the following items must not equal [^]: A2121, A2123.</p> <p>(a) IF 44D = [02, 03, 04, 06, 50, 51, 61, 62, 63, 64, 65, 66], then the following items must equal [^]: A2121, A2123.</p> <p>In addition, subedit b for edit -5163 will be deleted. Edit -3963 will then read as follows:</p> <p>(a) If 44C = [0], then the following items must equal [^]: A2121, A2123.</p>	<p>This change will be made in the next version of the IRF Data Submission Specs. It will be implemented in production for the upcoming iQIES release on 10/01/2023.</p>

<p>18</p>	<p>A new skip pattern edit will be added to determine entry of items when there is an unplanned discharge.</p>	<p>Edit -5165 will be added, and read as follows:</p> <p>(a) IF [(44D=[02, 63, 65, 66]) AND (14=[04])] OR (41=[1]) OR (44C=[0]), then the following items must equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2.</p> <p>(b) IF (44D=[02, 63, 65, 66]) AND (41=[0]) AND (44C=[1] AND [(Discharge Date (40) minus Admission Date (12) < 3 days) AND (14=[01,03,05])]), then the following items must not equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2.</p> <p>(c) IF (44D=[01, 03, 04, 06, 50, 51, 61, 62, 64, 99]) AND (41=[0]) AND (44C=[1]), then the following items must not equal [^]: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2.</p> <p>The following items will now have the caret (^) as an allowed value: B1300_2, C0100_2, D0150A1_2, D0150B1_2, D0700_2, J0510_2.</p> <p>Edit -5147, subedit a will be revised to read as follows:</p> <p>(a) If C0100_2=[0,^], then the following items must equal [^]: C0200_2, C0300A_2, C0300B_2, C0300C_2, C0400A_2, C0400B_2, C0400C_2, C0500_2.</p> <p>Edit -5092, subedit c will be revised to read as follows:</p> <p>(c) If D0150A1_2=[9,-,^], then D0150A2_2 must equal [^].</p>	<p>These changes will be made in the next version of the IRF Data Submission Specs. It will be implemented in production for the upcoming iQIES release on 10/01/2023.</p>
-----------	--	---	--

		<p>Edit -5094, subedit c will be revised to read as follows:</p> <p>(c) If D0150B1_2=[9,-,^], then D0150B2_2 must equal [^].</p> <p>A new subedit f will be added to edit -5109 and read as follows:</p> <p>(f) If D0150A2_2 = [^] and D0150B2_2 = [^], then the following active items must equal [^]: D0150C1_2, D0150D1_2, D0150E1_2, D0150F1_2, D0150G1_2, D0150H1_2, D0150I1_2.</p> <p>Edit -5154, subedit a will be revised to read as follows:</p> <p>(a) If (D0150A1_2 = [9] and D0150B1_2 = [9]) OR (D0150A1_2 = [^] and D0150B1_2 = [^]), then D0160_2 must equal [^].</p> <p>Edit -5111, subedit a will be revised to read as follows:</p> <p>(a) If J0510_2=[0,^], then the following items must equal [^]: J0520_2, J0530_2.</p>	
<p>19</p>	<p>For item 14, the response value “02 – Evaluation” should not be used, per the Guidance Manual.</p>	<p>The item value 02 will be removed as a valid value for item 14.</p>	<p>These changes will be made in the next version of the IRF Data Submission Specs. It will be implemented in production for the upcoming iQIES release on 10/01/2023.</p>