

HEDIS® MEASUREMENT YEAR (MY) 2024 PATIENT-LEVEL FILE SPECIFICATIONS, File 1 of 2 (2025 Reporting)

3.1 HEADER RECORD

Note: Include one header row per file as the first record.

- Column 1: Record Identifier—use the tilde (~) character to start the line.
- Column 2-6: CMS Contract Number—only one contract number per submission (e.g., H1205, R1234).
- Column 7-66: Organization Name—as reported to NCQA for summary-level data submission.
- Column 67-71: Submission ID—the unique identifier assigned by NCQA to the CMS contract for summary-level data submission.

\*Due to the addition of 5-digit submission IDs, please follow the guidelines below:  
Submission IDs must be left justified and 4-digit submission IDs should blank fill column 71.

Example: In columns 67 – 71, a 5-digit ID would be entered as (12345).  
A 4-digit ID would be entered starting at column 67 as (1234) with ‘1’ in column 67, leaving column 71 blank.

Column 72-639: Blank fill with spaces.

Specifications - Reporting patient-level data should encompass only the members included in the timeframes used in summary measures submitted by your plan;  
i.e., HEDIS specifications regarding timeframes should be strictly followed for each measure and should in no instance include experience from 2025.

Specifications - The sum of a field should equal the numerator or denominator for the corresponding measure entered in the HEDIS MY 2024 Interactive Data Submission System (IDSS) for that measure.

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
1-11		11	MBI - A beneficiary's Medicare Beneficiary Identifier	<p>MBI has 11 characters. MBIs are numbers and upper-case letters. MBI uses numbers 0-9 and all letters from A to Z, except for S, L, O, I, B, and Z. The MBI's 2nd, 5th, 8th, and 9th positions will always be a letter, except for S, L, O, I, B, and Z. Positions 1st, 4th, 7th, 10th, and 11th will always be a number. Even though Position 1 allows numbers, it cannot contain the number "0". The 3rd and 6th positions will be a letter or a number. MBI does not have spaces and dashes.</p> <p>The MBI must be a continuous string, with no hyphens or embedded spaces.</p> <p>For a list of valid MBI formats, please refer to 'HEDIS_MY_2023_Patient_Level_Data_File_Specifications_File_1_of_2.docx.'</p> <p>This field is mandatory—do not leave blank.</p>
12-35		24	Last Name. A beneficiary's individual Last Name	<p>The Last Name must be filled by no more than 24 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p>
36-50		15	First Name. A beneficiary's individual First Name	<p>The First Name must be filled by no more than 15 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p>
51-72		22	City. A beneficiary's individual City of residence	<p>The City must be filled by no more than 22 characters.</p> <p>Blank fill with spaces to right of value.</p> <p>This field is mandatory—do not leave blank.</p>
73-74		2	State. A beneficiary's individual State of residence	<p>The State must be filled with the postal code (ex. Maryland would be MD).</p> <p>This field is mandatory—do not leave blank.</p>
75-79		5	Zip Code. A beneficiary's individual Zip Code	<p>The Zip Code must be filled with 5 digits.</p> <p>This field is mandatory—do not leave blank.</p> <p>NOTE: This field is to be submitted as a 5 digit numeric field to avoid dropping leading zeroes. Only numbers (0-9) may be used as each digit.</p>
80		1	Sex. A beneficiary's gender assigned at birth	<p>Enter:</p> <p>'F' if this member is female</p> <p>'M' if this member is male</p> <p>'O' if the member refused to provide gender</p> <p>This field is mandatory—do not leave blank.</p>
81-88		8	Birth Date. A beneficiary's individual Birth Date	<p>The Birth Date must contain 8 digits with Month, Day, Year in the Format MMDDYYYY (ex. May 3, 1970 would be 05031970)</p> <p>No characters other than numbers are allowed</p> <p>This field is mandatory—do not leave blank.</p>
89-91		3	Plan ID Number. A beneficiary's assigned plan benefit number	<p>The 3 digit number assigned to the specific plan benefit package that the beneficiary is enrolled in under the contract number identified in the Header record (e.g., 001, 045, 134).</p> <p>NOTE: This field is to be submitted as a 3 digit character field to avoid dropping leading zeroes. However, only numbers (0-9) may be used as each digit.</p>
92		1	SNP Enrollee Type. SNP benefit package at end of measurement year	<p>Enter:</p> <p>'0' if this member is NOT enrolled in an SNP plan benefit package</p> <p>'1' if this member is enrolled in a DUAL ELIGIBLE SNP benefit package</p> <p>'2' if this member is enrolled in an INSTITUTIONAL SNP benefit package</p> <p>'3' if this member is enrolled in a CHRONIC CONDITION SNP benefit package</p>
93-94		2	Member Months. The member month contribution (MMC) this member adds to the denominator. Each Medicare enrollee in a given contract should be listed in the text file. The MMC is simply the number of months each Medicare member was enrolled in the contract in the measurement year. The MMC pertains only to Utilization measures; it does not apply to the Effectiveness of Care or Readmission measures, and does not vary by measure. The Enrollment by Product Line (ENP) measure should be used to determine member months.	<p>Each member should have an MMC value between 0 and 12</p>
95	OMW	1	Denominator for Osteoporosis Management in Women Who Had a Fracture (OMW)	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
96	OMW	1	Numerator for Osteoporosis Management in Women Who Had a Fracture (OMW)	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
97	CBP	1	Denominator for Controlling High Blood Pressure (CBP)	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
98	CBP	1	Numerator for Controlling High Blood Pressure (CBP)	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
99	PBH	1	Denominator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	<p>Enter:</p> <p>'1' if this member is in the denominator</p> <p>'0' if this member is not in the denominator</p>
100	PBH	1	Numerator for Persistence of Beta-Blocker Treatment After a Heart Attack (PBH)	<p>Enter:</p> <p>'1' if this member is in the numerator</p> <p>'0' if this member is not in the numerator OR the information for this member is missing</p>
101-103	PCE	3	Denominator for Pharmacotherapy Management of COPD Exacerbation (PCE)	<p>Enter:</p> <p>The number of times this member is in the denominator</p> <p>'0' if the member is not in the denominator</p>
104-106	PCE	3	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Systemic Corticosteroid	<p>Enter:</p> <p>The number of times this member is in the numerator</p> <p>'0' if the member is not in the numerator OR the information is missing</p>

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
107-109	PCE	3	Numerator for Pharmacotherapy Management of COPD Exacerbation (PCE): Bronchodilator	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
110-111	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
112-113	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
114-115	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
116-117	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
118-119	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
120-121	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
122-123	FUH	2	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
124-125	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
126-127	FUH	2	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
128	AMM	1	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
129	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
130	AMM	1	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
131	DAE	1	Denominator for Use of High-Risk Medications in Older Adults (DAE)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
132	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
133	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
134	DAE	1	Numerator for Use of High-Risk Medications in Older Adults (DAE): Total Rate	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
135	DDE	1	Denominator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
136	DDE	1	Numerator 1 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
137	DDE	1	Denominator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
138	DDE	1	Numerator 2 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
139	DDE	1	Denominator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
140	DDE	1	Numerator 3 for Potentially Harmful Drug-Disease Interactions in Older Adults (DDE): Rate 3	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
141	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
142	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 20-44	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
143	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
144	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 45-64	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
145	AAP	1	Denominator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
146	AAP	1	Numerator for Adults' Access to Preventive/Ambulatory Health Services (AAP): Ages 65+	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
147-148	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
149-150	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
151-152	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
153-154	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Opioid use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
155-156	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
157-158	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
159-160	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
161-162	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
163-164	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
165-166	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
167-168	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
169-170	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
171-172	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Opioid use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
173-174	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
175-176	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
177-178	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
179-180	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 18-64 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
181-182	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 18-64 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
183-184	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
185-186	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
187-188	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
189-190	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Opioid use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
191-192	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
193-194	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
195-196	IET	2	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Other substance use disorder	Enter: The number of times this member is in denominator '0' if this member is not in the denominator
197-198	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of SUD Treatment, 65+ years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
199-200	IET	2	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of SUD Treatment, 65+ years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
201	PSA	1	Denominator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
202	PSA	1	Numerator for Non-Recommended PSA-Based Screening in Older Men (PSA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
203	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
204	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
205	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
206	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Males 21-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
207	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
208	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
209	SPC	1	Denominator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
210	SPC	1	Numerator for Statin Therapy for Patients With Cardiovascular Disease (SPC): Females 40-75, Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
211	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
212	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Received Statin Therapy	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
213	SPD	1	Denominator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
214	SPD	1	Numerator for Statin Therapy for Patients With Diabetes (SPD): Statin Adherence 80%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
215	AHU	1	Acute Hospital Utilization (AHU): Non-Outliers	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
216	AHU	1	Acute Hospital Utilization (AHU): Outliers	Enter: '1' if this member is an outlier '0' if this member is not an outlier
217-219	AHU	3	Acute Hospital Utilization (AHU): Observed Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
220-231	AHU	12	Acute Hospital Utilization (AHU): PPD Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
232-243	AHU	12	Acute Hospital Utilization (AHU): PPD Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
244-255	AHU	12	Acute Hospital Utilization (AHU): PUCD Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
256-267	AHU	12	Acute Hospital Utilization (AHU): PUCD Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
268	EDU	1	Emergency Department Utilization (EDU): Non-Outliers	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
269	EDU	1	Emergency Department Utilization (EDU): Outliers	Enter: '1' if this member is an outlier '0' if this member is not an outlier
270-272	EDU	3	Emergency Department Utilization (EDU): Observed ED Visits	Enter: The total number of visits for this member '0' if the member does not have any visits
273-284	EDU	12	Emergency Department Utilization (EDU): PPV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
285-296	EDU	12	Emergency Department Utilization (EDU): PPV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
297-308	EDU	12	Emergency Department Utilization (EDU): PUCV Comorbidity Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
309-320	EDU	12	Emergency Department Utilization (EDU): PUCV Age/Gender Weight	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
321	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
322	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Chronic ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
323	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
324	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Acute ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier
325	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Non-Outlier	Enter: '1' if this member is a non-outlier '0' if this member is not a non-outlier
326	HPC	1	Hospitalization for Potentially Preventable Complications (HPC): Total ACSC Outlier	Enter: '1' if this member is an outlier '0' if this member is not an outlier

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
327-328	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Chronic ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
329-330	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Acute ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
331-332	HPC	2	Hospitalization for Potentially Preventable Complications (HPC): Observed Total ACSC Discharges	Enter: The total number of discharges for this member '0' if the member does not have any discharges
333-344	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
345-356	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
357-368	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
369-380	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
381-392	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
393-404	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PPD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
405-416	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
417-428	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
429-440	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Comorbidity Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
441-452	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Chronic ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
453-464	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Acute ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
465-476	HPC	12	Hospitalization for Potentially Preventable Complications (HPC): PUCD Age/Gender Weight, Total ACSC	This must be an integer followed by a decimal point and up to ten digits in total. The entire allowed space is 12 columns. If calculation doesn't provide ten digits after the decimal, fill with '0' to the last required column. Example: 0.1234500000. Enter 0.0000000000 if not applicable. To report a negative number for this weight, please follow the below example: -0.123456789
477-478	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
479-480	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
481-482	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 6-17 years, 7-day Follow-Up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
483-484	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
485-486	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
487-488	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 18-64 years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
489-490	FUM	2	Denominator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
491-492	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 30-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
493-494	FUM	2	Numerator for Follow-Up After Emergency Department Visit for Mental Illness (FUM): 65+ years, 7-day Follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
495-496	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
497-498	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
499-500	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 13-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
501-502	FUA	2	Denominator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
503-504	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
505-506	FUA	2	Numerator for Follow-Up After Emergency Department Visit for Substance Use (FUA): 18+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
507	HDO	1	Denominator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
508	HDO	1	Numerator for Use of Opioids at High Dosage (HDO)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
509	UOP	1	Denominator for Use of Opioids from Multiple Providers (UOP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
510	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
511	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
512	UOP	1	Numerator for Use of Opioids from Multiple Providers (UOP): Multiple prescribers and pharmacies	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
513-514	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
515-516	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
517-518	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
519-520	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
521-522	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
523-524	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing



COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
525-526	TRC	2	Denominator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
527-528	TRC	2	Numerator for Transitions of Care (TRC): 18-64 years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
529-530	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
531-532	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Notification of Inpatient Admission	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
533-534	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
535-536	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Receipt of Discharge Information	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
537-538	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
539-540	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Patient Engagement after Inpatient Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
541-542	TRC	2	Denominator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
543-544	TRC	2	Numerator for Transitions of Care (TRC): 65+ years, Medication Reconciliation Post-Discharge	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
545-546	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
547-548	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 18-64 years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
549-550	FMC	2	Denominator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
551-552	FMC	2	Numerator for Follow-Up After Emergency Department Visit for People With Multiple High-Risk Chronic Conditions (FMC): 65+ years	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
553	SAA	1	Denominator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
554	SAA	1	Numerator for Adherence to Antipsychotic Medications for Individuals With Schizophrenia (SAA)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
555	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
556	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
557	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 65-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
558	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 65-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
559	KED	1	Denominator for Kidney Health Evaluation for Patients with Diabetes (KED): 76-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
560	KED	1	Numerator for Kidney Health Evaluation for Patients with Diabetes (KED): 76-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
561	CRE	1	Denominator for Cardiac Rehabilitation (CRE): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
562	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Initiation, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
563	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 1, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
564	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 2, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
565	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Achievement, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
566	CRE	1	Denominator for Cardiac Rehabilitation (CRE): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
567	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Initiation, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
568	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 1, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
569	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Engagement 2, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
570	CRE	1	Numerator For Cardiac Rehabilitation (CRE): Achievement, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
571	OSW	1	Denominator for Osteoporosis Screening in Older Women (OSW)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
572	OSW	1	Numerator for Osteoporosis Screening in Older Women (OSW)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
573	BPD	1	Denominator for Blood Pressure Control for Patients With Diabetes (BPD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
574	BPD	1	Numerator for Blood Pressure Control for Patients With Diabetes (BPD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
575	GSD	1	Denominator for Glycemic Status Assessment for Patients With Diabetes (GSD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
576	GSD	1	Numerator for Glycemic Status Assessment for Patients With Diabetes (GSD): Glycemic Status <8%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
577	GSD	1	Numerator for Glycemic Status Assessment for Patients With Diabetes (GSD): Glycemic Status >9%	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
578	EED	1	Denominator for Eye Exam for Patients With Diabetes (EED)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
579	EED	1	Numerator for Eye Exam for Patients With Diabetes (EED)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator
580-581	POD	2	Denominator for Pharmacotherapy for Opioid Use Disorder (POD)	Enter: The number of times this member is in the denominator '0' if this member is not in the denominator
582-583	POD	2	Numerator for Pharmacotherapy for Opioid Use Disorder (POD)	Enter: The number of times this member is in the numerator '0' if this member is not in the numerator OR the information is missing
584	BCS-E	1	Denominator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
585	BCS-E	1	Numerator for Breast Cancer Screening (BCS-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
586	DSF-E	1	Denominator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Depression Screening, 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
587	DSF-E	1	Numerator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Depression Screening, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
588	DSF-E	1	Denominator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Follow-Up on Positive Screen, 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
589	DSF-E	1	Numerator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Follow-Up on Positive Screen, 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
590	DSF-E	1	Denominator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Depression Screening, 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
591	DSF-E	1	Numerator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Depression Screening, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
592	DSF-E	1	Denominator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Follow-Up on Positive Screen, 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
593	DSF-E	1	Numerator for Depression Screening and Follow-Up for Adolescents and Adults (DSF-E): Follow-Up on Positive Screen, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
594	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Influenza and Td/Tdap, 19-65 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
595	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Influenza, 19-65 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
596	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Td/Tdap, 19-65 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
597	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Influenza and Td/Tdap, 66+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
598	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Influenza, 66+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
599	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Td/Tdap, 66+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
600	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Zoster, 50-65 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
601	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Zoster, 50-65 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
602	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Zoster, 66+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
603	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Zoster, 66+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
604	AIS-E	1	Denominator for Adult Immunization Status (AIS-E): Pneumococcal, 66+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
605	AIS-E	1	Numerator for Adult Immunization Status (AIS-E): Pneumococcal, 66+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
606	SNS-E	1	Denominator for Social Need Screening and Intervention (SNS-E): Screening, ≤17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
607	SNS-E	1	Numerator for Social Need Screening and Intervention (SNS-E): Food Screening, ≤17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
608	SNS-E	1	Numerator for Social Need Screening and Intervention (SNS-E): Housing Screening, ≤17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
609	SNS-E	1	Numerator for Social Need Screening and Intervention (SNS-E): Transportation Screening, ≤17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
610	SNS-E	1	Denominator for Social Need Screening and Intervention (SNS-E): Food Intervention for Positive Screen, ≤17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

12

COLUMN	MEASURE	LENGTH	FIELD	SPECIFICATION
634	SNS-E	1	Denominator for Social Need Screening and Intervention (SNS-E): Transportation Intervention for Positive Screen, 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
635	SNS-E	1	Numerator for Social Need Screening and Intervention (SNS-E): Transportation Intervention for Positive Screen, 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
636	COL-E	1	Denominator for Colorectal Cancer Screening (COL-E): 46-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
637	COL-E	1	Numerator for Colorectal Cancer Screening (COL-E): 46-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
638	COL-E	1	Denominator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
639	COL-E	1	Numerator for Colorectal Cancer Screening (COL-E): 51-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing