

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

**Item ID:** M1033\_HOSP\_RISK\_HSTRY\_FALLS

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: 2+ falls or injury fall in past year	Asmt		Code	1	1515-1515

#### Item Subsets

Active: 01,03,04,05  
 Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

**Item ID:** M1033\_HOSP\_RISK\_WEIGHT\_LOSS

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: unintentional weight loss	Asmt		Code	1	1516-1516

#### Item Subsets

Active: 01,03,04,05  
Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

**Item ID:** M1033\_HOSP\_RISK\_MLTPL\_HOSPZTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: 2+ hospitalizations in past 6 months	Asmt		Code	1	1517-1517

#### Item Subsets

Active: 01,03,04,05  
 Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

**Item ID:** M1033\_HOSP\_RISK\_MLTPL\_ED\_VISIT

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: 2+ emergency dept visits in past 6 months	Asmt		Code	1	1518-1518

#### Item Subsets

Active: 01,03,04,05  
 Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

**Item ID:** M1033\_HOSP\_RISK\_MNTL\_BHV\_DCLN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: decline mental/emotional/behav status	Asmt		Code	1	1519-1519

#### Item Subsets

Active: 01,03,04,05  
 Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

Item ID: M1033\_HOSP\_RISK\_COMPLIANCE

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: difficulty with medical instructions	Asmt		Code	1	1520-1520

#### Item Subsets

Active: 01,03,04,05  
 Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

Item ID: M1033\_HOSP\_RISK\_5PLUS\_MDCTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: taking five or more medications	Asmt		Code	1	1521-1521

#### Item Subsets

Active: 01,03,04,05  
Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

Item ID: M1033\_HOSP\_RISK\_CRNT\_EXHSTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: current exhaustion	Asmt		Code	1	1522-1522

#### Item Subsets

Active: 01,03,04,05  
Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

**Item ID:** M1033\_HOSP\_RISK\_OTHR\_RISK

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: other risk(s) not listed	Asmt		Code	1	1523-1523

#### Item Subsets

Active: 01,03,04,05  
 Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

**Item ID:** M1033\_HOSP\_RISK\_NONE\_ABOVE

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Hosp risk: none of the above	Asmt		Code	1	1524-1524

#### Item Subsets

Active: 01,03,04,05  
 Inactive: 06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5050	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [0], then at least one active item from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [1].
-5060	Consistency	Fatal	If M1033_HOSP_RISK_NONE_ABOVE is equal to [1], then all active items from M1033_HOSP_RISK_HSTRY_FALLS through M1033_HOSP_RISK_OTHR_RISK must equal [0].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

Item ID: J0510

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain effect on sleep	Asmt		Code	1	1915-1915

#### Item Subsets

Active: 01,03,09  
 Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Does not apply - I have not had any pain or hurting in the past 5 days
1		Rarely or not at all
2		Occasionally
3		Frequently
4		Almost Constantly
8		Unable to answer

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5920	Consistency	Fatal	(a) If J0510=[0], then all active items from J0520 through J0530 must equal [^]. (b) If J0510=[1,2,3,4,8], then all active items from J0520 through J0530 must not equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

Item ID: J0520

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain interference with therapy activities	Asmt		Code	1	1916-1916

#### Item Subsets

Active: 01,03,09  
 Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Does not apply - I have not received rehabilitation therapy in the past 5 days
1		Rarely or not at all
2		Occasionally
3		Frequently
4		Almost Constantly
8		Unable to answer
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5920	Consistency	Fatal	(a) If J0510=[0], then all active items from J0520 through J0530 must equal [^]. (b) If J0510=[1,2,3,4,8], then all active items from J0520 through J0530 must not equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

Item ID: J0530

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Pain interference with day-to-day activities	Asmt		Code	1	1917-1917

#### Item Subsets

Active: 01,03,09  
 Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
1		Rarely or not at all
2		Occasionally
3		Frequently
4		Almost constantly
8		Unable to answer
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5920	Consistency	Fatal	(a) If J0510=[0], then all active items from J0520 through J0530 must equal [^]. (b) If J0510=[1,2,3,4,8], then all active items from J0520 through J0530 must not equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

Item ID: J1800

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Falls since SOC/ROC: any falls	Asmt		Code	1	1815-1815

#### Item Subsets

Active: 06,07,08,09  
 Inactive: 01,03,04,05,XX

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5630	Skip pattern	Fatal	(a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. (b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. (c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

Item ID: J1900A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Num falls since SOC/ROC: no injury	Asmt		Code	1	1816-1816

#### Item Subsets

Active: 06,07,08,09  
 Inactive: 01,03,04,05,XX

#### Item Values

Value	LOINC Code	Value Text
0		None
1		One
2		Two or more
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5630	Skip pattern	Fatal	(a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. (b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. (c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

Item ID: J1900B

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Num falls since SOC/ROC: injury (except major)	Asmt		Code	1	1817-1817

#### Item Subsets

Active: 06,07,08,09  
 Inactive: 01,03,04,05,XX

#### Item Values

Value	LOINC Code	Value Text
0		None
1		One
2		Two or more
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5630	Skip pattern	Fatal	(a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. (b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. (c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

Item ID: J1900C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Num falls since SOC/ROC: major injury	Asmt		Code	1	1818-1818

#### Item Subsets

Active: 06,07,08,09  
 Inactive: 01,03,04,05,XX

#### Item Values

Value	LOINC Code	Value Text
0		None
1		One
2		Two or more
-		Not assessed/no information
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5630	Skip pattern	Fatal	(a) If J1800=[0], then all active items from J1900A through J1900C must equal [^]. (b) If J1800=[1], then all active items from J1900A through J1900C must not equal [^] and at least one of these items must equal [-,1,2]. (c) If J1800=[-], then all active items from J1900A through J1900C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.1)

## Detailed Data Specifications Report

### Section: J

Item ID: M1400\_WHEN\_DYSPNEIC

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
When dyspneic	Asmt		Code	2	850-851

#### Item Subsets

Active: 01,03,09  
Inactive: 04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
00		Patient is not short of breath
01		When walking more than 20 feet, climbing stairs
02		With moderate exertion (for example, while dressing, using commode or bedpan, walking distances less than 20 feet)
03		With minimal exertion (for example, while eating, talking, or performing other ADLs) or with agitation
04		At rest (during day or night)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.