

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110A1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemotherapy (Admission)	Asmt		Checklist	1	1946-1946

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6030	Consistency	Fatal	(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0]. (b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-].
-6100	Consistency	Fatal	(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110A1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemotherapy (Discharge)	Asmt		Checklist	1	1947-1947

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6110	Consistency	Fatal	(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0]. (b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-].
-6180	Consistency	Fatal	(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C .  (c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110A2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - IV (Admission)	Asmt		Checklist	1	1948-1948

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6030	Consistency	Fatal	(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0]. (b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110A2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - IV (Discharge)	Asmt		Checklist	1	1949-1949

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6110	Consistency	Fatal	(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0]. (b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110A3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - Oral (Admission)	Asmt		Checklist	1	1950-1950

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6030	Consistency	Fatal	(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0]. (b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110A3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - Oral (Discharge)	Asmt		Checklist	1	1951-1951

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6110	Consistency	Fatal	(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0]. (b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110A10A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - Other (Admission)	Asmt		Checklist	1	1952-1952

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6030	Consistency	Fatal	(a) If O0110A1A=[0], then all active items from O0110A2A through O0110A10A must equal [0]. (b) If O0110A1A=[1], then at least one active item from O0110A2A through O0110A10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110A1A=[-], then all active items from O0110A2A through O0110A10A must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110A10C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Chemo - Other (Discharge)	Asmt		Checklist	1	1953-1953

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6110	Consistency	Fatal	(a) If O0110A1C=[0], then all active items from O0110A2C through O0110A10C must equal [0]. (b) If O0110A1C=[1], then at least one active item from O0110A2C through O0110A10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110A1C=[-], then all active items from O0110A2C through O0110A10C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110B1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Radiation (Admission)	Asmt		Checklist	1	1954-1954

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6100	Consistency	Fatal	(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110B1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Treatment: Radiation (Discharge)	Asmt		Checklist	1	1955-1955

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6180	Consistency	Fatal	(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C .  (c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110C1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen Therapy (Admission)	Asmt		Checklist	1	1956-1956

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6040	Consistency	Fatal	(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0]. (b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and the remaining items must equal [0,1]. (c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-].
-6100	Consistency	Fatal	(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110C1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen Therapy (Discharge)	Asmt		Checklist	1	1957-1957

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6120	Consistency	Fatal	(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0]. (b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and the remaining items must equal [0,1]. (c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-].
-6180	Consistency	Fatal	(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C .  (c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110C2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - Continuous (Admission)	Asmt		Checklist	1	1958-1958

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6040	Consistency	Fatal	(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0]. (b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and the remaining items must equal [0,1]. (c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110C2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - Continuous (Discharge)	Asmt		Checklist	1	1959-1959

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6120	Consistency	Fatal	(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0]. (b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and the remaining items must equal [0,1]. (c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110C3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - Intermittent (Admission)	Asmt		Checklist	1	1960-1960

#### Item Subsets

Active: 01,03  
Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6040	Consistency	Fatal	(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0]. (b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and the remaining items must equal [0,1]. (c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110C3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - Intermittent (Discharge)	Asmt		Checklist	1	1961-1961

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6120	Consistency	Fatal	(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0]. (b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and the remaining items must equal [0,1]. (c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110C4A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - High-concentration (Admission)	Asmt		Checklist	1	1962-1962

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6040	Consistency	Fatal	(a) If O0110C1A=[0], then all active items from O0110C2A through O0110C4A must equal [0]. (b) If O0110C1A=[1], then at least one active item from O0110C2A through O0110C4A must equal [1], and the remaining items must equal [0,1]. (c) If O0110C1A=[-], then all active items from O0110C2A through O0110C4A must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110C4C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Oxygen - High-concentration (Discharge)	Asmt		Checklist	1	1963-1963

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6120	Consistency	Fatal	(a) If O0110C1C=[0], then all active items from O0110C2C through O0110C4C must equal [0]. (b) If O0110C1C=[1], then at least one active item from O0110C2C through O0110C4C must equal [1], and the remaining items must equal [0,1]. (c) If O0110C1C=[-], then all active items from O0110C2C through O0110C4C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110D1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning (Admission)	Asmt		Checklist	1	1964-1964

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6050	Consistency	Fatal	(a) If O0110D1A=[0], then the following items must equal [0]: O0110D2A, O0110D3A. (b) If O0110D1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110D2A, O0110D3A. (c) If O0110D1A=[-], then the following items must equal [-]: O0110D2A, O0110D3A.
-6100	Consistency	Fatal	(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

#### *Changes for Version*

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110D1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning (Discharge)	Asmt		Checklist	1	1965-1965

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6130	Consistency	Fatal	(a) If O0110D1C=[0], then the following items must equal [0]: O0110D2C, O0110D3C. (b) If O0110D1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110D2C, O0110D3C. (c) If O0110D1C=[-], then the following items must equal [-]: O0110D2C, O0110D3C.
-6180	Consistency	Fatal	(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C .  (c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110D2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning - Scheduled (Admission)	Asmt		Checklist	1	1966-1966

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6050	Consistency	Fatal	(a) If O0110D1A=[0], then the following items must equal [0]: O0110D2A, O0110D3A. (b) If O0110D1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110D2A, O0110D3A. (c) If O0110D1A=[-], then the following items must equal [-]: O0110D2A, O0110D3A.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110D2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning - Scheduled (Discharge)	Asmt		Checklist	1	1967-1967

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6130	Consistency	Fatal	(a) If O0110D1C=[0], then the following items must equal [0]: O0110D2C, O0110D3C. (b) If O0110D1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110D2C, O0110D3C. (c) If O0110D1C=[-], then the following items must equal [-]: O0110D2C, O0110D3C.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110D3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning - As Needed (Admission)	Asmt		Checklist	1	1968-1968

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6050	Consistency	Fatal	(a) If O0110D1A=[0], then the following items must equal [0]: O0110D2A, O0110D3A. (b) If O0110D1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110D2A, O0110D3A. (c) If O0110D1A=[-], then the following items must equal [-]: O0110D2A, O0110D3A.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110D3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Suctioning - As Needed (Discharge)	Asmt		Checklist	1	1969-1969

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6130	Consistency	Fatal	(a) If O0110D1C=[0], then the following items must equal [0]: O0110D2C, O0110D3C. (b) If O0110D1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110D2C, O0110D3C. (c) If O0110D1C=[-], then the following items must equal [-]: O0110D2C, O0110D3C.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110E1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Tracheostomy Care (Admission)	Asmt		Checklist	1	1970-1970

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6100	Consistency	Fatal	(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110E1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Tracheostomy Care (Discharge)	Asmt		Checklist	1	1971-1971

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	<p>VALUES OF CODE AND CHECKLIST ITEMS</p> <p>Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.</p>
-6180	Consistency	Fatal	<p>(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.</p> <p>(b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C .</p> <p>(c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.</p>

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110F1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Invasive Mechanical Ventilator (Admis)	Asmt		Checklist	1	1972-1972

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6100	Consistency	Fatal	(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110F1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Invasive Mechanical Ventilator (Disch)	Asmt		Checklist	1	1973-1973

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6180	Consistency	Fatal	(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C .  (c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

#### *Changes for Version*

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110G1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Non-Invas Mechanical Ventilator (Admis)	Asmt		Checklist	1	1974-1974

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6060	Consistency	Fatal	(a) If O0110G1A=[0], then the following items must equal [0]: O0110G2A, O0110G3A. (b) If O0110G1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110G2A, O0110G3A. (c) If O0110G1A=[-], then the following items must equal [-]: O0110G2A, O0110G3A.
-6100	Consistency	Fatal	(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110G1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: Non-Invas Mechanical Ventilator (Disch)	Asmt		Checklist	1	1975-1975

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6140	Consistency	Fatal	(a) If O0110G1C=[0], then the following items must equal [0]: O0110G2C, O0110G3C. (b) If O0110G1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110G2C, O0110G3C. (c) If O0110G1C=[-], then the following items must equal [-]: O0110G2C, O0110G3C.
-6180	Consistency	Fatal	(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C .  (c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110G2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: BiPAP (Admission)	Asmt		Checklist	1	1976-1976

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6060	Consistency	Fatal	(a) If O0110G1A=[0], then the following items must equal [0]: O0110G2A, O0110G3A. (b) If O0110G1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110G2A, O0110G3A. (c) If O0110G1A=[-], then the following items must equal [-]: O0110G2A, O0110G3A.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110G2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: BiPAP (Discharge)	Asmt		Checklist	1	1977-1977

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6140	Consistency	Fatal	(a) If O0110G1C=[0], then the following items must equal [0]: O0110G2C, O0110G3C. (b) If O0110G1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110G2C, O0110G3C. (c) If O0110G1C=[-], then the following items must equal [-]: O0110G2C, O0110G3C.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110G3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: CPAP (Admission)	Asmt		Checklist	1	1978-1978

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6060	Consistency	Fatal	(a) If O0110G1A=[0], then the following items must equal [0]: O0110G2A, O0110G3A. (b) If O0110G1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110G2A, O0110G3A. (c) If O0110G1A=[-], then the following items must equal [-]: O0110G2A, O0110G3A.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110G3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Therapies: CPAP (Discharge)	Asmt		Checklist	1	1979-1979

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6140	Consistency	Fatal	(a) If O0110G1C=[0], then the following items must equal [0]: O0110G2C, O0110G3C. (b) If O0110G1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110G2C, O0110G3C. (c) If O0110G1C=[-], then the following items must equal [-]: O0110G2C, O0110G3C.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110H1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Medications (Admission)	Asmt		Checklist	1	1980-1980

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6070	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0]. (b) If O0110H1A=[1], then at least one of the active items from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-].
-6100	Consistency	Fatal	(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110H1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Medications (Discharge)	Asmt		Checklist	1	1981-1981

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6150	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0]. (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-].
-6180	Consistency	Fatal	(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C .  (c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110H2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Vasoactive medications (Admission)	Asmt		Checklist	1	1982-1982

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6070	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0]. (b) If O0110H1A=[1], then at least one of the active items from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110H2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Vasoactive medications (Discharge)	Asmt		Checklist	1	1983-1983

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6150	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0]. (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110H3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Antibiotics (Admission)	Asmt		Checklist	1	1984-1984

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6070	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0]. (b) If O0110H1A=[1], then at least one of the active items from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110H3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Antibiotics (Discharge)	Asmt		Checklist	1	1985-1985

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6150	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0]. (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110H4A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Anticoagulation (Admission)	Asmt		Checklist	1	1986-1986

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6070	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0]. (b) If O0110H1A=[1], then at least one of the active items from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110H4C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Anticoagulation (Discharge)	Asmt		Checklist	1	1987-1987

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6150	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0]. (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110H10A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Other (Admission)	Asmt		Checklist	1	1988-1988

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6070	Consistency	Fatal	(a) If O0110H1A=[0], then all active items from O0110H2A through O0110H10A must equal [0]. (b) If O0110H1A=[1], then at least one of the active items from O0110H2A through O0110H10A must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1A=[-], then all active items from O0110H2A through O0110H10A must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110H10C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV - Other (Discharge)	Asmt		Checklist	1	1989-1989

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6150	Consistency	Fatal	(a) If O0110H1C=[0], then all active items from O0110H2C through O0110H10C must equal [0]. (b) If O0110H1C=[1], then at least one active item from O0110H2C through O0110H10C must equal [1], and the remaining items must equal [0,1]. (c) If O0110H1C=[-], then all active items from O0110H2C through O0110H10C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O01101A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Transfusions (Admission)	Asmt		Checklist	1	1990-1990

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6100	Consistency	Fatal	(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O01101C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Transfusions (Discharge)	Asmt		Checklist	1	1991-1991

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6180	Consistency	Fatal	(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C .  (c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110J1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Dialysis (Admission)	Asmt		Checklist	1	1992-1992

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6080	Consistency	Fatal	(a) If O0110J1A=[0], then the following items must equal [0]: O0110J2A, O0110J3A. (b) If O0110J1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110J2A, O0110J3A. (c) If O0110J1A=[-], then the following items must equal [-]: O0110J2A, O0110J3A.
-6100	Consistency	Fatal	(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

#### *Changes for Version*

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110J1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Dialysis (Discharge)	Asmt		Checklist	1	1993-1993

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6160	Consistency	Fatal	(a) If O0110J1C=[0], then the following items must equal [0]: O0110J2C, O0110J3C. (b) If O0110J1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110J2C, O0110J3C. (c) If O0110J1C=[-], then the following items must equal [-]: O0110J2C, O0110J3C.
-6180	Consistency	Fatal	(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C .  (c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110J2A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Hemodialysis (Admission)	Asmt		Checklist	1	1994-1994

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6080	Consistency	Fatal	(a) If O0110J1A=[0], then the following items must equal [0]: O0110J2A, O0110J3A. (b) If O0110J1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110J2A, O0110J3A. (c) If O0110J1A=[-], then the following items must equal [-]: O0110J2A, O0110J3A.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110J2C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Hemodialysis (Discharge)	Asmt		Checklist	1	1995-1995

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6160	Consistency	Fatal	(a) If O0110J1C=[0], then the following items must equal [0]: O0110J2C, O0110J3C. (b) If O0110J1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110J2C, O0110J3C. (c) If O0110J1C=[-], then the following items must equal [-]: O0110J2C, O0110J3C.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110J3A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Peritoneal dialysis (Admission)	Asmt		Checklist	1	1996-1996

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6080	Consistency	Fatal	(a) If O0110J1A=[0], then the following items must equal [0]: O0110J2A, O0110J3A. (b) If O0110J1A=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110J2A, O0110J3A. (c) If O0110J1A=[-], then the following items must equal [-]: O0110J2A, O0110J3A.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110J3C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: Peritoneal dialysis (Discharge)	Asmt		Checklist	1	1997-1997

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6160	Consistency	Fatal	(a) If O0110J1C=[0], then the following items must equal [0]: O0110J2C, O0110J3C. (b) If O0110J1C=[1], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110J2C, O0110J3C. (c) If O0110J1C=[-], then the following items must equal [-]: O0110J2C, O0110J3C.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O011001A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access (Admission)	Asmt		Checklist	1	1998-1998

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6090	Consistency	Fatal	(a) If O011001A=[0], then all active items from O011002A through O011004A must equal [0]. (b) If O011001A=[1], then at least one item from O011002A through O011004A must equal [1], and the remaining items must equal [0,1]. (c) If O011001A=[-], then all active items from O011002A through O011004A must equal [-].
-6100	Consistency	Fatal	(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

#### *Changes for Version*

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O011001C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access (Discharge)	Asmt		Checklist	1	1999-1999

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6170	Consistency	Fatal	(a) If O011001C=[0], then all active items from O011002C through O011004C must equal [0]. (b) If O011001C=[1], then at least one active item from O011002C through O011004C must equal [1], and the remaining items must equal [0,1]. (c) If O011001C=[-], then all active items from O011002C through O011004C must equal [-].
-6180	Consistency	Fatal	(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C .  (c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O011002A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Peripheral (Admission)	Asmt		Checklist	1	2000-2000

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6090	Consistency	Fatal	(a) If O011001A=[0], then all active items from O011002A through O011004A must equal [0]. (b) If O011001A=[1], then at least one item from O011002A through O011004A must equal [1], and the remaining items must equal [0,1]. (c) If O011001A=[-], then all active items from O011002A through O011004A must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O011002C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Peripheral (Discharge)	Asmt		Checklist	1	2001-2001

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6170	Consistency	Fatal	(a) If O011001C=[0], then all active items from O011002C through O011004C must equal [0]. (b) If O011001C=[1], then at least one active item from O011002C through O011004C must equal [1], and the remaining items must equal [0,1]. (c) If O011001C=[-], then all active items from O011002C through O011004C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O011003A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Mid-line (Admission)	Asmt		Checklist	1	2002-2002

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6090	Consistency	Fatal	(a) If O011001A=[0], then all active items from O011002A through O011004A must equal [0]. (b) If O011001A=[1], then at least one item from O011002A through O011004A must equal [1], and the remaining items must equal [0,1]. (c) If O011001A=[-], then all active items from O011002A through O011004A must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O011003C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Mid-line (Discharge)	Asmt		Checklist	1	2003-2003

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6170	Consistency	Fatal	(a) If O011001C=[0], then all active items from O011002C through O011004C must equal [0]. (b) If O011001C=[1], then at least one active item from O011002C through O011004C must equal [1], and the remaining items must equal [0,1]. (c) If O011001C=[-], then all active items from O011002C through O011004C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O011004A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Central (Admission)	Asmt		Checklist	1	2004-2004

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6090	Consistency	Fatal	(a) If O011001A=[0], then all active items from O011002A through O011004A must equal [0]. (b) If O011001A=[1], then at least one item from O011002A through O011004A must equal [1], and the remaining items must equal [0,1]. (c) If O011001A=[-], then all active items from O011002A through O011004A must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O011004C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: IV Access - Central (Discharge)	Asmt		Checklist	1	2005-2005

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6170	Consistency	Fatal	(a) If O011001C=[0], then all active items from O011002C through O011004C must equal [0]. (b) If O011001C=[1], then at least one active item from O011002C through O011004C must equal [1], and the remaining items must equal [0,1]. (c) If O011001C=[-], then all active items from O011002C through O011004C must equal [-].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110Z1A

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: None of the above (Admission)	Asmt		Checklist	1	2006-2006

#### Item Subsets

Active: 01,03  
 Inactive: 04,05,06,07,08,09,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6100	Consistency	Fatal	(a) If O0110Z1A=[1], then the following items must equal [0]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (b) If O0110Z1A=[0], then at least one of the following items must equal [1], and all remaining items must equal [0,1]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A. (c) If O0110Z1A=[-], then the following items must equal [-]: O0110A1A, O0110B1A, O0110C1A, O0110D1A, O0110E1A, O0110F1A, O0110G1A, O0110H1A, O0110I1A, O0110J1A, O0110O1A.

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0110Z1C

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Other: None of the above (Discharge)	Asmt		Checklist	1	2007-2007

#### Item Subsets

Active: 09  
 Inactive: 01,03,04,05,06,07,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6180	Consistency	Fatal	(a) If O0110Z1C=[1], then the following items must equal [0]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C.  (b) If O0110Z1C=[0], then at least one of the following items must equal [1], and the remaining items must equal [0,1]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C, O0110O1C .  (c) If O0110Z1C=[-], then the following items must equal [-]: O0110A1C, O0110B1C, O0110C1C, O0110D1C, O0110E1C, O0110F1C, O0110G1C, O0110H1C, O0110I1C, O0110J1C and O0110O1C.

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: O0350

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
COVID-19 Vaccination Up To Date	Asmt		Code	1	2008-2008

#### Item Subsets

Active: 01,03,04,05,06,07,08,09  
 Inactive: XX

#### Item Values

Value	LOINC Code	Value Text
0		No, patient is not up to date
1		Yes, patient is up to date

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

#### Changes for Version

Type	ID	Description
Item	O0350	[V3.01.0]-New item.
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: M1041\_IN\_INFLNZ\_SEASON

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Does episode include Oct 1 thru Mar 31	Asmt		Code	1	1525-1525

#### Item Subsets

Active: 06,07,09  
Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
0		No
1		Yes

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5070	Skip pattern	Fatal	If M1041_IN_INFLNZ_SEASON=[1], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must not equal [^].
-5080	Skip pattern	Fatal	If M1041_IN_INFLNZ_SEASON=[0], then if M1046_INFLNZ_RECD_CRNT_SEASON is active it must equal [^].

#### Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

# Data Submission Specifications for the OASIS Item Set (V3.01.0)

## Detailed Data Specifications Report

### Section: O

Item ID: M1046\_INFLNZ\_REC'D\_CRNT\_SEASON

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Did patient receive influenza vaccine	Asmt		Code	2	1526-1527

#### Item Subsets

Active: 06,07,09  
 Inactive: 01,03,04,05,08,XX

#### Item Values

Value	LOINC Code	Value Text
01		Yes; received from your agency during this episode of care (SOC/ROC to Transfer/Discharge)
02		Yes; received from your agency during a prior episode of care (SOC/ROC to Transfer/Discharge)
03		Yes; received from another health care provider (for example, physician, pharmacist)
04		No; patient offered and declined
05		No; patient assessed and determined to have medical contraindication(s)
06		No; not indicated - patient does not meet age/condition guidelines for influenza vaccine
07		No; inability to obtain vaccine due to declared shortage
08		No; patient did not receive the vaccine due to reasons other than those listed in responses 4 - 7
^		Blank (skip pattern)

#### Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5070	Skip pattern	Fatal	If M1041_IN_INFLNZ_SEASON=[1], then if M1046_INFLNZ_REC'D_CRNT_SEASON is active it must not equal [^].
-5080	Skip pattern	Fatal	If M1041_IN_INFLNZ_SEASON=[0], then if M1046_INFLNZ_REC'D_CRNT_SEASON is active it must equal [^].

**Data Submission Specifications for the OASIS Item Set (V3.01.0)**  
**Detailed Data Specifications Report**  
**Section: O**

***Changes for Version***

<b>Type</b>	<b>ID</b>	<b>Description</b>
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.