Item ID: N0415A1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is Taking): Antipsychotic	Asmt		Checklist	1	1933-1933

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5960	Skip pattern	Fatal	(a) If N0415A1=[0], then N0415A2 must equal [^]. (b) If N0415A1=[1], then N0415A2 must not equal [^].
-6020	None of above	Fatal	(a) If N0415Z1=[1], then the following items must equal [0]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (b) If N0415Z1=[0], then at least one of the following items must equal [1]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (c) If N0415Z1=[-], then at least one of the following active items must equal [-], and the rest of the active items must be [0,-]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: N0415A2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication) : Antipsychotic	Asmt		Checklist	1	1934-1934

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5960	Skip pattern	Fatal	(a) If N0415A1=[0], then N0415A2 must equal [^]. (b) If N0415A1=[1], then N0415A2 must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: N0415E1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is taking): Anticoagulant	Asmt		Checklist	1	1935-1935

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5970	Skip pattern	Fatal	(a) If N0415E1=[0], then N0415E2 must equal [^]. (b) If N0415E1=[1], then N0415E2 must not equal [^].
-6020	None of above	Fatal	(a) If N0415Z1=[1], then the following items must equal [0]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (b) If N0415Z1=[0], then at least one of the following items must equal [1]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (c) If N0415Z1=[-], then at least one of the following active items must equal [-], and the rest of the active items must be [0,-]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: N0415E2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Anticoagulant	Asmt		Checklist	1	1936-1936

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5970	Skip pattern	Fatal	(a) If N0415E1=[0], then N0415E2 must equal [^]. (b) If N0415E1=[1], then N0415E2 must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: N0415F1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is taking): Antibiotic	Asmt		Checklist	1	1937-1937

Item Subsets

Active: 01,03,09

Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5980	Skip pattern	Fatal	(a) If N0415F1=[0], then N0415F2 must equal [^]. (b) If N0415F1=[1], then N0415F2 must not equal [^].
-6020	None of above	Fatal	(a) If N0415Z1=[1], then the following items must equal [0]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (b) If N0415Z1=[0], then at least one of the following items must equal [1]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (c) If N0415Z1=[-], then at least one of the following active items must equal [-], and the rest of the active items must be [0,-]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: N0415F2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Antibiotic	Asmt		Checklist	1	1938-1938

Item Subsets
Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5980	Skip pattern	Fatal	(a) If N0415F1=[0], then N0415F2 must equal [^]. (b) If N0415F1=[1], then N0415F2 must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: N0415H1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is taking): Opioid	Asmt		Checklist	1	1939-1939

Item Subsets
Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5990	Skip pattern	Fatal	(a) If N0415H1=[0], then N0415H2 must equal [^]. (b) If N0415H1=[1], then N0415H2 must not equal [^].
-6020	None of above	Fatal	(a) If N0415Z1=[1], then the following items must equal [0]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (b) If N0415Z1=[0], then at least one of the following items must equal [1]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (c) If N0415Z1=[-], then at least one of the following active items must equal [-], and the rest of the active items must be [0,-]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: N0415H2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Drug Risk (Indication): Opioid	Asmt		Checklist	1	1940-1940

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5990	Skip pattern	Fatal	(a) If N0415H1=[0], then N0415H2 must equal [^]. (b) If N0415H1=[1], then N0415H2 must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: N0415I1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is taking): Antiplatelet	Asmt		Checklist	1	1941-1941

Item Subsets
Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6000	Skip pattern	Fatal	(a) If N0415I1=[0], then N0415I2 must equal [^]. (b) If N0415I1=[1], then N0415I2 must not equal [^].
-6020	None of above	Fatal	(a) If N0415Z1=[1], then the following items must equal [0]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (b) If N0415Z1=[0], then at least one of the following items must equal [1]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (c) If N0415Z1=[-], then at least one of the following active items must equal [-], and the rest of the active items must be [0,-]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: N0415I2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Antiplatelet	Asmt		Checklist	1	1942-1942

Item Subsets
Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6000	Skip pattern	Fatal	(a) If N0415I1=[0], then N0415I2 must equal [^]. (b) If N0415I1=[1], then N0415I2 must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: N0415J1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is taking): Hypoglycemic	Asmt		Checklist	1	1943-1943

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6010	Skip pattern	Fatal	(a) If N0415J1=[0], then N0415J2 must equal [^]. (b) If N0415J1=[1], then N0415J2 must not equal [^].
-6020	None of above	Fatal	(a) If N0415Z1=[1], then the following items must equal [0]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (b) If N0415Z1=[0], then at least one of the following items must equal [1]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (c) If N0415Z1=[-], then at least one of the following active items must equal [-], and the rest of the active items must be [0,-]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: N0415J2

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Indication): Hypoglycemic	Asmt		Checklist	1	1944-1944

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6010	Skip pattern	Fatal	(a) If N0415J1=[0], then N0415J2 must equal [^]. (b) If N0415J1=[1], then N0415J2 must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: N0415Z1

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
High-Risk Drug (Is taking): None of the above	Asmt		Checklist	1	1945-1945

Item Subsets

Active: 01,03,09
Inactive: 04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
0		Not checked (No)
1		Checked (Yes)
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-6020	None of above	Fatal	(a) If N0415Z1=[1], then the following items must equal [0]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (b) If N0415Z1=[0], then at least one of the following items must equal [1]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1. (c) If N0415Z1=[-], then at least one of the following active items must equal [-], and the rest of the active items must be [0,-]: N0415A1, N0415E1, N0415F1, N0415H1, N0415I1, N0415J1.

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: M2001_DRUG_RGMN_RVW

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Drug regimen review	Asmt		Code	1	1608-1608

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		No - no issues found during review
1		Yes - issues found during review
9		NA - patient is not taking any medications
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5470	Consistency	Fatal	If M2001_DRUG_RGMN_RVW=[-], then M2003_MDCTN_FLWP must equal [-].
-4421	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[0], then M2003_MDCTN_FLWP must equal [^].
-4431	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[1], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must not equal [^].
-4441	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[9], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must equal [^].
-5490	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[0], then M2010_HIGH_RISK_DRUG_EDCTN must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: M2003_MDCTN_FLWP

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Medication follow-up	Asmt		Code	1	1609-1609

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
-		Not assessed/no information
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-5470	Consistency	Fatal	If M2001_DRUG_RGMN_RVW=[-], then M2003_MDCTN_FLWP must equal [-].
-4421	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[0], then M2003_MDCTN_FLWP must equal [^].
-4431	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[1], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must not equal [^].
-4441	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[9], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: M2005_MDCTN_INTRVTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Medication intervention	Asmt		Code	1	1610-1610

Item Subsets

Active:	06,07,08,09
Inactive:	01,03,04,05,XX

Item Values

Value	LOINC Code	Value Text
0		No
1		Yes
9		NA - There were no potential clinically significant medication issues identified since SOC/ROC or patient is not taking any medications
-		Not assessed/no information

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: M2010_HIGH_RISK_DRUG_EDCTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Patient/caregiver high risk drug education	Asmt		Code	2	933-934

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
00		No
01		Yes
NA		Not Applicable
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4431	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[1], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must not equal [^].
-4441	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[9], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must equal [^].
-5490	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[0], then M2010_HIGH_RISK_DRUG_EDCTN must not equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: M2020_CRNT_MGMT_ORAL_MDCTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Current: management of oral medications	Asmt		Code	2	937-938

Item Subsets

Active:	01,03,09
Inactive:	04,05,06,07,08,XX

Item Values

Value	LOINC Code	Value Text
00		Able to independently take the correct oral medication(s) and proper dosage(s) at the correct times.
01		Able to take medication(s) at the correct times if: (a) individual dosages are prepared in advance by another person; OR (b) another person develops a drug diary or chart.
02		Able to take medication(s) at the correct times if given reminders by another person at the appropriate times.
03		Unable to take medication unless administered by another person.
NA		No oral medications prescribed.
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4480	Consistency	Fatal	If M0100_ASSMT_REASON=[09] then M2020_CRNT_MGMT_ORAL_MDCTN cannot equal [^].
-4431	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[1], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must not equal [^].
-4441	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[9], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.

Item ID: M2030_CRNT_MGMT_INJCTN_MDCTN

Item Label	Item Group	LOINC Code	Item Type	Max Length	Fixed Format Start-End Bytes
Current: management of injectable medications	Asmt		Code	2	939-940

Item Subsets

Active: 01,03
Inactive: 04,05,06,07,08,09,XX

Item Values

Value	LOINC Code	Value Text
00		Able to independently take the correct medication(s) and proper syringe(s) at the correct times.
01		Able to take injectable medication(s) at the correct times if: (a) individual dosages are prepared in advance by another person; OR (b) another person develops a drug diary or chart.
02		Able to take medication(s) at the correct times if given reminders by another person based on the frequency of the injection.
03		Unable to take injectable medication unless administered by another person.
NA		No injectable medications prescribed.
^		Blank (skip pattern)

Item Edits

Edit ID	Edit Type	Severity	Edit Text
-3060	Format	Fatal	VALUES OF CODE AND CHECKLIST ITEMS Only the coded values listed in the "Item Values" table of the Detailed Data Specifications Report may be submitted for this item.
-4431	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[1], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must not equal [^].
-4441	Skip pattern	Fatal	If M2001_DRUG_RGMN_RVW=[9], then all active items from M2003_MDCTN_FLWP through M2030_CRNT_MGMT_INJCTN_MDCTN must equal [^].

Changes for Version

Type	ID	Description
Format	-3060	[V3.01.0]-Removed mappings to the goal items for GG0130 and GG0170, M0110_EPISODE_TIMING and M2200_THER_NEED_NA, since those items were deleted. Added mapping to new item O0350.