

## BPCI Advanced Clinical Episodes to Quality Measures Correlation Table – MY6

### Overview

Starting in 2021, Model Year 4 (MY4), Participants were required to select Clinical Episode Service Line Groups (CESLGs) instead of Clinical Episode (CE) categories. Also, in MY4 and beyond, Participants will have the flexibility to be assessed on quality by selecting either the Administrative Quality Measures Set or the Alternate Quality Measures Set, for each CE within a CESLG that they have committed to be held accountable. To aid Participants in their selections, this document identifies each CESLG; the aligned Model Year 6 (MY6) CEs with corresponding Medicare Severity–Diagnosis-Related Groups (MS-DRGs), Healthcare Common Procedure Coding System (HCPCS) codes, or International Statistical Classifications of Diseases (ICD) 9<sup>th</sup> or 10<sup>th</sup> revision; the aligned Administrative/Alternate Quality Measures; the National Quality Forum (NQF) or Quality Payment Program (QPP) number, if applicable; and the data source for each quality measure.

### MY6 CESLGs (hyperlinked to the first CE in its category):

<b>Cardiac Care</b>	<b>Cardiac Procedures</b>	<b>Gastrointestinal Care</b>	<b>Gastrointestinal Surgery</b>
<b>Medical &amp; Critical Care</b>	<b>Neurological Care</b>	<b>Orthopedics</b>	<b>Spinal Procedures</b>

**Table 1. Model Year 6 Clinical Episodes by Code and Quality Measures Sets**

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Cardiac Care</b>	<b>Acute Myocardial Infarction (AMI)</b>  MS-DRGs: 280, 281 and 282	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (Quality Data Code (QDC))</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (Inpatient Quality Reporting Program (IQR))</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> <li>• Excess Days in Acute Care after Hospitalization for AMI (NQF #2881) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> <li>• Defect Free Care for AMI (NQF #2377) (Registry: ACC NCDR Chest Pain – MI Registry or AHA GWTC Coronary Artery Disease)</li> </ul>

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Cardiac Care</b>	<b>Cardiac Arrhythmia</b>  MS-DRGs: 308, 309 and 310	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> <li>• Atrial Fibrillation and Atrial Flutter: Chronic Anticoagulation Therapy (NQF #1525) (Registry: AHA GWTG-AFib)</li> </ul>
<b>Cardiac Care</b>	<b>Congestive Heart Failure</b>  MS-DRGs: 291, 292 and 293	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• Heart Failure (HF): Angiotensin-Converting Enzyme (ACE) Inhibitor or Angiotensin Receptor Blocker (ARB) or Angiotensin Receptor-Neprilysin Inhibitor (ARNI) Therapy for Left Ventricular Systolic Dysfunction (LVSD) (NQF #0081) (Registry: AHA GWTG Heart Failure)</li> <li>• Heart Failure: Beta-Blocker Therapy for LVSD (NQF #0083) (Registry: AHA GWTG Heart Failure)</li> </ul>

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Cardiac Procedures</b>	<b>Cardiac Defibrillator (Inpatient)</b>  MS-DRGs: 222, 223, 224, 225, 226 and 227	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> <li>• Discharge Medications (ACE/ARB and Beta Blockers) in Eligible Implantable Cardiac Defibrillator (ICD) /Cardiac Resynchronization Therapy Defibrillators (CRT-D) Implant Patients (Composite Measure) (NQF #0965) (Registry: ACC NCDR ICD Registry)</li> <li>• Hospital Risk-Standardized Complication Rate following Implantation of Implantable Cardioverter-Defibrillator (Registry: ACC NCDR ICD Registry)</li> </ul>

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Cardiac Procedures</b>	<b>Cardiac Defibrillator (Outpatient)</b>  HCPCS: 33249, 33262, 33263, 33264 and 33270	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• Discharge Medications: Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker and Beta-Blockers in Eligible ICD Implant Patients (Composite Measure) (NQF #0965) (Registry: ACC NCDR ICD Registry)</li> <li>• Hospital Risk-Standardized Complication Rate following Implantation of Implantable Cardioverter-Defibrillator (Registry: ACC NCDR ICD Registry)</li> </ul>
<b>Cardiac Procedures</b>	<b>Cardiac Valve</b>  MS-DRGs: 216, 217, 218, 219, 220 and 221	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> <li>• Perioperative Care: Selection of Prophylactic Antibiotic: First- or Second-Generation Cephalosporin (NQF #0268) (QDC)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• Substance Use Screening and Intervention Composite (NQF #2597) (Registry: STS ACSD)</li> <li>• Volume Weighted Aortic Valve Replacement + Aortic Valve Replacement / CABG (NQF #2561, 2563) (Registry: STS ACSD)</li> <li>• Volume Weighted Mitral Valve Replacement + Mitral Valve Replacement / CABG (NQF #3031, 3032) (Registry: STS ACSD)</li> </ul>

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Cardiac Procedures</b>	<b>Coronary Artery Bypass Graft (CABG)</b>  MS-DRGs: 231, 232, 233, 234, 235 and 236	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> <li>• Hospital 30-Day, All-Cause, Risk-Standardized Mortality Rate Following CABG (NQF #2558)</li> <li>• Perioperative Care: Selection of Prophylactic Antibiotic: First- or Second-Generation Cephalosporin (NQF #0268) (QDC)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• Cardiac Rehabilitation Patient Referral from an Inpatient Setting (NQF #0642) (Registry: STS ACSD)</li> <li>• Society of Thoracic Surgeons CABG Composite Score (NQF #0696) (Registry: STS ACSD)</li> <li>• Substance Use Screening and Intervention Composite (NQF #2597) (Registry: STS ACSD)</li> </ul>
<b>Cardiac Procedures</b>	<b>Transcatheter Aortic Valve Replacement (TAVR)</b>  MS-DRGs: 266 and 267; ICD-9: 35.05 and 35.06; ICD-10: 02RF37H, 02RF37Z, 02RF38H, 02RF38Z, 02RF3JH, 02RF3JZ, 02RF3KH, 02RF3KZ and X2RF332	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Cardiac Procedures</b>	<b>Pacemaker</b>  MS-DRGs: 242, 243 and 244	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> <li>• In-Person Evaluation Following Implantation of a Cardiovascular Implantable Electronic Device (NQF #2461) (Claims)</li> </ul>
<b>Cardiac Procedures</b>	<b>Percutaneous Coronary Intervention (PCI) (Inpatient)</b>  MS-DRGs: 246, 247, 248, 249, 250, and 251	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• Cardiac Rehabilitation Patient Referral from an Inpatient Setting (NQF #0642) (Registry: ACC NCDR CathPCI)</li> <li>• Risk Standardized Bleeding for Patients Undergoing Percutaneous Coronary Intervention (PCI) (NQF #2459) (Registry: ACC NCDR CathPCI)</li> <li>• Therapy with Aspirin, P2Y12 Inhibitor, and Statin at Discharge following PCI in Eligible Patients (NQF #0964) (Registry: ACC NCDR CathPCI)</li> </ul>

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Cardiac Procedures</b>	<b>Percutaneous Coronary Intervention (PCI) (Outpatient)</b>  HCPCS: 92920, 92924, 92928, 92933, 92937, 92943, C9600, C9602, C9604 and C9607	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• Risk Standardized Bleeding for Patients Undergoing Percutaneous Coronary Intervention (PCI) (NQF #2459) (Registry: ACC NCDR CathPCI)</li> <li>• Therapy with Aspirin, P2Y12 Inhibitor, and Statin at Discharge following PCI in Eligible Patients (NQF #0964) (Registry: ACC NCDR CathPCI)</li> </ul>
<b>Gastrointestinal Care</b>	<b>Disorders of the Liver Except Malignancy, Cirrhosis, or Alcoholic Hepatitis</b>  MS-DRGs: 441, 442 and 443	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>
<b>Gastrointestinal Care</b>	<b>Gastrointestinal Hemorrhage</b>  MS-DRGs: 377, 378 and 379	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Gastrointestinal Care</b>	<b>Gastrointestinal Obstruction</b>  MS-DRGs: 388, 389 and 390	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>
<b>Gastrointestinal Care</b>	<b>Inflammatory Bowel Disease</b>  MS-DRGs: 385, 386 and 387	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>
<b>Gastrointestinal Surgery</b>	<b>Bariatric Surgery</b>  MS-DRGs: 619, 620 and 621	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> <li>• Perioperative Care: Selection of Prophylactic Antibiotic: First- or Second-Generation Cephalosporin (NQF #0268) (QDC)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• Bariatric Surgery Standards for Successful Programs Measure (Registry: ACS Registry Program)</li> <li>• Patient-Centered Surgical Risk Assessment and Communication (QPP #358) (Registry: ACS MBSAQIP®)</li> <li>• Substance Use Screening and Intervention Composite (NQF #2597) (Registry: ACS MBSAQIP®)</li> </ul>



CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Gastrointestinal Surgery</b>	<b>Major Bowel Procedure</b>  MS-DRGs: 329, 330 and 331	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> <li>• Perioperative Care: Selection of Prophylactic Antibiotic: First- or Second-Generation Cephalosporin (NQF #0268) (QDC)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>
<b>Medical &amp; Critical Care</b>	<b>Cellulitis</b>  MS-DRGs: 602 and 603	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>
<b>Medical &amp; Critical Care</b>	<b>Chronic Obstructive Pulmonary Disease (COPD), Bronchitis, Asthma</b>  MS-DRGs: 190, 191, 192, 202 and 203	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> <li>• Preventive Care &amp; Screening: Tobacco Use: Screening &amp; Cessation Intervention (NQF #0028) (QDC)</li> </ul>

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Medical &amp; Critical Care</b>	<b>Renal Failure</b> MS-DRGs: 682, 683 and 684	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>
<b>Medical &amp; Critical Care</b>	<b>Sepsis</b> MS-DRGs: 870, 871 and 872	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> <li>• Severe Sepsis and Septic Shock: Management Bundle (NQF #0500) (IQR)</li> </ul>
<b>Medical &amp; Critical Care</b>	<b>Simple Pneumonia and Respiratory Infections</b> MS-DRGs: 177, 178, 179, 193, 194 and 195	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> <li>• Hospital 30-Day, All-Cause, Risk-Standardized Mortality Rate Following Pneumonia Hospitalization (NQF #0468) (IQR)</li> </ul>

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Medical &amp; Critical Care</b>	<b>Urinary Tract Infection</b>  MS-DRGs: 689 and 690	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>
<b>Neurological Care</b>	<b>Seizures</b>  MS-DRGs: 100 and 101	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>
<b>Neurological Care</b>	<b>Stroke</b>  MS-DRGs: 061, 062, 063, 064, 065 and 066	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• Preventive Care &amp; Screening: Tobacco Use: Screening &amp; Cessation Intervention (NQF #0028) (Registry: AHA GWTC Stroke)</li> <li>• STK-06: Discharged on Statin Medication (NQF #0439) (Registry: AHA GWTC Stroke)</li> <li>• Time to Intravenous Thrombolytic Therapy (NQF #1952) (Registry: AHA GWTC Stroke)</li> </ul>

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Orthopedics</b>	<b>Double Joint Replacement of the Lower Extremity</b>  MS-DRGs: 461 and 462	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> <li>• Hospital-Level Risk-Standardized Complication Rate Following Elective Primary Total Hip Arthroplasty and/or Total Knee Arthroplasty (NQF #1550) (IQR)</li> <li>• Perioperative Care: Selection of Prophylactic Antibiotic: First- or Second-Generation Cephalosporin (NQF #0268) (QDC)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• Hospital-Level Risk-Standardized Complication Rate Following Elective Primary Total Hip Arthroplasty and/or Total Knee Arthroplasty (NQF #1550) (IQR)</li> </ul>
<b>Orthopedics</b>	<b>Fractures of the Femur and Hip or Pelvis</b>  MS-DRGs: 533, 534, 535 and 536	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<p><b>Orthopedics</b></p>	<p><b>Hip and Femur Procedures Except Major Joint</b></p> <p>MS-DRGs: 480, 481 and 482</p>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> <li>• Perioperative Care: Selection of Prophylactic Antibiotic: First- or Second-Generation Cephalosporin (NQF #0268) (QDC)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>
<p><b>Orthopedics</b></p>	<p><b>Lower Extremity/Humerus Procedure Except Hip, Foot, Femur</b></p> <p>MS-DRGs: 492, 493 and 494</p>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> <li>• Perioperative Care: Selection of Prophylactic Antibiotic: First- or Second-Generation Cephalosporin (NQF #0268) (QDC)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Orthopedics</b>	<b>Major Joint Replacement of the Lower Extremity (Inpatient and Outpatient)</b>  MS-DRGs: 469,470, 521, and 522; HCPCS: 27447, 27130	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR) (inpatient only)</li> <li>• Hospital-Level Risk-Standardized Complication Rate Following Elective Primary Total Hip Arthroplasty and/or Total Knee Arthroplasty (NQF #1550) (IQR)</li> <li>• Perioperative Care: Selection of Prophylactic Antibiotic: First- or Second-Generation Cephalosporin (NQF #0268)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• Hospital-Level Risk-Standardized Complication Rate Following Elective Primary Total Hip Arthroplasty and/or Total Knee Arthroplasty (NQF #1550) (IQR)</li> </ul>
<b>Orthopedics</b>	<b>Major Joint Replacement of the Upper Extremity (Inpatient and Outpatient)</b>  MS-DRG: 483; HCPCS: 23472	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR) (inpatient only)</li> <li>• Perioperative Care: Selection of Prophylactic Antibiotic: First- or Second-Generation Cephalosporin (NQF #0268) (QDC)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> </ul>

CESLG	Clinical Episode	Administrative Quality Measures	Alternate Quality Measures
<b>Spinal Procedures</b>	<b>Back and Neck Except Spinal Fusion (Inpatient)</b>  MS-DRGs: 518, 519 and 520	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> <li>• Perioperative Care: Selection of Prophylactic Antibiotic: First- or Second-Generation Cephalosporin (NQF #0268) (QDC)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> <li>• Patient-Centered Surgical Risk Assessment and Communication (QPP #358) (QDC)</li> </ul>
<b>Spinal Procedures</b>	<b>Back and Neck Except Spinal Fusion (Outpatient)</b>  HCPCS: 62287, 63005, 63011, 63012, 63017, 63030, 63040, 63042, 63045, 63046, 63047, 63056 and 63075	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• Perioperative Care: Selection of Prophylactic Antibiotic: First- or Second-Generation Cephalosporin (NQF #0268) (QDC)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• Patient-Centered Surgical Risk Assessment and Communication (QPP #358) (QDC)</li> </ul>
<b>Spinal Procedures</b>	<b>Spinal Fusion</b>  MS-DRGs: 453, 454, 455, 459, 460, 471, 472 and 473	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• CMS Patient Safety Indicators 90 (NQF #0531) (IQR)</li> <li>• Perioperative Care: Selection of Prophylactic Antibiotic: First- or Second-Generation Cephalosporin (NQF #0268) (QDC)</li> </ul>	<ul style="list-style-type: none"> <li>• Advance Care Plan (NQF #0326) (QDC)</li> <li>• Hospital-Wide All-Cause Unplanned Readmission Measure (NQF #1789) (IQR)</li> <li>• 3-Item Care Transition Measure (NQF #0228) (IQR)</li> <li>• Patient-Centered Surgical Risk Assessment and Communication (QPP #358) (QDC)</li> </ul>

**Table 2. Registry Acronyms Reference Table**

Acronym	Clinical Data Registry
<b>ACC – NCDR Chest Pain MI</b>	American College of Cardiology National Cardiovascular Data Registry Chest Pain – Myocardial Infarction (MI) Registry™
<b>ACC – NCDR CathPCI</b>	American College of Cardiology National Cardiovascular Data Catheterization and/or Percutaneous Coronary Intervention (CathPCI) Registry
<b>ACC – NCDR ICD</b>	American College of Cardiology National Cardiovascular Data Registry ICD Registry
<b>ACS – MBSAQIP®</b>	American College of Surgeons National Surgical Quality Improvement Program Metabolic and Bariatric Surgery Accreditation and Quality Improvement Program (MBSAQIP®)
<b>AHA – GWTG Stroke</b>	American Heart Association Get With The Guidelines® Stroke
<b>AHA – GWTG Heart Failure</b>	American Heart Association Get With The Guidelines® Heart Failure
<b>AHA – GWTG Coronary Artery Disease</b>	American Heart Association Get With The Guidelines® Coronary Artery Disease
<b>STS – ACSD</b>	Society of Thoracic Surgeons Adult Cardiac Surgery Database