

CMS Manual System	Department of Health & Human Services (DHHS)
Pub 100-04 Medicare Claims Processing	Centers for Medicare & Medicaid Services (CMS)
Transmittal 4292	Date: May 3, 2019
	Change Request 11293

SUBJECT: Quarterly Update to the Medicare Physician Fee Schedule Database (MPFSDB) - July 2019 Update

I. SUMMARY OF CHANGES: Payment files were issued to contractors based upon the 2019 Medicare Physician Fee Schedule (MPFS) Final Rule. This Change Request (CR) amends those payment files. This recurring update notification applies to Publication (Pub.) 100-04, Medicare Claims Processing Manual, chapter 23, section 30.1.

EFFECTIVE DATE: January 1, 2019

**Unless otherwise specified, the effective date is the date of service.*

IMPLEMENTATION DATE: July 1, 2019

Disclaimer for manual changes only: The revision date and transmittal number apply only to red italicized material. Any other material was previously published and remains unchanged. However, if this revision contains a table of contents, you will receive the new/revised information only, and not the entire table of contents.

II. CHANGES IN MANUAL INSTRUCTIONS: (N/A if manual is not updated)

R=REVISED, N=NEW, D=DELETED-*Only One Per Row.*

R/N/D	CHAPTER / SECTION / SUBSECTION / TITLE
N/A	N/A

III. FUNDING:

For Medicare Administrative Contractors (MACs):

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

IV. ATTACHMENTS:

Recurring Update Notification

Attachment - Recurring Update Notification

Pub. 100-04	Transmittal: 4292	Date: May 3, 2019	Change Request: 11293
-------------	-------------------	-------------------	-----------------------

SUBJECT: Quarterly Update to the Medicare Physician Fee Schedule Database (MPFSDB) - July 2019 Update

EFFECTIVE DATE: January 1, 2019

**Unless otherwise specified, the effective date is the date of service.*

IMPLEMENTATION DATE: July 1, 2019

I. GENERAL INFORMATION

A. Background: Payment files were issued to contractors based upon the CY 2019 Medicare Physician Fee Schedule (MPFS) Final Rule, published in the Federal Register on November 23, 2018, to be effective for services furnished between January 1, 2019 and December 31, 2019.

B. Policy: Section 1848(c)(4) of the Social Security Act authorizes the Secretary to establish ancillary policies necessary to implement relative values for physicians' services.

II. BUSINESS REQUIREMENTS TABLE

"Shall" denotes a mandatory requirement, and "should" denotes an optional requirement.

Number	Requirement	Responsibility								Other
		A/B MAC			D M E M A C	Shared- System Maintainers				
		A	B	H H H		F I S S	M C S	V M S	C W F	
11293.1	Medicare contractors shall retrieve the revised payment files and update their systems (manually or via provided files), as identified in this CR, from the CMS Mainframe Telecommunications System. Contractors shall be notified via email when these files are available for retrieval (on or around May 10). (See attachment for summary of changes and effective dates.)	X	X	X		X				
11293.2	The contractors shall notify CMS of successful receipt via e-mail to price_file_receipt@cms.hhs.gov, stating the name of the file received (e.g., CLAB, Average	X	X	X						

Number	Requirement	Responsibility								Other
		A/B MAC			D M E M A C	Shared- System Maintainers				
		A	B	H H H		F I S S	M C S	V M S	C W F	
	Sales Price (ASP), etc.), and the entity for which it was received (i.e., include states, carrier numbers, quarter, and if Part A, Part B, or both).									
11293.3	Medicare contractors shall not search their files to retract payment for claims already paid or to retroactively pay claims. However, contractors shall adjust claims brought to their attention.	X	X	X						
11293.4	The contractors shall, in accordance with Pub 100-04, Medicare Claims Processing Manual, chapter 23, section 30.1, give providers a 30-day notice before implementing the changes identified in this CR.	X	X	X						
11293.5	The CMS shall send the Common Working File (CWF) files to facilitate duplicate billing edits: 1) Duplicate Radiology editing; 2) Duplicate Diagnostic editing; 3) Duplicate Pathology editing, and; 4) Relative Value Units (RVU) and payment indicator files. The CWF shall be notified via email when these files have been sent to them.									CMS
11293.5.1	The CWF shall compare the existing files to the new files and install any necessary changes.								X	
11293.6	The contractors shall add the following new Current Procedural Terminology (CPT) codes to their systems, with the Type of Service (TOS) listed below, effective for dates of service on and after July 1, 2019 (see the CR 11293 attachment for code descriptors and indicator information):	X	X	X					X	

Number	Requirement	Responsibility								
		A/B MAC		H H H	D M E M A C	Shared-System Maintainers				Other
		A	B			F I S S	M C S	V M S	C W F	
	0543T, 0544T, 0545T, 0546T, 0548T, 0549T, 0550T, 0551T, 0552T, and 0553T with TOS 2. 0547T, 0554T, 0555T, 0556T, 0557T, 0558T, 0559T, 0560T, 0561T, 0562T, and 90619 with TOS 1.									

III. PROVIDER EDUCATION TABLE

Number	Requirement	Responsibility				
		A/B MAC			H H H	D M E M A C
		A	B			
11293.7	MLN Article: CMS will make available an MLN Matters provider education article that will be marketed through the MLN Connects weekly newsletter shortly after the CR is released. MACs shall follow IOM Pub. No. 100-09 Chapter 6, Section 50.2.4.1, instructions for distributing MLN Connects information to providers, posting the article or a direct link to the article on your website, and including the article or a direct link to the article in your bulletin or newsletter. You may supplement MLN Matters articles with localized information benefiting your provider community in billing and administering the Medicare program correctly. Subscribe to the “MLN Matters” listserv to get article release notifications, or review them in the MLN Connects weekly newsletter.	X	X	X		

IV. SUPPORTING INFORMATION

Section A: Recommendations and supporting information associated with listed requirements: N/A

"Should" denotes a recommendation.

X-Ref Requirement Number	Recommendations or other supporting information:
---------------------------------	---

Section B: All other recommendations and supporting information:

MPFS – MU00.@BF12390.MPFS.CY2019.RV3.C00000.V0515

FI Abstracts - MU00.@BF12390.MPFS.CY19.ABSTR.V0515.FI

MU00.@BF12390.MPFS.CY19.HHH.V0515.FI

MU00.@BF12390.MPFS.CY19.MAMMO.V0515.FI

MU00.@BF12390.MPFS.CY19.PAYIND.V0515

MU00.@BF12390.MPFS.CY19.SNF.V0515.FI

V. CONTACTS

Pre-Implementation Contact(s): Michael Soracoe, 410 786-6312 or Michael.Soracoe@cms.hhs.gov (Payment Policy Contact) , Kathleen Kersell, 410-786-2033 or kathleen.kersell@cms.hhs.gov (Payment Policy Contact)

Post-Implementation Contact(s): Contact your Contracting Officer's Representative (COR).

VI. FUNDING

Section A: For Medicare Administrative Contractors (MACs):

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

ATTACHMENTS: 1

Attachment for CR 11293: Quarterly Update to the Medicare Physician Fee Schedule Database (MPFSDB) – July 2019 Update

Below is a summary of the changes for the July update to the 2019 MPFSDB. Unless otherwise stated, these changes are effective for dates of service on and after January 1, 2019.

CODE ACTION

27369 Multiple Procedure indicator = 2, Bilateral Surgery = 1, Assistant Surgery = 1

28740 Bilateral Surgery indicator = 1

The malpractice relative value unit (MP RVU) has been revised for the codes listed below. These MP RVU changes have a minimal impact on the payment.

HCPCS	MP RVU	HCPCS	MP RVU	HCPCS	MP RVU	HCPCS	MP RVU	HCPCS	MP RVU
G0412	2.10	20933	1.90	21347	1.93	22812	7.04	23530	1.53
G0516	0.25	20934	2.09	21360	1.03	22818	7.05	23532	1.68
G0517	0.27	20956	8.47	21366	3.16	22819	8.09	23545	0.54
G0518	0.47	20970	9.18	21385	1.62	22847	2.84	23575	0.87
11954	0.32	21010	1.87	21386	1.62	22857	5.56	23800	3.02
11976	0.22	21049	2.79	21387	1.71	22861	13.96	23802	3.78
12017	0.50	21082	3.55	21432	1.49	22864	12.25	23900	4.25
12018	0.57	21084	3.83	21435	3.46	22865	7.97	23920	3.34
12046	1.04	21125	1.83	21450	0.63	23100	1.26	24100	1.04
12047	1.20	21146	4.23	21465	2.23	23125	1.97	24115	2.08
12056	0.90	21172	11.74	21485	0.81	23145	1.92	24116	2.51
12057	1.02	21179	3.86	21502	1.79	23146	1.65	24126	1.76
15832	2.29	21182	5.54	21510	1.46	23155	2.23	24134	2.10
15833	2.03	21188	3.94	21610	6.59	23156	1.87	24138	1.74
15836	1.80	21193	3.22	21685	2.19	23172	1.49	24150	4.80
15922	1.76	21199	2.86	21700	1.45	23174	2.07	24152	4.10
15951	1.97	21206	2.66	21705	2.29	23190	1.53	24155	2.47
15952	2.10	21209	1.32	21720	2.40	23200	4.65	24320	2.23
19272	5.97	21242	2.47	21740	4.17	23210	5.58	24330	2.01
19306	4.41	21245	2.23	21813	4.27	23330	0.39	24331	2.25
19324	1.16	21247	4.14	22112	5.82	23400	2.86	24346	3.12
19355	1.44	21267	3.53	22114	5.82	23450	2.83	24360	2.61
20101	0.78	21296	0.68	22222	9.60	23460	3.25	24361	2.96
20697	0.03	21339	1.22	22319	10.54	23465	3.35	24365	1.76
20827	5.64	21343	2.07	22548	11.27	23490	2.49	24495	1.72
20932	2.09	21344	3.10	22586	11.71	23491	2.99	24565	1.19

HCPCS	MP RVU
24577	1.23
24587	3.25
24800	2.34
24930	2.22
25100	0.81
25125	1.57
25126	1.58
25135	1.45
25136	1.25
25145	1.33
25170	4.57
25250	1.37
25251	2.01
25263	1.64
25315	2.19
25355	2.16
25365	2.66
25391	2.95
25392	2.99
25393	3.41
25394	2.23
25415	2.85
25420	3.51
25425	2.83
25431	2.23
25441	2.74
25443	2.19
25444	2.34
25490	1.99
25520	1.33
25526	2.71
25624	0.98
25635	0.94
25645	1.52
25680	1.27
25685	2.08
25690	1.17
25695	1.74
25805	2.41
25905	1.95

HCPCS	MP RVU
25907	1.65
25909	1.90
25924	1.80
25927	1.86
26105	0.78
26185	1.33
26260	2.29
26262	1.70
26352	1.61
26357	2.26
26358	2.59
26372	1.84
26373	1.72
26390	1.92
26392	2.15
26428	1.51
26434	1.28
26474	1.13
26479	1.21
26489	2.03
26490	1.76
26492	2.03
26494	1.77
26497	2.00
26498	2.93
26499	1.88
26502	1.49
26517	1.86
26518	1.89
26545	1.45
26560	1.13
26561	2.28
26568	1.89
26596	1.87
26607	1.12
26645	0.94
26686	1.67
26820	1.73
26843	1.59
26844	1.84

HCPCS	MP RVU
26863	0.80
27003	1.60
27035	0.84
27052	1.52
27057	3.06
27075	6.73
27076	8.27
27078	6.63
27086	0.40
27097	1.89
27105	2.46
27110	2.84
27120	3.95
27147	4.54
27156	5.38
27158	4.31
27176	2.66
27177	3.31
27179	2.88
27181	3.33
27202	1.49
27256	0.68
27257	1.10
27258	3.33
27268	1.45
27284	5.15
27290	5.04
27325	1.47
27326	1.32
27330	1.02
27332	1.73
27356	2.08
27358	0.97
27390	1.13
27392	1.97
27395	2.51
27396	1.67
27397	2.61
27400	1.90
27407	2.23

HCPCS	MP RVU
27409	2.83
27412	5.08
27416	2.92
27424	2.10
27428	3.20
27429	3.60
27440	2.27
27441	2.37
27454	3.94
27455	2.75
27457	2.89
27465	3.82
27466	3.55
27497	1.59
27498	1.77
27499	1.92
27516	1.15
27517	1.87
27519	2.73
27556	2.68
27557	3.27
27558	3.78
27562	1.23
27566	2.62
27591	2.87
27645	5.58
27646	4.75
27656	0.96
27712	3.26
27715	3.19
27722	2.56
27725	3.57
27727	3.04
27768	1.05
27830	0.81
27832	2.09
27893	1.61
28102	1.62
28261	1.69
28264	2.18

HCPCS	MP RVU
28302	2.00
28420	3.60
28435	0.72
28446	3.63
28545	0.53
28546	0.69
28575	0.71
28576	0.94
28605	0.59
29055	0.37
29058	0.27
29358	0.30
29740	0.23
29835	1.35
29843	1.25
29847	1.47
29850	1.69
29851	2.73
29856	2.95
29860	1.84
29867	3.78
29885	2.10
29887	2.09
29889	3.57
29901	1.34
29904	1.77
29907	2.49
30160	1.42
30410	2.17
30430	1.30
30450	2.99
30600	1.05
31075	1.35
31080	1.83
31081	2.05
31084	2.15
31085	2.25
31087	2.10
31230	4.44
31300	2.29

HCPCS	MP RVU
31367	4.40
31375	3.76
31390	6.12
31395	6.30
31400	1.66
31587	2.19
31760	5.57
31770	5.58
31781	5.90
31785	2.65
31800	1.18
31805	3.19
32035	2.69
32140	3.96
32151	4.02
32200	4.44
32445	15.34
32488	10.25
32491	5.81
32503	7.55
32504	8.70
32604	2.09
32658	2.79
32661	3.16
32664	3.40
32665	5.11
32671	7.59
32810	3.55
32820	5.34
32852	15.65
32905	5.52
32906	6.96
32940	5.07
33050	4.03
33130	5.69
33140	6.69
33236	2.99
33237	3.27
33250	6.11
33251	6.87

HCPCS	MP RVU
33254	5.58
33255	6.85
33261	6.82
33310	4.78
33321	4.90
33330	5.96
33412	14.02
33413	14.25
33422	7.01
33440	15.32
33460	10.58
33468	10.76
33476	6.30
33478	6.53
33496	7.04
33500	6.58
33501	4.60
33502	5.18
33504	6.04
33505	9.14
33506	9.00
33507	7.45
33516	11.77
33545	13.54
33600	7.20
33602	6.97
33617	9.31
33620	7.13
33645	7.43
33647	7.86
33660	7.57
33675	8.55
33702	6.46
33720	6.46
33724	6.55
33730	8.60
33732	6.88
33736	5.76
33776	8.27
33780	10.47

HCPCS	MP RVU
33800	4.10
33813	5.07
33820	3.96
33845	5.44
33852	5.78
33853	7.73
33884	1.89
33891	4.62
33915	5.87
33917	6.01
33922	5.74
33924	1.29
33958	0.81
33962	1.05
33964	2.24
33974	3.54
33976	7.25
33982	8.94
33987	0.95
33988	3.54
33989	2.24
34051	4.01
34451	6.59
34501	3.90
34520	4.44
34530	4.14
34702	7.95
34716	1.60
34830	8.15
34832	8.80
35002	5.14
35021	5.22
35022	6.06
35111	6.09
35132	7.54
35152	6.39
35184	4.36
35188	7.46
35189	6.94
35241	6.03

HCPCS	MP RVU
35246	6.66
35261	4.39
35276	6.09
35306	2.14
35311	6.75
35361	7.00
35363	7.48
35506	5.84
35508	6.03
35509	6.49
35510	5.64
35511	5.13
35515	6.03
35518	5.23
35521	5.57
35531	9.07
35533	6.92
35537	9.70
35538	10.92
35539	10.24
35560	7.89
35612	4.69
35616	5.05
35623	5.99
35632	8.38
35634	8.18
35637	7.65
35663	5.53
35686	0.77
35693	3.64
35694	4.46
35695	4.63
35870	5.66
35884	5.70
35901	1.92
35905	7.76
36557	1.19
36583	1.22
36823	5.57
37605	3.31

HCPCS	MP RVU
37606	3.65
37615	1.89
37619	7.29
37660	5.40
38101	4.73
38300	0.57
38380	1.22
38382	2.53
38555	3.78
39200	3.58
40527	1.33
40804	0.19
41140	4.19
41251	0.37
41512	0.98
41805	0.23
41806	0.47
42000	0.19
42180	0.37
42182	0.55
42200	2.13
42226	1.48
42235	1.15
42408	0.79
42836	0.46
42845	4.67
42892	3.81
42970	0.82
43100	1.37
43101	4.06
43121	12.27
43123	20.25
43124	16.68
43135	6.22
43284	2.45
43285	2.06
43300	1.33
43305	2.61
43310	6.24
43312	6.95

HCPCS	MP RVU
43314	12.77
43320	5.65
43325	5.48
43328	4.72
43330	5.38
43331	5.47
43335	5.69
43337	6.56
43340	5.57
43351	5.23
43360	9.55
43401	6.42
43405	5.86
43410	2.36
43425	5.94
43502	6.25
43622	9.73
43634	8.90
43641	4.80
43651	2.45
43754	0.07
43773	5.05
43810	4.09
43825	5.27
43843	5.15
43847	7.35
43850	6.71
43855	6.97
43865	7.06
43886	1.13
43887	1.05
43888	1.56
44126	10.29
44151	8.49
44156	9.10
44157	8.68
44322	3.24
44701	0.75
45113	4.78
45114	7.47

HCPCS	MP RVU
45120	6.40
45121	7.06
45150	1.40
45563	6.39
45800	4.93
45820	4.94
46612	0.37
46707	1.54
46744	14.46
46760	2.52
47142	19.77
47360	7.61
47371	5.05
47381	6.04
47460	4.98
47620	5.59
47701	6.98
47712	8.19
47715	5.22
47720	4.46
47740	5.15
47741	5.86
47765	12.75
48000	7.77
48001	9.66
48145	6.66
48146	7.43
48148	4.95
48152	11.87
48400	0.47
48510	4.17
48540	5.32
48545	5.39
48547	7.37
49327	0.57
49429	1.80
49500	1.40
49580	1.08
49582	1.72
49600	2.82

HCPCS	MP RVU
49605	21.77
50075	3.00
50100	4.23
50130	2.09
50250	2.45
50320	5.44
50380	7.32
50405	2.88
50540	2.34
50610	1.90
50620	1.82
50660	2.33
50700	1.84
50722	2.10
50770	2.35
50782	2.18
50815	2.46
50830	3.74
50840	2.47
50845	2.48
50860	1.89
50900	1.66
50920	1.75
50940	1.76
50945	1.99
50948	2.65
50970	0.79
51080	0.74
51500	1.22
51530	1.51
51535	1.53
51580	3.92
51585	4.40
51841	1.51
51900	1.61
51960	2.83
52010	0.34
53060	0.32
53210	1.51
53235	1.22

HCPCS	MP RVU
53431	2.35
53442	1.49
53444	1.56
53448	2.61
53510	1.21
54110	1.21
54111	1.59
54304	1.46
54417	1.78
54437	1.26
54500	0.15
54522	1.13
54535	1.45
54680	1.55
54690	1.29
55400	0.95
55535	0.79
55550	0.79
55650	1.38
55680	0.62
55720	0.84
55801	2.19
55815	3.65
55865	2.73
56634	5.01
56640	6.01
57000	0.36
57010	0.80
57109	6.90
57111	6.90
57291	1.01
57292	1.63
57307	2.47
57308	1.52
57310	0.83
57311	0.99
57330	1.46
57540	1.55
57550	0.74
57556	1.09

HCPCS	MP RVU
58146	2.38
58280	2.14
58292	2.74
58543	1.67
58546	2.33
58553	2.34
58560	0.67
58673	1.63
58800	0.53
58822	1.36
58825	1.36
58900	0.77
59614	5.08
59620	4.28
59871	0.54
60000	0.26
61000	0.65
61120	3.98
61250	4.75
61253	5.59
61305	11.94
61321	12.74
61330	10.53
61340	8.35
61345	12.19
61450	11.53
61460	12.62
61521	19.99
61522	13.17
61524	12.46
61531	6.81
61534	9.57
61535	5.45
61536	15.84
61538	16.62
61540	13.12
61541	12.91
61543	13.08
61545	19.74
61546	13.98

HCPCS	MP RVU
61550	6.46
61559	14.25
61563	11.85
61566	13.55
61567	15.54
61570	11.04
61571	11.84
61575	15.34
61576	24.05
61582	14.73
61586	11.45
61598	15.33
61615	15.00
61684	17.59
61686	32.47
61690	13.09
61698	33.35
61702	26.45
61703	7.82
61705	16.01
61850	5.53
61860	9.25
62005	7.32
62010	8.90
62162	11.17
62163	6.86
62164	12.26
62194	2.40
62200	8.00
62361	2.08
63066	1.34
63078	1.35
63170	9.23
63173	10.12
63180	8.53
63182	9.49
63190	3.88
63197	10.02
63250	18.60
63251	18.95

HCPCS	MP RVU
63252	18.94
63270	12.41
63273	11.02
63278	9.19
63283	11.14
63285	15.99
63287	16.89
63290	17.23
63295	2.17
63301	13.18
63302	13.00
63304	14.16
63306	14.91
63700	7.25
63704	9.32
63706	10.54
63740	5.23
63746	3.03
64570	3.78
64580	1.02
64736	0.89
64744	2.37
64755	3.65
64760	1.84
64766	2.30
64786	3.95
64804	6.59
64809	6.11
64818	2.33
64835	2.41
64836	2.41
64859	0.87
64862	4.33
64865	2.31
64874	0.61
64890	3.34
64891	3.56
64892	3.24
64895	4.18
64897	3.98

HCPCS	MP RVU
64898	4.30
64911	2.89
69155	3.36
69300	0.97
69905	1.61
69910	2.00
69955	4.22
92977	0.12
94011	0.11
94012	0.18
96440	0.50
99462	0.05

The MPFSDB file will reflect the changes below effective for dates of service July 1, 2019, and after. The implementation of these “J” and “Q” code changes are being communicated via other instructions. The descriptors and more information can be found on the CMS website at the following link:

<https://www.cms.gov/Medicare/Coding/HCPCSReleaseCodeSets/HCPCS-Quarterly-Update.html>

CODE ACTION

- J9031 Procedure Status = I
- J9355 Short Descriptor = Inj trastuzumab excl biosimi
- J1444 Procedure Status = E; there are no RVUs, payment policy indicators do not apply.
- J7208 Procedure Status = E; there are no RVUs, payment policy indicators do not apply.
- J7677 Procedure Status = E; there are no RVUs, payment policy indicators do not apply.
- J9030 Procedure Status = E; there are no RVUs, payment policy indicators do not apply.
- J9036 Procedure Status = E; there are no RVUs, payment policy indicators do not apply.
- J9356 Procedure Status = E; there are no RVUs, payment policy indicators do not apply.
- Q5112 Procedure Status = E; there are no RVUs, payment policy indicators do not apply.
- Q5113 Procedure Status = E; there are no RVUs, payment policy indicators do not apply.
- Q5114 Procedure Status = E; there are no RVUs, payment policy indicators do not apply.
- Q5115 Procedure Status = E; there are no RVUs, payment policy indicators do not apply.

The new CPT codes listed below (0543T through 0562T, and 90619) are effective for dates of service July 1, 2019, and after. On the MPFSDB file, codes 0543T through 0562T are all Procedure Status C and have no RVUs. The Global Days are YYY for 0543T through 0546T and 0548T through 0553T; XXX for 0547T, 0554T through 0559T, and 0561T; and ZZZ for 0560T and 0562T. Code 90619 is Procedure Status N; there are no RVUs and payment policy indicators do not apply.

Code	Short Descriptor	Long Descriptor
0543T	TA MV RPR W/ARTIF CHORD TEND	Transapical mitral valve repair, including transthoracic echocardiography, when performed, with placement of artificial chordae tendineae
0544T	TCAT MV ANNULUS RCNSTJ	Transcatheter mitral valve annulus reconstruction, with implantation of adjustable annulus reconstruction device, percutaneous approach including transeptal puncture
0545T	TCAT TV ANNULUS RCNSTJ	Transcatheter tricuspid valve annulus reconstruction with implantation of adjustable annulus reconstruction device, percutaneous approach
0546T	RF SPECTRSC NTRAOP MRGN ASMT	Radiofrequency spectroscopy, real time, intraoperative margin assessment, at the time of partial mastectomy, with report
0547T	B1 MATRL QUAL TST MCRIND TIB	Bone-material quality testing by microindentation(s) of the tibia(s), with results reported as a score
0548T	TPRNL BALO CNTNC DEV BI	Transperineal periurethral balloon continence device; bilateral placement, including cystoscopy and fluoroscopy
0549T	TPRNL BALO CNTNC DEV UNI	Transperineal periurethral balloon continence device; unilateral placement, including cystoscopy and fluoroscopy
0550T	TPRNL BALO CNTNC DEV RMVL EA	Transperineal periurethral balloon continence device; removal, each balloon
0551T	TPRNL BALO CNTNC DEV ADJMT	Transperineal periurethral balloon continence device; adjustment of balloon(s) fluid volume
0552T	LOW-LEVEL LASER THERAPY	Low-level laser therapy, dynamic photonic and dynamic thermokinetic energies, provided by a physician or other qualified health care professional
0553T	PERQ TCAT ILIAC ANAST IMPLT	Percutaneous transcatheter placement of iliac arteriovenous anastomosis implant, inclusive of all radiological supervision and

		interpretation, intraprocedural roadmapping, and imaging guidance necessary to complete the intervention
0554T	B1 STR & FX RSK ANALYSIS	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; retrieval and transmission of the scan data, assessment of bone strength and fracture risk and bone mineral density, interpretation and report
0555T	B1 STR&FX RSK TRANSMIS DATA	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; retrieval and transmission of the scan data
0556T	B1 STR & FX RSK ASSESSMENT	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; assessment of bone strength and fracture risk and bone mineral density
0557T	B1 STR & FX RSK I&R	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a computed tomography scan; interpretation and report
0558T	CT SCAN F/BIOMCHN CT ALYS	Computed tomography scan taken for the purpose of biomechanical computed tomography analysis
0559T	ANTMC MDL 3D PRINT 1ST CMPNT	Anatomic model 3D-printed from image data set(s); first individually prepared and processed component of an anatomic structure
0560T	ANTMC MDL 3D PRINT EA ADDL	Anatomic model 3D-printed from image data set(s); each additional individually prepared and processed component of an anatomic structure (List separately in addition to code for primary procedure)
0561T	ANTMC GUIDE 3D PRINT 1ST GD	Anatomic guide 3D-printed and designed from image data set(s); first anatomic guide
0562T	ANTMC GUIDE 3D PRINT EA ADDL	Anatomic guide 3D-printed and designed from image data set(s); each additional anatomic guide (List separately in addition to code for primary procedure)
90619	MENACWY-TT VACCINE IM	Meningococcal conjugate vaccine, serogroups A, C, W, Y, quadrivalent, tetanus toxoid carrier (MenACWY-TT), for intramuscular use

CPT is a registered trademark of the American Medical Association. Copyright 2019 American Medical Association. All rights reserved.