

<b>CMS Manual System</b>	<b>Department of Health &amp; Human Services (DHHS)</b>
<b>Pub 100-20 One-Time Notification</b>	<b>Centers for Medicare &amp; Medicaid Services (CMS)</b>
<b>Transmittal 656</b>	<b>Date: March 19, 2010</b>
	<b>Change Request 6849</b>

**SUBJECT: Health Insurance Portability and Accountability Act (HIPAA) 005010 837 Institutional (837I) Edits and 005010 837 Professional (837P) Edits - July Version**

**I. SUMMARY OF CHANGES:** The purpose of this Change Request is to provide the July 2010 updated edits spreadsheets to specific Part A and Part B (A/B) MACs which are, as of this time, in a position to implement 005010, specifically the following Jurisdictions: J1, J3, J4, J5, J9, J10, J12, J13, and J14, as well as the Common Electronic Data Interchange contractor.

**EFFECTIVE DATE: July 1, 2010**

**IMPLEMENTATION DATE: July 6, 2010**

*Disclaimer for manual changes only: The revision date and transmittal number apply only to red italicized material. Any other material was previously published and remains unchanged. However, if this revision contains a table of contents, you will receive the new/revise information only, and not the entire table of contents.*

**II. CHANGES IN MANUAL INSTRUCTIONS:** (N/A if manual is not updated)

R=REVISED, N=NEW, D=DELETED.

<b>R/N/D</b>	<b>CHAPTER / SECTION / SUBSECTION / TITLE</b>
N/A	

**III. FUNDING:**

**For Fiscal Intermediaries (FIs), Regional Home Health Intermediaries (RHHIs) and/or Carriers:**

N/A

**For Medicare Administrative Contractors (MACs):**

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

**IV. ATTACHMENTS:**

**One-Time Notification**

*\*Unless otherwise specified, the effective date is the date of service.*

# Attachment – One-Time Notification

Pub. 100-20	Transmittal: 656	Date: March 19, 2010	Change Request: 6849
-------------	------------------	----------------------	----------------------

**SUBJECT: Health Insurance Portability and Accountability Act (HIPAA) 005010 837 Institutional (837I) Edits and 005010 837 Professional (837P) Edits - July Version**

**Effective Date: July 1, 2010**

**Implementation Date: July 6, 2010**

## I. GENERAL INFORMATION

**A. Background:** The purpose of this change request Change Request (CR) is to provide the July 2010 updated edits spreadsheets to specific Part A and Part B (A/B) MACs which are, as of this time, in a position to implement 005010, specifically the following Jurisdictions: J1, J3, J4, J5, J9, J10, J12, J13, and J14, as well as the Common Electronic Data Interchange (CEDI) contractor. Other MACs, not currently in a position to implement 005010, shall provide level of effort estimates only if they will be in a position to become 5010 operational prior to the effective date of this CR. A/B MACs currently in Corrective Action Plan or under a protest condition need not reply to this CR at this time. A future CR will address these MAC jurisdictions. Additionally, this CR directs Shared Systems and CEDI to implement the Common Edits Module (CEM) which will reside at the Local Data Center via the attached updated edits spreadsheets.

The July 2010 edits spreadsheets have been modified from previous versions. The worksheets tabs for “balancing” and “style sheet” have been removed from this version. The balancing edits have been incorporated into the body of the edit spreadsheet. The style sheet has been replaced with an “edit rule” worksheet tab. This new worksheet tab provides clarification of the guiding principles of the document as well as the details that users will need to know to understand how to use the edits document.

Contractors and shared systems maintainers shall use the attached edits spreadsheets as replacements for the original edits spreadsheets distributed with CRs 6475, 6476, 6610, 6611, and 6676. Contractors are not required to replicate work already done, but are only expected to use the updates to the spreadsheets to build upon their core deliverables from the above listed CRs. Contractors will find a detailed list of the spreadsheet changes in the “change log” worksheet tab.

Estimates for this CR should include a breakdown as part of the Level of Effort response, utilizing the following table to be included in the “Estimate-Specific Comments” portion of the LOE template, to follow the Investment Lifecycle Phases.

Investment Lifecycle Phase	Total Hours	Total Cost
Pre-Implementation/CR Review		
Design & Engineering Phase		
Development Phase		
Testing Phase		
Implementation Phase		

**NOTE:** The Pre-Implementation/CR Review costs will not be funded under the unique funding situation for the 5010/D.0 project, but instead out of the MAC’s pot of hours for Pre-Implementation/CR Review.

The CMS expects to implement ASC X12 version 005010 transaction over multiple releases. The intent is for CMS to be ready to exchange ASC X12 version 005010 transactions after December 31, 2010. During the



### III. PROVIDER EDUCATION TABLE

Number	Requirement	Responsibility (place an "X" in each applicable column)									
		A / B	D M E	F I	C A R R I E R	R H I	Shared-System Maintainers				OTHER
							F I S S	M C S	V M S	C W F	
	None.										

### IV. SUPPORTING INFORMATION

**Section A: for any recommendations and supporting information associated with listed requirements, use the box below:**

X-Ref Requirement Number	Recommendations or other supporting information:
	None.

**Section B: For all other recommendations and supporting information, use this space:**

The attached July version of the 837i and 837p edits spreadsheets are a result of an extensive edit consistency review along with incorporating appropriate POC comments previously received.

### V. CONTACTS

**Pre-Implementation Contact(s):** Matt Klischer, [Matthew.Klischer@cms.hhs.gov](mailto:Matthew.Klischer@cms.hhs.gov), 410.786.7488  
 Brian Reitz, [Brian.Reitz@cms.hhs.gov](mailto:Brian.Reitz@cms.hhs.gov), 410.786.5001

**Post-Implementation Contact(s):** Matt Klischer, [Matthew.Klischer@cms.hhs.gov](mailto:Matthew.Klischer@cms.hhs.gov), 410.786.7488  
 Brian Reitz, [Brian.Reitz@cms.hhs.gov](mailto:Brian.Reitz@cms.hhs.gov), 410.786.5001

### VI. FUNDING

**Section A: For *Fiscal Intermediaries (FIs)*, *Regional Home Health Intermediaries (RHHIs)*, and/or *Carriers*:**

N/A

**Section B: For *Medicare Administrative Contractors (MACs)*:**

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

### ATTACHMENTS (2)

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
ISA	INTERCHANGE CONTROL HEADER		1	R		1		TA1	R	TA105: 024 "Invalid Interchange Content".	ISA must be present.
ISA								TA1	R	TA105: 024 "Invalid Interchange Content".	Only one iteration of ISA is allowed.
ISA01	Authorization Information Qualifier	ID	2-2	R			00, 03	TA1	R	TA105: 010 "Invalid Authorization Information Qualifier Value".	ISA01 must be present.
ISA01								TA1	R	TA105: 010 "Invalid Authorization Information Qualifier Value".	ISA01 must be valid values.
ISA02	Authorization Information	AN	10-10	R				TA1	R	TA105: 011 "Invalid Authorization Information Value".	ISA02 must be present.
ISA02								TA1	R	TA105: 011 "Invalid Authorization Information Value".	ISA02 must be 10 characters.
ISA02								TA1	R	TA105: 011 "Invalid Authorization Information Value".	ISA02 must be populated with accepted AN characters.
ISA03	Security Information Qualifier	ID	2-2	R			00, 01	TA1	R	TA105: 012 "Security Information Qualifier Value".	ISA03 must be present.
ISA03								TA1	R	TA105: 012 "Security Information Qualifier Value".	ISA03 must be valid values.
ISA04	Security Information	AN	10-10	R				TA1	R	TA105: 013 "Security Information Value".	ISA04 must be present.
ISA04								TA1	R	TA105: 013 "Security Information Value".	ISA04 must be 10 characters.
ISA04								TA1	R	TA105: 013 "Security Information Value".	ISA04 must be populated with accepted AN characters.
ISA05	Interchange ID Qualifier	ID	2-2	R			01, 14, 20, 27, 28, 29, 30, 33, ZZ	TA1	R	TA105: 005 "Invalid Interchange ID Qualifier for Sender".	ISA05 must be present.
ISA05								TA1	R	TA105: 005 "Invalid Interchange ID Qualifier for Sender".	ISA05 must be "27", "28" or "ZZ".
ISA06	Interchange Sender ID	AN	15-15	R				TA1	R	TA105: 006 "Invalid Interchange Sender ID".	ISA06 must be present.
ISA06								TA1	R	TA105: 006 "Invalid Interchange Sender ID".	ISA06 must be 15 characters.
ISA06								TA1	R	TA105: 006 "Invalid Interchange Sender ID".	ISA06 must contain at least one non-space character.
ISA06								TA1	R	TA105: 006 "Invalid Interchange Sender ID".	ISA06 must be populated with accepted AN characters.
ISA07	Interchange ID Qualifier	ID	2-2	R			01, 14, 20, 27, 28, 29, 30, 33, ZZ	TA1	R	TA105: 007 "Invalid Interchange ID Qualifier for Receiver".	ISA07 must be present.
ISA07								TA1	R	TA105: 007 "Invalid Interchange ID Qualifier for Receiver".	ISA07 must be "27", "28" or "ZZ".
ISA08	Interchange Receiver ID	AN	15-15	R				TA1	R	TA105: 008 "Invalid Interchange Receiver ID".	ISA08 must be present.
ISA08								TA1	R	TA105: 008 "Invalid Interchange Receiver ID".	ISA08 must be 15 characters.
ISA08								TA1	R	TA105: 008 "Invalid Interchange Receiver ID".	ISA08 must contain at least one non-space character.
ISA08								TA1	R	TA105: 008 "Invalid Interchange Receiver ID".	ISA08 must be populated with accepted AN characters.
ISA09	Interchange Date	DT	6-6	R			YYMMDD	TA1	R	TA105: 014 "Invalid Interchange Date Value".	ISA09 must be present.
ISA09								TA1	R	TA105: 014 "Invalid Interchange Date Value".	ISA09 must be a valid date in YYMMDD format.
ISA09								TA1	R	TA105: 014 "Invalid Interchange Date Value".	ISA09 must be the date of the interchange; must not be a future date.
ISA10	Interchange Time	TM	4-4	R			HHMM	TA1	R	TA105: 015 "Invalid Interchange Time Value".	ISA10 must be present.
ISA10								TA1	R	TA105: 015 "Invalid Interchange Time Value".	ISA10 must be a valid time in HHMM format.
ISA11	Repetition Separator		1-1	R				TA1	R	TA105: 024 "Invalid Interchange Content".	ISA11 must be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
ISA11								TA1	R	TA105: 024 "Invalid Interchange Content".	ISA11 must be 1 character.
ISA11								TA1	R	TA105: 024 "Invalid Interchange Content".	ISA11 must contain at least one non-space character.
ISA12	Interchange Control Version Number	ID	5-5	R			00501	TA1	R	TA105: 017 "Invalid Interchange Version ID Value".	ISA12 must be present.
ISA12								TA1	R	TA105: 017 "Invalid Interchange Version ID Value".	ISA12 must be "00501".
ISA13	Interchange Control Number	N0	9-9	R				TA1	R	TA105: 018 "Invalid Interchange Control Number Value".	ISA13 must be present.
ISA13								TA1	R	TA105: 018 "Invalid Interchange Control Number Value".	ISA13 must be numeric.
ISA13								TA1	R	TA105: 018 "Invalid Interchange Control Number Value".	ISA13 must be 9 characters.
ISA13								TA1	R	TA105: 018 "Invalid Interchange Control Number Value".	ISA13 must be > 0.
ISA13								TA1	R	TA105: 018 "Invalid Interchange Control Number Value".	ISA13 must be unsigned.
ISA14	Acknowledgement Requested	ID	1-1	R			0, 1	TA1	R	TA105: 019 "Invalid Acknowledgment Requested Value".	ISA14 must be present.
ISA14								TA1	R	TA105: 019 "Invalid Acknowledgment Requested Value".	ISA14 must be valid values.
ISA15	Usage Indicator	ID	1-1	R			P, T	TA1	R	TA105: 020 "Invalid Test Indicator Value".	ISA15 must be present.
ISA15								TA1	R	TA105: 020 "Invalid Test Indicator Value".	ISA15 must be valid values.
ISA16	Component Element Separator		1-1	R				TA1	R	TA105: 027 "Invalid Component Element Separator".	ISA16 must be present.
ISA16								TA1	R	TA105: 027 "Invalid Component Element Separator".	ISA16 must be 1 character.
ISA16								TA1	R	TA105: 027 "Invalid Component Element Separator".	ISA16 must contain at least one non-space character.
ISA16								TA1	R	TA105: 027 "Invalid Component Element Separator".	ISA16 must be populated with accepted AN characters.
<b>GS</b>	<b>Functional Groups</b>					>1					
<b>GS</b>	<b>FUNCTIONAL GROUP HEADER</b>		1	R		1		TA1	R	TA105: 024 Invalid GS Segment	GS must be present.
<b>GS</b>								999	R	AK905: 1 "Functional Group Not Supported".	Only one iteration of GS is allowed.
GS01	Functional Identifier Code	ID	2-2	R			HC	999	R	AK905: 1 "Functional Group Not Supported".	GS01 must be present.
GS01	Functional Identifier Code	ID	2-2	R			HC	999	R	AK905: 1 "Functional Group Not Supported".	GS01 must be "HC".
GS02	Application Sender Code	AN	2-15	R				999	R	AK905: 14 "Unknown Security Originator".	GS02 must be present.
GS02								999	R	AK905: 14 "Unknown Security Originator".	GS02 must be 2 - 15 characters.
GS02								999	R	AK905: 14 "Unknown Security Originator".	GS02 must contain at least two non-space characters.
GS02								999	R	AK905: 14 "Unknown Security Originator".	GS02 must be populated with accepted AN characters.
GS03	Application Receiver Code	AN	2-15	R				999	R	AK905: 13 "Unknown Security Recipient".	GS03 must be present.
GS03								999	R	AK905: 13 "Unknown Security Recipient".	GS03 must be 2 - 15 characters.
GS03								999	R	AK905: 13 "Unknown Security Recipient".	GS03 must contain at least two non-space characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
GS03								999	R	AK905: 13 "Unknown Security Recipient".	GS03 must be populated with accepted AN characters.
GS04	Date	DT	8-8	R			CCYYMMDD	TA1	R	TA105: 024 Invalid GS Segment	GS04 must be present.
GS04								TA1	R	TA105: 024 Invalid GS Segment	GS04 must be a valid date in CCYYMMDD format.
GS04								TA1	R	TA105: 024 Invalid GS Segment	GS04 must be the date the functional group is created; must not be a future date.
GS05	Time	TM	4-8	R			HHMM	TA1	R	TA105: 024 Invalid GS Segment	GS05 must be present.
GS05								TA1	R	TA105: 024 Invalid GS Segment	GS05 must be a valid time in a valid format.
GS06	Group Control Number	NO	1-9	R				999	R	AK905: 6 "Group Control Number Violates Syntax".	GS06 must be present.
GS06								999	R	AK905: 6 "Group Control Number Violates Syntax".	GS06 must be numeric.
GS06								999	R	AK905: 6 "Group Control Number Violates Syntax".	GS06 must be > 0.
GS06								999	R	AK905: 6 "Group Control Number Violates Syntax".	GS06 must be <= 999,999,999.
GS06								999	R	AK905: 19 "Functional Group Control Number not Unique within Interchange.	GS06 must be unique within the interchange.
GS07	Responsible Agency Code	ID	1-2	R			X	TA1	R	TA105: 024 Invalid GS Segment	GS07 must be present.
GS07								TA1	R	TA105: 024 Invalid GS Segment	GS07 must be "X".
GS08	Version Identifier Code	AN	1-12	R			005010X222	999	R	AK905: 2 "Functional Group Version Not Supported"	GS08 must be present.
GS08								999	R	AK905: 2 "Functional Group Version Not Supported"	GS08 must be "005010X222".
ST	<b>Transaction Sets</b>					>1					
ST	<b>TRANSACTION SET HEADER</b>		1	R		>1		999	R	IK502: 6 "Missing or Invalid Transaction Set Identifier".	ST must be present.
ST								999	R	IK502: 1 "Transaction Set Not Supported".	Only one iteration of ST is allowed.
ST01	Transaction Set Identifier Code	ID	3-3	R			837	999	R	IK502: 6 "Missing or Invalid Transaction Set Identifier".	ST01 must be present.
ST01								999	R	IK502: 6 "Missing or Invalid Transaction Set Identifier".	ST01 must be "837".
ST02	Transaction Set Control Number	AN	4-9	R				999	R	IK502: 7 "Missing or Invalid Transaction Set Control Number".	ST02 must be present.
ST02								999	R	IK502: 7 "Missing or Invalid Transaction Set Control Number".	ST02 must be 4-9 characters.
ST02								999	R	IK502: 7 "Missing or Invalid Transaction Set Control Number".	ST02 must contain at least four non-space characters.
ST02								999	R	IK502: 7 "Missing or Invalid Transaction Set Control Number".	ST02 must be populated with accepted AN characters.
ST02								999	R	IK502: 23 "Transaction Set Control Number Not Unique within the Functional Group".	ST02 must be a unique number within the ISA-IEA envelope.
ST03	Implementation Guide Version Name	AN	1-35	R				999	R	IK502: 16 "Implementation Convention Not Supported".	ST03 must be present.
ST03								999	R	IK502: 16 "Implementation Convention Not Supported".	ST03 must be "005010X222".
BHT	<b>BEGINNING OF HIERARCHICAL TRANSACTION</b>		1	R		1		999	R	IK304 = 3: "Required Segment Missing"	BHT must be present.
BHT								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of BHT is allowed.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
BHT01	Hierarchical Structure Code	ID	4-4	R			0019	999	R	IK403 = 1: "Required Data Element Missing"	BHT01 must be present.
BHT01								999	R	IK403 = 7: "Invalid Code Value"	BHT01 must be "0019".
BHT02	Transaction Set Purpose Code	ID	2-2	R			00, 18	999	R	IK403 = 1: "Required Data Element Missing"	BHT02 must be present.
BHT02								999	R	IK403 = 7: "Invalid Code Value"	BHT02 must be valid values.
BHT03	Originator Application Transaction ID	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	BHT03 must be present.
BHT03								999	R	IK403 = 5: "Data Element Too Long"	BHT03 must be 1 - 30 characters.
BHT03								999	R	IK403 = 6: "Invalid Character in Data Element"	BHT03 must be populated with accepted AN characters.
BHT04	Transaction Set Creation Date	DT	8-8	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	BHT04 must be present.
BHT04								999	R	IK403 = 8: "Invalid Date"	BHT04 must be a valid date in CCYYMMDD format.
BHT05	Transaction Set Creation Time	TM	4-8	R			HHMM, HHMMSS, HHMMSSD, HHMMSSDD	999	R	IK403 = 1: "Required Data Element Missing"	BHT05 must be present.
BHT05								999	R	IK403 = 9: "Invalid Time"	BHT05 must a valid time in a valid time format.
BHT06	Claim or Encounter ID	ID	2-2	R			31, CH, RP	999	R	IK403 = 1: "Required Data Element Missing"	BHT06 must be present.
BHT06								999	R	IK403 = 7: "Invalid Code Value"	BHT06 must be "CH".
	<b>SUBMITTER NAME loop</b>		<b>1</b>	<b>R</b>	<b>1000A</b>	<b>1</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 1000A is allowed.</b>
<b>NM1</b>	<b>SUBMITTER NAME</b>							<b>999</b>	<b>R</b>	<b>IK304 = 3: "Required Segment Missing"</b>	<b>1000A.NM1 must be present.</b>
NM101	Entity Identifier Code	ID	2-3	R			41	999	R	IK403 = 1: "Required Data Element Missing"	1000A.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	1000A.NM101 must be "41".
NM102	Entity Type Qualifier	ID	1-1	R			1, 2	999	R	IK403 = 1: "Required Data Element Missing"	1000A.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	1000A.NM102 must be valid values.
NM103	Submitter Last or Organization Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	1000A.NM103 must be present.
NM103								999	R	IK403 = 5: "Data Element Too Long"	1000A.NM103 must be 1 - 60 characters.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM103 must contain at least one non-space character.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM103 must be populated with accepted AN characters.
NM104	Submitter First Name	AN	1-35	S				999	R	IK403 = I13: "Implementation Dependent "Not Used" Data Element Present"	If 1000A.NM102 is "2", 1000A.NM104 must not be present.



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM104								999	R	IK403 = 5: "Data Element Too Long"	1000A.NM104 must be 1 - 35 characters.
NM104								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM104 must contain at least one non-space character.
NM104								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM104 must be populated with accepted AN characters.
NM105	Submitter Middle Name	AN	1-25	S				999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM105 must contain at least one non-space character.
NM105								999	R	IK403 = I13: "Implementation Dependent "Not Used" Data Element Present"	If 1000A.NM102 is "2", 1000A.NM105 must not be present.
NM105								999	R	IK403 = 5: "Data Element Too Long"	1000A.NM105 must be 1 - 25 characters.
NM105								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM105 must be populated with accepted AN characters.
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM108	Identification Code Qualifier	ID	1-2	R			46	999	R	IK403 = 1: "Required Data Element Missing"	1000A.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	1000A.NM108 must be "46".
NM109	Submitter Identifier	AN	2-80	R				999	R	IK403 = 1: "Required Data Element Missing"	1000A.NM109 must be present.
NM109								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM109 must contain at least two non-space characters.
NM109								999	R	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	1000A.NM109 must be 2-80 characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM109								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM109 must be populated with accepted AN characters.
NM109								999	R	IK403 = I12: "Implementation Pattern Match Failure"	1000A.NM109 must be an approved electronic submitter.
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PER	<b>SUBMITTER EDI CONTACT INFORMATION</b>		2	R	1000A			999	R	IK304 = 3: "Required Segment Missing"	1000A.PER must be present.
PER	<b>SUBMITTER EDI CONTACT INFORMATION</b>							999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 1000A.PER are allowed.
PER01	Contact Function Code	ID	2-2	R			IC	999	R	IK403 = 1: "Required Data Element Missing"	1000A.PER01 must be present.
PER01								999	R	IK403 = 7: "Invalid Code Value"	1000A.PER01 must be "IC".
PER02	Submitter Contact Name	AN	1-60	S				999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER02 must contain at least one non-space character.
PER02								999	R	IK403 = I12: "Implementation Pattern Match Failure"	For the 1st 1000A.PER transmitted, 1000A.PER02 must not = 1000A.NM103.
PER02								999	R	IK403 = I13: "Implementation Dependent "Not Used" Data Element Present"	For the 2nd 1000A.PER transmitted, 1000A.PER02 must not be present.
PER02								999	R	IK403 = 5: "Data Element Too Long"	1000A.PER02 must be 1 - 60 characters.
PER02								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER02 must be populated with accepted AN characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
PER03	Communication Number Qualifier	ID	2-2	R			EM, FX, TE	999	R	IK403 = 1: "Required Data Element Missing"	1000A.PER03 must be present.
PER03								999	R	IK403 = 7: "Invalid Code Value"	1000A.PER03 must be valid values.
PER04	Communication Number	AN	1-256	R				999	R	IK403 = 1: "Required Data Element Missing"	1000A.PER04 must be present.
PER04								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER04 must contain at least one non-space character.
PER04								999	R	IK403 = 5: "Data Element Too Long"	1000A.PER04 must be 1 - 256 characters.
PER04								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER04 must be populated with accepted AN characters.
PER05	Communication Number Qualifier	ID	2-2	S			EM, EX, FX, TE	999	R	IK403 = 7: "Invalid Code Value"	1000A.PER05 must be valid values.
PER05								999	R	IK403 = 7: "Invalid Code Value"	If 1000A.PER05 is "EX", 1000A.PER03 must be "TE".
PER06	Communication Number	AN	1-256	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 1000A.PER06 is present, 1000A.PER05 must be present.
PER06								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER06 must contain at least one non-space character.
PER06								999	R	IK403 = 5: "Data Element Too Long"	1000A.PER06 must be 1 - 256 characters.
PER06								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER06 must be populated with accepted AN characters.
PER07	Communication Number Qualifier	ID	2-2	S			EM, EX, FX, TE	999	R	IK403 = 10: "Exclusion Condition Violated"	If 1000A.PER05 is present, 1000A.PER07 may be present.
PER07								999	R	IK403 = 7: "Invalid Code Value"	1000A.PER07 must be valid values.
PER07								999	R	IK403 = 7: "Invalid Code Value"	If 1000A.PER07 is "EX", 1000A.PER05 must be "TE".
PER08	Communication Number	AN	1-256	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 1000A.PER08 is present, 1000A.PER07 must be present.
PER08								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER08 must contain at least one non-space character.
PER08								999	R	IK403 = 5: "Data Element Too Long"	1000A.PER08 must be 1 - 256 characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
PER08								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER08 must be populated with accepted AN characters.
PER09	Contact Inquiry Reference	AN	1-20	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
	<b>RECEIVER NAME Loop</b>		<b>1</b>	<b>R</b>	<b>1000B</b>	<b>1</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 1000B is allowed.</b>
<b>NM1</b>	<b>RECEIVER NAME</b>							<b>999</b>	<b>R</b>	<b>IK304 = 3: "Required Segment Missing"</b>	<b>1000B.NM1 must be present.</b>
NM101	Entity Identifier Code	ID	2-3	R			40	999	R	IK403 = 1: "Required Data Element Missing"	1000B.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	1000B.NM101 must be "40".
NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	1000B.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	1000B.NM102 must be "2".
NM103	Receiver Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	1000B.NM103 must be present.
NM103								999	R	IK403 = 5: "Data Element Too Long"	1000B.NM103 must be 1 - 60 characters.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	1000B.NM103 must be populated with accepted AN characters.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	1000B.NM103 must contain at least one non-space character.
NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM108	Identification Code Qualifier	ID	1-2	R			46	999	R	IK403 = 1: "Required Data Element Missing"	1000B.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	1000B.NM108 must be "46".
NM109	Receiver Primary Identifier	AN	2-80	R				999	R	IK403 = 1: "Required Data Element Missing"	1000B.NM109 must be present.
NM109								999	R	IK403 = I12: "Implementation Pattern Match Failure"	1000B.NM109 must be <b>[contractor put receiver code here]</b>
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
	<b>BILLING PROVIDER Loop</b>				2000A	>1		999	R	IK304 = I7: "Implementation Loop Occurs Under Minimum Times"	2000A must be present.
	<b>BILLING PROVIDER HIERARCHICAL LEVEL</b>				2000A	1		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2000A is allowed.
HL	<b>BILLING PROVIDER HIERARCHICAL LEVEL</b>		1	R	2000A	1		999	R	IK304 = 3: "Required Segment Missing"	2000A.HL must be present.
HL								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2000A.HL is allowed.
HL01	Hierarchical ID Number	AN	1-12	R				999	R	IK403 = 1: "Required Data Element Missing"	2000A.HL01 must be present.
HL01								999	R	IK403 = 5: "Data Element Too Long"	2000A.HL01 must be 1 - 12 characters.
HL01								999	R	IK403 = 6: "Invalid Character in Data Element"	2000A.HL01 must be numeric.
HL01								999	R	IK403 = 7: "Invalid Code Value"	The first HL01 must be "1".
HL02	Hierarchical Parent ID Number	AN	1-12	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HL03	Hierarchical Level Code	ID	1-2	R			20	999	R	IK403 = 1: "Required Data Element Missing"	2000A.HL03 must be present.
HL03								999	R	IK403 = 7: "Invalid Code Value"	2000A.HL03 must be "20".
HL04	Hierarchical Child Code	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2000A.HL04 must be present.
HL04								999	R	IK403 = 7: "Invalid Code Value"	2000A.HL04 must be "1".
PRV	<b>BILLING PROVIDER SPECIALTY INFORMATION</b>		1	S	2000A			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2000A.PRV is allowed.
PRV01	Provider Code	ID	1-3	R			BI	999	R	IK403 = 1: "Required Data Element Missing"	2000A.PRV01 must be present.
PRV01								999	R	IK403 = 7: "Invalid Code Value"	2000A.PRV01 must be "BI".
PRV02	Reference Identification Qualifier	ID	2-3	R			PXC	999	R	IK403 = 1: "Required Data Element Missing"	2000A.PRV02 must be present.
PRV02								999	R	IK403 = 7: "Invalid Code Value"	2000A.PRV02 must be "PXC".
PRV03	Provider Taxonomy Code	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2000A.PRV03 must be present.
PRV03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 145: "Entity's specialty/taxonomy code" EIC: 85 Billing Provider	2000A.PRV03 must be a valid Provider Taxonomy Code
PRV04	State or Province Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PRV05	PROVIDER SPECIALTY INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PRV06	Provider Organization Code	ID	3-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CUR	<b>FOREIGN CURRENCY INFORMATION</b>		1	S	2000A			999	E	IK304 = I4: "Implementation "Not Used" Segment Present"	2000A.CUR must not be present.
CUR								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 681: "Claim Currency Not Supported"	

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
	<b>Billing Provider Name Loop</b>		1	R	2010AA	1		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2010AA is allowed.
NM1	<b>Billing Provider Name</b>							999	R	IK304 = 3: "Required Segment Missing"	2010AA.NM1 must be present.
NM101	Entity Identifier Code	ID	2-3	R			85	999	R	IK403 = 1: "Required Data Element Missing"	2010AA.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2010AA.NM101 must be "85".
NM102	Entity Type Qualifier	ID	1-1	R			1, 2	999	R	IK403 = 1: "Required Data Element Missing"	2010AA.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2010AA.NM102 must be valid values.
NM103	Billing Provider Last or Organizational Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AA.NM103 must be present.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.NM103 must contain at least one non-space character.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2010AA.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" FIC: 85 Billing Provider	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.NM103 must be populated with accepted AN characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" FIC: 85 Billing Provider	
NM104	Billing Provider First Name	AN	1-35	S				999	E	IK403 = I13: "Implementation Dependent "Not Used" Data Element Present"	If 2010AA.NM102 is "2", 2010AA.NM104 must not be present.
NM104								277	T	CSCC: A8 "Acknowledgement / Rejected for relational field..." CSC 505: "Entity's First Name"	
NM104								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.NM104 must contain at least one non-space character.
NM104								999	E	IK403 = 5: "Data Element Too Long"	2010AA.NM104 must be 1 - 35 characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" FIC: 85 Billing Provider	
NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.NM104 must be populated with accepted AN characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" FIC: 85 Billing Provider	
NM105	Billing Provider Middle Name	AN	1-25	S				999	E	IK403 = I13: "Implementation Dependent "Not Used" Data Element Present"	If 2010AA.NM102 is "2", 2010AA.NM105 must not be present.
NM105								277	T	CSCC: A8 "Acknowledgement / Rejected for relational field..." CSC 514: "Entity's Middle Name"	
NM105								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.NM105 must contain at least one non-space character.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM105								999	E	IK403 = 5: "Data Element Too Long"	2010AA.NM105 must be 1 - 25 characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: 85 Billing Provider	
NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.NM105 must be populated with accepted AN characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: 85 Billing Provider	
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Billing Provider Name Suffix	AN	1-10	S				999	E	IK403 = I13: "Implementation Dependent "Not Used" Data Element Present"	If 2010AA.NM102 is "2", 2010AA.NM107 must not be present.
NM107								277	T	CSCC A8: "Acknowledgement / Rejected for relational field in error." CSC 125: "Entity's Name" EIC: 85 Billing Provider	
NM107								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.NM107 must contain at least one non-space character.
NM107								999	E	IK403 = 5: "Data Element Too Long"	2010AA.NM107 must be 1 - 10 characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: 85 Billing Provider	
NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.NM107 must be populated with accepted AN characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name"	
NM108	Identification Code Qualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error." TBD01: "Situational segment/element required for adjudication." EIC: 85 Billing Provider	2010AA.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier".
NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: 85 Billing Provider	2010AA.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	2010AA.NM108 must be "XX".
NM109	Billing Provider Identifier	AN	2-80	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2010AA.NM109 must be present if 2010AA.NM108 is present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 85_Billing Provider	2010AA.NM109 must be valid according to the NPI algorithm.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 85_Billing Provider	2010AA.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 85_Billing Provider	The first position of 2010AA.NM109 must be a "1".
NM109								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2010AA.NM109 billing provider must be "associated" to the submitter (from a trading partner management perspective) in 1000A.NM109.
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N3	<b>BILLING PROVIDER ADDRESS</b>		1	R	2010AA			999	R	IK304 = 3: "Required Segment Missing"	2010AA.N3 must be present.
N3								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010AA.N3 is allowed.
N301	Billing Provider Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AA.N301 must be present.
N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.N301 must contain at least one non-space character.
N301								999	E	IK403 = 5: "Data Element Too Long"	2010AA.N301 must be 1 - 55 characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 126: "Entity's Address" EIC: 85_Billing Provider	
N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.N301 must be populated with accepted AN characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: 85_Billing Provider	
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 503: "Entity's Street Address"	2010AA.N301 must not contain the following exact phrases (not case sensitive): "Post Office Box", "P.O. Box", "PO Box", "P O Box", "Lock Box", "Lock Bin".
N302	Billing Provider Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.N302 must contain at least one non-space character.
N302								999	E	IK403 = 5: "Data Element Too Long"	2010AA.N302 must be 1 - 55 characters.



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 126: "Entity's Address" EIC: 85 Billing Provider	
N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.N302 must be populated with accepted AN characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: 85 Billing Provider	
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 503: "Entity's Street Address" EIC: 85 Billing Provider	2010AA.N302 must not contain the following exact phrases (not case sensitive): "Post Office Box", "P.O. Box", "PO Box", "P O Box", "Lock Box", "Lock Bin".
N4	<b>BILLING PROVIDER CITY/STATE/ZIP CODE</b>		1	R	2010AA			999	R	<b>IK304 = 3: "Required Segment Missing"</b>	<b>2010AA.N4 must be present.</b>
N4								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2010AA.N4 is allowed.</b>
N401	Billing Provider City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AA.N401 must be present.
N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.N401 must contain at least two non-space characters.
N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2010AA.N401 must be 2-30 characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" EIC: 85 Billing Provider	
N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.N401 must be populated with accepted AN characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" EIC: 85 Billing Provider	
N402	Billing Provider State or Province Code	ID	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2010AA.N404 is not present, 2010AA.N402 must be present.
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" EIC: 85 Billing Provider	2010AA.N402 must be a valid State Code.
N403	Billing Provider Postal Zone or ZIP Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2010AA.N404 is not present, 2010AA.N403 must be present.
N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC: 85 Billing Provider	2010AA.N403 must be a valid 9 digit Zip Code.
N404	Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>BILLING PROVIDER TAX IDENTIFICATION</b>		1	R	2010AA			999	R	IK304 = 3: "Required Segment Missing"	2010AA.REF must be present.
REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010AA.REF with REF01 = "EI" or "SY" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			EI, SY	999	R	IK403 = 1: "Required Data Element Missing"	2010AA.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2010AA.REF01 must be valid values.
REF02	Billing Provider Additional Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AA.REF02 must be present.
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 128: "Entity's tax id" EIC: 85 Billing Provider	
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 128: "Entity's tax id" EIC: 85 Billing Provider	2010AA.REF02 must be nine digits with no punctuation.
REF02								277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" CSC 562: "Entity's National Provider Identifier (NPI)" CSC 128: "Entity's tax id" EIC: 85 Billing Provider	2010AA.REF must be associated with the provider identified in 2010AA.NM109
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>BILLING PROVIDER UPIN/LICENSE INFORMATION</b>		2	S	2010AA			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	2010AA.REF with REF01 = "1G" may be present when 2010AA.NM1 is present and 2010AA.NM109 is not present.
REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Only one iteration of 2010AA.REF with REF01 = "1G" is allowed.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF								999	R	IK304 = 19: "Implementation Dependent "Not Used" Segment Present"	2010AA.REF must not be present.
REF01	Reference Identification Qualifier	ID	2-3	R			0B, 1G	999	R	IK403 = 1: "Required Data Element Missing"	2010AA.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2010AA.REF01 must be "1G".
REF02	Billing Provider Additional Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AA.REF02 must be present.
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 164: "Entity's contract/member number" FIC: 85 Billing Provider	When 2010AA.REF01 = "1G", 2010AA.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).
REF03	Description	AN	1-80	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
PER	<b>BILLING PROVIDER CONTACT INFORMATION</b>		2	S	2010AA			999	R	IK304 = 19: "Implementation Dependent 'not used' Segment Present"	If 2010AA.NM1 is present, 2010AA.PER may be present.
PER								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2010AA.PER are allowed.
PER01	Contact Function Code	ID	2-2	R			IC	999	R	IK403 = 1: "Required Data Element Missing"	2010AA.PER01 must be present.
PER01								999	R	IK403 = 7: "Invalid Code Value"	2010AA.PER01 must be "IC".
PER02	Billing Provider Contact Name	AN	1-60	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	For the 1st 2010AA.PER transmitted, 2010AA.PER02 must be present.
PER02								999	R	IK403 = 113: "Implementation Dependent "Not Used" Data Element Present"	For the 2nd 2010AA.PER transmitted, 2010AA.PER02 must not be present.
PER02								999	R	IK403 = 10: "Exclusion Condition Violated"	2010AA.PER02 must not = 1000A.PER02.
PER02								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER02 must contain at least one non-space character.
PER02								999	E	IK403 = 5: "Data Element Too Long"	2010AA.PER02 must be 1 - 60 characters.
PER02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 561: "Entity's Contact Name" FIC: 85 Billing Provider	
PER02								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER02 must be populated with accepted AN characters.
PER02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 561: "Entity's Contact Name" FIC: 85 Billing Provider	
PER03	Communication Number Qualifier	ID	2-2	R			EM, FX, TE	999	R	IK403 = 1: "Required Data Element Missing"	2010AA.PER03 must be present.
PER03								999	R	IK403 = 7: "Invalid Code Value"	2010AA.PER03 must be valid values.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
PER04	Communication Number	AN	1-256	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AA.PER04 must be present.
PER04								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER04 must contain at least one non-space character.
PER04								999	E	IK403 = 5: "Data Element Too Long"	2010AA.PER04 must be 1 - 256 characters.
PER04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 127: "Entity's Phone Number" EIC: 85 Billing Provider	
PER04								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER04 must be populated with accepted AN characters.
PER04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" EIC: 85 billing Provider	
PER05	Communication Number Qualifier	ID	2-2	S			EM, EX, FX, TE	999	R	IK403 = 7: "Invalid Code Value"	2010AA.PER05 must be valid values.
PER05								999	R	IK403 = 7: "Invalid Code Value"	If 2010AA.PER05 is "EX" 2010AA.PER03 must be "TE"
PER06	Communication Number	AN	1-256	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2010AA.PER05 is present 2010AA.PER06 must be present.
PER06								999	E	IK403 = 5: "Data Element Too Long"	2010AA.PER04 must be 1 - 256 characters.
PER06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 127: "Entity's Phone Number"	
PER06								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER06 must contain at least one non-space character.
PER06								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER06 must be populated with accepted AN characters.
PER06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" EIC: 85 billing Provider	
PER07	Communication Number Qualifier	ID	2-2	S			EM, EX, FX, TE	999	R	IK403 = 10: "Exclusion Condition Violated"	If 2010AA.PER05 is present, 2010AA.PER07 may be present.
PER07								999	R	IK403 = 7: "Invalid Code Value"	2010AA.PER07 must be valid values.
PER07								999	R	IK403 = 7: "Invalid Code Value"	If 2010AA.PER07 is "EX", 2010AA.PER05 must be "TE".
PER08	Communication Number	AN	1-256	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2010AA.PER07 is present, 2010AA.PER08 must be present.
PER08								999	E	IK403 = 5: "Data Element Too Long"	2010AA.PER08 must be 1 - 256 characters.
PER08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" EIC: 85 billing Provider	
PER08								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER08 must contain at least one non-space character.
PER08								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER08 must be populated with accepted AN characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
PER08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" EIC: 85 billing Provider	
PER09	Contact Inquiry Reference	AN	1-20	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM1	<b>PAY-TO ADDRESS NAME</b>		<b>1</b>	<b>S</b>	<b>2010AB</b>	<b>1</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2010AB.NM1 is allowed.</b>
NM101	Entity Identifier Code	ID	2-3	R			87	999	R	IK403 = 1: "Required Data Element Missing"	2010AB.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2010AB.NM101 must be "87".
NM102	Entity Type Qualifier	ID	1-1	R			1, 2	999	R	IK403 = 1: "Required Data Element Missing"	2010AB.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2010AB.NM102 must be valid values.
NM103	Pay-to Provider Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM104	Pay-to Provider First Name	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM105	Pay-to Provider Middle Name	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Pay-to Provider Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM108	Identification Code Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM109	Pay-to Provider Identifier	AN	2-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N3	<b>PAY-TO ADDRESS</b>		<b>1</b>	<b>R</b>	<b>2010AB</b>			<b>999</b>	<b>R</b>	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2010AB.NM1 is present, 2010AB.N3 must be present.</b>
N3								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010AB.N3 is allowed.
N301	Pay-to Provider Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AB.N301 must be present.
N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AB.N301 must contain at least one non-space character.
N301								999	E	IK403 = 5: "Data Element Too Long"	2010AB.N301 must be 1 - 55 characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 126: "Entity's Address" EIC: 87 Pay-to Provider	
N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AB.N301 must be populated with accepted AN character.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: 87 Pay-to Provider	

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N302	Pay-to Provider Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2010AB.N302 must contain at least one non-space character.
N302								999	E	IK403 = 5: "Data Element Too Long"	2010AB.N302 must be 1 - 55 characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 126: "Entity's Address"	
N302								277	T	for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" EIC: 87 Pay-to Provider	
N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AB.N302 must be populated with accepted AN character.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: 87 Pay-to Provider	
N4	PAY-TO ADDRESS CITY/STATE/ZIP CODE		1	R	2010AB			999	R	IK304 = 16: "Implementation Dependent Segment Missing"	If 2010AB.NM1 is present, 2010AB.N4 must be present.
N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010AB.N4 is allowed.
N401	Pay-to Address City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AB.N401 must be present.
N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AB.N401 must contain at least two non-space characters.
N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2010AB.N401 must be 2-30 characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" EIC: 87 Pay-to Provider	
N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AB.N401 must be populated with accepted AN characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" EIC: 87 Pay-to Provider	
N402	Pay-to Address State Code	ID	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2010AB.N404 is not present, 2010AB.N402 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province Code" EIC: 87 Pay-to Provider	2010AB.N402 must be a valid State Code.
N403	Pay-to Address Postal Zone or ZIP Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2010AB.N404 is not present, 2010AB.N403 must be present.
N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC: 87 Pay-to Provider	N403 must be a valid Zip Code.
N404	Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM1	PAY-TO PLAN NAME		1	S	2010AC			277	T	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restrictions on the number of repetitions"	2010AC.NM1 must not be present
N3	PAY-TO PLAN ADDRESS		1	R	2010AC			277	T	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restrictions on the number of repetitions"	2010AC.N3 must not be present.
N4	PAY-TO PLAN CITY/STATE/ZIP CODE		1	R	2010AC			277	T	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restrictions on the number of repetitions"	2010AC.N4 must not be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF	PAY-TO PLAN SECONDARY IDENTIFICATION NUMBER		1	R	2010AC			277	T	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restrictions on the number of repetitions"	2010AC.REF must not be present.
REF	PAY-TO PLAN TAX IDENTIFICATION NUMBER		1	R	2010AC			277	T	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restrictions on the number of repetitions"	2010AC.REF must not be present.
	SUBSCRIBER Loop				2000B	>1		999	R	IK304 = 17: "Implementation Loop Occurs Under Minimum Times"	2000B must be present.
HL	SUBSCRIBER HIERARCHICAL LEVEL		1	R	2000B	1		999	R	IK304 = 3: "Required Segment Missing"	2000B.HL must be present.
HL								999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2000B.HL is allowed.
HL01	Hierarchical ID Number	AN	1-12	R				999	R	IK403 = 1: "Required Data Element Missing"	2000B.HL01 must be present.
HL01								999	R	IK403 = 5: "Data Element Too Long"	2000B.HL01 must be 1 - 12 characters.
HL01								999	R	IK403 = 6: "Invalid Character in Data Element"	2000B.HL01 must be numeric.
HL01								999	R	IK403 = 112: "Implementation Pattern Match Failure"	2000B.HL01 must be equal the value of the previous HL01 (2000A.HL01) plus one.
HL02	Hierarchical Parent ID Number	AN	1-12	R				999	R	IK403 = 1: "Required Data Element Missing"	2000B.HL02 must be present.
HL02								999	R	IK403 = 112: "Implementation Pattern Match Failure"	2000B.HL02 must be equal to the value of the HL01 (2000A.HL01) of the parent HL.
HL03	Hierarchical Level Code	ID	1-2	R			22	999	R	IK403 = 1: "Required Data Element Missing"	2000B.HL03 must be present.
HL03								999	R	IK403 = 7: "Invalid Code Value"	2000B.HL03 must be "22".
HL04	Hierarchical Child Code	ID	1-1	R			0, 1	999	R	IK403 = 1: "Required Data Element Missing"	2000B.HL04 must be present.
HL04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2000B.HL04 must be "0".
SBR	SUBSCRIBER INFORMATION		1	R	2000B	1		999	R	IK304 = 3: "Required Segment Missing"	2000B.SBR must be present.
SBR								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2000B.SBR is allowed.
SBR01	Payer Responsibility Sequence Number Code	ID	1-1	R			A, B, C, D, E, F, G, H, P, S, T, U	999	R	IK403 = 1: "Required Data Element Missing"	2000B.SBR01 must be present.
SBR01								999	R	IK403 = 7: "Invalid Code Value"	2000B.SBR01 must be valid values.
SBR01								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2000B.SBR01 must be "S" or "P".



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SBR01								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 286: "Other payer's Explanation of Benefits/payment information"	If 2000B.SBR01 = "S" there must be at least one 2320.SBR01 with a value equal to "P".
SBR02	Individual Relationship Code	ID	2-2	S			18	999	R	IK403 = 1: "Required Data Element Missing"	2000B.SBR02 must be present.
SBR02							18	999	R	IK403 = 7: "Invalid Code Value"	2000B.SBR02 must be "18".
SBR03	Subscriber Group or Policy Number	AN	1-50	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2000B.SBR03 must contain at least one non-space character.
SBR03								999	E	IK403 = 5: "Data Element Too Long"	2000B.SBR03 must be 1 - 50 characters.
SBR03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 163: "Entity's Policy Number" EIC: IL Subscriber	
SBR03								999	E	IK403 = 6: "Invalid Character in Data Element"	2000B.SBR03 must be populated with accepted AN characters.
SBR03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 163: "Entity's policy number" EIC: IL Subscriber	
SBR04	Insured Group Name	AN	1-60	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2000B.SBR03 is present, 2000B.SBR04 must not be present.
SBR04								999	R	IK403 = 6: "Invalid Character in Data Element"	2000B.SBR04 must contain at least one non-space character.
SBR04								999	E	IK403 = 5: "Data Element Too Long"	2000B.SBR04 must be 1 - 60 characters.
SBR04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 663: "Entity's Group Name" EIC: IL Subscriber	
SBR04								999	E	IK403 = 6: "Invalid Character in Data Element"	2000B.SBR04 must be populated with accepted AN characters.
SBR04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 663: "Entity's Group Name" EIC: IL Subscriber	
SBR05	Insurance Type Code	ID	1-3	S				999	R	IK403 = 7: "Invalid Code Value"	2000B.SBR05 must be valid values.
SBR05							12, 13, 14, 15, 16, 41, 42, 43, 47	999	E	IK403 = 2 "Conditional Required Data Element Missing"	If 2000B.SBR01 is "P", 2000B.SBR05 must not be present.
SBR05								277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" CSC 578: "Insurance Type Code" EIC: IL Subscriber	If 2000B.SBR01 is not "P", 2000B.SBR05 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SBR06	Coordination of Benefits Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SBR07	Yes/No Condition or Response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SBR08	Employment Status Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SBR09	Claim Filing Indicator Code	ID	1-2	S			11, 12, 13, 14, 15, 16, 17, AM, BL, CH, CI, DS, FI, HM, LM, MA, MB, MC, OF, TV, VA, WC, ZZ	277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2000B.SBR09 must be "MB".
<b>PAT</b>	<b>PATIENT INFORMATION</b>		<b>1</b>	<b>S</b>	<b>2000B</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2000B.PAT is allowed.</b>
PAT01	Individual Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PAT02	Patient Location Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PAT03	Employment Status Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PAT04	Student Status Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PAT05	Date Time Period Format Qualifier	ID	2-3	S			D8	999	R	IK403 = 7: "Invalid Code Value"	2000B.PAT05 must be "D8"
PAT06	Patient Death Date	AN	1-35	S			CCYYMMDD	999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2000B.PAT05 is present, 2000B.PAT06 must be present.
PAT06								999	R	IK403 = 8: "Invalid Date"	2000B.PAT06 must be a valid date in CCYYMMDD format.
PAT07	Unit or Basis for Measurement Code	ID	2-2	S			01	999	R	IK403 = 7: "Invalid Code Value"	2000B.PAT07 must be "01".
PAT08	Patient Weight	R	1-10	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2000B.PAT07 is present, 2000B.PAT08 must be present.
PAT08								999	E	IK403 = 5: "Data Element Too Long"	2000B.PAT08 must be > 0 and <= 9,999.99
PAT08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 273: "Weight" EIC: II Subscriber	
PAT08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 273: "Weight" EIC: II Subscriber	2000B.PAT08 is limited to 0, 1 or 2 decimal positions.
PAT09	Pregnancy Indicator	ID	1-1	S			Y	999	R	IK403 = 7: "Invalid Code Value"	2000B.PAT09 must be "Y".
<b>NM1</b>	<b>SUBSCRIBER NAME</b>		<b>1</b>	<b>R</b>	<b>2010BA</b>	<b>1</b>		<b>999</b>	<b>R</b>	<b>IK304 = 3: "Required Segment Missing"</b>	<b>2010BA.NM1 must be present.</b>
<b>NM1</b>								<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2010BA.NM1 allowed.</b>
NM101	Entity Identifier Code	ID	2-3	R			IL	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2010BA.NM101 must be "IL".
NM102	Entity Type Qualifier	ID	1-1	R			1, 2	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.NM102 must be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM102								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2010BA.NM102 must be "1".
NM103	Subscriber Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BA.NM103 must be present.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM103 must contain at least one non-space character.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2010BA.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: II Subscriber	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM103 must be populated with accepted AN characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: II Subscriber	
NM104	Subscriber First Name	AN	1-35	S				277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." CSC 505: "Entity's First Name" EIC: II Subscriber	2010BA.NM104 must be present.
NM104								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM104 must contain at least one non-space character.
NM104		AN	1-35	S				999	E	IK403 = 5: "Data Element Too Long"	2010BA.NM104 must be 1 - 35 characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" EIC: II Subscriber	
NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM104 must be populated with accepted AN characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC: II Subscriber	
NM105	Subscriber Middle Name or Initial	AN	1-25	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM105 must contain at least one non-space character.
NM105								999	E	IK403 = 5: "Data Element Too Long"	2010BA.NM105 must be 1 - 25 characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: II Subscriber	
NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM105 must be populated with accepted AN characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: IL Subscriber	
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Subscriber Name Suffix	AN	1-10	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM107 must contain at least one non-space character.
NM107								999	E	IK403 = 5: "Data Element Too Long"	2010BA.NM107 must be 1 - 10 characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: IL Subscriber	
NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM107 must be populated with accepted AN characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: IL Subscriber	
NM108	Identification Code Qualifier	ID	1-2	R			II, MI	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	2010BA.NM108 must be "MI".
NM109	Subscriber Primary Identifier	AN	2-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BA.NM109 must be present.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 164: "Entity's contract/member number" EIC: IL Subscriber	If Medicare IDs:  2010BA.NM109 must be 10 - 11 positions in the format of NNNNNNNNNA or NNNNNNNNNAA or NNNNNNNNNAN where "A" represents an alpha character and "N" represents a numeric digit.  OR  If Railroad IDs:  2010BA.NM109 must be 7 - 12 positions in the format of ANNNNNN or AANNNNNN or AANNNNNNNN or AAANNNNNN or AAANNNNNNNN where "A" represents an alpha character and "N" represents a numeric digit.
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
N3	<b>SUBSCRIBER ADDRESS</b>		1	R	2010BA			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	Only one iteration of 2010BA.N3 is allowed.
N301	Subscriber Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BA.N301 must be present.
N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.N301 must contain at least one non-space character.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N301								999	E	IK403 = 5: "Data Element Too Long"	2010BA.N301 must be 1 - 55 characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street Address" EIC: II Subscriber	
N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.N301 must be populated with accepted AN characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: II Subscriber	
N302	Subscriber Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.N302 must contain at least one non-space character.
N302								999	E	IK403 = 5: "Data Element Too Long"	2010BA.N302 must be 1 - 55 characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street Address" EIC: II Subscriber	
N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.N302 must be populated with accepted AN characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: II Subscriber	
N4	<b>SUBSCRIBER CITY/STATE/ZIP CODE</b>		1	R	2010BA			999	R	IK304 = 3: "Required Segment Missing"	2010BA.N4 must be present.
N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010BA.N4 is allowed.
N401	Subscriber City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BA.N401 must be present.
N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.N401 must contain at least two non-space characters.
N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2010BA.N401 must be 2-30 characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" EIC: II Subscriber	
N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.N401 must be populated with accepted AN characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" EIC: II Subscriber	
N402	Subscriber State Code	ID	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2010BA.N404 is not present, 2010BA.N402 must be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" EIC: IL Subscriber	2010BA.N402 must be a valid State Code.
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" EIC: IL Subscriber	2010BA.N402 must be a valid state or province code.
N403	Subscriber Postal Zone or ZIP Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2010BA.N404 is not present, 2010BA.N403 must be present.
N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC: IL Subscriber	2010BA.N403 must be a valid postal/zip Code
N404	Country Code	ID	2-3	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 680: "Entity's Country" EIC: IL Subscriber	2010BA.N404 must be a valid 2 character Country Code.
N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N407	Country Subdivision Code	ID	1-3	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 695: "Entity's Country Subdivision Code"	2010BA.N407 must be a valid Country Subdivision Code.
<b>DMG</b>	<b>SUBSCRIBER DEMOGRAPHIC INFORMATION</b>		1	S	2010BA			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	2010BA.DMG must be present.
<b>DMG</b>								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010BA.DMG is allowed.
DMG01	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.DMG01 must be present.
DMG01								999	R	IK403 = 7: "Invalid Code Value"	2010BA.DMG01 must be "D8".
DMG02	Subscriber Birth Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.DMG02 must be present.
DMG02								999	R	IK403 = 8: "Invalid Date"	2010BA.DMG02 must be a valid date in format CCYYMMDD
DMG02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 158: "Entity's date of birth" EIC: IL Subscriber	2010BA.DMG02 must not be a future date.
DMG03	Subscriber Gender Code	ID	1-1	R			F, M, U	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.DMG03 must be present.
DMG03								999	R	IK403 = 7: "Invalid Code Value"	2010BA.DMG03 must be valid values.
DMG04	Marital Status Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
DMG05	Race or Ethnicity Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
DMG06	Citizenship Status Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
DMG07	Country Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
DMG08	Basis of Verification Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
DMG09	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
DMG10	Code List Qualifier Code	ID	1-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
DMG11	Industry Code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>SUBSCRIBER SECONDARY IDENTIFICATION</b>		1	S	2010BA			277	T	<b>CSCC A7: "Acknowledgement /Rejected for Invalid Information..."</b> <b>TBD02: "Payer specific restrictions on the number of repetitions"</b>	2010BA.REF with REF01 = "SY" must not be present.
REF	<b>PROPERTY AND CASUALTY CLAIM NUMBER</b>		1	S	2010BA			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	Only one iteration of 2010BA.REF with REF01 = "Y4" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			Y4	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2010BA.REF01 must be "Y4".
REF02	Property Casualty Claim Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BA.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2010BA.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 629: "Property Casualty Claim Number" EIC: II Subscriber	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 629: "Property Casualty Claim Number" EIC: II Subscriber	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PER	<b>PROPERTY AND CASUALTY SUBSCRIBER CONTACT INFORMATION</b>		1	S	2010BA			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	Only one iteration of 2010BA.PER is allowed.
PER01	Contact Function Code	ID	2-2	R			IC	999	R	IK403 = 7: "Invalid Code Value"	2010BA.PER01 must be "IC".
PER02	Information Contact Name	AN	1-60	S				999	E	IK403 = 5: "Data Element Too Long"	2010BA.PER02 must be 1 - 60 characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
PER02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 561: "Entity's Contact Name" EIC: IL Subscriber	
PER02								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.PER02 must be populated with accepted AN characters.
PER02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 561: "Entity's Contact Name" EIC: IL Subscriber	
PER03	Communication Number Qualifier	ID	2-2	R			TE	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.PER03 must be present.
PER03								999	R	IK403 = 7: "Invalid Code Value"	2010BA.PER03 must be "TE".
PER04	Communication Number	AN	1-256	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.PER04 must contain at least one non-space character.
PER04								999	R	IK403 = 1: "Required Data Element Missing"	2010BA.PER04 must be present.
PER04								277	T	CSCC A6: "Acknowledgement / Rejected for Missing Information" CSC 127: "Entity's Phone Number" EIC: IL Subscriber	
PER04								999	E	IK403 = 5: "Data Element Too Long"	2010BA.PER04 must be 1 - 256 characters.
PER04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 127: "Entity's Phone Number" EIC: IL Subscriber	
PER04								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.PER04 must be populated with accepted AN characters.
PER04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" EIC: IL Subscriber	
PER05	Communication Number Qualifier	ID	2-2	S			EX	999	R	IK403 = 7: "Invalid Code Value"	2010BA.PER05 must be "EX".
PER06	Communication Number	AN	1-256	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.PER06 must contain at least one non-space character.
PER06								999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2010BA.PER05 is present 2010BA.PER06 must be present.
PER06								277	T	CSCC A8: "Acknowledgement / Rejected for relational field in error." CSC 127: "Entity's Phone Number" EIC: IL Subscriber	
PER06								999	E	IK403 = 5: "Data Element Too Long"	2010BA.PER06 must be 1 - 256 characters.
PER06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 127: "Entity's Phone Number" EIC: IL Subscriber	
PER06								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.PER06 must be populated with accepted AN characters.



837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
PER06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" FIC: II Subscriber	
PER07	Communication Number Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PER08	Communication Number	AN	1-256	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PER09	Contact Inquiry Reference	AN	1-20	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM1	PAYER NAME		1	R	2010BB	1		999	R	IK304 = 3: "Required Segment Missing"	2010BB.NM1 must be present.
NM1								999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2010BB.NM1 is allowed.
NM101	Entity Identifier Code	ID	2-3	R			PR	999	R	IK403 = 1: "Required Data Element Missing"	2010BB.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2010BB.NM101 must be "PR".
NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	2010BB.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2010BB.NM102 must be "2".
NM103	Payer Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BB.NM103 must be present.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BB.NM103 must contain at least one non-space character.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2010BB.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" FIC: PR Payer	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BB.NM103 must be populated with accepted AN characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" FIC: PR Payer	
NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM108	Identification Code Qualifier	ID	1-2	R			PI, XV	999	R	IK403 = 1: "Required Data Element Missing"	2010BB.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	2010BB.NM108 must be "PI".
NM109	Payer Identifier	AN	2-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BB.NM109 must be present.
NM109								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BB.NM109 must contain at least two non-space characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 21: "Missing or Invalid Information" CSC 153: "Entity ID Number" EIC "PR" Payer CSC 153: "Entity ID Number" EIC 40: "Reciever"	2010BB.NM109 must be the same value as 1000B.NM109.
NM109								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2010BB.NM109 must be 2-80 characters.
NM109								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 53: "Entity ID Number" EIC PR Payer	
NM109								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BB.NM109 must be populated with accepted AN characters.
NM109								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 53: "Entity ID Number" EIC PR Payer	
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
<b>N3</b>	<b>PAYER ADDRESS</b>		<b>1</b>	<b>R</b>	<b>2010BB</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2010BB.N3 is allowed.</b>
N301	Payer Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BB.N301 must be present.
N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BB.N301 must contain at least one non-space character.
N301								999	E	IK403 = 5: "Data Element Too Long"	2010BB.N301 must be 1 - 55 characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street Address" EIC PR Payer	
N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BB.N301 must be populated with accepted AN characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC PR Payer	
N302	Payer Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2010BB.N302 must contain at least one non-space character.
N302								999	E	IK403 = 5: "Data Element Too Long"	2010BB.N302 must be 1 - 55 characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street Address" EIC PR Payer	
N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BB.N302 must be populated with accepted AN characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC PR Payer	
N4	PAYER CITY/STATE/ZIP CODE		1	R	2010BB			999	R	IK304 = 3: "Required Segment Missing"	2010BB.N4 must be present.
N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010BB.N4 is allowed.
N401	Payer City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BB.N401 must be present.
N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BB.N401 must contain at least two non-space characters.
N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2010BB.N401 must be 2-30 characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" EIC PR Payer	
N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BB.N401 must be populated with accepted AN characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" EIC PR Payer	
N402	Payer State Code	ID	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2010BB.N404 is not present, 2010BB.N402 must be present.
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" EIC PR Payer	2010BB.N402 must be a valid State Code.
N403	Payer Postal Zone or ZIP Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2010BB.N404 is not present, 2010BB.N403 must be present.
N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC PR Payer	2010BB.N403 must be a valid Zip Code.
N404	Payer Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF	PAYER SECONDARY IDENTIFICATION		3	S	2010BB			277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2010BB.REF with REF01 = "2U", "EI", "FY" or "NF" must not be present.
REF	BILLING PROVIDER SECONDARY IDENTIFICATION		2	S	2010BB			999	R	IK304 = 2: "Unexpected Segment"	2010BB.REF with REF01 = "G2" must be present when 2010AA.NM109 is not present.
REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2010BB.REF with REF01 = "G2" or "LU" are allowed.
REF								999	R	IK304 = 19: "Implementation Dependent "Not Used" Segment Present"	2010BB.REF must not be present.
REF01	Reference Identification Qualifier	ID	2-3	R			G2, LU	999	R	IK403 = 1: "Required Data Element Missing"	2010BB.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2010BB.REF01 must be valid values.
REF02	Payer Additional Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BB.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BB.REF02 must contain at least one none space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	When 2010BB.REF01 = "G2" or "LU", 2010BB.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 560: "Entity's Additional/Secondary Identifier" FIC PR Payer	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	When 2010BB.REF01 = "G2" or "LU", 2010BB.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 560: "Entity's Additional/Secondary Identifier" FIC PR Payer	
REF02								999	R	IK403 = 112: "Implementation Pattern Match Failure"	2010BB.REF02 billing provider must be "associated" to the submitter (from a trading partner management perspective) in 1000A.NM109.
REF03	Description	AN	1-80	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HL	PATIENT HIERARCHICAL LEVEL		1	S	2000C	>1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Loop must not be present.
PAT	PATIENT INFORMATION		1	R	2000C			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
NM1	PATIENT NAME		1	R	2010CA			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Loop must not be present.
N3	PATIENT ADDRESS		1	R	2010CA			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
N4	PATIENT CITY/STATE/ZIP CODE		1	R	2010CA			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
DMG	PATIENT DEMOGRAPHIC INFORMATION		1	R	2010CA			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
REF	PROPERTY AND CASUALTY CLAIM NUMBER		1	S	2010CA			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
PER	PROPERTY AND CASUALTY PATIENT CONTACT INFORMATION		1	S	2010CA			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
CLM Loop	CLAIM INFORMATION Loop				2300	100		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only 100 iterations of the 2300 loop are allowed.
CLM	CLAIM INFORMATION		1	R	2300	1		999	R	IK304 = 3: "Required Segment Missing"	2300.CLIM must be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CLM								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.CLM is allowed.
CLM01	Patient Control Number	AN	1-38	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM01 must be present.
CLM01								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.CLM01 must contain at least one non-space character.
CLM01								999	E	IK403 = 5: "Data Element Too Long"	2300.CLM01 must be 1 - 38 characters.
CLM01								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD12: "Claim submitter's identifier"	
CLM01								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.CLM01 must be populated with accepted AN characters.
CLM01								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" TBD12: "Claim submitter's identifier"	
CLM02	Total Claim Charge Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM02 must be present.
CLM02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.CLM02 must be numeric.
CLM02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 178: "Submitted Charges"	2300.CLM02 must be >= 0 .
CLM02								999	E	IK403 = 5: "Data Element Too Long"	2300.CLM02 must be <= 99,999.99.
CLM02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 178: "Submitted Charges"	
CLM02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 178: "Submitted Charges"	2300.CLM02 is limited to 0, 1 or 2 decimal positions.
CLM02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 178: "Submitted Charges"	2300.CLM02 must equal the sum of all 2400.SV102 amounts.
CLM02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 400: "Claim is out of Balance" CSC 672 "Payer's payment information is out of balance"	CLM02 must equal the sum of all 2320 & 2430 CAS amounts and the 2320 AMT02 (AMT01=D).
CLM03	Claim Filing Indicator Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CLM04	Non-Institutional Claim Type Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CLM05	HEALTH CARE SERVICE LOCATION INFORMATION			R							
CLM05-1	Facility Type Code	AN	1-2	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM05-1 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CLM05-1								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 249: "Place of service"	2300.CLM05-1 must be a valid POS code. Code must be valid for the transaction set creation date (BHT04).
CLM05-2	Facility Code Qualifier	ID	1-2	R			B	999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM05-2 must be present.
CLM05-2								999	R	IK403 = 7: "Invalid Code Value"	2300.CLM05-2 must be "B".
CLM05-3	Claim Frequency Code	ID	1-1	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM05-3 must be present.
CLM05-3								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 535: "Claim Frequency Code"	2300.CLM05-3 must be "1".
CLM06	Provider or Supplier Signature Indicator	ID	1-1	R			N, Y	999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM06 must be present.
CLM06								999	R	IK403 = 7: "Invalid Code Value"	2300.CLM06 must be valid values.
CLM07	Medicare Assignment Code	ID	1-1	R			A, B, C	999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM07 must be present.
CLM07								999	R	IK403 = 7: "Invalid Code Value"	2300.CLM07 must be valid values.
CLM08	Benefits Assignment Certification Indicator	ID	1-1	R			N, W, Y	999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM08 must be present.
CLM08								999	R	IK403 = 7: "Invalid Code Value"	2300.CLM08 must be valid values.
CLM09	Release of Information Code	ID	1-1	R			I, Y	999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM09 must be present.
CLM09								999	R	IK403 = 7: "Invalid Code Value"	2300.CLM09 must be valid values.
CLM10	Patient Signature Source Code	ID	1-1	S			P	999	R	IK403 = 7: "Invalid Code Value"	2300.CLM10 must be "P".
CLM11	RELATED CAUSES INFORMATION			S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2300.DTP with DTP01 = 439 is present, then 2300.CLM11 must be present.
CLM11-1	Related Causes Code	ID	2-3	R			AA, EM, OA	999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM11-1 must be present.
CLM11-1	Related Causes Code	ID	2-3	R			AA, EM, OA	999	R	IK403 = 7: "Invalid Code Value"	2300.CLM11-1 must be valid values.
CLM11-2	Related Causes Code	ID	2-3	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.CLM11-2 is present 2300.CLM11-1 must be present.
CLM11-2							AA, EM, OA	999	R	IK403 = 7: "Invalid Code Value"	2300.CLM11-2 must be valid values.
CLM11-3	Related Causes Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CLM11-4	Auto Accident State or Province Code	ID	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2300.CLM11-1 or 2300.CLM11-2 is "AA", then 2300.CLM11-4 must be present.
CLM11-4								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province"	If 2300.CLM11-4 must be a valid State Code.
CLM11-5	Country Code	ID	2-3	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2300.CLM11-1 or 2300.CLM11-2 is "AA" and 2300.CLM11-4 is not present, then 2300.CLM11-5 must be present.
CLM11-5								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 680: "Entity's Country"	2300.CLM11-5 must be a valid Country Code.
CLM12	Special Program Indicator	ID	2-3	S			02, 03, 05, 09	999	R	IK403 = 7: "Invalid Code Value"	2300.CLM12 must be valid values.
CLM13	Yes/No Condition or Response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CLM14	Level of Service Code	ID	1-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CLM15	Yes/No Condition or Response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CLM16	Participation Agreement	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CLM17	Claim Status Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CLM18	Yes/No Condition or Response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CLM19	Claim Submission Reason Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CLM20	Delay Reason Code	ID	1-2	S			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 15	999	R	IK403 = 7: "Invalid Code Value"	2300.CLM20 must be valid values.
<b>DTP</b>	<b>DATE - ONSET OF CURRENT ILLNESS OR SYMPTOM</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.DTP with DTP01 = "431" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			431	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "431".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Onset of Current Illness or Injury Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 397: "Date of onset/exacerbation of illness/condition" CSC 510: "Future date"	2300.DTP03 must not be a future date.
<b>DTP</b>	<b>DATE - INITIAL TREATMENT</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.DTP with DTP01 = "454" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			454	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "454".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Initial Treatment Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 701: "Initial Treatment Date"	2300.DTP03 must not be a future date.
<b>DTP</b>	<b>DATE - DATE LAST SEEN</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.DTP with DTP01 = "304" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			304	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "304".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Last Seen Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
<b>DTP</b>	<b>DATE - ACUTE MANIFESTATION</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2300.CR208 = "A" or "M" then 2300.DTP with DTP01 = "453" must be present.</b>
<b>DTP</b>								<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only 1 iteration of 2300.DTP with DTP01 = "453" is allowed.</b>



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
DTP01	Date Time Qualifier	ID	3-3	R			453	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "453".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Acute Manifestation Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" TBD28: "Acute Manifestation Date"	2300.DTP03 must not be a future date.
DTP	DATE - ACCIDENT		1	S	2300			999	R	IK304 = 16: "Implementation Dependent Segment Missing"	If 2300.CLM11-1 or CLM11-2 = "AA" or "OA" then 2300.DTP with DTP01 = "439" must be present.
DTP								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.DTP with DTP01 = "439" is allowed.
DTP01	Date Time Qualifier	ID	3-3	R			439	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "439".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8,	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Accident Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 248: "Accident date, state, description and cause"	2300.DTP03 must not be a future date.
DTP	DATE - LAST MENSTRUAL PERIOD		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.DTP with DTP01 = "484" is allowed.
DTP01	Date Time Qualifier	ID	3-3	R			484	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "484".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Last Menstrual Period Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 191: "Date of Last Menstrual Period (LMP)"	2300.DTP03 must not be a future date.
DTP	DATE - LAST X-RAY		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.DTP with DTP01 = "455" is allowed.
DTP01	Date Time Qualifier	ID	3-3	R			455	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "455".

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Last X-Ray Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 210: "Date of the last x-ray."	2300.DTP03 must not be a future date.
<b>DTP</b>	<b>DATE - HEARING AND VISION PRESCRIPTION DATE</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.DTP with DTP01 = "471" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			471	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "471".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Prescription Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 214: "Original date of prescription/orders/referral"	2300.DTP03 must not be a future date.
<b>DTP</b>	<b>DATE - DISABILITY DATES</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.DTP with DTP01 = "314", "360" or "361" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			314, 360, 361	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be valid values.
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8, RD8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be valid values.
DTP03	Disability From Date	AN	1-35	R			CCYYMMDD or CCYYMMDD-CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	If 2300.DTP02 = "D8" then 2300.DTP03 must be a valid date in CCYYMMDD format.
DTP03								999	R	IK403 = 8: "Invalid Date"	If 2300.DTP02 = "RD8" then 2300.DTP03 must be a valid date in CCYYMMDD-CCYYMMDD format.
<b>DTP</b>	<b>DATE - LAST WORKED</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.DTP with DTP01 = "297" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			297	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "297".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Last Worked Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 581: "Last Worked Date"	2300.DTP03 must not be a future date.
<b>DTP</b>	<b>DATE - AUTHORIZED RETURN TO WORK</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.DTP with DTP01 = "296" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			296	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "296".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Work Return Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
<b>DTP</b>	<b>DATE - ADMISSION</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>277</b>	<b>C</b>	<b>CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 189: "Facility admission date"</b>	<b>If 2300.CLM05-1 or 2400.SV105 = "21", "51" or "61" then 2300.DTP with DTP01 = "435" must be present.</b>
<b>DTP</b>								<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.DTP with DTP01 = "435" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			435	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "435".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Related Hospitalization Admission Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 394: "Date(s) of most recent hospitalization related to service"	2300.DTP03 must not be a future date.
<b>DTP</b>	<b>DATE - DISCHARGE</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.DTP with DTP01 = "096" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			096	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "096".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Related Hospitalization Discharge Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 394: "Related Hospitalization Discharge Date"	2300.DTP03 must not be a future date.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
<b>DTP</b>	<b>DATE - ASSUMED AND RELINQUISHED CARE DATES</b>		<b>2</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only two iteration of 2300.DTP with DTP01 = "090" or "091" are allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			090, 091	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be valid values.
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Assumed or Relinquished Care Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
<b>DTP</b>	<b>DATE - PROPERTY AND CASUALTY DATE OF FIRST CONTACT</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.DTP with DTP01 = "444" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			444	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "444".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Order Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
<b>DTP</b>	<b>DATE - REPRICER RECEIVED DATE</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.DTP with DTP01 = "050" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			050	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "050".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".
DTP03	Order Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.
<b>PWK</b>	<b>CLAIM SUPPLEMENTAL INFORMATION</b>		<b>10</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only ten iterations of 2300.PWK are allowed.</b>
PWK01	Attachment Report Type Code	ID	2-2	R			03, 04, 05, 06, 07, 08, 09, 10, 11, 13, 15, 21, A3, A4, AM, AS, B2, B3, B4, BB	999	R	IK403 = 1: "Required Data Element Missing"	2300.PWK01 must be present.
PWK01								999	R	IK403 = 7: "Invalid Code Value"	2300.PWK01 must be valid values.
PWK02	Attachment Transmission Code	ID	1-2	R			AA, BM, EL, EM, FT, FX	999	R	IK403 = 1: "Required Data Element Missing"	2300.PWK02 must be present.
PWK02								999	R	IK403 = 7: "Invalid Code Value"	2300.PWK02 must be valid values.
PWK03	Report Copies Needed	N0	1-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
PWK04	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
PWK05	Identification Code Qualifier	ID	1-2	S			AC	999	R	IK403 = 2 "Conditional Required Data Element Missing"	When 2300.PWK05 is present, 2300.PWK02 must be "BM", "EL", "EM", "FX" or "FT" .
PWK05								999	R	IK403 = 7: "Invalid Code Value"	2300.PWK05 must be "AC".

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
PWK06	Attachment Control Number	AN	2-80	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	When 2300.PWK06 is present, 2300.PWK02 must be "BM", "EL", "EM", "FX" or "FT" .
PWK06								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2300.PWK06 must be 2-50 characters.
PWK06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 489: "Attachment Control Number"	
PWK06								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.PWK06 must be populated with accepted AN characters.
PWK06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 489: "Attachment Control Number"	
PWK06								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.PWK06 must contain at least two non-space characters.
PWK07	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PWK08	ACTIONS INDICATED			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PWK09	Request Category Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CN1	CONTRACT INFORMATION		1	S	2300			999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2300.CN1 must not be present.
AMT	PATIENT AMOUNT PAID		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.AMT is allowed.
AMT01	Amount Qualifier Code	ID	1-3	R			F5	999	R	IK403 = 1: "Required Data Element Missing"	2300.AMT01 must be present.
AMT01								999	R	IK403 = 7: "Invalid Code Value"	2300.AMT01 must be "F5".
AMT02	Patient Amount Paid	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.AMT02 must be numeric.
AMT02								999	E	IK403 = 5: "Data Element Too Long"	2300.AMT02 must be <= 99,999.99.
AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 183: "Amount entity has paid" EIC_OC "Patient"	
AMT02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 183: "Amount entity has paid" EIC_OC "Patient"	2300.AMT02 must be >= 0.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 183: "Amount entity has paid" EIC_OC "Patient"	2300.AMT02 is limited to 0, 1 or 2 decimal positions.
AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>SERVICE AUTHORIZATION EXCEPTION CODE</b>		1	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.REF with REF01 = "4N" is allowed.</b>
REF01	Reference Identification Qualifier	ID	2-3	R			4N	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "4N".
REF02	Service Authorization Exception Code	AN	1-50	R			1, 2, 3, 4, 5, 6, 7	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.
REF02								999	R	IK403 = 7: "Invalid Code Value"	2300.REF02 must be valid values.
REF03	Description	AN	1-80	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>MANDATORY MEDICARE (SECTION 4081) CROSSOVER INDICATOR</b>		1	S	2300			999	E	<b>IK304 = 19: "Implementation Dependent "Not Used" Segment Present"</b>	<b>2300.REF with REF01 = "F5" must not be present.</b>
REF	<b>MAMMOGRAPHY CERTIFICATION NUMBER</b>		1	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.REF with REF01 = "EW" is allowed.</b>
REF01	Reference Identification Qualifier	ID	2-3	R			EW	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "EW".
REF02	Mammography Certification Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	
REF02								999	E	IK403 = 5: "Data Element Too Long"	
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 252: "Authorization /certification number" (MAY NOT BE SPECIFIC ENOUGH FOR MAMMOGRAPHY	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 252: "Authorization /certification number" (MAY NOT BE SPECIFIC ENOUGH FOR MAMMOGRAPHY CERT #)	
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 252: "Authorization/certification number"	2300.REF02 must be a valid Mammography Certification Number.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	REFERRAL NUMBER		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.REF with REF01 = "9F" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			9F	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "9F".
REF02	Prior Authorization or Referral Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 48: "referral/Authorization"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 48: "Referral/authorization "	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	PRIOR AUTHORIZATION		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.REF with REF01 = "G1" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			G1	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "G1".
REF02	Prior Authorization or Referral Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 252: "Authorization/Certification Number"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 252: "Authorization/ certification number"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF	PAYER CLAIM CONTROL NUMBER		1	S	2300			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2300.REF with REF01 = "F8" must not be present.
REF	CLINICAL LABORATORY IMPROVEMENT AMENDMENT (CLIA) NUMBER		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.REF with REF01 = "X4" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			X4	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "X4".
REF02	Clinical Laboratory Improvement Amendment Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 630: "Referring CLIA Number"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 630: "Referring CLIA Number"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF	REPRICED CLAIM NUMBER		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.REF with REF01 = "9A" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			9A	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "9A".
REF02	Repriced Claim Reference Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 702: "Repriced Claim Reference Number"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.



837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 702: "Repriced Claim Reference Number"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	ADJUSTED REPRICED CLAIM NUMBER		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only 1 iteration of 2300.REF with REF01 = "9C" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			9C	999	R	IK403 = 1: "Required Data Element Missing"	2400.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2400.REF01 must be "9C".
REF02	Adjusted Repriced Line Item Reference Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 517: "Adjusted Repriced Claim Reference Number"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 517: "Adjusted Repriced Claim Reference Number"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	INVESTIGATIONAL DEVICE EXEMPTION NUMBER		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.REF with REF01 = "LX" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			LX	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "LX".
REF02	Investigational Device Exemption Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 579: "Investigational Device Exemption Identifier"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 579: "Investigational Device Exemption Identifier"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>CLAIM IDENTIFIER FOR TRANSMISSION INTERMEDIARIES</b>		1	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.REF with REF01 = "D9" is allowed.</b>
REF01	Reference Identification Qualifier	ID	2-3	R			D9	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "D9".
REF02	Clearinghouse Trace Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-20 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 543: "Clearinghouse or Value Added Network Trace"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 543: "Clearinghouse or Value Added Network Trace"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>MEDICAL RECORD NUMBER</b>		1	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.REF with REF01 = "EA" is allowed.</b>
REF01	Reference Identification Qualifier	ID	2-3	R			EA	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "EA".
REF02	Medical Record Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 588: "Medical Record Number"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 588: "Medical Record Number"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>DEMONSTRATION PROJECT IDENTIFIER</b>		1	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.REF with REF01 = "P4" is allowed.</b>
REF01	Reference Identification Qualifier	ID	2-3	R			P4	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "P4".
REF02	Demonstration Project Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 556: "Demonstration Project Identifier"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>CARE PLAN OVERSIGHT</b>		1	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.REF with REF01 = "1J" is allowed.</b>
REF01	Reference Identification Qualifier	ID	2-3	R			1J	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "1J".
REF02	Care Plan Oversight Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" TBD27: "Care Plan Oversight Number"	2300.REF02 must be valid according to the NPI algorithm.
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" TBD27: "Care Plan Oversight Number"	The first position of 2300.REF02 must be a "1".
REF03	Description	AN	1-80	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
K3	<b>FILE INFORMATION</b>		10	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only ten iterations of K3 are allowed.</b>
K301	Fixed Format Information	AN	1-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.K301 must be present.
K301								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.K301 must contain at least one non-space character.
K301								999	E	IK403 = 5: "Data Element Too Long"	2300.K301 must be 1-80 characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
K301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 569: "Fixed Format Information"	
K301								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.K301 must be populated with accepted AN characters.
K301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 569: "Fixed Format Information"	
K302	Record Format Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
K303	COMPOSITE UNIT OF MEASURE			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NTE	CLAIM NOTE		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.NTE is allowed.
NTE01	Note Reference Code	ID	3-3	R			ADD, CER, DCP, DGN, TPO	999	R	IK403 = 1: "Required Data Element Missing"	2300.NTE01 must be present.
NTE01								999	R	IK403 = 7: "Invalid Code Value"	2300.NTE01 must be valid values.
NTE02	Claim Note Text	AN	1-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.NTE02 must be present.
NTE02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.NTE02 must contain at least one non-space character.
NTE02								999	E	IK403 = 5: "Data Element Too Long"	2300.NTE02 must be 1 - 80 characters.
NTE02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 297: "Medical Notes/Report"	
NTE02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.NTE02 must be populated with accepted AN characters.
NTE02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 297: "Medical Notes/Report"	
CR1	AMBULANCE TRANSPORT INFORMATION		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.CR1 is allowed.
CR1								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 337: "Ambulance certification/documentation"	If 2300.CR1 is present, 2300.CLM05-1 must be "41" or "42".
CR101	Unit or Basis for Measurement Code	ID	2-2	S			LB	999	R	IK403 = 7: "Invalid Code Value"	2300.CR101 must be "LB".
CR102	Patient Weight	R	1-10	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2300.CR101 is present, then 2300.CR102 must be present.
CR102								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 273: "Weight" CSC 337: "Ambulance certification/documentation"	2300.CR102 must be > 0 and <= 9,999.99

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CR103	Ambulance Transport Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CR104	Ambulance Transport Reason Code	ID	1-1	R			A, B, C, D, E	999	R	IK403 = 1: "Required Data Element Missing"	2300.CR104 must be present.
CR104								999	R	IK403 = 7: "Invalid Code Value"	2300.CR104 must be valid values.
CR105	Unit or Basis for Measurement Code	ID	2-2	R			DH	999	R	IK403 = 1: "Required Data Element Missing"	2300.CR105 must be present.
CR105								999	R	IK403 = 7: "Invalid Code Value"	2300.CR105 must be "DH".
CR106	Transport Distance	R	1-15	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.CR106 must be present.
CR106								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.CR106 must be numeric.
CR106								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 267: "Number of miles patient was transported"	2400.CR106 must be => 0
CR106								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 267 "Number of miles patient was transported"	2400.CR106 must be 1 - 4 digits.
CR107	Address Information	AN	1-55	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CR108	Address Information	AN	1-55	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CR109	Round Trip Purpose Description	AN	1-80	S				999	E	IK403 = 5: "Data Element Too Long"	2300.CR109 must be 1 - 80 characters.
CR109								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 266: "Facility point of origin and destination - ambulance"	
CR109								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.CR109 must be populated with accepted AN characters.
CR109								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 266: "Facility point of origin and destination - ambulance"	
CR109								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.CR109 must contain at least one non-space character.
CR110	Stretcher Purpose Description	AN	1-80	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.CR110 must contain at least one non-space character.
CR110								999	E	IK403 = 5: "Data Element Too Long"	2300.CR110 must be 1 - 80 characters.
CR110								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TRD24: "Stretcher Purpose"	
CR110								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.CR110 must be populated with accepted AN characters.
CR110								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" TRD24: "Stretcher Purpose"	

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CR2	SPINAL MANIPULATION SERVICE INFORMATION		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.CR2 is allowed.
CR201	Treatment Series Number	N0	1-9	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CR202	Treatment Count	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CR203	Subluxation Level Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CR204	Subluxation Level Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CR205	Unit or Basis for Measurement Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CR206	Treatment Period Count	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CR207	Monthly Treatment Count	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CR208	Patient Condition Code	ID	1-1	R			A, C, D, E, F, G, M	999	R	IK403 = 1: "Required Data Element Missing"	2300.CR208 must be present.
CR208								999	R	IK403 = 7: "Invalid Code Value"	2300.CR208 must be valid values.
CR209	Complication Indicator	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CR210	Patient Condition Description							999	R	IK403 = 6: "Invalid Character in Data Element"	2300.CR210 must contain at least one non-space character.
CR210		AN	1-80	S				999	E	IK403 = 5: "Data Element Too Long"	2300.CR210 must be 1 - 80 characters.
CR210								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD26: "Patient Condition Description"	
CR210								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.CR210 must be populated with accepted AN characters.
CR210								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" TBD26: "Patient Condition Description"	
CR211	Patient Condition Description							999	R	IK403 = 6: "Invalid Character in Data Element"	2300.CR211 must contain at least one non-space character.
CR211		AN	1-80	S				999	E	IK403 = 5: "Data Element Too Long"	2300.CR211 must be 1 - 80 characters.
CR211								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD26: "Patient Condition Description"	
CR211								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.CR211 must be populated with accepted AN characters.
CR211								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" TBD26: "Patient Condition Description"	
CR212	Yes/No Condition or Response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CRC	AMBULANCE CERTIFICATION		3	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only three iterations of 2300.CRC with CRC01 = "07" are allowed.
CRC								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 337: "Ambulance certification/documentation"	If 2300.CRC is present, 2300.CLM05-1 must be "41" or "42".
CRC01	Code Category	ID	2-2	R			07	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC01 must be present.
CRC01								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC01 must be "07".
CRC02	Certification Condition Indicator	ID	1-1	R			N, Y	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC02 must be present.
CRC02								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC02 must be valid values.
CRC03	Condition Code	ID	2-3	R			01, 04, 05, 06, 07, 08, 09, 12	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC03 must be present.
CRC03								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC03 must be valid values.
CRC04	Condition Code	ID	2-3	S			01, 04, 05, 06, 07, 08, 09, 12	999	R	IK403 = 7: "Invalid Code Value"	2300.CRC04 must be valid values.
CRC05	Condition Code	ID	2-3	S			01, 04, 05, 06, 07, 08, 09, 12	999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.CRC05 can only be present if 2300.CRC04 is present.
CRC05								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC05 must be valid values.
CRC06	Condition Code	ID	2-3	S			01, 04, 05, 06, 07, 08, 09, 12	999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.CRC06 can only be present if 2300.CRC05 is present.
CRC06								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC06 must be valid values.
CRC07	Condition Code	ID	2-3	S			01, 04, 05, 06, 07, 08, 09, 12	999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.CRC07 can only be present if 2300.CRC06 is present.
CRC07								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC07 must be valid values.
CRC	PATIENT CONDITION INFORMATION: VISION		3	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only three iterations of 2300.CRC with CRC01 = "E1", "E2" or "E3" are allowed.
CRC01	Code Category	ID	2-2	R			E1, E2, E3	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC01 must be present.
CRC01								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC01 must be valid values.
CRC02	Certification Condition Indicator	ID	1-1	R			N, Y	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC02 must be present.
CRC02								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC02 must be valid values.
CRC03	Condition Code	ID	2-3	R			L1, L2, L3, L4, L5	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC03 must be present.
CRC03								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC03 must be valid values.
CRC04								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC04 must be valid values.
CRC05	Condition Code	ID	2-3	S			L1, L2, L3, L4, L5	999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.CRC05 can only be present if 2300.CRC04 is present.
CRC05								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC05 must be valid values.
CRC06	Condition Code	ID	2-3	S			L1, L2, L3, L4, L5	999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.CRC06 can only be present if 2300.CRC05 is present.
CRC06								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC06 must be valid values.
CRC07	Condition Code	ID	2-3	S			L1, L2, L3, L4, L5	999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.CRC07 can only be present if 2300.CRC06 is present.
CRC07								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC07 must be valid values.
CRC	HOMEBOUND INDICATOR		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.CRC with CRC01 = "75" is allowed.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CRC01	Code Category	ID	2-2	R			75	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC01 must be present.
CRC01								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC01 must be "75".
CRC02	Certification Condition Indicator	ID	1-1	R			Y	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC02 must be present.
CRC02								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC02 must be "Y".
CRC03	Homebound Indicator	ID	2-3	R			IH	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC03 must be present.
CRC03								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC03 must be "IH".
CRC04	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CRC05	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CRC06	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CRC07	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
<b>CRC</b>	<b>EPSDT REFERRAL</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.CRC with CRC01 = "ZZ" is allowed.</b>
CRC01	Code Category	ID	2-2	R			ZZ	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC01 must be present.
CRC01								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC01 must be "ZZ".
CRC02	Certification Condition Indicator	ID	1-1	R			N, Y	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC02 must be present.
CRC02								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC02 must be valid values.
CRC03	Condition Code	ID	2-3	R			AV, NU, S2, ST	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC03 must be present.
CRC03								999	R	IK403 = 7: "Invalid Code Value"	If 2300.CRC02 is "Y", 2300.CRC03 must be valid values.
CRC03								999	R	IK403 = 7: "Invalid Code Value"	If 2300.CRC02 is "N", 2300.CRC03 must be "NU".
CRC04	Condition Code	ID	2-3	S			AV, NU, S2, ST	999	R	IK403 = 7: "Invalid Code Value"	2300.CRC04 must be valid values.
CRC05	Condition Code	ID	2-3	S			AV, NU, S2, ST	999	R	IK403 = 7: "Invalid Code Value"	2300.CRC05 must be valid values.
CRC06	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CRC07	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
<b>HI</b>	<b>HEALTH CARE DIAGNOSIS CODE</b>		<b>1</b>	<b>R</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 3: "Required Segment Missing"</b>	<b>2300.HI with HI01-1 = "BK" must be present.</b>
HI								999	R	IK304 = 3: "Required Segment Missing"	2300.HI with HI01-1 = "BK" or "ABK" must be present.
HI								999	R	IK304 = 3: "Required Segment Missing"	2300.HI with HI01-1 = "ABK" must be present.
HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "BK" is allowed.
HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "BK" or "ABK" is allowed.
HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "ABK" is allowed.
HI01	HEALTH CARE CODE INFORMATION			R							
HI01-1	Code List Qualifier Code	ID	1-3	R			ABK, BK	999	R	IK403 = 1: "Required Data Element Missing"	2300.HI01-1 must be present.
HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "BK"
HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be "BK" or "ABK".



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "ABK"
HI01-2	Diagnosis Code	AN	1-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.HI01-2 must be present.
HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 254: "Primary diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "1" and 2300.HI01-1 is "BK" then 2300.HI01-2 must be a valid ICD-9-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list.
HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 254: "Primary diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "1" and 2300.HI01-1 is "BK" then 2300.HI01-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.
HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 254: "Primary diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "1" and 2300.HI01-1 is "ABK" then 2300.HI01-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472"
HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 254: "Primary diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "1" & 2300.HI01-1 is "ABK" then 2300.HI01-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.
HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 254: "Primary diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "1" and 2300.HI01-1 is "BK" then 2300.HI01-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.
HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 254: "Primary diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "1" and 2300.HI01-1 is "BK", 2300.HI01-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.
HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 254: "Primary diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "1" (all lines) and 2300.HI01-1 is "ABK" then 2300.HI01-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim
HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 254: "Primary diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "1" (all lines) and 2300.HI01-1 is "ABK", 2300.HI01-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI01-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI01-2 must not contain a "."
HI01-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 254: "Primary diagnosis code"	
HI01-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02	HEALTH CARE CODE INFORMATION			S							
HI02-1	Diagnosis Type Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must be "BF" or "ABF".
HI02-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must = "BF"
HI02-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must = "ABF"
HI02-2	Diagnosis Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "2" and 2300.HI02-1 is "BF" then 2300.HI02-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list.
HI02-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "2" and 2300.HI02-1 is "BF" then 2300.HI02-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.
HI02-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "2" and 2300.HI02-1 is "ABF" then 2300.HI02-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list.
HI02-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "2" & 2300.HI02-1 is "ABF" then 2300.HI02-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.
HI02-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "2" and 2300.HI02-1 is "BF" then 2300.HI02-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI02-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "2" and 2300.HI02-1 is "BF", 2300.HI02-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.
HI02-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "2" and 2300.HI02-1 is "ABF" then 2300.HI02-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim
HI02-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "2" and 2300.HI02-1 is "ABF", 2300.HI02-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.
HI02-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI02-2 must not contain a "."
HI02-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis code"	
HI02-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.HI03 can only be present if 2300.HI02 is present.
HI03-1	Diagnosis Type Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must be "BF" or "ABF".
HI03-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must = "BF"
HI03-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must = "ABF"
HI03-2	Diagnosis Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "3" and 2300.HI03-1 is "BF" then 2300.HI03-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list
HI03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "3" and 2300.HI03-1 is "BF" then 2300.HI03-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "3" and 2300.HI03-1 is "ABF" then 2300.HI03-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list.
HI03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "3" & 2300.HI03-1 is "ABF" then 2300.HI03-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.
HI03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "3" and 2300.HI03-1 is "BF" then 2300.HI03-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.
HI03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "3" and 2300.HI03-1 is "BF", 2300.HI03-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.
HI03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "3" and 2300.HI03-1 is "ABF" then 2300.HI03-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim.
HI03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "3" and 2300.HI03-1 is "ABF", 2300.HI03-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.
HI03-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI03-2 must not contain a ".".
HI03-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis code"	
HI03-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.HI04 can only be present if 2300.HI03 is present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI04-1	Diagnosis Type Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must be "BF" or "ABF".
HI04-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must = "BF"
HI04-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must = "ABF"
HI04-2	Diagnosis Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "4" and 2300.HI04-1 is "BF" then 2300.HI04-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list
HI04-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "4" and 2300.HI04-1 is "BF" then 2300.HI04-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.
HI04-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "4" and 2300.HI04-1 is "ABF" then 2300.HI04-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list
HI04-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "4" & 2300.HI04-1 is "ABF" then 2300.HI04-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes
HI04-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "4" and 2300.HI04-1 is "BF" then 2300.HI04-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.
HI04-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "4" and 2300.HI04-1 is "BF", 2300.HI04-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.
HI04-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "4" and 2300.HI04-1 is "ABF" then 2300.HI04-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim
HI04-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "4" and 2300.HI04-1 is "ABF", 2300.HI04-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.
HI04-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI04-2 must not contain a "."

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI04-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis code"	
HI04-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.HI05 can only be present if 2300.HI04 is present.
HI05-1	Diagnosis Type Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must be "BF" or "ABF".
HI05-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must = "BF"
HI05-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must = "ABF"
HI05-2	Diagnosis Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "5" and 2300.HI05-1 is "BF" then 2300.HI05-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list.
HI05-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "5" and 2300.HI05-1 is "BF" then 2300.HI05-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.
HI05-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "5" and 2300.HI05-1 is "ABF" then 2300.HI05-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list.
HI05-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "5" & 2300.HI05-1 is "ABF" then 2300.HI05-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.
HI05-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "5" and 2300.HI05-1 is "BF" then 2300.HI05-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI05-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "5" and 2300.HI05-1 is "BF", 2300.HI05-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.
HI05-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "5" and 2300.HI05-1 is "ABF" then 2300.HI05-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim
HI05-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "5" and 2300.HI05-1 is "ABF", 2300.HI05-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.
HI05-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI05-2 must not contain a "."
HI05-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis code"	
HI05-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.HI06 can only be present if 2300.HI05 is present.
HI06-1	Diagnosis Type Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must be "BF" or "ABF".
HI06-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must = "BF"
HI06-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must = "ABF"
HI06-2	Diagnosis Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "6" and 2300.HI06-1 is "BF" then 2300.HI06-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list
HI06-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "6" and 2300.HI06-1 is "BF" then 2300.HI06-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI06-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "6" and 2300.HI06-1 is "ABF" then 2300.HI06-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list.
HI06-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "6" & 2300.HI06-1 is "ABF" then 2300.HI06-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.
HI06-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "6" and 2300.HI06-1 is "BF" then 2300.HI06-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.
HI06-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "6" and 2300.HI06-1 is "BF", 2300.HI06-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.
HI06-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "6" and 2300.HI06-1 is "ABF" then 2300.HI06-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim.
HI06-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "6" and 2300.HI06-1 is "ABF", 2300.HI06-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.
HI06-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI06-2 must not contain a ".".
HI06-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis code"	
HI06-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.HI07 can only be present if 2300.HI06 is present.



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI07-1	Diagnosis Type Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must be "BF" or "ABF".
HI07-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must = "BF"
HI07-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must = "ABF"
HI07-2	Diagnosis Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "7" and 2300.HI07-1 is "BF" then 2300.HI07-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list
HI07-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "7" and 2300.HI07-1 is "BF" then 2300.HI07-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.
HI07-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "7" and 2300.HI07-1 is "ABF" then 2300.HI07-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list
HI07-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "7" & 2300.HI07-1 is "ABF" then 2300.HI07-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes
HI07-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "7" and 2300.HI07-1 is "BF" then 2300.HI07-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.
HI07-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "7" and 2300.HI07-1 is "BF", 2300.HI07-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.
HI07-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "7" and 2300.HI07-1 is "ABF" then 2300.HI07-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim
HI07-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "7" and 2300.HI07-1 is "ABF", 2300.HI07-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.
HI07-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI07-2 must not contain a "."

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI07-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis code"	
HI07-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI08	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.HI08 can only be present if 2300.HI07 is present.
HI08-1	Diagnosis Type Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must be "BF" or "ABF".
HI08-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must = "BF"
HI08-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must = "ABF"
HI08-2	Diagnosis Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "8" and 2300.HI08-1 is "BF" then 2300.HI08-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list.
HI08-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "8" and 2300.HI08-1 is "BF" then 2300.HI08-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.
HI08-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "8" and 2300.HI08-1 is "ABF" then 2300.HI08-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list.
HI08-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "8" & 2300.HI08-1 is "ABF" then 2300.HI08-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.
HI08-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-\$2, SV107-3, and SV107-4 are not "8" and 2300.HI08-1 is "BF" then 2300.HI08-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI08-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "8" and 2300.HI08-1 is "BF", 2300.HI08-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.
HI08-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "8" and 2300.HI08-1 is "ABF" then 2300.HI08-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim
HI08-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "8" and 2300.HI08-1 is "ABF", 2300.HI08-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.
HI08-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI08-2 must not contain a "."
HI08-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis code"	
HI08-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI08-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI08-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI08-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI08-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI08-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI08-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.HI09 can only be present if 2300.HI08 is present.
HI09-1	Diagnosis Type Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must be "BF" or "ABF".
HI09-2	Diagnosis Code	AN	1-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.HI09-2 must be present.
HI09-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI09-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI09-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI09-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI09-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI09-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI09-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI09-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI09-2								999	E	IK403 = 6: "Invalid Character in Data Element"	
HI09-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis code"	
HI09-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI10	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.HI10 can only be present if 2300.HI09 is present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI10-1	Diagnosis Type Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must be "BF" or "ABF".
HI10-2	Diagnosis Code	AN	1-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.HI10-2 must be present.
HI10-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI10-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI10-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI10-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI10-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI10-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI10-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI10-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI10-2								999	E	IK403 = 6: "Invalid Character in Data Element"	

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI10-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis code"	
HI10-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI10-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI10-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI10-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI10-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI10-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI10-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.HI11 can only be present if 2300.HI10 is present.
HI11-1	Diagnosis Type Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must be "BF" or "ABF".
HI11-2	Diagnosis Code	AN	1-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.HI11-2 must be present.
HI11-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI11-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI11-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI11-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI11-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI11-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI11-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI11-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI11-2								999	E	IK403 = 6: "Invalid Character in Data Element"	
HI11-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis code"	
HI11-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2300.HI12 can only be present if 2300.HI11 is present.
HI12-1	Diagnosis Type Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must be "BF" or "ABF".
HI12-2	Diagnosis Code	AN	1-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.HI12-2 must be present.
HI12-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI12-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI12-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI12-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI12-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI12-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI12-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code"	
HI12-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis code" TBD04: "This code is not allowed under this payer's policy/contract/coverage guidelines".	
HI12-2								999	E	IK403 = 6: "Invalid Character in Data Element"	
HI12-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis code"	
HI12-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI	<b>ANESTHESIA RELATED PROCEDURE</b>		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "BP" is allowed.
HI01	HEALTH CARE CODE INFORMATION			R							
HI01-1	Code List Qualifier	ID	1-3	R			BP	999	R	IK403 = 1: "Required Data Element Missing"	2300.HI01-1 must be present.
HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be "BP".
HI01-2	Anesthesia Related Surgical Procedure	AN	1-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.HI01-2 must be present.
HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 465: "Principal Procedure Code for Service(s) Rendered"	2300.HI01-2 must be a valid HCPCS Principle Procedure code.
HI01-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02	HEALTH CARE CODE INFORMATION			S							
HI02-1	Code List Qualifier	ID	1-3	R			BO	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must be "BO".
HI02-2	Anesthesia Related Surgical Procedure	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 454: "Procedure code for services rendered"	2300.HI02-2 must be a valid HCPCS Principle Procedure code.
HI02-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI08	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI10	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI	<b>CONDITION INFORMATION</b>		<b>2</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only two iteration of 2300.HI with HI01-1 = "BG" are allowed.</b>
HI01	HEALTH CARE CODE INFORMATION			R							
HI01-1	Code List Qualifier	ID	1-3	R			BG	999	R	IK403 = 1: "Required Data Element Missing"	2300.HI01-1 must be present.
HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be "BG".
HI01-2	Condition Code	AN	1-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.HI01-2 must be present.
HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	2300.HI01-2 must be a valid Condition code.
HI01-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI01-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI01 is present then 2300.HI02 may be present.
HI02-1	Code List Qualifier	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must be "BG".
HI02-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	2300.HI02-2 must be a valid Condition code.
HI02-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI02-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI02 is present then 2300.HI03 may be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI03-1	Code List Qualifier	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must be "BG".
HI03-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	2300.HI03-2 must be a valid Condition code.
HI03-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI03-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI03 is present then 2300.HI04 may be present.
HI04-1	Code List Qualifier	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must be "BG".
HI04-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	2300.HI04-2 must be a valid Condition code.
HI04-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI04-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI04 is present then 2300.HI05 may be present.
HI05-1	Code List Qualifier	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must be "BG".
HI05-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	2300.HI05-2 must be a valid Condition code.
HI05-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI05-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI05-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI05 is present then 2300.HI06 may be present.
HI06-1	Code List Qualifier	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must be "BG".
HI06-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	2300.HI06-2 must be a valid Condition code.
HI06-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI06-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI06 is present then 2300.HI07 may be present.
HI07-1	Code List Qualifier	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must be "BG".
HI07-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	2300.HI07-2 must be a valid Condition code.
HI07-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI07-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI08	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI07 is present then 2300.HI08 may be present.
HI08-1	Code List Qualifier	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must be "BG".
HI08-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	2300.HI08-2 must be a valid Condition code.
HI08-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI08-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI08-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI08-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI08-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI08-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI08-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI08 is present then 2300.HI09 may be present.
HI09-1	Code List Qualifier	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must be "BG".
HI09-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	2300.HI09-2 must be a valid Condition code.
HI09-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI09-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI10	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI09 is present then 2300.HI10 may be present.
HI10-1	Code List Qualifier	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must be "BG".
HI10-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	2300.HI10-2 must be a valid Condition code.
HI10-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI10-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI10-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI10-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI10-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI10 is present then 2300.HI11 may be present.
HI11-1	Code List Qualifier	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must be "BG".
HI11-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	2300.HI11-2 must be a valid Condition code.
HI11-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HI11-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI11-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI11 is present then 2300.HI12 may be present.
HI12-1	Code List Qualifier	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must be "BG".
HI12-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	2300.HI12-2 must be a valid Condition code.
HI12-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HI12-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
<b>HCP</b>	<b>CLAIM PRICING/REPRICING INFORMATION</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.HCP is allowed.</b>
HCP01	Pricing Methodology	ID	2-2	R			00, 01, 02, 03, 04, 05, 07, 08, 09, 10, 11, 12, 13, 14	999	R	IK403 = 1: "Required Data Element Missing"	2300.HCP01 must be present.
HCP01								999	R	IK403 = 7: "Invalid Code Value"	2300.HCP01 must be valid values.
HCP02	Repriced Allowed Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.HCP02 must be present.
HCP02								999	E	IK403 = 5: "Data Element Too Long"	2300.HCP02 must be <= 99,999.99
HCP02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD15: "Repriced Allowed Amount"	
HCP03	Repriced Saving Amount	R	1-18	S				999	E	IK403 = 5: "Data Element Too Long"	2300.HCP03 must be <= 99,999.99
HCP03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 637: "Repriced Saving Amount"	
HCP04	Repricing Organization Identifier	AN	1-50	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HCP04 must contain at least one non-space character.
HCP04								999	E	IK403 = 5: "Data Element Too Long"	2300.HCP04 must be 1 - 50 characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HCP04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 153: "Entity's ID Number" EIC TU Third Party Repricing Organization (TPO)	
HCP04								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HCP04 must be populated with accepted AN characters.
HCP04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 153: "Entity's ID Number" EIC TU Third Party Repricing Organization (TPO)	
HCP05	Repricing Per Diem or Flat Rate Amount	R	1-9	S				999	E	IK403 = 5: "Data Element Too Long"	2300.HCP05 must be 1 to 9 digits.
HCP05								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 638: "Repricing Per Diem or Flat Rate Amount"	
HCP06	Repriced Approved Ambulatory Patient Group Code	AN	1-50	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HCP06 must contain at least one non-space character.
HCP06								999	E	IK403 = 5: "Data Element Too Long"	2300.HCP06 must be 1 - 50 characters.
HCP06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 635 "Repriced Approved Ambulatory Patient Group"	
HCP06								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HCP06 must be populated with accepted AN characters.
HCP06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 635 "Repriced Approved Ambulatory Patient Group"	
HCP07	Repriced Approved Ambulatory Patient Group Amount	R	1-18	S				999	E	IK403 = 5: "Data Element Too Long"	2300.HCP07 must be <= 99,999.99
HCP07								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TDB18: "Repriced Approved Ambulatory Patient Group Amount"	
HCP08	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HCP09	Product or Service ID Qualifier	ID	2-2	S			ER, HC, IV, WK	999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HCP10	Procedure Code	AN	1-48	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HCP11	Unit or Basis for Measurement Code	ID	2-2	S			MJ, UN	999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HCP12	Repriced Approved Service Unit Count	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HCP13	Reject Reason Code	ID	2-2	S			T1, T2, T3, T4, T5, T6	999	R	IK403 = 7: "Invalid Code Value"	2300.HCP13 must be valid values.
HCP14	Policy Compliance Code	ID	1-2	S			1, 2, 3, 4, 5	999	R	IK403 = 7: "Invalid Code Value"	2300.HCP14 must be valid values.
HCP15	Exception Code	ID	1-2	S			1, 2, 3, 4, 5, 6	999	R	IK403 = 7: "Invalid Code Value"	2300.HCP15 must be valid values.
NM1	REFERRING PROVIDER NAME Loop				2310A	2		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Two iterations of this loop are allowed.
NM1	REFERRING PROVIDER NAME		1	S	2310A			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2310A.NM1 is allowed.
NM101	Entity Identifier Code	ID	2-3	R			DN, P3	999	R	IK403 = 1: "Required Data Element Missing"	2310A.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2310A.NM101 must be valid values.
NM101								999	R	IK403 = 7: "Invalid Code Value"	For the first iteration of the referring provider loop, 2310A.NM101 must be "DN".
NM101								999	R	IK403 = 7: "Invalid Code Value"	For the second iteration of the referring provider loop, 2310A.NM101 must be "P3".
NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2310A.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2310A.NM102 must be "1".
NM103	Referring Provider Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2310A.NM103 must be present.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2310A.NM103 must contain at least one non-space character.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2310A.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: DN Referring Provider	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2310A.NM103 must be populated with accepted AN characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: DN Referring Provider	
NM104	Referring Provider First Name	AN	1-35	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2310A.NM104 must contain at least one non-space character.
NM104								999	E	IK403 = 5: "Data Element Too Long"	2310A.NM104 must be 1 - 35 characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" EIC: DN Referring Provider	
NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2310A.NM104 must be populated with accepted AN characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC: DN Referring Provider	
NM105	Referring Provider Middle Name	AN	1-25	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2310A.NM105 must contain at least one non-space character.



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM105								999	E	IK403 = 5: "Data Element Too Long"	2310A.NM105 must be 1 - 25 characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: DN Referring Provider	
NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2310A.NM105 must be populated with accepted AN characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: DN Referring Provider	
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = 10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Referring Provider Name Suffix	AN	1-10	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2310A.NM107 must contain at least one non-space character.
NM107								999	E	IK403 = 5: "Data Element Too Long"	2310A.NM107 must be 1 - 10 characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: DN Referring Provider	
NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2310A.NM107 must be populated with accepted AN characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: DN Referring Provider	
NM108	Identification Code Qualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error." TBD01: "Situational segment/element required for adjudication." EIC: DN Referring Provider	2310A.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier".
NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: DN Referring Provider	2310A.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	2310A.NM108 must be "XX".
NM109	Referring Provider Identifier	AN	2-80	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2310A.NM109 must be present if 2310A.NM108 is present.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DN Referring Provider	2310A.NM109 must be valid according to the NPI algorithm.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DN Referring Provider	The first position of 2310A.NM109 must be a "1".
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DN Referring Provider	
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>REFERRING PROVIDER SECONDARY IDENTIFICATION</b>		3	S	2310A			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2310A.NM1 is present, 2310A.REF with REF01 = "1G" or "0B" may be present when 2310A.NM109 is not present.
REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Only two iterations of 2310A.REF with REF01 = "0B" or "1G" are allowed.
REF								999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2310A.REF must not be present.
REF01	Reference Identification Qualifier	ID	2-3	R			0B, 1G, G2	999	R	IK403 = 1: "Required Data Element Missing"	2310A.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2310A.REF01 must be valid values.
REF02	Referring Provider Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2310A.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	When 2310A.REF01 = "0B", 2310A.REF02 must contain at least one non-space character.
REF02								277	T	CSCC: A8 "Acknowledgement / Rejected for relational field..." CSC 560: "Entity's Additional/Secondary Identifier" CSC 133: "Entity's UPIN" EIC: DN Referring Provider	When 2310A.REF01 = "1G", 2310A.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).
REF02								999	E	IK403 = 5: "Data Element Too Long"	When 2310A.REF01 = "0B", 2310A.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 133: "Entity's UPIN" EIC: DN Referring Provider	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	When 2310A.REF01 = "0B", 2310A.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 133: "Entity's UPIN" EIC: DN Referring Provider	

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM1	RENDERING PROVIDER NAME		1	S	2310B	1		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2310B.NM1 is allowed.
NM101	Entity Identifier Code	ID	2-3	R			82	999	R	IK403 = 1: "Required Data Element Missing"	2310B.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2310B.NM101 must be "82".
NM102	Entity Type Qualifier	ID	1-1	R			1, 2	999	R	IK403 = 1: "Required Data Element Missing"	2310B.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2310B.NM102 must be valid values.
NM103	Rendering Provider Last or Organization Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2310B.NM103 must be present.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2310B.NM103 must contain at least one non-space character.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2310B.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: 82 Rendering Provider	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2310B.NM103 must be populated with accepted AN characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: 82 Rendering Provider	
NM104	Rendering Provider First Name	AN	1-35	S				999	R	IK403 = I10: "Implementation "Not Used" Element Present"	If 2310B.NM102 = "2" then 2310B.NM104 must not be present.
NM104								999	R	IK403 = 6: "Invalid Character in Data Element"	2310B.NM104 must contain at least one non-space character.
NM104								999	E	IK403 = 5: "Data Element Too Long"	2310B.NM104 must be 1 - 35 characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" EIC: 82 Rendering Provider	
NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2310B.NM104 must be populated with accepted AN characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC: 82 Rendering Provider	
NM105	Rendering Provider Middle Name	AN	1-25	S				999	R	IK403 = I10: "Implementation "Not Used" Element Present"	If 2310B.NM102 = "2" then 2310B.NM105 must not be present.
NM105								999	R	IK403 = 6: "Invalid Character in Data Element"	2310B.NM105 must contain at least one non-space character.
NM105								999	E	IK403 = 5: "Data Element Too Long"	2310B.NM105 must be 1 - 25 characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: 82 Rendering Provider	
NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2310B.NM105 must be populated with accepted AN characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: 82 Rendering Provider	
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Rendering Provider Name Suffix	AN	1-10	S				999	R	IK403 = I13: "Implementation Dependent "Not Used" Data Element Present"	If 2310B.NM102 = "2" then 2310B.NM107 must not be present.
NM107								999	R	IK403 = 6: "Invalid Character in Data Element"	2310B.NM107 must contain at least one non-space character.
NM107								999	E	IK403 = 5: "Data Element Too Long"	If 2310B.NM107 must be 1 - 10 characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: 82 Rendering Provider	
NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2310B.NM107 must be populated with accepted AN characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: 82 Rendering Provider	
NM108	Identification Code Qualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error." TBD01: "Situational segment/element required for adjudication." EIC: 82 Rendering Provider	2310B.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier".
NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: 82 Rendering Provider	2310B.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	2310B.NM108 must be "XX".
NM109	Rendering Provider Identifier	AN	2-80	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2310B.NM109 must be present if 2310B.NM108 is present.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 82 Rendering Provider	2310B.NM109 must be valid according to the NPI algorithm.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 82 Rendering Provider	2310B.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 82 Rendering Provider	The first position of 2310B.NM109 must be a "1".
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.
PRV	<b>RENDERING PROVIDER SPECIALTY INFORMATION</b>		1	S	2310B			999	R	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2310B.NM1 is present, 2310B.PRV with PRV01 = "PE" may be present.</b>
PRV								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2310B.PRV with PRV01 = "PE" is allowed.</b>
PRV01	Provider Code	ID	1-3	R			PE	999	R	IK403 = 1: "Required Data Element Missing"	2310B.PRV01 must be present.
PRV01								999	R	IK403 = 7: "Invalid Code Value"	2310B.PRV01 must be "PE".
PRV02	Reference Identification Qualifier	ID	2-3	R			PXC	999	R	IK403 = 1: "Required Data Element Missing"	2310B.PRV02 must be present.
PRV02								999	R	IK403 = 7: "Invalid Code Value"	2310B.PRV02 must be "PXC".
PRV03	Provider Taxonomy Code	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2310B.PRV03 must be present.
PRV03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 145: "Entity's specialty/taxonomy code" EIC: 82 Rendering Provider	2310B.PRV03 must be a valid Provider Taxonomy Code
PRV04	State or Province Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.
PRV05	PROVIDER SPECIALTY INFORMATION			N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.
PRV06	Provider Organization Code	ID	3-3	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.
REF	<b>RENDERING PROVIDER SECONDARY IDENTIFICATION</b>		4	S	2310B			999	R	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2310B.NM1 is present, 2310B.REF with REF01 = "1G", "0B", "G2" or "LU" may be present when 2310B.NM109 is not present.</b>
REF								277	C	<b>CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"</b>	<b>Only four iterations of 2310B.REF with REF01 = "1G", "0B", "G2" or "LU" are allowed.</b>
REF								999	R	<b>IK304 = I9: "Implementation Dependent 'Not Used' Segment Present"</b>	<b>2310B.REF must not be present.</b>
REF01	Reference Identification Qualifier	ID	2-3	R			0B, 1G, G2, LU	999	R	IK403 = 1: "Required Data Element Missing"	2310B.REF01 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF01								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restriction on the number of repetitions"	2310B.REF01 must be "1G", "0B", "G2", or "LU".
REF02	Rendering Provider Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2310B.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	When 2310B.REF01 = "0B", "G2" or "LU", 2310B.REF02 must contain at least one non-space character.
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN" CSC 560: "EIC: FIC: 82 Rendering Provider"	When 2310B.REF01 = "1G", 2310B.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).
REF02								999	E	IK403 = 5: "Data Element Too Long"	When 2310B.REF01 = "0B", "G2" or "LU", 2310B.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 133: "Entity's UPIN" FIC: 82 Rendering Provider"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	When 2310B.REF01 = "0B", "G2" or "LU", 2310B.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 133: "Entity's UPIN" FIC: 82 Rendering Provider"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = 110: "Implementation 'Not Used' Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = 110: "Implementation 'Not Used' Element Present"	Must not be present.
<b>NM1</b>	<b>SERVICE FACILITY LOCATION NAME</b>		<b>1</b>	<b>S</b>	<b>2310C</b>	<b>1</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2310C.NM1 is allowed.</b>
NM101	Entity Identifier Code	ID	2-3	R			77	999	R	IK403 = 1: "Required Data Element Missing"	2310C.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2310C.NM101 must be "77".
NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	2310C.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2310C.NM102 must be "2".
NM103	Laboratory or Facility Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2310C.NM103 must be present.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2310C.NM103 must contain at least one non-space character.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2310C.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" FIC: 77 Service Location	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2310C.NM103 must be populated with accepted AN characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: 77 Service Location	
NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM108	Identification Code Qualifier	ID	1-2	S			XX	999	R	IK403 = 7: "Invalid Code Value"	2310C.NM108 must be "XX".
NM109	Laboratory or Facility Primary Identifier	AN	2-80	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2310C.NM108 is present, 2310C.NM109 must be present.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 77 Service Location	2310C.NM109 must be valid according to the NPI algorithm.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 77 Service Location	The first position of 2310C.NM109 must be a "1".
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N3	<b>SERVICE FACILITY LOCATION ADDRESS</b>		1	R	2310C			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2310C.NM1 is present, 2310.N3 must be present.
N3								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2310C.N3 is allowed.
N301	Laboratory or Facility Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2310C.N301 must be present.
N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2310C.N301 must contain at least one non-space character.
N301								999	E	IK403 = 5: "Data Element Too Long"	2310C.N301 must be 1 - 55 characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" EIC: 77 Service Location	
N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2310C.N301 must be populated with accepted AN characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: 77 Service Location	
N302	Laboratory or Facility Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2310C.N302 must contain at least one non-space character.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N302								999	E	IK403 = 5: "Data Element Too Long"	2310C.N302 must be 1 - 55 characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" EIC: 77 Service Location	
N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2310C.N302 must be populated with accepted AN characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: 77 Service Location	
N4	<b>SERVICE FACILITY LOCATION CITY/STATE/ZIP</b>		1	R	2310C			999	R	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2310C.NM1 is present, 2310.N4 must be present.</b>
N4								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2310C.N4 is allowed.</b>
N401	Laboratory or Facility City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2310C.N401 must be present.
N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2310C.N401 must contain at least two non-space characters.
N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2310C.N401 must be 2-30 characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" EIC: 77 Service Location	
N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2310C.N401 must be populated with accepted AN characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" EIC: 77 Service Location	
N402	Laboratory or Facility State or Province Code	ID	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2310C.N404 is not present, 2310C.N402 must be present.
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" EIC: 77 Service Location	2310C.N402 must be a valid State Code.
N403	Laboratory or Facility Postal Zone ZIP Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2310C.N404 is not present, 2310C.N403 must be present.
N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC: 77 Service Location	2310C.N403 must be a valid 9 digit Zip Code.
N404	Laboratory or Facility Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.



837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF	SERVICE FACILITY LOCATION SECONDARY IDENTIFICATION		3	S	2310C			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2310C.REF must not be present.
PER	SERVICE FACILITY CONTACT INFORMATION		1	S	2310C			999	R	IK304 = 19: "Implementation Dependent 'not used' Segment Present"	If 2310C.NM1 is present, 2310C.PER may be present.
PER								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2310C.PER is allowed.
PER01	Contact Function Code	ID	2-2	R			IC	999	R	IK403 = 1: "Required Data Element Missing"	2310C.PER01 must be present.
PER01								999	R	IK403 = 7: "Invalid Code Value"	2310C.PER01 must be "IC".
PER02	Submitter Contact Name	AN	1-60	S				999	E	IK403 = 5: "Data Element Too Long"	2310C.PER02 must be 1 - 60 characters.
PER02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 561: "Entity's Contact Name" FIC: 77 Service Location	
PER03	Communication Number Qualifier	ID	2-2	R			TE	999	R	IK403 = 1: "Required Data Element Missing"	2310C.PER03 must be present.
PER03								999	R	IK403 = 7: "Invalid Code Value"	2310C.PER03 must be "TE".
PER04	Communication Number	AN	1-256	R				999	R	IK403 = 1: "Required Data Element Missing"	2310C.PER04 must be present.
PER04								999	R	IK403 = 6: "Invalid Character in Data Element"	2310C.PER04 must contain at least one non-space character.
PER04								999	E	IK403 = 5: "Data Element Too Long"	2310C.PER04 must be 1 - 256 characters.
PER04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 127: "Entity's Phone Number" FIC: 77 Service Location	
PER04								999	E	IK403 = 6: "Invalid Character in Data Element"	2310C.PER04 must be populated with accepted AN characters.
PER04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" FIC: 77 Service Location	
PER05	Communication Number Qualifier	ID	2-2	S			EX	999	R	IK403 = 7: "Invalid Code Value"	2310C.PER05 must be "EX".
PER05							EM, EX, FX, TE	999	R	IK403 = 7: "Invalid Code Value"	2310C.PER05 must be valid values.
PER06	Communication Number	AN	1-256	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2310C.PER05 is present, 2310C.PER06 must be present.
PER06								999	R	IK403 = 6: "Invalid Character in Data Element"	2310C.PER06 must contain at least one non-space character.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
PER06								999	E	IK403 = 5: "Data Element Too Long"	2310C.PER06 must be 1 - 256 characters.
PER06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 127: "Entity's Phone Number" EIC: 77 Service Location	
PER06								999	E	IK403 = 6: "Invalid Character in Data Element"	2310C.PER06 must be populated with accepted AN characters.
PER06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" EIC: 77 Service Location	
PER07	Communication Number Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PER08	Communication Number	AN	1-256	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PER09	Contact Inquiry Reference	AN	1-20	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM1	<b>SUPERVISING PROVIDER NAME</b>		<b>1</b>	<b>S</b>	<b>2310D</b>	<b>1</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration 2310D.NM1 is allowed.</b>
NM101	Entity Identifier Code	ID	2-3	R			DQ	999	R	IK403 = 1: "Required Data Element Missing"	2310D.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2310D.NM101 must be "DQ".
NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2310D.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2310D.NM102 must be "1".
NM103	Supervising Provider Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2310D.NM103 must be present.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2310D.NM103 must contain at least one non-space character.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2310D.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC DQ Supervising Physician	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2310D.NM103 must be populated with accepted AN characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC DQ Supervising Physician	
NM104	Supervising Provider First Name							999	R	IK403 = 6: "Invalid Character in Data Element"	2310D.NM104 must contain at least one non-space character.
NM104		AN	1-35	S				999	E	IK403 = 5: "Data Element Too Long"	2310D.NM104 must be 1 - 35 characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" EIC DQ Supervising Physician	
NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2310D.NM104 must be populated with accepted AN characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC DQ Supervising Physician	
NM105	Supervising Provider Middle Name							999	R	IK403 = 6: "Invalid Character in Data Element"	2310D.NM105 must contain at least one non-space character.
NM105		AN	1-25	S				999	E	IK403 = 5: "Data Element Too Long"	2310D.NM105 must be 1 - 25 characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC DQ Supervising Physician	
NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2310D.NM105 must be populated with accepted AN characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC DQ Supervising Physician	
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Supervising Provider Name Suffix							999	R	IK403 = 6: "Invalid Character in Data Element"	2310D.NM107 must contain at least one non-space character.
NM107		AN	1-10	S				999	E	IK403 = 5: "Data Element Too Long"	2310D.NM107 must be 1 - 10 characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC DQ Supervising Physician	
NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2310D.NM107 must be populated with accepted AN characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC DQ Supervising Physician	
NM108	Identification Code Qualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error." TBD01: "Situational segment/element required for adjudication." EIC DQ Supervising Physician	2310D.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier".
NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC DQ Supervising Physician	2310D.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	2310D.NM108 must be "XX".
NM109	Supervising Provider Identifier	AN	2-80	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2310D.NM108 is present, 2310D.NM109 must be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" FIC DQ Supervising Physician	2310D.NM109 must be valid according to the NPI algorithm.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" FIC DQ Supervising Physician	The first position of 2310D.NM109 must be a "1".
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>SUPERVISING PROVIDER SECONDARY IDENTIFIER</b>		4	S	2310D			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only 3 iterations of 2310D.REF are allowed.</b>
REF								999	R	<b>IK403 = I10: "Implementation "Not Used" Element Present"</b>	<b>Must not be present.</b>
REF01	Reference Identification Qualifier	ID	2-3	R			0B, 1G, G2, LU	999	R	IK403 = 1: "Required Data Element Missing"	2310D.REF01 must be present.
REF01								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2310D.REF01 must be "0B", "1G" or "LU".
REF02	Supervising Provider Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2310D.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	When 2310D.REF01 = "0B" or "LU", 2310D.REF02 must contain at least one non-space character.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 629: "Property Casualty Claim Number"	When 2310D.REF01 = "1G", 2310D.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).
REF02								999	E	IK403 = 5: "Data Element Too Long"	When 2310D.REF01 = "0B" or "LU", 2310D.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 629: "Property Casualty Claim Number" FIC DQ Supervising Physician	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	When 2310D.REF01 = "0B" or "LU", 2310D.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 629: "Property Casualty Claim Number" FIC DQ Supervising Physician	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
<b>NM1</b>	<b>AMBULANCE PICK UP LOCATION</b>		1	S	2310E	1		999	R	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration 2310E.NM1 is allowed.</b>
NM101	Entity Identifier Code	ID	2-3	R			PW	999	R	IK403 = 1: "Required Data Element Missing"	2310E.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2310E.NM101 must be "PW".
NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	2310E.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2310E.NM102 must be "2".
NM103	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM108	Identification Code Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM109	Identification Code	AN	2-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
<b>N3</b>	<b>AMBULANCE PICK UP LOCATION ADDRESS</b>		1	R	2310E			999	R	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2310E.NM1 is present, 2310E.N3 must be present.</b>
<b>N3</b>								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2310E.N3 is allowed.</b>
N301	Ambulance Pick Up Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2310E.N301 must be present.
N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2310E.N301 must contain at least one non-space character.
N301								999	E	IK403 = 5: "Data Element Too Long"	2310E.N301 must be 1 - 55 characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 126: "Entity's Address" CSC 266 Facility point of origin and destination - ambulance	
N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2310E.N301 must be populated with accepted AN characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" CSC 266 "Facility point of origin and destination - ambulance"	
N302	Ambulance Pick Up Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2310E.N302 must contain at least one non-space character.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N302								999	E	IK403 = 5: "Data Element Too Long"	2310E.N302 must be 1 - 55 characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 126: "Entity's Address" CSC 266 "Facility point of origin and destination - ambulance"	
N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2310E.N302 must be populated with accepted AN characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" CSC 266 "Facility point of origin and destination - ambulance"	
N4	AMBULANCE PICK UP LOCATION CITY/STATE/ZIP		1	R	2310E			999	R	IK304 = 16: "Implementation Dependent Segment Missing"	If 2310E.NM1 is present, 2310E.N4 must be present.
N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2310E.N4 is allowed.
N401	Ambulance Pick Up City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2310E.N401 must be present.
N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2310E.N401 must contain at least two non-space characters.
N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2310E.N401 must be 2-30 characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" CSC 266 "Facility point of origin and destination - ambulance"	
N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2310E.N401 must be populated with accepted AN characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" CSC 266 "Facility point of origin and destination - ambulance"	
N402	Ambulance Pick Up State or Province Code	ID	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2310E.N404 is not present, 2310E.N402 must be present.
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" CSC 266 "Facility point of origin and destination - ambulance"	2310E.N402 must be a valid State Code.
N403	Ambulance Pick Up Postal Zone ZIP Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2310E.N404 is not present, 2310E.N403 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" CSC 266 "Facility point of origin and destination - ambulance"	2310E.N403 must be a valid Zip Code.
N404	Ambulance Pick Up Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
<b>NM1</b>	<b>AMBULANCE DROP OFF LOCATION</b>		<b>1</b>	<b>S</b>	<b>2310F</b>	<b>1</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration 2310F.NM1 is allowed.</b>
NM101	Entity Identifier Code	ID	2-3	R			45	999	R	IK403 = 1: "Required Data Element Missing"	2310F.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2310F.NM101 must be "45".
NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	2310F.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2310F.NM102 must be "2".
NM103	Ambulance Drop Off Location							999	R	IK403 = 6: "Invalid Character in Data Element"	2310F.NM103 must contain at least one non-space character.
NM103		AN	1-60	S				999	E	IK403 = 5: "Data Element Too Long"	2310F.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" CSC 266 "Facility point of origin and destination - ambulance"	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2310F.NM103 must be populated with accepted AN characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" CSC 266 "Facility point of origin and destination - ambulance"	
NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM108	Identification Code Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM109	Identification Code	AN	2-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
<b>N3</b>	<b>AMBULANCE DROP OFF LOCATION ADDRESS</b>		<b>1</b>	<b>R</b>	<b>2310F</b>			<b>999</b>	<b>R</b>	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2310F.NM1 is present, 2310F.N3 must be present.</b>
<b>N3</b>								<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2310F.N3 is allowed.</b>
N301	Ambulance Drop Off Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2310F.N301 must be present.
N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2310F.N301 must contain at least one non-space character.
N301								999	E	IK403 = 5: "Data Element Too Long"	2310F.N301 must be 1 - 55 characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 126: "Entity's Address" CSC 266 Facility point of origin and destination - ambulance	
N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2310F.N301 must be populated with accepted AN characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" CSC 266 Facility point of origin and destination - ambulance	
N302	Ambulance Drop Off Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2310F.N302 must contain at least one non-space character.
N302								999	E	IK403 = 5: "Data Element Too Long"	2310F.N302 must be 1 - 55 characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 126: "Entity's Address" CSC 266 Facility point of origin and destination - ambulance"	
N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2310F.N302 must be populated with accepted AN characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" CSC 266 Facility point of origin and destination - ambulance"	
<b>N4</b>	<b>AMBULANCE DROP OFF LOCATION CITY/STATE/ZIP</b>		<b>1</b>	<b>R</b>	<b>2310F</b>			<b>999</b>	<b>R</b>	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2310F.NM1 is present, 2310F.N4 must be present.</b>



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
<b>N4</b>								<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2310F.N4 is allowed.</b>
N401	Ambulance Drop Off City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2310F.N401 must be present.
N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2310F.N401 must contain at least two non-space characters.
N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2310F.N401 must be 2-30 characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" CSC 266 "Facility point of origin and destination - ambulance"	
N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2310F.N401 must be populated with accepted AN characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" CSC 266 "Facility point of origin and destination - ambulance"	
N402	Ambulance Drop Off State or Province Code	ID	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2310F.N404 is not present, 2310F.N402 must be present.
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" CSC 266 "Facility point of origin and destination - ambulance"	2310F.N402 must be a valid State Code.
N403	Ambulance Drop Off Postal Zone ZIP Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2310F.N404 is not present, 2310F.N403 must be present.
N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" CSC 266 "Facility point of origin and destination - ambulance"	2310F.N403 must be a valid Zip Code.
N404	Ambulance Drop Off Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
<b>SBR</b>	<b>OTHER SUBSCRIBER LOOP</b>				<b>2320</b>	<b>10</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only ten iterations of the 2320 loop are allowed.</b>
<b>SBR</b>	<b>OTHER SUBSCRIBER INFORMATION</b>		<b>1</b>	<b>S</b>	<b>2320</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2320.SBR is allowed.</b>

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SBR01	Payer Responsibility Sequence Number Code	ID	1-1	R			A, B, C, D, E, F, G, H, P, S, T, U	999	R	IK403 = 1: "Required Data Element Missing"	2320.SBR01 must be present.
SBR01								999	R	IK403 = 7: "Invalid Code Value"	2320.SBR01 must be valid values.
SBR01								999	R	IK403 = 7: "Invalid Code Value"	Each iteration of 2320.SBR01 must contain a different code value (each code value may appear in one and only one SBR01 element).
SBR01								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." CSC 286 "Other payer's Explanation of Benefits/payment information"	If 2000B.SBR01 = "S", 2320.SBR01 = "P" must be present.
SBR02	Individual Relationship Code	ID	2-2	R			01, 18, 19, 20, 21, 39, 40, 53, G8	999	R	IK403 = 1: "Required Data Element Missing"	2320.SBR02 must be present.
SBR02								999	R	IK403 = 7: "Invalid Code Value"	2320.SBR02 must be valid values.
SBR03	Insured Group or Policy Number							999	R	IK403 = 6: "Invalid Character in Data Element"	2320.SBR03 must contain at least one non-space character.
SBR03		AN	1-50	S				999	E	IK403 = 5: "Data Element Too Long"	2320.SBR03 must be 1 - 50 characters.
SBR03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 163: "Entity's policy number" FIC: GB Other Insured	
SBR03								999	E	IK403 = 6: "Invalid Character in Data Element"	2320.SBR03 must be populated with accepted AN characters.
SBR03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 163: "Entity's policy number" FIC: GB Other Insured	
SBR04	Other Insured Group Name	AN	1-60	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.SBR03 is present, 2320.SBR04 must not be present.
SBR04								999	R	IK403 = 6: "Invalid Character in Data Element"	2320SBR04 must contain at least one non-space character.
SBR04								999	E	IK403 = 5: "Data Element Too Long"	2320.SBR04 must be 1 - 60 characters.
SBR04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 663: "Entity's Group Name" FIC: GB Other Insured	
SBR04								999	E	IK403 = 6: "Invalid Character in Data Element"	2320.SBR04 must be populated with accepted AN characters.
SBR04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 663: "Entity's Group Name" FIC: GB Other Insured	
SBR05	Insurance Type Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SBR06	Coordination of Benefits Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SBR07	Yes/No Condition or Response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SBR08	Employment Status Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SBR09	Claim Filing Indicator Code	ID	1-2	S			11, 12, 13, 14, 15, 16, 17, AM, BL, CH, CI, DS, FI, HM, LM, MA, MB, MC, OF, TV, VA, WC, ZZ	999	R	IK403 = 7: "Invalid Code Value"	2320.SBR09 must be valid values.
SBR09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 480: "Other Carrier Claim filing indicator is missing or invalid"	2320.SBR09 must not = "MA" or "MB".
CAS	<b>CLAIM LEVEL ADJUSTMENTS</b>		5	S	2320			999	R	<b>IK304 = 19: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2320.SBR is present, 2320.CAS may be present.</b>
CAS								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only 5 iterations of 2320.CAS are allowed.</b>
CAS01	Claim Adjustment Group Code	ID	1-2	R			CO, CR, OA, PI, PR	999	R	IK403 = 1: "Required Data Element Missing"	2320.CAS01 must be present.
CAS01								999	R	IK403 = 7: "Invalid Code Value"	2320.CAS01 must be valid values.
CAS01								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 696: "Claim Adjustment Group Code" EIC: GB Other Insured	If 2320.CAS01 = "CR" then 2330B.DTP or 2430.DTP (if used) with DTP01 = "573" must be prior to 01/01/2012.
CAS02	Adjustment Reason Code	ID	1-5	R				999	R	IK403 = 1: "Required Data Element Missing"	2320.CAS02 must be present.
CAS02								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS02 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".
CAS02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS02 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".
CAS03	Adjustment Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2320.CAS03 must be present.
CAS03								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.CAS03 must be numeric.
CAS03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS03 must not = 0.
CAS03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS03 is limited to 0, 1 or 2 decimal positions.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CAS03								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2320.CAS03 must be >= -99,999.99. and <= 99,999.99.
CAS03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS04	Adjustment Quantity	R	1-15	S				999	E	IK403 = 5: "Data Element Too Long"	2320.CAS04 must be 1-15 digits.
CAS04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2320.CAS04 must not = 0.
CAS05	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS02 is present, 2320.CAS05 may be present.
CAS05								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS05 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".
CAS05								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS05 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".
CAS06	Adjustment Amount	R	1-18	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2320.CAS05 is present, 2320.CAS06 must be present.
CAS06								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.CAS06 must be numeric.
CAS06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS06 must not = 0.
CAS06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS06 is limited to 0, 1 or 2 decimal positions.
CAS06								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2320.CAS06 must be >= -99,999.99. and <= 99,999.99.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CAS06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS07	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS05 is present, 2320.CAS07 may be present.
CAS07								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS07 must be 1-15 digits.
CAS07								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS07								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2320.CAS07 must not = 0.
CAS08	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS05 is present, 2320.CAS08 may be present.
CAS08								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS08 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".
CAS08								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS08 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".
CAS09	Adjustment Amount	R	1-18	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2320.CAS08 is present, 2320.CAS09 must be present.
CAS09								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.CAS09 must be numeric.
CAS09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS09 must not = 0.
CAS09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS09 is limited to 0, 1 or 2 decimal positions.
CAS09								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2320.CAS09 must be >= -99,999.99. and <= 99,999.99.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CAS09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS10	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS08 is present, 2320.CAS10 may be present.
CAS10								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS10 must be 1-15 digits.
CAS10								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS10								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2320.CAS10 must not = 0.
CAS11	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS08 is present, 2320.CAS11 may be present.
CAS11								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS11 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".
CAS11								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS11 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".
CAS12	Adjustment Amount	R	1-18	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2320.CAS11 is present, 2320.CAS12 must be present.
CAS12								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.CAS12 must be numeric.
CAS12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS12 must not = 0.
CAS12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS12 is limited to 0, 1 or 2 decimal positions.
CAS12								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2320.CAS12 must be >= -99,999.99. and <= 99,999.99.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CAS12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS13	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS11 is present, 2320.CAS13 may be present.
CAS13								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS13 must be 1-15 digits.
CAS13								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS13								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2320.CAS13 must not = 0.
CAS14	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS11 is present, 2320.CAS14 may be present.
CAS14								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS14 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".
CAS14								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS14 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".
CAS15	Adjustment Amount	R	1-18	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2320.CAS14 is present, 2320.CAS15 must be present.
CAS15								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.CAS15 must be numeric.
CAS15								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS15 must not = 0.
CAS15								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS15 is limited to 0, 1 or 2 decimal positions.
CAS15								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2320.CAS15 must be >= -99,999.99. and <= 99,999.99.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CAS15								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS16	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS14 is present, 2320.CAS16 may be present.
CAS16								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS16 must be 1-15 digits.
CAS16								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS16								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2320.CAS16 must not = 0.
CAS17	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS14 is present, 2320.CAS17 may be present.
CAS17								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS17 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".
CAS17								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 521: Adjustment Reason Code EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS17 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573"
CAS18	Adjustment Amount	R	1-18	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2320.CAS17 is present, 2320.CAS18 must be present.
CAS18								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.CAS18 must be numeric.
CAS18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS18 must not = 0.
CAS18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS18 is limited to 0, 1 or 2 decimal positions.
CAS18								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2320.CAS18 must be >= -99,999.99. and <= 99,999.99.



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CAS18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS19	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS17 is present, 2320.CAS19 may be present.
CAS19								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS19 must be 1-15 digits.
CAS19								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS19								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2320.CAS19 must not = 0.
AMT	COB PAYER PAID AMOUNT		1	S	2320			999	R	IK304 = 19: "Implementation Dependent 'not used' Segment Present"	If 2320.SBR is present, 2320.AMT with AMT01 = "D" may be present.
AMT								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2320.AMT with AMT01 = "D" is allowed.
AMT								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." CSC 286: "Other payer's Explanation of Benefits/payment information"	If 2000B.SBR01 = "S" then one 2320 loop with an AMT segment with AMT01 = "D" must be present.
AMT01	Amount Qualifier Code	ID	1-3	R			D	999	R	IK403 = 1: "Required Data Element Missing"	2320.AMT01 must be present.
AMT01								999	R	IK403 = 7: "Invalid Code Value"	2320.AMT01 must be "D".
AMT02	Payer Paid Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .AMT02 must be numeric.
AMT02								999	E	IK403 = 5: "Data Element Too Long"	2320.AMT02 must be <= 99,999.99.
AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 183: "Amount entity has paid" CSC 286: Other payer's Explanation of Benefits/payment information	
AMT02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 183: "Amount entity has paid" CSC 286: Other payer's Explanation of Benefits/payment information	2320.AMT02 must be >= 0.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 183: "Amount entity has paid" CSC 286: Other payer's Explanation of Benefits/payment information	2320.AMT02 is limited to 0, 1 or 2 decimal positions.
AMT02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 672: "Other Payer's payment information is out of balance" CSC 286: Other payer's Explanation of Benefits/payment information	2320 AMT02 must = the sum of all 2430.SVD02 payer paid amounts (when the value in 2430.SVD01 is the same as the value in 2330B.NM109) minus the sum of all claim level adjustments (2320 CAS adjustment amounts) for the same payer.
AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
AMT	<b>COB TOTAL NON-COVERED AMOUNT</b>		<b>1</b>	<b>S</b>	<b>2320</b>			<b>999</b>	<b>R</b>	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2320.SBR is present, 2320.AMT with AMT01 = "A8" may be present.</b>
AMT								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2320.AMT with AMT01 = "A8" is allowed.
AMT01	Amount Qualifier Code	ID	1-3	R			A8	999	R	IK403 = 1: "Required Data Element Missing"	2320.AMT01 must be present.
AMT01								999	R	IK403 = 7: "Invalid Code Value"	2320.AMT01 must be "A8".
AMT02	Non-Covered Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .AMT02 must be numeric.
AMT02								999	E	IK403 = 5: "Data Element Too Long"	2320.AMT02 must be <= 99,999.99.
AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 596: "Non-covered Charge Amount" EIC: GB Other Insured	
AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 596: "Non-covered Charge Amount" EIC: GB Other Insured	2320.AMT02 is limited to 0, 1 or 2 decimal positions.
AMT02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 596: "Non-covered Charge Amount" EIC: GB Other Insured	2320.AMT02 (with AMT01 = "A8") elements must = 2300.CLM02.
AMT02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 596: "Non-covered Charge Amount" EIC: GB Other Insured	2320.AMT02 must be >= 0.
AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
AMT	<b>REMAINING PATIENT LIABILITY</b>		<b>1</b>	<b>S</b>	<b>2320</b>			<b>999</b>	<b>R</b>	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2320.SBR is present, 2320.AMT with AMT01 = "EAF" may be present.</b>

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
<b>AMT</b>								<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2320.AMT with AMT01 = "EAF" is allowed.</b>
AMT01	Amount Qualifier Code	ID	1-3	R			EAF	999	R	IK403 = 1: "Required Data Element Missing"	2320.AMT01 must be present.
AMT01								999	R	IK403 = 7: "Invalid Code Value"	2320.AMT01 must be "EAF".
AMT02	Remaining Patient Liability Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2320.AMT02 must be numeric.
AMT02								999	E	IK403 = 5: "Data Element Too Long"	2320.AMT02 must be <= 99,999.99.
AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 6 Balance due from the subscriber. EIC: GB Other Insured	
AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 6 Balance due from the subscriber. EIC: GB Other Insured	2320.AMT02 is limited to 0, 1 or 2 decimal positions.
AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.
<b>OI</b>	<b>OTHER INSURANCE COVERAGE INFORMATION</b>		<b>1</b>	<b>R</b>	<b>2320</b>			<b>999</b>	<b>R</b>	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2320.SBR is present, 2320.OI must be present.</b>
<b>OI</b>								<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2320.OI is allowed.</b>
OI01	Claim Filing Indicator Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.
OI02	Claim Submission Reason Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.
OI03	Benefits Assignment Certification Indicator	ID	1-1	R			N, W, Y	999	R	IK403 = 1: "Required Data Element Missing"	2320.OI03 must be present.
OI03								999	R	IK403 = 7: "Invalid Code Value"	2320.OI03 must be valid values.
OI04	Patient Signature Source Code	ID	1-1	S			P	999	R	IK403 = 7: "Invalid Code Value"	2320.OI04 must be "P".
OI05	Provider Agreement Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.
OI06	Release of Information Code	ID	1-1	R			I, Y	999	R	IK403 = 1: "Required Data Element Missing"	2320.OI06 must be present.
OI06								999	R	IK403 = 7: "Invalid Code Value"	2320.OI06 must be valid values.
<b>MOA</b>	<b>OUTPATIENT ADJUDICATION INFORMATION</b>		<b>1</b>	<b>S</b>	<b>2320</b>			<b>999</b>	<b>R</b>	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2320.SBR is present, 2320.MOA may be present.</b>
<b>MOA</b>								<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2320.MOA is allowed on outpatient claims.</b>
MOA01	Reimbursement Rate	R	1-10	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2320.MOA01 must be numeric.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
MOA01								999	R	IK403 = 112: "Implementation Pattern Match Failure"	2320.MOA01 must be >= 0.0 and <= 1.0.
MOA01								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions"	2320.MOA01 is limited to 0, 1 or 2 decimal positions.
MOA02	HCPCS Payable Amount	R	1-18	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2320.MOA02 must be numeric.
MOA02								999	E	IK403 = 5: "Data Element Too Long"	2320.MOA02 must be <= 99,999.99.
MOA02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 574: "HCPCS Payable Amount Home Health"	
MOA02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 574: "HCPCS Payable Amount Home Health"	2320.MOA02 must be >= 0.
MOA02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 574: "HCPCS Payable Amount Home Health"	2320.MOA02 is limited to 0, 1 or 2 decimal positions.
MOA03	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is present, 2320.MOA03 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".
MOA03								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA03 must be a valid Remittance Advice Remark Code for the high/low date range of the 2430.DTP03s when DTP01 = "573"
MOA04	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is present, 2320.MOA04 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".
MOA04								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA04 must be a valid Remittance Advice Remark Code for the high/low date range of the 2430.DTP03s when DTP01 = "573"
MOA05	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is present, 2320.MOA05 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".
MOA05								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA05 must be a valid Remittance Advice Remark Code for the high/low date range of the 2430.DTP03s when DTP01 = "573"

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
MOA06	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is present, 2320.MOA06 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".
MOA06								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA06 must be a valid Remittance Advice Remark Code for the high/low date range of the 2430.DTP03s when DTP01 = "573"
MOA07	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is present, 2320.MOA07 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".
MOA07								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA07 must be a valid Remittance Advice Remark Code for the high/low date range of the 2430.DTP03s when DTP01 = "573"
MOA08	End Stage Renal Disease Payment Amount	R	1-18	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .MOA08 must be numeric.
								999	E	IK403 = 5: "Data Element Too Long"	2320.MOA08 must be <= 99,999.99.
MOA08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 534: "Claim ESRD Payment Amount"	
MOA08								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 534: "Claim ESRD Payment Amount"	2320.MOA08 must be >= 0.
MOA08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 534: "Claim ESRD Payment Amount"	2320.MOA08 is limited to 0, 1 or 2 decimal positions.
MOA09	Non-Payable Professional Component Billed Amount	R	1-18	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .MOA09 must be numeric.
MOA09								999	E	IK403 = 5: "Data Element Too Long"	2320.MOA09 must be <= 99,999.99.
MOA09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 598: "Non-payable Professional Component Billed Amount"	
MOA09								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 598: "Non-payable Professional Component Billed Amount"	2320.MOA09 must be >= 0.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
MOA09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 598: "Non-payable Professional Component Billed Amount"	2320.MOA09 is limited to 0, 1 or 2 decimal positions.
NM1	OTHER SUBSCRIBER NAME		1	R	2330A	1		999	R	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2320SBR is present, 2330A.NM1 must be present.</b>
NM1								999	R	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2330A.NM1 is allowed.</b>
NM101	Entity Identifier Code	ID	2-3	R			IL	999	R	IK403 = 1: "Required Data Element Missing"	2330A.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2330A.NM101 must be "IL".
NM102	Entity Type Qualifier	ID	1-1	R			1, 2	999	R	IK403 = 1: "Required Data Element Missing"	2330A.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2330A.NM102 must be valid values.
NM103	Other Insured Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2330AN.M103 must be present.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2330A.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: GB Other Insured	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.NM103 must be populated with accepted AN characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: GB Other Insured	
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.NM103 must contain at least one non-space character.
NM104	Other Insured First Name	AN	1-35	S				999	R	IK403 = I13: "Implementation Dependent "Not Used" Data Element Present"	If 2330A.NM102 is "2", 2330A.NM104 must not be present.
NM104								999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.NM104 must contain at least one non-space character.
NM104								999	E	IK403 = 5: "Data Element Too Long"	2330A.NM104 must be 1 - 35 characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's First Name" EIC: GB Other Insured	
NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.NM104 must be populated with accepted AN characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC: GB Other Insured	
NM105	Other Insured Middle Name	AN	1-25	S				999	R	IK403 = I13: "Implementation Dependent "Not Used" Data Element Present"	If 2330A.NM102 is "2", 2330A.NM105 must not be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM105								999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.NM105 must contain at least one non-space character.
NM105								999	E	IK403 = 5: "Data Element Too Long"	2330A.NM105 must be 1 - 25 characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" FIC: GB Other Insured	
NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.NM105 must be populated with accepted AN characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" FIC: GB Other Insured	
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Other Insured Name Suffix	AN	1-10	S				999	R	IK403 = I13: "Implementation Dependent "Not Used" Data Element Present"	If 2330A.NM102 is "2", 2330A.NM107 must not be present.
NM107								999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.NM107 must contain at least one non-space character.
NM107								999	E	IK403 = 5: "Data Element Too Long"	2330A.NM107 must be 1 - 10 characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" FIC: GB Other Insured	
NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.NM107 must be populated with accepted AN characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" FIC: GB Other Insured	
NM108	Identification Code Qualifier	ID	1-2	R			II, MI	999	R	IK403 = 1: "Required Data Element Missing"	2330A.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	2330A.NM108 must be valid values.
NM109	Other Insured Identifier	AN	2-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2330A.NM109 must be present.
NM109								999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.NM109 must contain at least two non-space characters.
NM109								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2330A.NM109 must be 2-80 characters.
NM109								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 153: "Entity's ID Number" FIC: GB Other Insured	
NM109								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.NM109 must be populated with accepted AN characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM109								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 153: "Entity's ID Number" EIC: GB Other Insured	
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N3	<b>OTHER SUBSCRIBER ADDRESS</b>		1	S	2330A			999	R	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2330A.NM1 is present, 2330A.N3 may be present.</b>
N3								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2330A.N3 is allowed.</b>
N301	Other Insured Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2330A.N301 must be present.
N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.N301 must contain at least one non-space character.
N301								999	E	IK403 = 5: "Data Element Too Long"	2330A.N301 must be 1 - 55 characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" EIC: GB Other Insured	
N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.N301 must be populated with accepted AN characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: GB Other Insured	
N302	Other Insured Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.N302 must contain at least one non-space character.
N302								999	E	IK403 = 5: "Data Element Too Long"	2330A.N302 must be 1 - 55 characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" EIC: GB Other Insured	
N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.N302 must be populated with accepted AN characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: GB Other Insured	
N4	<b>OTHER SUBSCRIBER CITY/STATE/ZIP CODE</b>		1	R	2330A			999	R	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2330A.NM1 is present, 2330A.N4 must be present.</b>
N4								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2330A.N4 is allowed.</b>



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N401	Other Subscriber City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2330A.N401 must be present.
N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.N401 must contain at least two non-space characters.
N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2330A.N401 must be 2-30 characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" EIC: GB Other Insured	
N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.N401 must be populated with accepted AN characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" EIC: GB Other Insured	
N402	Other Subscriber State or Province Code	ID	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2330A.N404 is not present, 2330A.N402 must be present.
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" EIC: GB Other Insured	2330A.N402 must be a valid State Code.
N403	Other Subscriber Postal Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2330A.N404 is not present, 2330A.N403 must be present.
N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC: GB Other Insured	2330A.N403 must be a valid Zip Code.
N404	Other Subscriber Country code	ID	2-3	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 680: "Entity's Country" EIC: GB Other Insured	2330A.N404 must be a valid 2 character Country Code.
N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N407	Country Subdivision Code	ID	1-3	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 695: "Entity's Country Subdivision Code" EIC: GB Other Insured	2330A.N407 must be a valid Country Subdivision Code.
REF	<b>OTHER SUBSCRIBER SECONDARY IDENTIFICATION</b>		1	S	2330A			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2330A.NM1 is present, 2330A.REF may be present.
REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330A.REF is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			SY	999	R	IK403 = 1: "Required Data Element Missing"	2330A.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2310A.REF01 must be "SY".
REF02	Other Insured Additional Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2330A.REF02 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 148: "Entity's Social Security Number" EIC: GB Other Insured	2330A.REF02 must be 9 digits, with no punctuation.  The first 3 digits cannot be higher than 772, and digits 1-3, 4-5, and 6-9 cannot be zeros.
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM1	OTHER PAYER NAME		1	R	2330B	1		999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2320.SBR is present, 2330B.NM1 must be present.
NM1								999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2330B.NM1 is allowed.
NM101	Entity Identifier Code	ID	2-3	R			PR	999	R	IK403 = 1: "Required Data Element Missing"	2330B.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2330B.NM101 must be "PR".
NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	2330B.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2330B.NM102 must be "2".
NM103	Other Payer Last or Organization Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.NM103 must be present.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2330B.NM103 must contain at least one non-space character.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2300B.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" CSC 286: Other payer's Explanation of Benefits/payment information	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.NM103 must be populated with accepted AN characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" CSC 286: Other payer's Explanation of Benefits/payment information	
NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM108	Identification Code Qualifier	ID	1-2	R			PI, XV	999	R	IK403 = 1: "Required Data Element Missing"	2330B.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	2330B.NM108 must be valid values.
NM109	Other Payer Primary Identifier	AN	2-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.NM109 must be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM109								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2330B.NM109 must = 2430.SVD01.
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
<b>N3</b>	<b>OTHER PAYER ADDRESS</b>		<b>1</b>	<b>S</b>	<b>2330B</b>			<b>999</b>	<b>R</b>	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2330B.NM1 is present, 2330B.N3 may be present.</b>
<b>N3</b>								<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2330B.N3 is allowed.</b>
N301	Other Payer Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.N301 must be present.
N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2330B.N301 must contain at least one non-space character.
N301								999	E	IK403 = 5: "Data Element Too Long"	2330B.N301 must be 1 - 55 characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" CSC 286: Other payer's Explanation of Benefits/payment information	
N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.N301 must be populated with accepted AN characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" CSC 286: Other payer's Explanation of Benefits/payment information	
N302	Other Payer Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2330B.N302 must contain at least one non-space character.
N302								999	E	IK403 = 5: "Data Element Too Long"	2330B.N302 must be 1 - 55 characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" CSC 286: Other payer's Explanation of Benefits/payment information	
N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.N302 must be populated with accepted AN characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" CSC 286: Other payer's Explanation of Benefits/payment information	

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N4	OTHER PAYER CITY/STATE/ZIP CODE		1	R	2330B			999	R	IK304 = 16: "Implementation Dependent Segment Missing"	If 2330B.NM1 is present, 2330B.N4 must be present.
N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330B.N4 is allowed.
N401	Other Payer City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.N401 must be present.
N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2330B.N401 must contain at least two non-space characters.
N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2330B.N401 must be 2-30 characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" CSC 286: Other payer's Explanation of Benefits/payment information	
N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.N401 must be populated with accepted AN characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" CSC 286: Other payer's Explanation of Benefits/payment information	
N402	Other Payer State or Province Code	ID	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2330B.N404 is not present, 2330B.N402 must be present.
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" CSC 286: Other payer's Explanation of Benefits/payment information	2330B.N402 must be a valid State Code.
N403	Other Payer Postal Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2330B.N404 is not present, 2330B.N403 must be present.
N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" CSC 286: Other payer's Explanation of Benefits/payment information	2330B.N403 must be a valid Zip Code.
N404	Other Payer Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
DTP	DATE - CLAIM CHECK OR REMITTANCE DATE		1	S	2330B			999	R	IK304 = 19: "Implementation Dependent 'not used' Segment Present"	If 2330B.NM1 is present, 2330B.DTP may be present.
DTP								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330B.DTP is allowed.
DTP								999	R	IK304 = 2: "Unexpected Segment"	If 2330B.NM1 is present and 2430.DTP with DTP01 = "573" is not present, 2330B.DTP may be present.
DTP01	Date Time Qualifier	ID	3-3	R			573	999	R	IK403 = 1: "Required Data Element Missing"	2330B.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2330B.DTP01 must be "573".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2330B.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2330B.DTP02 must be "D8".
DTP03	Adjudication or Payment Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2330B.DTP03 must be a valid date in CCYYMMDD format.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 516 "Adjudication or Payment Date"	2330B.DTP03 must not be a future date.
REF	OTHER PAYER SECONDARY IDENTIFICATION		2	S	2330B			999	R	IK304 = 16: "Implementation Dependent Segment Missing"	If 2330B.NM1 is present, 2330B.REF with 2330B.REF01 = "2U", "EI", "FY" or "NF" may be present.
REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2330B.REF with 2330B.REF01 = "2U", "EI", "FY" or "NF" are allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			2U, EI, FY, NF	999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2330B.REF01 must be valid values.
REF02	Other Payer Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF02 must be present.
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 128: "Entity's tax id" CSC 286: Other payer's Explanation of Benefits/payment information	If 2330B.REF01 = "EI", 2330B.REF02 must be 9 digits with no punctuation.  Cannot be zeros.
REF02								999	E	IK403 = 5: "Data Element Too Long"	If 2330B.REF01 = "2U", "FY" or "NF", 2330B.REF02 must be must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 128: "Entity's tax id" CSC 286: Other payer's Explanation of Benefits/payment information	

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	If 2330B.REF01 = "2U", "FY" or "NF", 2330B.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 128: "Entity's tax id" CSC 286: Other payer's Explanation of Benefits/payment information	
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	If 2330B.REF01 = "2U", "FY" or "NF", 2330B.REF02 must contain at least one non-space character.
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	OTHER PAYER PRIOR AUTHORIZATION		2	S	2330B			999	R	"IK304 = I6: "Implementation Dependent Segment Missing"	If 2330B.NM1 is present, 2330B.REF with 2330B.REF with REF01 = "G1" may be present.
REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330B.REF with REF01 = "G1" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			G1	999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2330B.REF01 must be "G1".
REF02	Other Payer Prior Authorization Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF02 must be present.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2330B.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 48: "Referral/authorization"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 48: "Referral/authorization" CSC 286: Other payer's Explanation of Benefits/payment information	
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2330B.REF02 must contain at least one non-space character.
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	OTHER PAYER REFERRAL NUMBER		1	S	2330B			999	R	"IK304 = I6: "Implementation Dependent Segment Missing"	If 2330B.NM1 is present, 2330B.REF with 2330B.REF with REF01 = "9F" may be present.
REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330B.REF with REF01 = "9F" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			9F	999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2330B.REF01 must be "9F".
REF02	Other Payer Referral Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF02 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF02								999	E	IK403 = 5: "Data Element Too Long"	2330B.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 48: "Referral/authorization" CSC 286: Other payer's Explanation of	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 48: "Referral/authorization" CSC 286: Other payer's Explanation of Benefits/payment information	
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2330B.REF02 must contain at least one non-space character.
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>OTHER PAYER CLAIM ADJUSTMENT INDICATOR</b>		1	S	2330B			999	R	<b>"IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2330B.NM1 is present, 2330B.REF with 2330B.REF with REF01 = "T4" may be present.</b>
REF								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2330B.REF with REF01 = "T4" is allowed.</b>
REF01	Reference Identification Qualifier	ID	2-3	R			T4	999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2330B.REF01 must be "T4".
REF02	Other Payer Claim Adjustment Indicator	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF02 must be present.
REF02								999	R	IK403 = 7: "Invalid Code Value"	2330B.REF02 must be "Y".
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>OTHER PAYER CLAIM CONTROL NUMBER</b>		1	S	2330B			999	R	<b>"IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2330B.NM1 is present, 2330B.REF with 2330B.REF with REF01 = "F8" may be present.</b>
REF								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2330B.REF with REF01 = "F8" is allowed.</b>
REF01	Reference Identification Qualifier	ID	2-3	R			F8	999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2330B.REF01 must be "F8".
REF02	Other Payer Claim Control Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF02 must be present.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2330B.REF02 must be 1 - 50 characters.
								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 464: "Payer Assigned Claim Control Number" CSC 286: Other payer's Explanation of Benefits/payment information	

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 464: "Payer Assigned Claim Control Number" CSC 286: Other payer's Explanation of Benefits/payment information	
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2330B.REF02 must contain at least one non-space character.
REF03	Description	AN	1-80	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
	OTHER PAYER REFERRING PROVIDER Loop				2330C			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Loop must not be present.
NM1	OTHER PAYER REFERRING PROVIDER		1	S	2330C			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
REF	OTHER PAYER REFERRING PROVIDER SECONDARY IDENTIFIER		3	R	2330C			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
	OTHER PAYER RENDERING PROVIDER Loop				2330D	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Loop must not be present.
NM1	OTHER PAYER RENDERING PROVIDER		1	S	2330D	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.



837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF	OTHER PAYER RENDERING PROVIDER SECONDARY IDENTIFICATION		3	R	2330D			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
	OTHER PAYER SERVICE FACILITY LOCATION Loop				2330E			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Loop must not be present.
NM1	OTHER PAYER SERVICE FACILITY LOCATION		1	S	2330E	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
REF	OTHER PAYER SERVICE FACILITY LOCATION SECONDARY IDENTIFIER		3	R	2330E			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
	OTHER PAYER SUPERVISING PROVIDER Loop				2330F	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Loop must not be present.
NM1	OTHER PAYER SUPERVISING PROVIDER		1	S	2330F	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
REF	OTHER PAYER SUPERVISING PROVIDER SECONDARY IDENTIFICATION		3	R	2330F			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
	OTHER PAYER BILLING PROVIDER Loop				2330G	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Loop must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM1	OTHER PAYER BILLING PROVIDER		1	S	2330G	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
REF	OTHER PAYER BILLING PROVIDER SECONDARY IDENTIFICATION		2	R	2330G			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Segment must not be present.
Line Loop	Service Line Loop				2400	50		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only 50 iterations of the 2400 loop are allowed.
LX	SERVICE LINE		1	R	2400			999	R	IK304 = 3: "Required Segment Missing"	2400.LX must be present.
LX								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.LX is allowed.
LX01	Assigned Number	N0	1-6	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.LX01 must be present.
LX01								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.LX01 must be numeric.
LX01								999	R	IK403 = 112: "Implementation Pattern Match Failure"	2400.LX01 must be must be > 0 and <= 50.
LX01								999	R	IK403 = 112: "Implementation Pattern Match Failure"	The first 2400.LX01 must be "1".
LX01								999	R	IK403 = 112: "Implementation Pattern Match Failure"	Subsequent 2400.LX01 values must increment by 1.
SV1	PROFESSIONAL SERVICE		1	R	2400			999	R	IK304 = 3: "Required Segment Missing"	2400.SV1 must be present.
SV1								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.SV1 is allowed.
SV101	COMPOSITE MEDICAL PROCEDURE IDENTIFIER			R							
SV101-1	Product or Service ID Qualifier	ID	2-2	R			ER, HC, IV, WK	999	R	IK403 = 1: "Required Data Element Missing"	2400.SV101-1 must be present.
SV101-1								999	R	IK403 = 7: "Invalid Code Value"	2400.SV101-1 must be "HC".
SV101-2	Procedure Code	AN	1-48	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.SV101-2 must be present.
SV101-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 507: "HCPCS"	When 2400.SV101-1 = "HC", 2400.SV101-2 must be a valid HCPCS Code on the date in 2400.DTP03 when DTP01 = "472".
SV101-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 507: "HCPCS"	When 2400.SV101-1 = "HC", 2400.SV101-2 must be a valid HCPCS Code on the date in 2400.DTP03 when DTP01 = "472". <b>OR</b> When 2400.SV101-1 = "HC", 2400.SV101-2 must be a 5 character alphanumeric value.
SV101-3	Procedure Modifier	AN	2-2	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered"	2400.SV101-3 must be valid procedure modifier on the date in 2400.DTP03 when DTP01 = "472".

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SV101-3								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered"	2400.SV101-3 must be valid procedure modifier on the date in 2400.DTP03 when DTP01 = "472".
SV101-3								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 544: "Clinical Laboratory Improvement Amendment"	
SV101-4	Procedure Modifier	AN	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2400.SV101-4 is present, 2400.SV101-3 must be present.
SV101-4								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered"	2400.SV101-4 must be valid procedure modifier on the date in 2400.DTP03 when DTP01 = "472".
SV101-4								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 544: "Clinical Laboratory Improvement Amendment"	
SV101-5	Procedure Modifier	AN	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2400.SV101-5 is present, 2400.SV101-4 must be present.
SV101-5								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered"	2400.SV101-5 must be valid procedure modifier on the date in 2400.DTP03 when DTP01 = "472".
SV101-5								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 544: "Clinical Laboratory Improvement Amendment"	
SV101-6	Procedure Modifier	AN	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2400.SV101-6 is present, 2400.SV101-5 must be present.
SV101-6								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered"	2400.SV101-6 must be valid procedure modifier on the date in 2400.DTP03 when DTP01 = "472".
SV101-6								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 544: "Clinical Laboratory Improvement Amendment"	
SV101-7	Description	AN	1-80	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2400.SV101-7 must contain at least one non-space character.
SV101-7								277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" CSC 306 Detailed description of service	2400.SV101-7 must be present. when 2400.SV101-2 is present on the table of procedure codes that require a description.
SV101-7								999	E	IK403 = 5: "Data Element Too Long"	2400.SV101-7 must be 1 - 80 characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SV101-7								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 306 Detailed description of service	
SV101-7								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.SV101-7 must be populated with accepted AN characters.
SV101-7								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 306 Detailed description of service	
SV101-8	Product/Service ID	AN	1-48	N/U				999	R	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV102	Line Item Charge Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.SV102 must be present.
SV102								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.SV102 must be numeric.
SV102								999	E	IK403 = 5: "Data Element Too Long"	2400.SV102 must be <= 99,999.99.
SV102								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 583: "Line Item Charge Amount"	
SV102								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 583: "Line Item Charge Amount"	2400.SV102 must be >= 0
SV102								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 583: "Line Item Charge Amount"	2400.SV102 is limited to 0, 1 or 2 decimal positions.
SV102								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 400: "Claim is out of balance: CSC 583: "Line Item Charge Amount" CSC 643: "Service Line Paid Amount"	SV102 must = the sum of all payer amounts paid found in 2430 SVD02 and the sum of all line adjustments found in 2430 CAS Adjustment Amounts.
SV103	Unit or Basis for Measurement Code	ID	2-2	R			MJ, UN	999	R	IK403 = 1: "Required Data Element Missing"	2400.SV103 must be present.
SV103								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD29: Anesthesia Unit Qualifier	2400.SV103 must be "MJ" when SV101-3, SV101-4, SV101-5, or SV101-6 is an anesthesia modifier (AA, AD, QK, QS, QX, QY or QZ). Otherwise, must be "UN"
SV104	Service Unit Count	R	1-15	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.SV104 must be present.
SV104								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.SV104 must be numeric.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SV104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 476: "Missing or invalid units of service"	If 2400.SV103 = "MJ", 2400.SV104 must be 1 to 3 digits with no decimal.
SV104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 476: "Missing or invalid units of service"	If 2400.SV103 = "UN", 2400.SV104 must be > 0 and <= 999.9
SV104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 476: "Missing or invalid units of service"	If 2400.SV103 = "UN", 2400.SV104 must be > 0 and <= 9,999.9.
SV104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 476: "Missing or invalid units of service"	If 2400.SV103 = "MJ", 2400.SV104 must be > 0 and <= 9,999.
SV104								277	T	CSCC A8: "Acknowledgement / Rejected for relational field in error" CSC 476: "Missing or invalid units of service" CSC 454: Procedure code for services rendered.	
SV104								277	T	CSCC A8: "Acknowledgement / Rejected for relational field in error" CSC 476: "Missing or invalid units of service" CSC 454: Procedure code for services rendered.	
SV105	Place of Service Code	AN	1-2	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 249: "Place of service"	2400.SV105 must be a valid Place of Service Code on the date in BHT04.
SV106	Service Type Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV107	COMPOSITE DIAGNOSIS CODE POINTER			R							
SV107-1	Diagnosis Code Pointer	N0	1-2	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.SV107-1 must be present.
SV107-1								277	C	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restriction on the number of repetitions" CSC 477: "Diagnosis code pointer is missing or invalid"	2400.SV107-1 must be >= 1 and <= 8.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SV107-1								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 477: "Diagnosis code pointer is missing or invalid"	2400.SV107-1 must be >= 1 and <= 12.
SV107-1								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 477: "Diagnosis code pointer is missing or invalid"	There must be a corresponding diagnosis code in 2300.HI where HI01-1 is "ABK" or "BK" for the pointer value entered. Example 1: if 2400.SV107-1 = 3, when 2300.HI01-1 with "BK" or "ABK", 2300.HI03-2 must be populated. Example 2: if 2400.SV107-1 = 5, when 2300.HI01-1 with "BK" or "ABK", 2300.HI05-2 must be populated.
SV107-2	Diagnosis Code Pointer	N0	1-2	S				999	E	IK403 = 10: "Exclusion Condition Violated"	If SV107-1 is present, 2400.SV107-2 may be present.
SV107-2								277	C	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restriction on the number of repetitions" CSC 477: "Diagnosis code pointer is missing or invalid"	2400.SV107-2 must be >= 1 and <= 8.
SV107-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 477: "Diagnosis code pointer is missing or invalid"	2400.SV107-2 must be >= 1 and <= 12.
SV107-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 477: "Diagnosis code pointer is missing or invalid"	There must be a corresponding diagnosis code in 2300.HI where HI01-1 is "ABK" or "BK" for the pointer value entered. Example 1: if 2400.SV107-1 = 3, when 2300.HI01-1 with "BK" or "ABK", 2300.HI03-2 must be populated. Example 2: if 2400.SV107-1 = 5, when 2300.HI01-1 with "BK" or "ABK", 2300.HI05-2 must be populated.
SV107-3	Diagnosis Code Pointer	N0	1-2	S				999	E	IK403 = 10: "Exclusion Condition Violated"	If SV107-2 is present, 2400.SV107-3 may be present.
SV107-3								277	C	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restriction on the number of repetitions" CSC 477: "Diagnosis code pointer is missing or invalid"	2400.SV107-3 must be >= 1 and <= 8.
SV107-3								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 477: "Diagnosis code pointer is missing or invalid"	2400.SV107-3 must be >= 1 and <= 12.
SV107-3								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 477: "Diagnosis code pointer is missing or invalid"	There must be a corresponding diagnosis code in 2300.HI where HI01-1 is "ABK" or "BK" for the pointer value entered. Example 1: if 2400.SV107-1 = 3, when 2300.HI01-1 with "BK" or "ABK", 2300.HI03-2 must be populated. Example 2: if 2400.SV107-1 = 5, when 2300.HI01-1 with "BK" or "ABK", 2300.HI05-2 must be populated.
SV107-4	Diagnosis Code Pointer	N0	1-2	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If SV107-3 is present, 2400.SV107-4 may be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SV107-4								277	C	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restriction on the number of repetitions" CSC 477: "Diagnosis code pointer is missing or invalid"	2400.SV107-4 must be >= 1 and <= 8.
SV107-4								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 477: "Diagnosis code pointer is missing or invalid"	2400.SV107-4 must be >= 1 and <= 12.
SV107-4								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 477: "Diagnosis code pointer is missing or invalid"	There must be a corresponding diagnosis code in 2300.HI where HI01-1 is "ABK" or "BK" for the pointer value entered. Example 1: if 2400.SV107-1 = 3, when 2300.HI01-1 with "BK" or "ABK", 2300.HI03-2 must be populated. Example 2: if 2400.SV107-1 = 5, when 2300.HI01-1 with "BK" or "ABK", 2300.HI05-2 must be populated.
SV108	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV109	Emergency Indicator	ID	1-1	S			Y	999	R	IK403 = 7: "Invalid Code Value"	2400.SV109 must be "Y".
SV110	Multiple Procedure Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV111	EPSDT Indicator	ID	1-1	S			Y	999	R	IK403 = 7: "Invalid Code Value"	2400.SV111 must be "Y".
SV112	Family Planning Indicator	ID	1-1	S			Y	999	R	IK403 = 7: "Invalid Code Value"	2400.SV112 must be "Y".
SV113	Review Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV114	National or Local Assigned Review Value	AN	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV115	Co-Pay Status Code	ID	1-1	S			0	999	R	IK403 = 7: "Invalid Code Value"	2400.SV115 must be "0".
SV116	Health Care Professional Shortage Area Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV117	Reference Identification	AN	1-50	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV118	Postal Code	ID	3-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV119	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV120	Level of Care Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV121	Provider Agreement Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV5	<b>DURABLE MEDICAL EQUIPMENT SERVICE</b>		1	S	2400			999	R	<b>IK304 = I9: "Implementation Dependent "Not Used" Segment Present"</b>	<b>2400.SV5 must not be present.</b>
SV5								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	
SV501	COMPOSITE MEDICAL PROCEDURE			R							
SV501-1	Procedure Identifier	ID	2-2	R			HC	999	R	IK403 = 1: "Required Data Element Missing"	
SV501-1								999	R	IK403 = 7: "Invalid Code Value"	
SV501-2	Procedure Code	AN	1-48	R				999	R	IK403 = I12: "Implementation Pattern Match Failure"	

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SV501-3	Procedure Modifier	AN	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV501-4	Procedure Modifier	AN	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV501-5	Procedure Modifier	AN	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV501-6	Procedure Modifier	AN	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV501-7	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV501-8	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SV502	Unit or Basis for Measurement Code	ID	2-2	R			DA	999	R	IK403 = 1: "Required Data Element Missing"	
SV502								999	R	IK403 = 7: "Invalid Code Value"	
SV503	Length of Medical Necessity	R	1-15	R				999	R	IK403 = 1: "Required Data Element Missing"	
SV503								999	R	IK403 = 6: "Invalid Character in Data Element"	
SV503								999	E	IK403 = 5: "Data Element Too Long"	
SV503								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 260 "Length of medical necessity including begin date"	
SV503								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 402: "Amount must be greater than 0" CSC 260 "Length of medical necessity including begin date"	
SV504	DME Rental Price	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	
SV504								999	R	IK403 = 6: "Invalid Character in Data Element"	
SV504								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 185: "Rental price for durable medical equipment"	
SV504								999	E	IK403 = 5: "Data Element Too Long"	
SV504								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 185: "Rental price for durable medical equipment"	
SV504								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 185: "Rental price for durable medical equipment"	
SV505	DME Purchase Price	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SV505								999	R	IK403 = 6: "Invalid Character in Data Element"	
SV505								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 184: "Purchase price for the rented durable medical equipment"	
SV505								999	E	IK403 = 5: "Data Element Too Long"	
SV505								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 184: "Purchase price for the rented durable medical equipment"	
SV505								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 184: "Purchase price for the rented durable medical equipment"	
SV506	Rental Unit Price Indicator	ID	1-1	R			1, 4, 6	999	R	IK403 = 1: "Required Data Element Missing"	
SV506								999	R	IK403 = 7: "Invalid Code Value"	
SV507	Prognosis Code	ID	1-1	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
<b>PWK</b>	<b>LINE SUPPLEMENTAL INFORMATION</b>		<b>10</b>	<b>S</b>	<b>2400</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only ten iterations of 2400.PWK are allowed.</b>
PWK01	Attachment Report Type Code	ID	2-2	R			03, 04, 05, 06, 07, 08, 09, 10, 11, 13, 15, 21, A3, A4, AM, AS, B2, B3, B4, BR, BS, BT, CB, CK, CT, D2, DA, DB, DG, DJ, DS, EB, HC, HR, IS, IR, LA, M1, MT, NN, OB, OC, OD, OE, OX, OZ, P4, P5, PE, PN, PO, PQ, PY, PZ, RB, RR, RT, RX, SG, V5, XP	999	R	IK403 = 1: "Required Data Element Missing"	2400.PWK01 must be present.
PWK01								999	R	IK403 = 7: "Invalid Code Value"	2400.PWK01 must be valid values.
PWK02	Attachment Transmission Code	ID	1-2	R			AA, BM, EL, EM, FT, FX	999	R	IK403 = 1: "Required Data Element Missing"	2400.PWK02 must be present.
PWK02								999	R	IK403 = 7: "Invalid Code Value"	2400.PWK02 must be valid values.
PWK03	Report Copies Needed	N0	1-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
PWK04	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
PWK05	Identification Code Qualifier	ID	1-2	S			AC	999	R	IK403 = 2 "Conditional Required Data Element Missing"	When 2400.PWK05 is present, 2400.PWK02 must be "BM", "EL", "EM", "FX" or "FT" .
PWK05								999	R	IK403 = 7: "Invalid Code Value"	2400.PWK05 must be "AC".
PWK06	Identification Code	AN	2-80	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	When 2400.PWK06 is present, 2400.PWK02 must be "BM", "EL", "EM", "FX" or "FT" .

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
PWK06								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.PWK06 must contain at least two non-space characters.
PWK06								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2400.PWK06 must be 2-50 characters.
PWK06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 489: "Attachment Control Number"	
PWK06								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.PWK06 must be populated with accepted AN characters.
PWK06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 489: "Attachment Control Number"	
PWK07	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PWK08	ACTIONS INDICATED			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PWK09	Request Category Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PWK	<b>DURABLE MEDICAL EQUIPMENT CERTIFICATE OF MEDICAL NECESSITY INDICATOR</b>		1	S	2400			999	R	<b>IK304 = I9: "Implementation Dependent "Not Used" Segment Present"</b>	<b>2400.PWK must not be present.</b>
PWK								999	R	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	
PWK								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	
PWK01	Attachment Report Type Code	ID	2-2	R			CT	999	R	IK403 = 1: "Required Data Element Missing"	Must not be present.
PWK01								999	R	IK403 = 7: "Invalid Code Value"	Must not be present.
PWK02	Attachment Transmission Code	ID	1-2	R			AB, AD, AF, AG, NS	999	R	IK403 = 1: "Required Data Element Missing"	Must not be present.
PWK02								999	R	IK403 = 7: "Invalid Code Value"	Must not be present.
PWK03	Report Copies Needed	N0	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PWK04	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PWK05	Identification Code Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PWK06	Identification Code	AN	2-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PWK07	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PWK08	ACTIONS INDICATED			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PWK09	Request Category Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CR1	<b>AMBULANCE TRANSPORT INFORMATION</b>		1	S	2400			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.CR1 is allowed.</b>
CR101	Unit or Basis for Measurement Code	ID	2-2	S			LB	999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2400.CR102 is present, 2400.CR101 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CR101								999	R	IK403 = 7: "Invalid Code Value"	2400.CR101 must be valid values.
CR102	Patient Weight	R	1-10	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2400.CR101 is present, then 2400.CR102 must be present.
CR102								999	E	IK403 = 5: "Data Element Too Long"	2300.CR102 must be >0 and <= 9,999.99.
CR102								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 337: "Ambulance certification/documentation" CSC 273: Weight	
CR103	Ambulance Transport Code	ID	1-1	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CR104	Ambulance Transport Reason Code	ID	1-1	R			A, B, C, D, E	999	R	IK403 = 1: "Required Data Element Missing"	2400.CR104 must be present.
CR104								999	R	IK403 = 7: "Invalid Code Value"	2400.CR104 must be valid values.
CR105	Unit or Basis for Measurement Code	ID	2-2	R			DH	999	R	IK403 = 1: "Required Data Element Missing"	2400.CR105 must be present.
CR105								999	R	IK403 = 7: "Invalid Code Value"	2400.CR105 must be "DH".
CR106	Transport Distance	R	1-15	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.CR106 must be present.
CR106								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.CR106 must be numeric.
CR106								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 267: "Number of miles patient was transported"	2400.CR106 must be => 0
CR106								999	E	IK403 = 5: "Data Element Too Long"	2400.CR106 must be 1 - 4 digits.
CR106								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 267 "Number of miles patient was transported"	
CR107	Address Information	AN	1-55	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CR108	Address Information	AN	1-55	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CR109	Round Trip Purpose Description	AN	1-80	S				999	E	IK403 = 5: "Data Element Too Long"	2400.CR109 must be 1 - 80 characters.
CR109								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 337: "Ambulance certification/documentation"	
CR109								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.CR109 must be populated with accepted AN characters.
CR109								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 337: "Ambulance certification/documentation"	
CR109								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.CR109 must contain at least one non-space character.
CR110	Stretcher Purpose Description	AN	1-80	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2400.CR110 must contain at least one non-space character.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CR110								999	E	IK403 = 5: "Data Element Too Long"	2400.CR110 must be 1 - 80 characters.
CR110								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD24: "Stretcher Purpose"	
CR110								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.CR110 must be populated with accepted AN characters.
CR110								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" TBD24: "Stretcher Purpose"	
CR3	DURABLE MEDICAL EQUIPMENT CERTIFICATION		1	S	2400			999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2400.CR3 must not be present.
CR3								999	R	IK304 = I6: "Implementation Dependent Segment Missing"	
CR3								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	
CR301	Certification Type Code	ID	1-1	R			I,R,S	999	R	IK403 = 1: "Required Data Element Missing"	
CR301								999	R	IK403 = 7: "Invalid Code Value"	
CR301								999	R	IK403 = 7: "Invalid Code Value"	
CR302	Unit or Basis for Measurement Code	ID	2-2	R			MO	999	R	IK403 = 1: "Required Data Element Missing"	
CR302								999	R	IK403 = 7: "Invalid Code Value"	
CR303	Durable Medical Equipment Duration	R	1-15	R				999	R	IK403 = 1: "Required Data Element Missing"	
CR303								999	E	IK403 = 5: "Data Element Too Long"	
CR303								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 352: "Duration of treatment plan"	
CR303								999	R	IK403 = 6: "Invalid Character in Data Element"	
CR303								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 402: "Amount must be greater than 0" CSC 352: "Duration of treatment plan"	
CR304	Insulin Dependent Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CR305	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CRC					2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only 3 iterations of 2400.CRC with CRC01 = "07", "70" or "09" are allowed.
CRC					2400			277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	
CRC	AMBULANCE CERTIFICATION		3	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only 3 iterations of 2400.CRC with CRC01 = "07" are allowed.
CRC	AMBULANCE CERTIFICATION		3	S	2400			277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	
CRC01	Code Category	ID	2-2	R			07	999	R	IK403 = 1: "Required Data Element Missing"	2400.CRC01 must be present.
CRC01								999	R	IK403 = 7: "Invalid Code Value"	2400.CRC01 must be "07".
CRC02	Certification Condition Indicator	ID	1-1	R			N, Y	999	R	IK403 = 1: "Required Data Element Missing"	2400.CRC02 must be present.
CRC02								999	R	IK403 = 7: "Invalid Code Value"	2400.CRC02 must be valid values.
CRC03	Condition Code	ID	2-3	R			01, 04, 05, 06, 07, 08, 09, 12	999	R	IK403 = 1: "Required Data Element Missing"	2400.CRC03 must be present.
CRC03								999	R	IK403 = 7: "Invalid Code Value"	2400.CRC03 must be valid values.
CRC04	Condition Code	ID	2-3	S			01, 04, 05, 06, 07, 08, 09, 12	999	R	IK403 = 10: "Exclusion Condition Violated"	If 2400.CRC03 is present, 2400.CRC04 may be present.
CRC04								999	R	IK403 = 7: "Invalid Code Value"	2400.CRC04 must be valid values.
CRC05	Condition Code	ID	2-3	S			01, 04, 05, 06, 07, 08, 09, 12	999	R	IK403 = 10: "Exclusion Condition Violated"	If 2400.CRC04 is present, 2400.CRC05 may be present.
CRC05								999	R	IK403 = 7: "Invalid Code Value"	2400.CRC05 must be valid values.
CRC06	Condition Code	ID	2-3	S			01, 04, 05, 06, 07, 08, 09, 12	999	R	IK403 = 10: "Exclusion Condition Violated"	If 2400.CRC05 is present, 2400.CRC06 may be present.
CRC06								999	R	IK403 = 7: "Invalid Code Value"	2400.CRC06 must be valid values.
CRC07	Condition Code	ID	2-3	S			01, 04, 05, 06, 07, 08, 09, 12	999	R	IK403 = 10: "Exclusion Condition Violated"	If 2400.CRC06 is present, 2400.CRC07 may be present.
CRC07								999	R	IK403 = 7: "Invalid Code Value"	2400.CRC07 must be valid values.
CRC	HOSPICE EMPLOYEE INDICATOR		1	S	2400			277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD01: "Situational segment/element required for adjudication."	If 2300.CLM05-1 = "34" or 2400.SV105 = "34", 2400.CRC with CRC01 = "70" must be present.
CRC								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only 1 iteration of 2400.CRC with CRC01 = "70" is allowed.
CRC								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD01: "Situational segment/element required for adjudication."	
CRC01	Code Category	ID	2-2	R			70	999	R	IK403 = 1: "Required Data Element Missing"	2400.CRC01 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CRC01								999	R	IK403 = 7: "Invalid Code Value"	2400.CRC01 must be "70".
CRC02	Hospice Employed Provider Indicator	ID	1-1	R			N, Y	999	R	IK403 = 1: "Required Data Element Missing"	2400.CRC02 must be present.
CRC02								999	R	IK403 = 7: "Invalid Code Value"	2400.CRC02 must be valid values.
CRC03	Condition Indicator	ID	2-3	R			65	999	R	IK403 = 1: "Required Data Element Missing"	2400.CRC03 must be present.
CRC03								999	R	IK403 = 7: "Invalid Code Value"	2400.CRC03 must be "65".
CRC04	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CRC05	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CRC06	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CRC07	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CRC	<b>CONDITION INDICATOR/ DURABLE MEDICAL EQUIPMENT</b>		1	S	2400			999	R	<b>IK304 = I9: "Implementation Dependent "Not Used" Segment Present"</b>	<b>2400.CRC must not be present.</b>
CRC								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	
CRC								999	R	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	
CRC01	Code Category	ID	2-2	R			09	999	R	IK403 = 1: "Required Data Element Missing"	
CRC01								999	R	IK403 = 7: "Invalid Code Value"	
CRC02	Certification Condition Indicator	ID	1-1	R			N, Y	999	R	IK403 = 1: "Required Data Element Missing"	
CRC02								999	R	IK403 = 7: "Invalid Code Value"	
CRC03	Condition Indicator	ID	2-3	R			38, ZV	999	R	IK403 = 1: "Required Data Element Missing"	
CRC03								999	R	IK403 = 7: "Invalid Code Value"	
CRC03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 527: "Certification Condition Indicator"	
CRC04	Condition Indicator	ID	2-3	S			38, ZV	999	R	IK403 = 10: "Exclusion Condition Violated"	
CRC04								999	R	IK403 = 7: "Invalid Code Value"	
CRC04								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 527: "Certification Condition Indicator"	
CRC05	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CRC06	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CRC07	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
DTP	<b>DATE - SERVICE DATE</b>		1	R	2400			999	R	<b>IK304 = 3: "Required Segment Missing"</b>	<b>2400.DTP with DTP01 = "472" must be present.</b>
DTP								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.DTP with DTP01 = "472" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			472	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP01 must be "472".

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8, RD8	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP02 must be valid values.
DTP03	Service Date	AN	1-35	R			CCYYMMDD, CCYYMMDDCCYY MMDD	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	If 2400.DTP02 is D8, then 2400.DTP03 must be a valid date in the format of CCYYMMDD.
DTP03								999	R	IK403 = 8: "Invalid Date"	If 2400.DTP02 is RD8, then 2400.DTP03 must be a valid date in the format of CCYYMMDD-CCYYMMDD.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 187: "Date(s) of service"	If 2400.DTP02 is D8, 2400.DTP03 must not be a future date.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 187: "Date(s) of service"	If 2400.DTP02 is RD8, 2400.DTP03 must not be a future date.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 187: "Date(s) of service"	If 2400.DTP02 is RD8, the first date listed in 2400.DTP03 must be a date prior or equal to the second date listed in 2400.DTP03.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 187: "Date(s) of service"	
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 187: "Date(s) of service"	
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 187: "Date(s) of service"	
<b>DTP</b>	<b>DATE - PRESCRIPTION DATE</b>		<b>1</b>	<b>S</b>	<b>2400</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.DTP with DTP01 = "471" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			471	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP01 must be "471".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP02 must be "D8".
DTP03	Prescription Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2400.DTP03 must be a valid date in the format of CCYYMMDD.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 214: "Original date of prescription/orders/referral"	2400.DTP03 must not be a future date.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
DTP	DATE - CERTIFICATION REVISION/RECERTIFICATION DATE		1	S	2400			999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2400.DTP with DTP01 = "607" must not be present.
DTP								999	R	IK304 = I6: "Implementation Dependent Segment Missing"	
DTP01	Date Time Qualifier	ID	3-3	R			607	999	R	IK403 = 1: "Required Data Element Missing"	
DTP01								999	R	IK403 = 7: "Invalid Code Value"	
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	
DTP02								999	R	IK403 = 7: "Invalid Code Value"	
DTP03	Certification Revision Recertification Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 529: "Certification Revision Date"	
DTP	DATE - BEGIN THERAPY DATE		1	S	2400			999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2400.DTP with DTP01 = "463" must not be present.
DTP			1	S				999	R	IK304 = I6: "Implementation Dependent Segment Missing"	
DTP								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	
DTP01	Date Time Qualifier	ID	3-3	R			463	999	R	IK403 = 1: "Required Data Element Missing"	
DTP01								999	R	IK403 = 7: "Invalid Code Value"	
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	
DTP02								999	R	IK403 = 7: "Invalid Code Value"	
DTP03	Begin Therapy Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date"	
DTP	DATE - LAST CERTIFICATION DATE		1	S	2400			999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2400.DTP with DTP01 = "461" must not be present.
DTP								999	R	IK304 = I6: "Implementation Dependent Segment Missing"	
DTP								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	
DTP01	Date Time Qualifier	ID	3-3	R			461	999	R	IK403 = 1: "Required Data Element Missing"	
DTP01								999	R	IK403 = 7: "Invalid Code Value"	
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	
DTP02								999	R	IK403 = 7: "Invalid Code Value"	
DTP03	Last Certification Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	



837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 580 "Last Certification Date"	
DTP	DATE - DATE LAST SEEN		1	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.DTP with DTP01 = "304" is allowed.
DTP								999	R	IK304 = 19: "Implementation Dependent "Not Used" Segment Present"	
DTP01	Date Time Qualifier	ID	3-3	R			304	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP01 must be "304".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP02 must be "D8".
DTP03	Last Seen Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2400.DTP03 must be a valid date in the format of CCYYMMDD.
DTP	DATE - TEST DATE		2	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2400.DTP with DTP01 = "738" or "739" are allowed.
DTP01	Date Time Qualifier	ID	3-3	R			738, 739	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP01 must be valid values.
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP02 must be "D8".
DTP03	Test Performed Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2400.DTP03 must be a valid date in the format of CCYYMMDD.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 653 "Test Performed Date"	2400.DTP03 must not be a future date.
DTP	DATE - SHIPPED DATE		1	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.DTP with DTP01 = "011" is allowed.
DTP01	Date Time Qualifier	ID	3-3	R			011	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP01 must be "011".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP02 must be "D8".
DTP03	Shipped Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2400.DTP03 must be a valid date in the format of CCYYMMDD.
DTP	DATE - LAST X-RAY		1	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.DTP with DTP01 = "455" is allowed.
DTP								999	R	IK304 = 19: "Implementation Dependent "Not Used" Segment Present"	
DTP01	Date Time Qualifier	ID	3-3	R			455	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP01 must be "455".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP02 must be "D8".
DTP03	Last X-Ray Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2400.DTP03 must be a valid date in the format of CCYYMMDD.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 210 "Date of the Last X-ray"	2400.DTP03 must not be a future date.
<b>DTP</b>	<b>DATE - INITIAL TREATMENT DATE</b>		<b>1</b>	<b>S</b>	<b>2400</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.DTP with DTP01 = "454" is allowed.</b>
DTP01	Date Time Qualifier	ID	3-3	R			454	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP01 must be "454".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP02 must be present.
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP02 must be "D8".
DTP03	Initial Treatment Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2400.DTP03 must be a valid date in the format of CCYYMMDD.
DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 701 "Initial Treatment Date"	2400.DTP03 must not be a future date.
<b>QTY</b>	<b>AMBULANCE PATIENT COUNT</b>		<b>1</b>	<b>S</b>	<b>2400</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.DTP with QTY01 = "PT" is allowed.</b>
QTY01	Quantity Qualifier	ID	2-2	R			PT	999	R	IK403 = 1: "Required Data Element Missing"	2400.QTY01 must be present.
QTY01								999	R	IK403 = 7: "Invalid Code Value"	2400.QTY01 must be "PT".
QTY02	Ambulance Patient Count	R	1-15	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.QTY02 must be present.
QTY02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.QTY02 must be numeric.
QTY02								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2400.QTY02 must be > 1.
QTY02								999	E	IK403 = 5: "Data Element Too Long"	2400.QTY02 must be 1 - 2 digits.
QTY02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system"	
QTY03	COMPOSITE UNIT OF MEASURE			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
QTY04	Free-Form Message	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
<b>QTY</b>	<b>OBSTETRIC ANESTHESIA ADDITIONAL UNITS</b>		<b>1</b>	<b>S</b>	<b>2400</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.DTP with QTY01 = "FL" is allowed.</b>
QTY01	Quantity Qualifier	ID	2-2	R			FL	999	R	IK403 = 1: "Required Data Element Missing"	2400.QTY01 must be present.
QTY01								999	R	IK403 = 7: "Invalid Code Value"	2400.QTY01 must be "FL".
QTY02	Obstetric Additional Units	R	1-15	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.QTY02 must be present.
QTY02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.QTY02 must be numeric.
QTY02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 402: "Amount must be greater than 0" TBD25: "Obstetric Additional Units"	2400.QTY02 must be > 0.
								999	E	IK403 = 5: "Data Element Too Long"	2400.QTY02 must be 1 - 2 digits.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
QTY02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD25: "Obstetric Additional Units"	
QTY03	COMPOSITE UNIT OF MEASURE			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
QTY04	Fee-Form Message	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
MEA	<b>TEST RESULTS</b>		<b>5</b>	<b>S</b>	<b>2400</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only 5 iterations of 2400.DTP are allowed.</b>
MEA01	Measurement Reference Identification Code	ID	2-2	R			OG, TR	999	R	IK403 = 1: "Required Data Element Missing"	2400.MEA01 must be present.
MEA01								999	R	IK403 = 7: "Invalid Code Value"	2400.MEA01 must be valid values.
MEA02	Measurement Qualifier	ID	1-3	R			HT, R1, R2, R3, R4	999	R	IK403 = 1: "Required Data Element Missing"	2400.MEA02 must be present.
MEA02								999	R	IK403 = 7: "Invalid Code Value"	2400.MEA02 must be valid values.
MEA03	Test Result	R	1-20	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.MEA03 must be present.
MEA03								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.MEA03 must be numeric.
MEA03								999	E	IK403 = 5: "Data Element Too Long"	2400.MEA03 must be >= 0 and <= 99.9.
MEA03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 300 "Lab/test report/notes/results"	
MEA03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 300 "Lab/test report/notes/results"	2400.MEA03 is limited to 1 decimal position.
MEA04	COMPOSITE UNIT OF MEASURE			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
MEA05	Range Minimum	R	1-20	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
MEA06	Range Maximum	R	1-20	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
MEA07	Measurement Significance Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
MEA08	Measurement Attribute Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
MEA09	Surface/Layer/Position Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
MEA10	Measurement Method or Device	ID	2-4	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
MEA11	Code List Qualifier Code	ID	1-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
MEA12	Industry Code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CN1	<b>CONTRACT INFORMATION</b>		<b>1</b>	<b>S</b>	<b>2400</b>			<b>999</b>	<b>E</b>	<b>IK304 = I9: "Implementation Dependent "Not Used" Segment Present"</b>	<b>Must not be present.</b>

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF	REPRICED LINE ITEM REFERENCE NUMBER		1	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only 1 iteration of 2400.REF with REF01 = "9B" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			9B	999	R	IK403 = 1: "Required Data Element Missing"	2400.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2400.REF01 must be "9B".
REF02	Repriced Line Item Reference Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2400.REF02 must be 1-50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 636: "Repriced Line Item Reference Number"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 636: "Repriced Line Item Reference Number"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	ADJUSTED REPRICED LINE ITEM REFERENCE NUMBER		1	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only 1 iteration of 2400.REF with REF01 = "9D" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			9D	999	R	IK403 = 1: "Required Data Element Missing"	2400.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2400.REF01 must be "9D".
REF02	Adjusted Repriced Line Item Reference Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2400.REF02 must be 1-50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 518: "Adjusted Repriced Line item Reference Number"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 518: "Adjusted Repriced Line item Reference Number"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	PRIOR AUTHORIZATION		5	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only 5 iterations of 2400.REF with REF01 = "G1" are allowed.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF01	Reference Identification Qualifier	ID	2-3	R			G1	999	R	IK403 = 1: "Required Data Element Missing"	2400.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2400.REF01 must be "G1".
REF02	Prior Authorization or Referral Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2400.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 252: "Authorization/ certification number"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 252: "Authorization/ certification number"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER										
REF04-1	Reference Identifier Qualifier	ID	2-3	R			2U	999	R	IK403 = 7: "Invalid Code Value"	2400.REF04-1 must be "2U".
REF04-2	Other Payer Primary Identifier	AN	1-50	R				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2400.REF04-1 is present, 2400.REF04-2 must be present.
REF04-2								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2400.REF04-2 must = 2330B.NM109
REF04-3	Reference Identification Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04-4	Reference Identification	AN	1-50	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04-5	Reference Identification Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04-6	Reference Identification	AN	1-50	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	LINE ITEM CONTROL NUMBER		1	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only 1 iteration of 2400.REF with REF01 = "6R" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			6R	999	R	IK403 = 1: "Required Data Element Missing"	2400.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2400.REF01 must be "6R".
REF02	Line Item Control Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2400.REF02 must be 1 - 30 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 584: "Line Item Control Number"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must be populated with accepted AN characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 584: "Line Item Control Number"	
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 584: "Line Item Control Number"	2400.REF02 must be unique within a single iteration of 2300.CLM01.
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>MAMMOGRAPHY CERTIFICATION NUMBER</b>		1	S	2400			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.REF with REF01 = "EW" is allowed.</b>
REF01	Reference identification Qualifier	ID	2-3	R			EW	999	R	IK403 = 1: "Required Data Element Missing"	2400.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2400.REF01 must be "EW".
REF02	Mammography Certification Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	
REF02								999	E	IK403 = 5: "Data Element Too Long"	
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 252: "Authorization /certification number"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 252: "Authorization /certification number"	
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 252: "Authorization/certification number"	2400.REF02 must be a valid Mammography Certification Number.
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>CLINICAL LABORATORY IMPROVEMENT AMENDMENT (CLIA) IDENTIFICATION</b>		1	S	2400			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.REF with REF01 = "X4" is allowed.</b>
REF01	Reference Identification Qualifier	ID	2-3	R			X4	999	R	IK403 = 1: "Required Data Element Missing"	2400.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2400.REF01 must be "X4".
REF02	Clinical Laboratory Improvement Amendment Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must contain at least one non-space character.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF02								999	E	IK403 = 5: "Data Element Too Long"	2400.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 544: "Clinical Laboratory Improvement Amendment"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 544: "Clinical Laboratory Improvement Amendment"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF	REFERRING CLINICAL LABORATORY IMPROVEMENT AMENDMENT (CLIA) FACILITY		1	S	2400			277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 544: "Clinical Laboratory Improvement Amendment"	
REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.REF with REF01 = "F4" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			F4	999	R	IK403 = 1: "Required Data Element Missing"	2400.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2400.REF01 must be "F4".
REF02	Referring CLIA Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.REF02 must be present.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2400.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 544: "Clinical Laboratory Improvement Amendment"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 544: "Clinical Laboratory Improvement Amendment"	
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must contain at least one non-space character.
REF03	Description	AN	1-80	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF	IMMUNIZATION BATCH NUMBER		1	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.REF with REF01 = "BT" is allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			BT	999	R	IK403 = 1: "Required Data Element Missing"	2400.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2400.REF01 must be "BT".

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF02	Immunization Batch Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2400.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 576: "Immunization Batch Number"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 576: "Immunization Batch Number"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	REFERRAL NUMBER		5	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only 5 iterations of 2400.REF with REF01 = "9F" are allowed.
REF01	Reference Identification Qualifier	ID	2-3	R			9F	999	R	IK403 = 1: "Required Data Element Missing"	2400.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2400.REF01 must be "9F".
REF02	Referral Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	2400.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 48: "Referral/authorization "	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 48: "Referral/authorization "	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER										
REF04-1	Reference Identifier Qualifier	ID	2-3	R			2U	999	R	IK403 = 7: "Invalid Code Value"	2400.REF04-1 must be "2U".
REF04-2	Other Payer Primary Identifier	AN	1-50	R				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2400.REF04-1 is present, 2400.REF04-2 must be present.
REF04-2								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2400.REF04-2 must = 2330B.NM109
REF04-3	Reference Identification Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04-4	Reference Identification	AN	1-50	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04-5	Reference Identification Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF04-6	Reference Identification	AN	1-50	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
<b>AMT</b>	<b>SALES TAX AMOUNT</b>		<b>1</b>	<b>S</b>	<b>2400</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.AMT with AMT01 = "T" is allowed.</b>
AMT01	Amount Qualifier Code	ID	1-3	R			T	999	R	IK403 = 1: "Required Data Element Missing"	2400.AMT01 must be present.
AMT01								999	R	IK403 = 7: "Invalid Code Value"	2400.AMT01 must be "T".
AMT02	Sales Tax Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.AMT02 must be present.
AMT02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.AMT02 must be numeric.
AMT02								999	E	IK403 = 5: "Data Element Too Long"	2400.AMT02 Must be <= 99,999.99.
AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 645: "Service Tax Amount"	
AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 645: "Service Tax Amount"	2400.AMT02 is limited to 0, 1 or 2 decimal positions.
AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
<b>AMT</b>	<b>POSTAGE CLAIMED AMOUNT</b>		<b>1</b>	<b>S</b>	<b>2400</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.AMT with AMT01 = "F4" is allowed.</b>
AMT01	Amount Qualifier Code	ID	1-3	R			F4	999	R	IK403 = 1: "Required Data Element Missing"	2400.AMT01 must be present.
AMT01								999	R	IK403 = 7: "Invalid Code Value"	2400.AMT01 must be "F4".
AMT02	Postage Claimed Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.AMT02 must be present.
AMT02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.AMT02 must be numeric.
AMT02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 402: "Amount must be greater than 0" CSC 617: "Postage Claimed Amount"	2400.AMT02 must be > 0 .
AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 617: "Postage Claimed Amount"	2400.AMT02 is limited to 0, 1 or 2 decimal positions.
AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
<b>K3</b>	<b>FILE INFORMATION</b>		<b>10</b>	<b>S</b>	<b>2400</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only ten iterations of 2400.K3 are allowed.</b>
K301	Fixed Format Information	AN	1-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.K301 must be present.
K301								999	E	IK403 = 5: "Data Element Too Long"	2400.K301 must be 1 - 80 characters
K301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 569: "Fixed Format Information"	

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
K301								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.K301 must be populated with accepted AN characters.
K301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 569: "Fixed Format Information"	
K301								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.K301 must contain at least one non-space character.
K302	Record Format Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
K303	COMPOSITE UNIT OF MEASURE			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NTE	LINE NOTE		1	S	2400			277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 586: "Line note text".	
NTE								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.NTE with NTE01 = "ADD" or "DCP" is allowed.
NTE01	Note Reference Code	ID	3-3	R			ADD, DCP	999	R	IK403 = 1: "Required Data Element Missing"	2400.NTE01 must be present.
NTE01								999	R	IK403 = 7: "Invalid Code Value"	2400.NTE01 must be valid values.
NTE02	Line Note Text	AN	1-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.NTE02 must be present.
NTE02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.NTE02 must contain at least one non-space character.
NTE02								999	E	IK403 = 5: "Data Element Too Long"	2400.NTE02 must be 1 - 80 characters.
NTE02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 586: "Line Note Text"	
NTE02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.NTE02 must be populated with accepted AN characters.
NTE02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 586: "Line Note Text"	
NTE	THIRD PARTY ORGANIZATION NOTE		1	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.NTE with NTE01 = "TPO" is allowed.
NTE01	Third Party Organization Notes	ID	3-3	R			TPO	999	R	IK403 = 1: "Required Data Element Missing"	2400.NTE01 must be present.
NTE01								999	R	IK403 = 7: "Invalid Code Value"	2400.NTE01 must be "TPO".
NTE02	Line Note Text	AN	1-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.NTE02 must be present.
NTE02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.NTE02 must contain at least one non-space character.
NTE02								999	E	IK403 = 5: "Data Element Too Long"	2400.NTE02 must be 1 - 80 characters.
NTE02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 586: "Line Note Text" EIC TU Third Party Repricing Organization (TPO)	

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NTE02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.NTE02 must be populated with accepted AN characters.
NTE02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 586: "Line Note Text" EIC TU Third Party Repricing Organization (TPO)	
PS1	<b>PURCHASED SERVICE PROVIDER IDENTIFIER</b>		1	S	2400			277	C	<b>CSCC A7: "Acknowledgement /Rejected for Invalid Information..."</b> <b>TBD01: "Situational segment/element required for adjudication."</b>	<b>If 2420B.NM1 with NM101 = "QB" is present, 2400.PS1 must be present.</b>
PS1								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.NTE "TPO" is allowed.</b>
PS101	Purchased Service Provider Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.PS101 must be present.
PS101								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2400.PS101 must = 2420B.NM109 or 2420B.REF02
PS101								999	E	IK403 = 5: "Data Element Too Long"	2400.PS102 must be > 0 and <= 99,999.99.
PS102	Purchased Service Charge Amount	R	1-18	R				277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 469: "Purchase Service Charge"	
PS103	State or Province Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
HCP	<b>LINE PRICING REPRICING INFORMATION</b>		1	S	2400			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.HCP is allowed.</b>
HCP01	Pricing Methodology	ID	2-2	R			00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14	999	R	IK403 = 1: "Required Data Element Missing"	2400.HCP01 must be present.
HCP01								999	R	IK403 = 7: "Invalid Code Value"	2400.HCP01 must be valid values.
HCP02	Repriced Allowed Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.HCP02 must be present.
HCP02								999	E	IK403 = 5: "Data Element Too Long"	2400.HCP02 must be <= 99,999.99
HCP02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD15: "Repriced Allowed Amount"	
HCP03	Repriced Saving Amount	R	1-18	S				999	E	IK403 = 5: "Data Element Too Long"	2400.HCP03 must be <= 99,999.99
HCP03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 637: "Repriced Saving Amount"	
HCP04	Repricing Organization Identifier	AN	1-50	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2400.HCP04 must contain at least one non-space character.
HCP04								999	E	IK403 = 5: "Data Element Too Long"	2400.HCP04 must be 1 - 50 characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HCP04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 153: "Entity's ID Number" EIC TU Third Party Repricing Organization (TPO)	
HCP04								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.HCP04 must be populated with accepted AN characters.
HCP04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 153: "Entity's ID Number" EIC TU Third Party Repricing Organization (TPO)	
HCP05	Repricing Per Diem or Flat Rate Amount	R	1-9	S				999	E	IK403 = 5: "Data Element Too Long"	2400.HCP05 must be 1 to 9 digits.
HCP05								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 638: "Repricing Per Diem or Flat Rate Amount"	
HCP06	Repriced Approved Ambulatory Patient Group Code	AN	1-50	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2400.HCP06 must contain at least one non-space character.
HCP06								999	E	IK403 = 5: "Data Element Too Long"	2400.HCP06 must be 1 - 50 characters.
HCP06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 635: "Repriced Approved Ambulatory Patient Group"	
HCP06								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.HCP06 must be populated with accepted AN characters.
HCP06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 635: "Repriced Approved Ambulatory Patient Group"	
HCP07	Repriced Approved Ambulatory Patient Group Amount							999	R	IK403 = 6: "Invalid Character in Data Element"	2430.SVD05 must be numeric.
		R	1-18	S				999	E	IK403 = 5: "Data Element Too Long"	2400.HCP07 must be <= 99,999.99
HCP07								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TDB18: "Repriced Approved Ambulatory Patient Group Amount"	
HCP08	Product/Service ID	AN	1-48	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
HCP09	Product or Service ID Qualifier	ID	2-2	S			ER, HC, IV, WK	999	R	IK403 = 7: "Invalid Code Value"	2400.HCP09 must be valid values.
HCP09								999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2400.HCP10 is present, 2400.HCP09 must be present.
HCP10	Procedure Code	AN	1-48	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2400.HCP09 is present, 2400.HCP10 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
HCP10								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 507: "HCPCS"	When 2400.HCP09 = "HC", 2400.HCP10 must be a valid HCPCS Code on the date in 2400.DTP03 when DTP01 = "472".
HCP11	Unit or Basis for Measurement Code	ID	2-2	S			MJ, UN	999	R	IK403 = 7: "Invalid Code Value"	2400.HCP11 must be valid values.
HCP11								999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2400.HCP12 is present, 2400.HCP11 must be present.
HCP12	Repriced Approved Service Unit Count	R	1-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2400.HCP11 is present, 2400.HCP12 must be present.
HCP12								999	E	IK403 = 5: "Data Element Too Long"	2400.HCP12 must be 1-8 digits.
HCP12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD21: "Repriced Approved Service Unit Count"	
HCP12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Invalid Decimal Precision" TBD21: "Repriced Approved Service Unit Count"	2400.HCP12 is limited to 0 to 3 decimal positions.
HCP13	Reject Reason Code	ID	2-2	S			T1, T2, T3, T4, T5, T6	999	R	IK403 = 7: "Invalid Code Value"	2400.HCP13 must be valid values.
HCP14	Policy Compliance Code	ID	1-2	S			1, 2, 3, 4, 5	999	R	IK403 = 7: "Invalid Code Value"	2400.HCP14 must be valid values.
HCP15	Exception Code	ID	1-2	S			1, 2, 3, 4, 5, 6	999	R	IK403 = 7: "Invalid Code Value"	2400.HCP15 must be valid values.
<b>LIN</b>	<b>DRUG IDENTIFICATION</b>		<b>1</b>	<b>S</b>	<b>2410</b>	<b>1</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2410.LIN is allowed.</b>
LIN01	Assigned Identification	AN	1-20	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
LIN02	Product or Service ID Qualifier	ID	2-2	R			N4	999	R	IK403 = 1: "Required Data Element Missing"	2410.LIN02 must be present.
LIN02								999	R	IK403 = 7: "Invalid Code Value"	2410.LIN02 must be "N4".
LIN03	National Drug Code	AN	1-48	R				999	R	IK403 = 1: "Required Data Element Missing"	2410.LIN03 must be present.
LIN03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 218: "NDC number"	2410.LIN03 must be a valid NDC code.
LIN03								277	C	CSCC A8: Acknowledgement / Rejected for relational field in error. CSC 218: "NDC number" CSC 507: "HCPCS"	
LIN03								277	C	CSCC A8: Acknowledgement / Rejected for relational field in error. CSC 218: "NDC number" CSC 507: "HCPCS"	
LIN04	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
LIN05	Product/Service ID	AN	1-48	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
LIN06	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
LIN07	Product/Service ID	AN	1-48	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
LIN08	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN09	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN10	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN11	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN12	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN13	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN14	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN15	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN16	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN17	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN18	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN19	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN20	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN21	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN22	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN23	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN24	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN25	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN26	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN27	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN28	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN29	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN30	Product/Service ID Qualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
LIN31	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
<b>CTP</b>	<b>DRUG PRICING</b>		<b>1</b>	<b>R</b>	<b>2410</b>			<b>999</b>	<b>R</b>	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2410.LIN is present, 2410.CTP must be present.</b>
<b>CTP</b>								<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2410.CTP is allowed.</b>
CTP01	Class of Trade Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CTP02	Price Identifier Code	ID	3-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CTP03	Unit Price	R	1-17	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
CTP04	National Drug Unit Count	R	1-15	R				999	R	IK403 = 1: "Required Data Element Missing"	2410.CTP04 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CTP04								999	E	IK403 = 5: "Data Element Too Long"	2410.CTP04 must be > 0 and <= 9,999,999.999.
CTP04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 216 "Drug information"	
CTP04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 216 "Drug information"	2410.CTP04 is limited to 3 decimal positions.
CTP05	COMPOSITE UNIT OF MEASURE			R							If CTP04 is present then CPT05 must be present.
CTP05-1	Unit or Basis For Measurement Code	ID	2-2	R			F2, GR, ME, ML, UN	999	R	IK403 = 1: "Required Data Element Missing"	2410. CTP05-1 must be present.
CTP05-1								999	R	IK403 = 7: "Invalid Code Value"	2410.CTP05-1 must be valid values.
CTP05-2	Exponent	R	1-15	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP05-3	Multiplier	R	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP05-4	Unit or Basis For Measurement Code	ID	2-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP05-5	Exponent	R	1-15	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP05-6	Multiplier	R	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP05-7	Unit or Basis For Measurement Code	ID	2-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP05-8	Exponent	R	1-15	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP05-9	Multiplier	R	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP05-10	Unit or Basis For Measurement Code	ID	2-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP05-11	Exponent	R	1-15	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP05-12	Multiplier	R	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP05-13	Unit or Basis For Measurement Code	ID	2-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP05-14	Exponent	R	1-15	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP05-15	Multiplier	R	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP06	Price Multiplier Qualifier	ID	3-3	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP07	Multiplier	R	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP08	Monetary Amount	R	1-18	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP09	Basis of Unit Price Code	ID	2-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP10	Condition Value	AN	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
CTP11	Multiple Price Quantity	NO	1-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF	PRESCRIPTION OR COMPOUND DRUG ASSOCIATION NUMBER		1	S	2410			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2410.LIN is present, 2410.REF may be present.
REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2410.REF is allowed.
REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 219: "Prescription number."	If SV101-3, SV101-4,SV101-5 or SV101-6 are = "J1", 2410.REF with REF01 = "XZ" must be present.
REF01	Reference Identification Qualifier	ID	2-3	R			VY, XZ	999	R	IK403 = 1: "Required Data Element Missing"	2410.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2410.REF01 must be valid values.
REF02	Prescription Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2410.REF02 must be present.
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2410.REF02 must be at least one non-space character
REF02								999	E	IK403 = 5: "Data Element Too Long"	2410.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2410.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 219: "Prescription number"	
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.
NM1	RENDERING PROVIDER NAME		1	S	2420A	1		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2420A.NM1 is allowed.
NM101	Entity Identifier Code	ID	2-3	R			82	999	R	IK403 = 1: "Required Data Element Missing"	2420A.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2420A.NM101 must be "82".
NM102	Entity Type Qualifier	ID	1-1	R			1,2	999	R	IK403 = 1: "Required Data Element Missing"	2420A.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2420A.NM102 must be valid values.
NM103	Rendering Provider Last or Organization Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2420A.NM103 must be present.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2420A.NM103 must contain at least one non-space character.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2420A.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" E/C_82 Rendering Provider	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2420A.NM103 must be populated with accepted AN characters.



837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" FIC_82 Rendering Provider	
NM104	Rendering Provider First Name	AN	1-35	S				999	R	IK403 = I13: "Implementation Dependent "Not Used" Data Element Present"	If 2420A.NM102 is "2", 2420A.NM104 must not be present.
NM104								999	R	IK403 = 6: "Invalid Character in Data Element"	2420A.NM104 must contain at least one non-space character.
NM104								999	E	IK403 = 5: "Data Element Too Long"	2420A.NM104 must be 1 - 35 characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" FIC_82 Rendering Provider	
NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2420A.NM104 must be populated with accepted AN characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" FIC_82 Rendering Provider	
NM105	Rendering Provider Middle Name	AN	1-25	S				999	R	IK403 = I13: "Implementation Dependent "Not Used" Data Element Present"	If 2420A.NM102 is "2", 2420A.NM105 must not be present.
NM105								999	R	IK403 = 6: "Invalid Character in Data Element"	2420A.NM105 must contain at least one non-space character.
NM105								999	E	IK403 = 5: "Data Element Too Long"	2420A.NM105 must be 1 - 25 characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" FIC_82 Rendering Provider	
NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2420A.NM105 must be populated with accepted AN characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" FIC_82 Rendering Provider	
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Rendering Provider Name Suffix	AN	1-10	S				999	R	IK403 = I13: "Implementation Dependent "Not Used" Data Element Present"	If 2420A.NM102 is "2", 2420A.NM107 must not be present.
NM107								999	E	IK403 = 5: "Data Element Too Long"	2420A.NM107 must be 1 - 10 characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" FIC_82 Rendering Provider	
NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2420A.NM107 must be populated with accepted AN characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC 82 Rendering Provider	
NM108	Identification CodeQualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" TBD01: "Situational segment/element required for adjudication." EIC 82 Rendering Provider	2420C.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier.
NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC 82 Rendering Provider	2420C.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	2420A.NM108 must be "XX".
NM109	Rendering Provider Identifier	AN	2-80	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2420A.NM108 is present, 2420A.NM109 must be present.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC 82 Rendering Provider	2420A.NM109 must be valid according to the NPI algorithm.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC 82 Rendering Provider	2420A.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC 82 Rendering Provider	The first position of 2420A.NM109 must be a "1".
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
PRV	<b>RENDERING PROVIDER SPECIALTY INFORMATION</b>		1	S	2420A			999	R	<b>IK304 = 19: "Implementation Dependent 'not used' Segment Present"</b>	If 2420A.NM1 is present, 2420A.PRV may be present.
PRV								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	Only one iteration of 2420A.PRV is allowed.
PRV01	Provider Code	ID	1-3	R			PE	999	R	IK403 = 1: "Required Data Element Missing"	2420A.PRV01 must be present
PRV01								999	R	IK403 = 7: "Invalid Code Value"	2420A.PRV01 must be "PE".
PRV02	Reference Identification Qualifier	ID	2-3	R			PXC	999	R	IK403 = 1: "Required Data Element Missing"	2420A.PRV02 must be present.
PRV02								999	R	IK403 = 7: "Invalid Code Value"	2420A.PRV02 must be "PXC".
PRV03	Provider Taxonomy Code	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2420A.PRV03 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
PRV03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 145: "Entity's specialty/taxonomy code" EIC_82 Rendering Provider	2420A.PRV03 must be valid Taxonomy Code
PRV04	State or Province Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PRV05	PROVIDER SPECIALTY INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PRV06	Provider Organization Code	ID	3-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	RENDERING PROVIDER SECONDARY IDENTIFICATION		20	S	2420A			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2420A.NM1 is present and 2420A.NM109 is not present, 2420A.REF with REF01 = "0B", "1G", "G2" or "LU" may be present.
REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Only four iterations of 2420A.REF with REF01 = "1G", "0B", "G2" or "LU" are allowed.
REF								999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2420A.REF must not be present.
REF01	Reference Identification Qualifier	ID	2-3	R			OB, 1G, G2, LU	999	R	IK403 = 1: "Required Data Element Missing"	2420A.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2420A.REF01 must be valid values.
REF02	Rendering Provider Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2420A.REF02 must be present.
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN" CSC 560: "Entity's Additional/Secondary Identifier" EIC_82 Rendering Provider	When 2420A.REF01 = "1G", 2420A.REF02 must be in format ANNNNN or AAAANN (where A is an alpha character and N is a numeric digit).
REF02								999	E	IK403 = 5: "Data Element Too Long"	When 2420A.REF01 = "0B", "G2" or "LU", 2420A.REF02 must be 1 - 50 characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 560: "Entity's Additional/Secondary Identifier"	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	When 2420A.REF01 = "0B", "G2" or "LU", 2420A.REF02 must be populated with accepted AN characters.
								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 560: "Entity's Additional/Secondary Identifier" EIC_82 Rendering Provider	
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	When 2310A.REF01 = "0B", "G2" or "LU", 2310A.REF02 must contain at least one non-space character.
REF03	Description	AN	1-80	N/U				999	E	CSC 128: "Entity's tax id"	Must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF04	REFERENCE IDENTIFIER			S							
REF04-1	Reference Identifier Qualifier	ID	2-3	R			2U	999	R	IK403 = 7: "Invalid Code Value"	2420A.REF04-1 must be "2U".
REF04-2	Other Payer Primary Identifier	AN	1-50	R				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2420A.REF04-1 is present, 2420A.REF04-2 must be present.
REF04-2								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2420A,REF04-2 must = 2330B.NM109.
REF04-3	Reference Identification Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04-4	Reference Identification	AN	1-50	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04-5	Reference Identification Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04-6	Reference Identification	AN	1-50	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM1	<b>PURCHASED SERVICE PROVIDER NAME</b>		1	S	2420B	1		277	C	<b>CSCC A7: "Acknowledgement /Rejected for Invalid Information..."</b> <b>TBD01: "Situational segment/element required for adjudication."</b>	<b>If 2400.PS1 is present, 2420B.NM1 with NM101 = "QB" must be present.</b>
NM1								999	R	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2420B.NM1 is allowed.</b>
NM101	Entity Identifier Code	ID	2-3	R			QB	999	R	IK403 = 1: "Required Data Element Missing"	2420B.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2420B.NM101 must be "QB".
NM102	Entity Type Qualifier	ID	1-1	R			1, 2	999	R	IK403 = 1: "Required Data Element Missing"	2420B.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2420B.NM102 must be valid values.
NM103	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM104	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM108	Identification Code Qualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" TBD01: "Situational segment/element required for adjudication." EIC QB Purchased Service Provider	2420B.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier".
NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC QB Purchased Service Provider	2420B.NM108 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM108								999	R	IK403 = 7: "Invalid Code Value"	2420B.NM108 must be "XX".
NM109	Purchased Service Provider Identifier	AN	2-80	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2420B.NM108 is present, 2420B.NM109 must be present.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC QB Purchased Service Provider	2420B.NM109 must be valid according to the NPI algorithm.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC QB Purchased Service Provider	The first position of 2420B.NM109 must be a "1".
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>PURCHASED SERVICE PROVIDER SECONDARY IDENTIFICATION</b>		<b>20</b>	<b>S</b>	<b>2420B</b>			999	R	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2420B.NM1 is present and 2420B.NM109 is not present, 2420B.REF with REF01 = "1G" may be present.</b>
REF								277	C	<b>CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"</b>	<b>Only 1 iteration of 2420B.REF with REF01 = "1G" is allowed.</b>
REF								999	R	<b>IK403 = I10: "Implementation "Not Used" Element Present"</b>	<b>Must not be present.</b>
REF01	Reference Identification Qualifier	ID	2-3	R			OB, 1G, G2	999	R	IK403 = 1: "Required Data Element Missing"	2420B.REF01 must be present
REF01								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2420B.REF01 must be "1G".
REF02	Purchased Service Provider Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2420B.REF02 must be present.
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN" EIC QB Purchased Service Provider	2420B.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	Reference Identifier Qualifier							999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM1	<b>SERVICE FACILITY LOCATION NAME</b>		<b>1</b>	<b>S</b>	<b>2420C</b>	<b>1</b>		999	R	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>One one iteration of 2420C.NM1 is allowed.</b>
NM101	Entity Identifier Code	ID	2-3	R			77	999	R	IK403 = 1: "Required Data Element Missing"	2420C.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2420C.NM101 must be "77".
NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	2420C.NM102 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/999/277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM102								999	R	IK403 = 7: "Invalid Code Value"	2420C.NM102 must be "2".
NM103	Laboratory or Facility Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2420C.NM103 must be present.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2420C.NM103 must be at least one non-space character
NM103								999	E	IK403 = 5: "Data Element Too Long"	2420C.NM103 must be 1 - 50 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" FIC: 77 Service Location	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2420C.NM103 must be populated with accepted AN characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" FIC: 77 Service Location	
NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM108	Identification Code Qualifier	ID	1-2	S			XX	999	R	IK403 = 7: "Invalid Code Value"	2420C.NM108 must be "XX".
NM109	Laboratory or Facility Primary Identifier	AN	2-80	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2420C.NM108 is present, 2420C.NM109 must be present.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" FIC: 77 Service Location	2420C.NM109 must be valid according to the NPI algorithm.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" FIC: 77 Service Location	The first position of 2420C.NM109 must be a "1".
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N3	<b>SERVICE FACILITY LOCATION ADDRESS</b>		<b>1</b>	<b>R</b>	<b>2420C</b>			<b>999</b>	<b>R</b>	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2420C.NM1 is present, 2420C.N3 must be present.</b>
N3								<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2420C.N3 is allowed.</b>
N301	Laboratory or Facility Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2420C.N301 must be present.
N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2420C.N301 must contain at least one non-space character.
N301								999	E	IK403 = 5: "Data Element Too Long"	2420C.N301 must be 1 - 55 characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" FIC: 77 Service Location	
N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2420C.N301 must be populated with accepted AN characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" FIC: 77 Service Location	
N302	Laboratory or Facility Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420C.N302 must contain at least one non-space character.
N302								999	E	IK403 = 5: "Data Element Too Long"	2420C.N302 must be 1 - 55 characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" FIC: 77 Service Location	
N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2420C.N302 must be populated with accepted AN characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" FIC: 77 Service Location	
N4	SERVICE FACILITY LOCATION CITY/STATE/ZIP		1	R	2420C			999	R	IK304 = 16: "Implementation Dependent Segment Missing"	If 2420C.NM1 is present, 2420C.N4 must be present.
N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2420C.N4 is allowed.
N401	Laboratory or Facility City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2420C.N401 must be present.
N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2420C.N401 must contain at least two non-space characters.
N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2420C.N401 must be 2-30 characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" FIC: 77 Service Location	
N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2420C.N401 must be populated with accepted AN characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" FIC: 77 Service Location	
N402	Laboratory or Facility State or Province Code	ID	2-2	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2420C.N404 is not present, 2420C.N402 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" EIC: 77 Service Location	2420C.N402 must be a valid State Code.
N403	Laboratory or Facility Postal Zone or ZIP Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2420C.N404 is not present, 2420C.N403 must be present.
N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC: 77 Service Location	2420C.N403 must be a valid 9 digit Zip Code.
N404	Service Facility Location Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
<b>REF</b>	<b>SERVICE FACILITY LOCATION SECONDARY IDENTIFICATION</b>		<b>3</b>	<b>S</b>	<b>2420C</b>			<b>277</b>	<b>T</b>	<b>CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"</b>	<b>2420C.REF must not be present.</b>
<b>NM1</b>	<b>SUPERVISING PROVIDER NAME</b>		<b>1</b>	<b>S</b>	<b>2420D</b>	<b>1</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2420D.NM1 is allowed.</b>
NM101	Entity Identifier Code	ID	2-3	R			DQ	999	R	IK403 = 1: "Required Data Element Missing"	2420D.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2420D.NM101 must be "DQ".
NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2420D.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2420D.NM102 must be "1".
NM103	Supervising Provider Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2420D.NM103 must be present.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2420D.NM103 must contain at least one non-space character.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2420D.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: DQ Supervising Provider	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2420D.NM103 must be populated with accepted AN characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: DQ Supervising Provider	
NM104	Supervising Provider Name First	AN	1-35	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420D.NM104 must contain at least one non-space character.



837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM104								999	E	IK403 = 5: "Data Element Too Long"	2420D.NM104 must be 1 - 35 characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" EIC: DQ Supervising Provider	
NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2420D.NM104 must be populated with accepted AN characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC: DQ Supervising Provider	
NM105	Supervising Provider Middle Name or Initial	AN	1-25	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420D.NM105 must contain at least one non-space character.
NM105								999	E	IK403 = 5: "Data Element Too Long"	2420D.NM105 must be 1 - 25 characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: DQ Supervising Provider	
NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2420D.NM105 must be populated with accepted AN characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: DQ Supervising Provider	
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Supervising Provider Name Suffix	AN	1-10	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420D.NM107 must contain at least one non-space character.
NM107								999	E	IK403 = 5: "Data Element Too Long"	2420D.NM107 must be 1 -10 characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: DQ Supervising Provider	
NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2420D.NM107 must be populated with accepted AN characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: DQ Supervising Provider	
NM108	Identification Code Qualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error." TBD01: "Situational segment/element required for adjudication." EIC: DQ Supervising Provider	2420D.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier".

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: DQ Supervising Provider	2420D.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	2420D.NM108 must be "XX".
NM109	Supervising Provider Identifier	AN	2-80	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2420D.NM108 is present, 2420D.NM109 must be present.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DQ Supervising Provider	2420D.NM109 must be valid according to the NPI algorithm.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DQ Supervising Provider	The first position of 2420D.NM109 must be a "1".
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>SUPERVISING PROVIDER SECONDARY IDENTIFICATION</b>		<b>20</b>	<b>S</b>	<b>2420D</b>			<b>999</b>	<b>R</b>	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2420D.NM1 is present and 2420D.NM109 is not present, 2420D.REF with REF01 = "0B", "1G" or "LU" may be present</b>
REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Only 3 iterations of 2420D.REF with REF01 = "0B", "1G" or "LU" are allowed
REF								999	R	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF01	Reference Identification Qualifier	ID	2-3	R			0B, 1G, G2, LU	999	R	IK403 = 1: "Required Data Element Missing"	2420D.REF01 must be present.
REF01								999	R	IK403 = 7: "Invalid Code Value"	2420D.REF01 must be valid values.
REF02	Supervising Provider Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2420D.REF02 must be present.
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN" CSC 560: "Entity's Additional/Secondary Identifier" EIC: DQ Supervising Provider	When 2420D.REF01 = "1G", 2420D.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).
REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	When 2420D.REF01 = "0B" or "LU", 2420D.REF02 must contain at least one non-space character.
REF02								999	E	IK403 = 5: "Data Element Too Long"	When 2420D.REF01 = "0B" or "LU", 2420D.REF02 must be 1 - 50 characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 560 : "Entity's Additional/Secondary Identifier" EIC: DO Supervising Provider	
REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	When 2420D.REF01 = "OB" or "LU", 2420D.REF02 must be populated with accepted AN characters.
REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 560: "Entity's Additional /Secondary Identifier" EIC: DO Supervising Provider	
REF03	Description	AN	1-80	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04	REFERENCE IDENTIFIER			S							
REF04-1	Reference Identifier Qualifier	ID	2-3	R			2U	999	R	IK403 = 10: "Exclusion Condition Violated"	If 2420D.REF01 = "LU", 2420D.REF04-1 may be present.
REF04-1								999	R	IK403 = 7: "Invalid Code Value"	2420D.REF04-1 must be "2U".
REF04-2	Other Payer Primary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	If 2420D.REF04-1 is present, 2420D.REF04-2 must be present.
REF04-2								999	R	IK403 = 112: "Implementation Pattern Match Failure"	2420D.REF04-2 must = 2330B.NM109.
REF04-3	Reference Identification Qualifier	ID	2-3	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04-4	Reference Identification	AN	1-50	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04-5	Reference Identification Qualifier	ID	2-3	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF04-6	Reference Identification	AN	1-50	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
NM1	ORDERING PROVIDER NAME		1	S	2420E	1		999	R	IK304 = 16: "Implementation Dependent Segment Missing"	
NM1								999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2420E.NM1 is allowed.
NM101	Entity Identifier Code	ID	2-3	R			DK	999	R	IK403 = 1: "Required Data Element Missing"	2420E.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2420E.NM101 must be "DK".
NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2420E.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2420E.NM102 must be "1".
NM103	Ordering Provider Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2420E.NM103 must be present.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2420E.NM103 must contain at least one non-space character.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2420E.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: DK Ordering Physician	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2420E.NM103 must be populated with accepted AN characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" FIC: DK Ordering Physician	
NM104	Ordering Provider First Name	AN	1-35	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420E.NM104 must contain at least one non-space character.
NM104								999	E	IK403 = 5: "Data Element Too Long"	2420E.NM104 must be 1 - 35 characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" FIC: DK Ordering Physician	
NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2420E.NM104 must be populated with accepted AN characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" FIC: DK Ordering Physician	
NM105	Ordering Provider Middle Name or Initial	AN	1-25	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420E.NM105 must contain at least one non-space character.
NM105								999	E	IK403 = 5: "Data Element Too Long"	2420E.NM105 must be 1 - 25 characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" FIC: DK Ordering Physician	
NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2420E.NM105 must be populated with accepted AN characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" FIC: DK Ordering Physician	
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Ordering Provider Name Suffix	AN	1-10	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420E.NM107 must contain at least one non-space character.
NM107								999	E	IK403 = 5: "Data Element Too Long"	2420E.NM107 must be 1 -10 characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" FIC: DK Ordering Physician	
NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2420E.NM107 must be populated with accepted AN characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" FIC: DK Ordering Physician	

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM108	Identification Code Qualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" TBD01: "Situational segment/element required for adjudication." EIC: DK Ordering Physician	2420E.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier".
NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: DK Ordering Physician	2420E.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	2420E.NM108 must be "XX".
NM109	Ordering Provider Identifier	AN	2-80	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2420E.NM108 is present, 2420E.NM109 must be present.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DK Ordering Physician	2420E.NM109 must be valid according to the NPI algorithm.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DK Ordering Physician	The first position of 2420E.NM109 must be a "1".
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DK Referring Provider	
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N3	<b>ORDERING PROVIDER ADDRESS</b>		1	R	2420E			999	R	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2420E.NM1 is present, 2420E.N3 may be present.</b>
N3								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2420E.N3 is allowed.</b>
N301	Ordering Provider Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2420E.N301 must be present.
N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2420E.N301 must contain at least one non-space character.
N301								999	E	IK403 = 5: "Data Element Too Long"	Location.N301 must be 1 - 55 characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" EIC: DK Ordering Physician	
N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2420E.N301 must be populated with accepted AN characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" FIC: DK Ordering Physician	
N302	Ordering Provider Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420E.N302 must contain at least one non-space character.
N302								999	E	IK403 = 5: "Data Element Too Long"	2420E.N302 must be 1 - 55 characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" FIC: DK Ordering Physician	
N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2420E.N302 must be populated with accepted AN characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" FIC: DK Ordering Physician	
N4	ORDERING PROVIDER CITY/STATE/ZIP CODE		1	R	2420E			999	R	IK304 = 19: "Implementation Dependent 'not used' Segment Present"	If 2420E.NM1 is present, 2420E.N4 may be present.
N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2420E.N4 is allowed.
N401	Ordering Provider City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2420E.N401 must be present.
N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2420E.N401 must contain at least two non-space characters.
N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2420E.N401 must be 2-30 characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" FIC: DK Ordering Physician	
N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2420E.N401 must be populated with accepted AN characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" FIC: DK Ordering Physician	
N402	Ordering Provider State or Province Code	ID	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2420E.N404 is not present, 2420E.N402 must be present.
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" FIC: DK Ordering Physician	2420E.N402 must be a valid State Code.
N403	Ordering Provider Postal Zone or ZIP Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2420E.N404 is not present, 2420E.N403 must be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC: DK Ordering Physician	2420E.N403 must be a valid Zip Code.
N404	Ordering Provider Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF	<b>ORDERING PROVIDER SECONDARY IDENTIFICATION</b>		20	S	2420E			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2420E.NM1 is present, 2420E.REF may be present.
REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Only 1 iterations of 2420E.REF are allowed.
REF								999	R	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF01	Reference Identification Qualifier	ID	2-3	R			OB, 1G, G2	277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2420E.REF01 must be "1G".
REF02	Ordering Provider Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2420E.REF02 must be present.
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN" CSC 560: "Entity's Additional/Secondary Identifier" EIC: DK Ordering Physician	2420E.REF02 must be in format ANNNNN or AAANN (where A is an alpha character and N is a numeric digit).
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	Reference Identifier			S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
PER	<b>ORDERING PROVIDER CONTACT INFORMATION</b>		1	S	2420E			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2420E.NM1 is present, 2420E.PER may be present.
PER								999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2400.CR3 is present, 2420E.PER must be present.
PER								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	One iteration of 2420E.PER is allowed.
PER01	Contact Function Code	ID	2-2	R			1C	999	R	IK403 = 1: "Required Data Element Missing"	2420E.PER01 must be present.
PER01								999	R	IK403 = 7: "Invalid Code Value"	2420E.PER01 must be "IC".

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
PER02	Ordering Provider Contact Name	AN	1-60	S				999	R	IK403 = 19 "Implementation Dependent Data Element Missing"	2420E.PER02 must be present.
PER02								999	R	IK403 = 6: "Invalid Character in Data Element"	2420E.PER02 must contain at least one non-space character.
PER02								999	E	IK403 = 5: "Data Element Too Long"	2420E.PER02 must be 1 - 60 characters.
PER02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 561: "Entity's Contact Name" FIC: DK Ordering Physician	
PER02								999	E	IK403 = 6: "Invalid Character in Data Element"	2420E.PER02 must be populated with accepted AN characters.
PER02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 561: "Entity's Contact Name" FIC: DK Ordering Physician	
PER03	Communication Number Qualifier	ID	2-2	R			EM, FX, TE	999	R	IK403 = 1: "Required Data Element Missing"	2420E.PER03 must be present.
PER03								999	R	IK403 = 7: "Invalid Code Value"	2420E.PER03 must be valid values.
PER04	Communication Number	AN	1-256	R				999	R	IK403 = 1: "Required Data Element Missing"	2420E.PER04 must be present.
PER04								999	R	IK403 = 6: "Invalid Character in Data Element"	2420E.PER04 must contain at least one non-space character.
PER04								999	E	IK403 = 5: "Data Element Too Long"	2420E.PER04 must be 1 - 256 characters.
PER04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 127: "Entity's Phone Number" FIC: DK Ordering Physician	
PER04								999	E	IK403 = 6: "Invalid Character in Data Element"	2420E.PER04 must be populated with accepted AN characters.
PER04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" FIC: DK Ordering Physician	
PER05	Communication Number Qualifier	ID	2-2	S			EM, EX, FX, TE	999	R	IK403 = 7: "Invalid Code Value"	2420E.PER05 must be valid values.
PER05								999	R	IK403 = 7: "Invalid Code Value"	If 2420E.PER05 is "EX", 2420E.PER03 must be "TE".
PER06	Communication Number	AN	1-256	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2420E.PER06 is present, 2420E.PER05 must be present.
PER06								999	R	IK403 = 6: "Invalid Character in Data Element"	2420E.PER06 must contain at least one non-space character.
PER06								999	E	IK403 = 5: "Data Element Too Long"	2420E.PER06 must be 1 - 256 characters.
PER06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 127: "Entity's Phone Number" FIC: DK Ordering Physician	
PER06								999	E	IK403 = 6: "Invalid Character in Data Element"	2420E.PER06 must be populated with accepted AN characters.



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
PER06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" EIC: DK Ordering Physician	
PER07	Communication Number Qualifier	ID	2-2	S			EM, EX, FX, TE	999	R	IK403 = 10: "Exclusion Condition Violated"	If 2420E.PER05 is present, 2420E.PER07 may be present.
PER07								999	R	IK403 = 7: "Invalid Code Value"	2420E.PER07 must be valid values.
PER07								999	R	IK403 = 7: "Invalid Code Value"	If 2420E.PER07 is "EX", 2420E.PER05 must be "TE".
PER08	Communication Number	AN	1-256	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2420E.PER08 is present, 2420E.PER07 must be present.
PER08								999	R	IK403 = 6: "Invalid Character in Data Element"	2420E.PER08 must contain at least one non-space character.
PER08								999	E	IK403 = 5: "Data Element Too Long"	2420E.PER08 must be 1 - 256 characters.
PER08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 127: "Entity's Phone Number" EIC: DK Ordering Physician	
PER08								999	E	IK403 = 6: "Invalid Character in Data Element"	2420E.PER08 must be populated with accepted AN characters.
PER08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" EIC: DK Ordering Physician	
PER09	Contact Inquiry Reference	AN	1-20	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
Referring Loop	REFERRING PROVIDER NAME Loop				2420F	2		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Two iterations of this loop are allowed.
NM1	REFERRING PROVIDER NAME		1	S	2420F			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2420F.NM1 is allowed.
NM101	Entity Identifier Code	ID	2-3	R			DN, P3	999	R	IK403 = 1: "Required Data Element Missing"	2420F.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	For the first iteration of the 2420F loop, 2420F.NM101 must be "DN".
NM101								999	R	IK403 = 7: "Invalid Code Value"	For the second iteration of the 2420F loop, 2420F.NM101 must be "P3".
NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2420F.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2420F.NM102 must be "1".
NM103	Referring Provider Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2420F.NM103 must be present.
NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2420F.NM103 must contain at least one non-space character.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2420F.NM103 must be 1 - 60 characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: DN Referring Provider	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2420F.NM103 must be populated with accepted AN characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" FIC: DN Referring Provider	
NM104	Referring Provider First Name	AN	1-35	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420F.NM104 must contain at least one non-space character.
NM104								999	E	IK403 = 5: "Data Element Too Long"	2420F.NM104 must be 1 - 35 characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" FIC: DN Referring Provider	
NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2420F.NM104 must be populated with accepted AN characters.
NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" FIC: DN Referring Provider	
NM105	Referring Provider Middle Name or Initial	AN	1-25	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420F.NM105 must contain at least one non-space character.
NM105								999	E	IK403 = 5: "Data Element Too Long"	2420F.NM105 must be 1 - 25 characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" FIC: DN Referring Provider	
NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2420F.NM105 must be populated with accepted AN characters.
NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" FIC: DN Referring Provider	
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Referring Provider Name Suffix	AN	1-10	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420F.NM107 must contain at least one non-space character.
NM107								999	E	IK403 = 5: "Data Element Too Long"	2420F.NM107 must be 1 - 10 characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" FIC: DN Referring Provider	
NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2420F.NM107 must be populated with accepted AN characters.
NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" FIC: DN Referring Provider	

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM108	Identification Code Qualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error." TBD01: "Situational segment/element required for adjudication." EIC: DN Referring Provider	2420F.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier".
NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: DN Referring Provider	2420F.NM108 must be present.
NM108								999	R	IK403 = 7: "Invalid Code Value"	2420F.NM108 must be "XX".
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DN Referring Provider	2420F.NM109 must be valid according to the NPI algorithm.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DN Referring Provider	The first position of 2420F.NM109 must be a "1".
NM109								999	R	IK403 = 112: "Implementation Pattern Match Failure"	2420F.NM109 must not = 2310A.NM109.
NM109								999	R	IK403 = 112: "Implementation Pattern Match Failure"	2420F.NM109 must not = 2310F.NM109.
NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DN Referring Provider	
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
REF	REFERRING PROVIDER SECONDARY IDENTIFICATION		20	S	2420F			999	R	IK304 = 19: "Implementation Dependent 'not used' Segment Present"	If 2420F.NM1 is present and 2420F.NM109 is not present, 2420F.REF may be present.
REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Only 1 iterations of 2420F.REF is allowed
REF								999	R	IK304 = 19: "Implementation Dependent "Not Used" Segment Present"	2420F.REF must not be present.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
REF01	Reference Identification Qualifier	ID	2-3	R			OB, 1G, G2	999	R	IK403 = 1: "Required Data Element Missing"	2420F.REF01 must be present.
REF01								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2420E.REF01 must be "1G".
REF02	Referring Provider Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2420F.REF02 must be present.
REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN" 560 Entity's Additional/Secondary Identifier FIC DN Referring Provider	2420F.REF02 must be in format ANNNNN or AAANN (where A is an alpha character and N is a numeric digit).
REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
REF04	Reference Qualifier			S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM1	<b>AMBULANCE PICK UP LOCATION</b>		1	S	2420G	1		999	R	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2420G.NM1 is allowed.</b>
NM101	Entity Identifier Code	ID	2-3	R			PW	999	R	IK403 = 1: "Required Data Element Missing"	2420G.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2420G.NM101 must be "PW".
NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	2420G.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2420G.NM102 must be "2".
NM103	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM108	Identification Code Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM109	Identification Code	AN	2-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N3	<b>AMBULANCE PICK UP LOCATION ADDRESS</b>		1	R	2420G			999	R	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2420G.NM1 is present, 2420G.N3 must be present.</b>
N3								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2420G.N3 is allowed.</b>
N301	Ambulance Pick Up Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2420G.N301 must be present.
N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2420G.N301 must contain at least one non-space character.
N301								999	E	IK403 = 5: "Data Element Too Long"	2420G.N301 must be 1 - 55 characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" CSC 266: "Facility point of origin and destination - ambulance"	
N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2420G.N301 must be populated with accepted AN characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" CSC 266: "Facility point of origin and destination - ambulance"	
N302	Ambulance Pick Up Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420G.N302 must contain at least one non-space character.
N302								999	E	IK403 = 5: "Data Element Too Long"	2420G.N302 must be 1 - 55 characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" CSC 266: "Facility point of origin and destination - ambulance"	
N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2420G.N302 must be populated with accepted AN characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" CSC 266: "Facility point of origin and destination - ambulance"	
N4	<b>AMBULANCE PICK UP LOCATION CITY/STATE/ZIP</b>		1	R	2420G			999	R	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2420G.NM1 is present, 2420G.N4 must be present.</b>
N4								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2420G.N4 is allowed.</b>
N401	Ambulance Pick Up City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2420G.N401 must be present.
N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2420G.N401 must contain at least two non-space characters.
N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2420G.N401 must be 2-30 characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" CSC 266: "Facility point of origin and destination - ambulance"	
N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2420G.N401 must be populated with accepted AN characters.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" CSC 266: "Facility point of origin and destination - ambulance"	
N402	Ambulance Pick Up State or Province Code	ID	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2420G.N404 is not present, 2420G.N402 must be present.
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" CSC 266: "Facility point of origin and destination - ambulance"	2420G.N402 must be a valid State Code.
N403	Ambulance Pick Up Postal Zone ZIP Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2420G.N404 is not present, 2420G.N403 must be present.
N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" CSC 266: "Facility point of origin and destination - ambulance"	2420G.N403 must be a valid Zip Code.
N404	Ambulance Pick Up Country Code	ID	2-3	S				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
<b>NM1</b>	<b>AMBULANCE DROP OFF LOCATION</b>		<b>1</b>	<b>S</b>	<b>2420H</b>	<b>1</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2420H.NM1 is allowed.</b>
NM101	Entity Identifier Code	ID	2-3	R			45	999	R	IK403 = 1: "Required Data Element Missing"	2420H.NM101 must be present.
NM101								999	R	IK403 = 7: "Invalid Code Value"	2420H.NM101 must be "45".
NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	2420H.NM102 must be present.
NM102								999	R	IK403 = 7: "Invalid Code Value"	2420H.NM102 must be "2".
NM103	Ambulance Drop Off Location	AN	1-60	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420H.NM103 must contain at least one non-space character.
NM103								999	E	IK403 = 5: "Data Element Too Long"	2420H.NM103 must be 1 - 60 characters
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" CSC 266: "Facility point of origin and destination - ambulance"	
NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2420H.NM103 must be populated with accepted AN characters.
NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" CSC 266: "Facility point of origin and destination - ambulance"	

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM108	Identification Code Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM109	Identification Code	AN	2-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N3	<b>AMBULANCE DROP OFF LOCATION ADDRESS</b>		1	R	2420H			999	R	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2420H.NM1 is present, 2420H.N3 must be present.</b>
N3								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2420H.N3 is allowed.</b>
N301	Ambulance Drop Off Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2420H.N301 must be present.
N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2420H.N301 must contain at least one non-space character.
N301								999	E	IK403 = 5: "Data Element Too Long"	2420H.N301 must be 1 - 55 characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" CSC 266: "Facility point of origin and destination - ambulance"	
N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2420H.N301 must be populated with accepted AN characters.
N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" CSC 266: "Facility point of origin and destination - ambulance"	
N302	Ambulance Drop Off Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420H.N302 must contain at least one non-space character.
N302								999	E	IK403 = 5: "Data Element Too Long"	2420H.N302 must be 1 - 55 characters.
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" CSC 266: "Facility point of origin and destination - ambulance"	
N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2420H.N302 must be populated with accepted AN characters.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" CSC 266: "Facility point of origin and destination - ambulance"	
N4	AMBULANCE DROP OFF LOCATION CITY/STATE/ZIP		1	R	2420H			999	R	IK304 = 16: "Implementation Dependent Segment Missing"	If 2420H.NM1 is present, 2420H.N4 must be present.
N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2420H.N4 is allowed.
N401	Ambulance Drop Off City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2420H.N401 must be present.
N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2420H.N401 must contain at least two non-space characters.
N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2420H.N401 must be 2-30 characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" CSC 266: "Facility point of origin and destination - ambulance"	
N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2420H.N401 must be populated with accepted AN characters.
N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" CSC 266: "Facility point of origin and destination - ambulance"	
N402	Ambulance Drop Off State or Province Code	ID	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2420H.N404 is not present, 2420H.N402 must be present.
N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" CSC 266: "Facility point of origin and destination - ambulance"	2420H.N402 must be a valid State Code.
N403	Ambulance Drop Off Postal Zone ZIP Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2420H.N404 is not present, 2420H.N403 must be present.
N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" CSC 266: "Facility point of origin and destination - ambulance"	2420H.N403 must be a valid Zip Code.
N404	Ambulance Drop Off Country Code	ID	2-3	S				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.
N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.



**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
	<b>Line Adjudication Loop</b>				<b>2430</b>	<b>15</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>15 iterations of this loop are allowed.</b>
<b>SVD</b>	<b>LINE ADJUDICATION INFORMATION</b>		<b>1</b>	<b>S</b>	<b>2430</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only 1 iteration of 2430.SVD is allowed.</b>
SVD01	Other Payer Primary Identifier	AN	2-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2430.SVD01 must be present.
SVD01								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2430.SVD01 must = 2330B.NM109 (for the same payer).
SVD02	Service Line Paid Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2430.SVD02 must be present.
SVD02								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.SVD02 must be numeric.
SVD02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 643: "Service Line Paid Amount"	2430.SVD02 must be >= 0.
SVD02								999	E	IK403 = 5: "Data Element Too Long"	2430.SVD02 must be <= 99,999.99.
SVD02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system"	
SVD02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 643: "Service Line Paid Amount" CSC 697: "Too many decimal positions"	2430.SVD02 is limited to 0, 1 or 2 decimal positions.
SVD02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions"	2430.SVD02 is limited to 0, 1 or 2 decimal positions.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SVD03	COMPOSITE MEDICAL PROCEDURE IDENTIFIER			R							
SVD03-1	Product or Service ID Qualifier	ID	2-2	R			ER, HC, IV, WK	999	R	IK403 = 1: "Required Data Element Missing"	2430.SVD03-1 must be present.
SVD03-1								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2430.SVD03-1 must be "HC".
SVD03-2	Procedure Code	AN	1-48	R				999	R	IK403 = 1: "Required Data Element Missing"	2430.SVD03-2 must be present.
SVD03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 507: "HCPCS" TBD22: "Line Adjudication Information"	When 2430.SVD03-1 = "HC", 2430.SVD03-2 must be a valid HCPCS Code on the date in 2400.DTP03 when DTP01 = "472".
SVD03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 507: "HCPCS" TBD22: "Line Adjudication Information"	When 2430.SVD03-1 = "HC", 2430.SVD03-2 must be a valid HCPCS Code on the date in 2400.DTP03 when DTP01 = "472". <b>OR</b> When 2430.SVD03-1 = "HC", 2430.SVD03-2 must be a 5 character alphanumeric value.
SVD03-3	Procedure Modifier	AN	2-2	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered" TBD22: "Line Adjudication Information"	2430.SVD03-3 must be valid procedure modifier.
SVD03-4	Procedure Modifier	AN	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2430.SVD03-4 is present, 2430.SVD03-3 must be present.
SVD03-4								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered" TBD22: "Line Adjudication Information"	2430.SVD03-4 must be valid procedure modifier.
SVD03-5	Procedure Modifier	AN	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2430.SVD03-5 is present, 2430.SVD03-4 must be present.
SVD03-5								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered" TBD22: "Line Adjudication Information"	2430.SVD03-5 must be valid procedure modifier.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SVD03-6	Procedure Modifier	AN	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2430.SVD03-6 is present, 2430.SVD03-5 must be present.
SVD03-6								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered" TBD22: "Line Adjudication Information"	2430.SVD03-6 must be valid procedure modifier.
SVD03-7	Procedure Code Description	AN	1-80	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2430.SVD03-7 must contain at least one non-space character.
SVD03-7								999	E	IK403 = 5: "Data Element Too Long"	2430.SVD03-7 must be 1 - 80 characters.
SVD03-7								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 306: "Detailed description of service" TBD22: "Line Adjudication Information"	
SVD03-7								999	E	IK403 = 6: "Invalid Character in Data Element"	2430.SVD03-7 must be populated with accepted AN characters.
SVD03-7								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 306: "Detailed description of service" TBD22: "Line Adjudication Information"	
SVD03-8	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SVD04	Product or Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.
SVD05	Paid Service Unit Count	R	1-15	R				999	R	IK403 = 1: "Required Data Element Missing"	2430.SVD05 must be present.
SVD05								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.SVD05 must be numeric.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
SVD05								999	E	IK403 = 5: "Data Element Too Long"	2430.SVD05 must be >= 0 and <= 999.9.
SVD05								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 476: "Missing or invalid units of service"	
SVD05								999	E	IK403 = 5: "Data Element Too Long"	2430.SVD05 must be >= 0 and <= 9,999.9.
SVD05								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 476: "Missing or invalid units of service"	
SVD05								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.SVD05 must be an integer (whole number).
SVD06	Bundled or Unbundled Line Number	N0	1-6	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2430.SVD06 must be numeric.
SVD06								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.SVD06 must be a integer (whole number).
SVD06								999	E	IK403 = 5: "Data Element Too Long"	2430.SVD06 must 1 - 6 digits.
SVD06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system"	
CAS	LINE ADJUSTMENT		5	S	2430			999	R	IK304 = 19: "Implementation Dependent 'not used' Segment Present"	If 2430.SVD is present, 2430.CAS may be present.
CAS								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only 5 iterations of 2430.CAS are allowed.
CAS01	Claim Adjustment Group Code	ID	1-2	R			CO, CR, OA, PI, PR	999	R	IK403 = 1: "Required Data Element Missing"	2430.CAS01 must be present.
CAS01								999	R	IK403 = 7: "Invalid Code Value"	2430.CAS01 must be valid values.
CAS01								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 696: "Claim Adjustment Group Code" EIC: GB Other Insured	If 2430.CAS01 = "CR" then 2430.DTP with DTP01 = "573" must be prior to 01/01/2012.
CAS02	Adjustment Reason Code	ID	1-5	R				999	R	IK403 = 1: "Required Data Element Missing"	2430.CAS02 must be present.
CAS02								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	2430.CAS02 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".
CAS03	Adjustment Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2430.CAS03 must be present.
CAS03								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.CAS03 must be numeric.
CAS03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS03 must not = 0.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CAS03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS03 is limited to 0, 1 or 2 decimal positions.
CAS03								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2430.CAS03 must be >= -99,999.99 and <= 99,999.99.
CAS03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS04	Adjustment Quantity	R	1-15	S				999	E	IK403 = 5: "Data Element Too Long"	2320.CAS04 must be 1-15 digits.
CAS04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2430.CAS04 must not = 0.
CAS05	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS02 is present, 2430.CAS05 may be present.
CAS05								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	2430.CAS05 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".
CAS06	Adjustment Amount	R	1-18	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2430.CAS05 is present, 2430.CAS06 must be present.
CAS06								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.CAS06 must be numeric.
CAS06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS06 must not = 0.
CAS06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS06 is limited to 0, 1 or 2 decimal positions.
CAS06								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2430.CAS06 must be >= -99,999.99. and <= 99,999.99.

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CAS06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS07	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS05 is present, 2430.CAS07 may be present.
CAS07								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS07 must be 1-15 digits.
CAS07								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS07								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2430.CAS07 must not = 0.
CAS08	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS05 is present, 2430.CAS08 may be present.
CAS08								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	2430.CAS08 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".
CAS09	Adjustment Amount	R	1-18	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2430.CAS08 is present, 2430.CAS09 must be present.
CAS09								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.CAS09 must be numeric.
CAS09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS09 must not = 0.
CAS09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS09 is limited to 0, 1 or 2 decimal positions.
CAS09								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2430.CAS09 must be >= -99,999.99. and <= 99,999.99.
CAS09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS10	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS08 is present, 2430.CAS10 may be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CAS10								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS10 must be 1-15 digits.
CAS10								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS10								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2430.CAS10 must not = 0.
CAS11	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS08 is present, 2430.CAS11 may be present.
CAS11								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	2430.CAS011 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".
CAS12	Adjustment Amount	R	1-18	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2430.CAS11 is present, 2430.CAS12 must be present.
CAS12								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.CAS12 must be numeric.
CAS12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS12 must not = 0.
CAS12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS12 is limited to 0, 1 or 2 decimal positions.
CAS12								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2430.CAS12 must be >= -99,999.99. and <= 99,999.99.
CAS12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS13	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS11 is present, 2430.CAS13 may be present.
CAS13								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS13 must be 1-15 digits.
CAS13								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CAS13								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2430.CAS13 must not = 0.
CAS14	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS11 is present, 2430.CAS14 may be present.
CAS14								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	2430.CAS014 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".
CAS15	Adjustment Amount	R	1-18	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2430.CAS14 is present, 2430.CAS15 must be present.
CAS15								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.CAS15 must be numeric.
CAS15								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS15 must not = 0.
CAS15								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS15 is limited to 0, 1 or 2 decimal positions.
CAS15								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2430.CAS15 must be >= -99,999.99. and <= 99,999.99.
CAS15								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS16	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS14 is present, 2430.CAS16 may be present.
CAS16								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS16 must be 1-15 digits.
CAS16								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS16								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2430.CAS16 must not = 0.
CAS17	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS14 is present, 2430.CAS17 may be present.



837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
CAS17								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	2430.CAS017 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".
CAS18	Adjustment Amount	R	1-18	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2430.CAS17 is present, 2430.CAS18 must be present.
CAS18								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.CAS18 must be numeric.
CAS18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS18 must not = 0.
CAS18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS18 is limited to 0, 1 or 2 decimal positions.
CAS18								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2430.CAS15 must be >= -99,999.99. and <= 99,999.99.
CAS18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS19	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS17 is present, 2430.CAS19 may be present.
CAS19								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS19 must be 1-15 digits.
CAS19								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	
CAS19								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2430.CAS19 must not = 0.
DTP	LINE CHECK OR REMITTANCE DATE		1	R	2430			999	R	IK304 = 16: "Implementation Dependent Segment Missing"	If 2430.SVD is present, 2430.DTP must be present.
DTP								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2430.DTP is allowed.
DTP01	Date Time Qualifier	ID	3-3	R			573	999	R	IK403 = 1: "Required Data Element Missing"	2430.DTP01 must be present.
DTP01								999	R	IK403 = 7: "Invalid Code Value"	2430.DTP01 must be "573".
DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2430.DTP02 must be present.

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
DTP02								999	R	IK403 = 7: "Invalid Code Value"	2430.DTP02 must be "D8".
DTP03	Adjudication or Payment Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2430.DTP03 must be present.
DTP03								999	R	IK403 = 8: "Invalid Date"	2430.DTP03 must be a valid date in the format of CCYYMMDD.
AMT	<b>REMAINING PATIENT LIABILITY</b>		1	S	2430			999	R	<b>IK304 = 19: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2430.SVD is present, 2430.AMT may be present.</b>
AMT								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only 1 iteration of 2430.AMT is allowed.</b>
AMT01	Amount Qualifier Code	ID	1-3	R			EAF	999	R	IK403 = 1: "Required Data Element Missing"	2430.AMT01 must be present.
AMT01								999	R	IK403 = 7: "Invalid Code Value"	2430.AMT01 must be "EAF".
AMT02	Remaining Patient Liability Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2430.AMT02 must be numeric.
AMT02								999	E	IK403 = 5: "Data Element Too Long"	2430.AMT02 must be <= 99,999.99.
AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 6: "Balance due from the subscriber" EIC: GB Other Insured	
AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 6: "Balance due from the subscriber" EIC: GB Other Insured	2430.AMT02 is limited to 0, 1 or 2 decimal positions.
AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = 110: "Implementation 'Not Used' Element Present"	Must not be present.
LQ	<b>Form Identification Form Loop</b>				2440	>1					
LQ	<b>FORM IDENTIFICATION CODE</b>		1	S	2440	1		999	R	<b>IK304 = 16: "Implementation Dependent Segment Missing"</b>	<b>2440.LQ must not be present.</b>
LQ								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 698: "Form Type Identifier."	
LQ								999	R	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	
LQ01	Code List Qualifier Code	ID	1-3	R			AS, UT	999	R	IK403 = 1: "Required Data Element Missing"	
LQ01								999	R	IK403 = 7: "Invalid Code Value"	
LQ02	Form Identifier	AN	1-30	R				999	R	IK403 = 1: "Required Data Element Missing"	
LQ02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 698 "Form Type Identifier."	
LQ02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 698 "Form Type Identifier."	

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
LQ02								999	R	IK403 = 6: "Invalid Character in Data Element"	
FRM	SUPPORTING DOCUMENTATION		99	R	2440			999	R	IK304 = 2: "Unexpected Segment"	2440.FRM must not be present.
FRM								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD01: "Situational segment/element required for adjudication."	
FRM								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD01: "Situational segment/element required for adjudication."	
FRM								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD01: "Situational segment/element required for adjudication."	
FRM								999	R	IK304 = 2: "Unexpected Segment"	
FRM								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	
FRM01	Question Number/Letter	AN	1-20	R				999	R	IK403 = 1: "Required Data Element Missing"	
FRM01								999	R	IK403 = 5: "Data Element Too Long"	
FRM01								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 699: "Question/Response from Supporting Documentation Form."	
FRM01								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 699: "Question/Response from Supporting Documentation Form."	
FRM01								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 699: "Question/Response from Supporting Documentation Form."	
FRM02	Question Response	ID	1-1	S			N, W, Y	999	R	IK403 = 7: "Invalid Code Value"	
FRM02								999	R	IK403 = 2 "Conditional Required Data Element Missing"	
FRM02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD01: "Situational segment/element required for adjudication."	

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
FRM03	Question Response	AN	1-50	S				999	R	IK403 = 6: "Invalid Character in Data Element"	
FRM03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 699: "Question/Response from Supporting Documentation Form."	
FRM03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 699: "Question/Response from Supporting Documentation Form."	
FRM03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 699: "Question/Response from Supporting Documentation Form."	
FRM03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 699: "Question/Response from Supporting Documentation Form."	
FRM03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 699: "Question/Response from Supporting Documentation Form."	
FRM03								999	E	IK403 = 5: "Data Element Too Long"	
FRM03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 699: "Question/Response from Supporting Documentation Form."	
FRM03								999	E	IK403 = 6: "Invalid Character in Data Element"	
FRM03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 699: "Question/Response from Supporting Documentation Form."	
FRM03								999	R	IK403 = 2 "Conditional Required Data Element Missing"	
FRM03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD01: "Situational segment/element required for adjudication."	
FRM04	Question Response	DT	8-8	S			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	

837 -  
Professional Edits

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
FRM04								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 699: "Question/Response from Supporting Documentation Form."	
FRM04								999	R	IK403 = 2 "Conditional Required Data Element Missing"	
FRM04								277	C	<b>CSCC A7: "Acknowledgement /Rejected for Invalid Information..."</b> <b>TBD01: "Situational segment/element required for adjudication."</b>	
FRM05	Question Response	R	1-6	S				999	R	IK403 = 6: "Invalid Character in Data Element"	
FRM05								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 699: "Question/Response from Supporting Documentation Form."	
FRM05								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 699: "Question/Response from Supporting Documentation Form."	
FRM05								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions"	
FRM05								999	R	IK403 = 2 "Conditional Required Data Element Missing"	
<b>SE</b>	<b>TRANSACTION SET TRAILER</b>		<b>1</b>	<b>R</b>		<b>&gt;1</b>		<b>999</b>	<b>R</b>	<b>IK502: 2 "Transaction Set Trailer Missing".</b>	<b>SE must be present.</b>
SE01	Transaction Segment Count	N0	1-10	R				999	R	IK502: 4 "Number of Included Segments Does Not Match Actual Count"	SE01 must be present.
SE01								999	R	IK502: 4 "Number of Included Segments Does Not Match Actual Count"	SE01 must be numeric.
SE01								999	R	IK502: 4 "Number of Included Segments Does Not Match Actual Count"	SE01 must equal the transaction segment count.
SE01								999	R	IK502: 4 "Number of Included Segments Does Not Match Actual Count"	SE01 must be > 0.
SE02	Transaction Set Control Number	AN	4-9	R				999	R	IK502: 3 "Transaction Set Control Number in Header and Trailer Do Not Match"	SE02 must be present.
SE02								999	R	IK502: 3 "Transaction Set Control Number in Header and Trailer Do Not Match"	SE02 must = ST02.
<b>GE</b>	<b>Functional Group Trailer</b>		<b>1</b>	<b>R</b>				<b>999</b>	<b>R</b>	<b>AK905: 3 "Functional Group Trailer Missing"</b>	<b>GE must be present.</b>

**837 -  
Professional Edits**

Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/999/277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits Part B
GE01	Number of Transaction Sets Included	N0	1-6	R				999	R	AK905: 5 "Number of Included Transaction Sets Does Not Match Actual Count".	GE01 must be present.
GE01								999	R	AK905: 5 "Number of Included Transaction Sets Does Not Match Actual Count".	GE01 must be numeric.
GE01								999	R	AK905: 5 "Number of Included Transaction Sets Does Not Match Actual Count".	GE01 must equal the number of transaction sets included in the functional group.
GE01								999	R	AK905: 5 "Number of Included Transaction Sets Does Not Match Actual Count".	GE01 must be > 0.
GE02	Group Control Number	AN	4-9	R				999	R	AK905: 4 "Group Control Number in the Functional Group Header and Trailer Do Not Agree".	GE02 must be present.
GE02								999	R	AK905: 4 "Group Control Number in the Functional Group Header and Trailer Do Not Agree".	GE02 must = GS06.
IEA	Interchange Control Header		1	R				TA1	R	TA105: 023 Improper (Premature) End-of-File (Transmission)	IEA must be present.
IEA								TA1	R	TA105: 024 "Invalid Interchange Content".	Only one iteration of IEA is allowed.
IEA01	Number of Included Functional Groups	N0	1-6	R				TA1	R	TA105: 021 "Invalid Number of Included Groups Value".	IEA01 must be present.
IEA01								TA1	R	TA105: 021 "Invalid Number of Included Groups Value".	IEA01 must be numeric.
IEA01								TA1	R	TA105: 021 "Invalid Number of Included Groups Value".	IEA01 must equal the number of functional groups included in the interchange.
IEA01								TA1	R	TA105: 021 "Invalid Number of Included Groups Value".	IEA01 must be > 0.

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
ISA must be present.	
<b>Only one iteration of ISA is allowed.</b>	This error means there can't be more than one ISA segment in this set, not that there can't be more than 1 in a physical file.
ISA01 must be present.	
ISA01 must be valid values.	
ISA02 must be present.	
ISA02 must be 10 characters.	
ISA02 must be populated with accepted AN characters.	
ISA03 must be present.	
ISA03 must be valid values.	
ISA04 must be present.	
ISA04 must be 10 characters.	
ISA04 must be populated with accepted AN characters.	
ISA05 must be present.	
ISA05 must be "27", "28" or "ZZ".	
ISA06 must be present.	
ISA06 must be 15 characters.	
ISA06 must contain at least one non-space character.	
ISA06 must be populated with accepted AN characters.	
ISA07 must be present.	
ISA07 must be "27", "28" or "ZZ".	
ISA08 must be present.	
ISA08 must be 15 characters.	
ISA08 must contain at least one non-space character.	
ISA08 must be populated with accepted AN characters.	
ISA09 must be present.	
ISA09 must be a valid date in YYMMDD format.	
ISA09 must be a the date of the interchange; must not be a future date.	
ISA10 must be present.	
ISA10 must be a valid time in HHMM format.	
ISA11 must be present.	01/20: Companion Guide Note needed.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
ISA11 must be 1 character.	
ISA11 must contain at least one non-space character.	
ISA12 must be present.	
ISA12 must be "00501".	
ISA13 must be present.	
ISA13 must be numeric.	
ISA13 must be 9 characters.	
ISA13 must be > 0.	
ISA13 must be unsigned.	
ISA14 must be present.	
ISA14 must be valid values.	
ISA15 must be present.	
ISA15 must be valid values.	
ISA16 must be present.	
ISA16 must be 1 character.	
ISA16 must contain at least one non-space character.	
ISA16 must be populated with accepted AN characters.	
<b>GS must be present.</b>	
<b>Only one iteration of GS is allowed.</b>	
GS01 must be present.	
GS01 must be present.	
GS02 must be present.	
GS02 must be 2 - 15 characters.	
GS02 must contain at least two non-space characters.	
GS02 must be populated with accepted AN characters.	
GS03 must be present.	
GS03 must be 2 - 15 characters.	
GS03 must contain at least two non-space characters.	



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
GS03 must be populated with accepted AN characters.	
GS04 must be present.	
GS04 must be a valid date in CCYYMMDD format.	
GS04 must be the date the functional group is created; must not be a future date.	
GS05 must be present.	
GS05 must be a valid time in a valid format.	
GS06 must be present.	
GS06 must be numeric.	
GS06 must be > 0.	
GS06 must be <= 999,999,999.	
GS06 must be unique within the interchange.	
GS07 must be present.	
GS07 must be "X".	
GS08 must be present.	
GS08 must be "005010X222".	
<b>ST must be present.</b>	
<b>Only one iteration of ST is allowed.</b>	This error means there can't be more than one ST segment in this set, not that there can't be more than 1 within the GS.
ST01 must be present.	
ST01 must be "837".	
ST02 must be present.	
ST02 must be 4-9 characters.	
ST02 must contain at least four non-space characters.	
ST02 must be populated with accepted AN characters.	
ST02 must be a unique number within the ISA-IEA envelope.	
ST03 must be present.	
ST03 must be "005010X222".	
<b>BHT must be present.</b>	
<b>Only one iteration of BHT is allowed.</b>	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
BHT01 must be present.	
BHT01 must be "0019".	
BHT02 must be present.	
BHT02 must be valid values.	
BHT03 must be present.	
BHT03 must be 1 - 30 characters.	
BHT03 must be populated with accepted AN characters.	
BHT04 must be present.	
BHT04 must be a valid date in CCYYMMDD format.	
BHT05 must be present.	
BHT05 must a valid time in a valid time format.	
BHT06 must be present.	
BHT06 must be "CH".	
<b>Only one iteration of 1000A is allowed.</b>	
<b>1000A.NM1 must be present.</b>	
1000A.NM101 must be present.	
1000A.NM101 must be "41".	
1000A.NM102 must be present.	
1000A.NM102 must be valid values.	
1000A.NM103 must be present.	
1000A.NM103 must be 1 - 60 characters.	
1000A.NM103 must contain at least one non-space character.	
1000A.NM103 must be populated with accepted AN characters.	
If 1000A.NM102 is "2", 1000A.NM104 must not be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
1000A.NM104 must be 1 - 35 characters.	
1000A.NM104 must contain at least one non-space character.	
1000A.NM104 must be populated with accepted AN characters.	
1000A.NM105 must contain at least one non-space character.	
If 1000A.NM102 is "2", 1000A.NM105 must not be present.	
1000A.NM105 must be 1 - 25 characters.	
1000A.NM105 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
1000A.NM108 must be present.	
1000A.NM108 must be "46".	
1000A.NM109 must be present.	
1000A.NM109 must contain at least two non-space characters.	
1000A.NM109 must be 2-80 characters.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
1000A.NM109 must be populated with accepted AN characters.	
1000A.NM109 must be an approved electronic submitter.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>1000A.PER must be present.</b>	
<b>Only two iterations of 1000A.PER are allowed.</b>	
1000A.PER01 must be present.	
1000A.PER01 must be "IC".	
1000A.PER02 must contain at least one non-space character.	
For the 1st 1000A.PER transmitted, 1000A.PER02 must not = 1000A.NM103.	
For the 2nd 1000A.PER transmitted, 1000A.PER02 must not be present.	
1000A.PER02 must be 1 - 60 characters.	
1000A.PER02 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
1000A.PER03 must be present.	
1000A.PER03 must be valid values.	
1000A.PER04 must be present.	
1000A.PER04 must contain at least one non-space character.	
1000A.PER04 must be 1 - 256 characters.	
1000A.PER04 must be populated with accepted AN characters.	
1000A.PER05 must be valid values.	
If 1000A.PER05 is "EX", 1000A.PER03 must be "TE".	
If 1000A.PER06 is present, 1000A.PER05 must be present.	
1000A.PER06 must contain at least one non-space character.	
1000A.PER06 must be 1 - 256 characters.	
1000A.PER06 must be populated with accepted AN characters.	
If 1000A.PER05 is present, 1000A.PER07 may be present.	
1000A.PER07 must be valid values.	
If 1000A.PER07 is "EX", 1000A.PER05 must be "TE".	
If 1000A.PER08 is present, 1000A.PER07 must be present.	
1000A.PER08 must contain at least one non-space character.	
1000A.PER08 must be 1 - 256 characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
1000A.PER08 must be populated with accepted AN characters.	
Must not be present.	
<b>Only one iteration of 1000B is allowed.</b>	
<b>1000B.NM1 must be present.</b>	
1000B.NM101 must be present.	
1000B.NM101 must be "40".	
1000B.NM102 must be present.	
1000B.NM102 must be "2".	
1000B.NM103 must be present.	
1000B.NM103 must be 1 - 60 characters.	
1000B.NM103 must be populated with accepted AN characters.	
1000B.NM103 must contain at least one non-space character.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
1000B.NM108 must be present.	
1000B.NM108 must be "46".	
1000B.NM109 must be present.	
1000B.NM109 must be [contractor put receiver code here]	
Must not be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
<b>2000A must be present.</b>	
<b>Only one iteration of 2000A is allowed.</b>	Companion guide note needed
<b>2000A.HL must be present.</b>	
<b>Only one iteration of 2000A.HL is allowed.</b>	This error means there can only be one HL in each iteration of the loop.
2000A.HL01 must be present.	
2000A.HL01 must be 1 - 12 characters.	
2000A.HL01 must be numeric.	
The first HL01 must be "1".	
Must not be present.	
2000A.HL03 must be present.	
2000A.HL03 must be "20".	
2000A.HL04 must be present.	
2000A.HL04 must be "1".	
<b>Only one iteration of 2000A.PRV is allowed.</b>	
2000A.PRV01 must be present.	
2000A.PRV01 must be "BI".	
2000A.PRV02 must be present.	
2000A.PRV02 must be "PXC".	
2000A.PRV03 must be present.	
2000A.PRV03 must be a valid Provider Taxonomy Code	Valid Provider Taxonomy Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
<b>2000A.CUR must not be present.</b>	Medicare does not support submission of foreign currency. 01/20: Companion Guide Note needed.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Only one iteration of 2010AA is allowed.	
2010AA.NM1 must be present.	
2010AA.NM101 must be present.	
2010AA.NM101 must be "85".	
2010AA.NM102 must be present.	
2010AA.NM102 must be valid values.	
2010AA.NM103 must be present.	
2010AA.NM103 must contain at least one non-space character.	
2010AA.NM103 must be 1 - 60 characters.	
2010AA.NM103 must be populated with accepted AN characters.	
If 2010AA.NM102 is "2", 2010AA.NM104 must not be present.	
2010AA.NM104 must contain at least one non-space character.	
2010AA.NM104 must be 1 - 35 characters.	
2010AA.NM104 must be populated with accepted AN characters.	
If 2010AA.NM102 is "2", 2010AA.NM105 must not be present.	
2010AA.NM105 must contain at least one non-space character.	



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2010AA.NM105 must be 1 - 25 characters.	
2010AA.NM105 must be populated with accepted AN characters.	
Must not be present.	
If 2010AA.NM102 is "2", 2010AA.NM107 must not be present.	
2010AA.NM107 must contain at least one non-space character.	
2010AA.NM107 must be 1 - 10 characters.	
2010AA.NM107 must be populated with accepted AN characters.	
	Only Trailblazer. 01/20: Companion Guide Note needed.
2010AA.NM108 must be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
2010AA.NM108 must be "XX".	
2010AA.NM109 must be present if 2010AA.NM108 is present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2010AA.NM109 must be valid according to the NPI algorithm.	
2010AA.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109.	Valid NPI Crosswalk must be available for this edit.
The first position of 2010AA.NM109 must be a "1".	11/25: reference CR 6198.
2010AA.NM109 billing provider must be "associated" to the submitter (from a trading partner management perspective) in 1000A.NM109.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>2010AA.N3 must be present.</b>	
<b>Only one iteration of 2010AA.N3 is allowed.</b>	
2010AA.N301 must be present.	
2010AA.N301 must contain at least one non-space character.	
2010AA.N301 must be 1 - 55 characters.	
2010AA.N301 must be populated with accepted AN characters.	
2010AA.N301 must not contain the following exact phrases (not case sensitive): "Post Office Box", "P.O. Box", "PO Box", "P O Box", "Lock Box", "Lock Bin".	N301 must be a street address, not a post office box or lock box.
2010AA.N302 must contain at least one non-space character.	
2010AA.N302 must be 1 - 55 characters.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2010AA.N302 must be populated with accepted AN characters.	
2010AA.N302 must not contain the following exact phrases (not case sensitive): "Post Office Box", "P.O. Box", "PO Box", "P O Box", "Lock Box", "Lock Bin".	N302 must be a street address, not a post office box or lock box.
<b>2010AA.N4 must be present.</b>	
<b>Only one iteration of 2010AA.N4 is allowed.</b>	
2010AA.N401 must be present.	
2010AA.N401 must contain at least two non-space characters.	
2010AA.N401 must be 2-30 characters.	
2010AA.N401 must be populated with accepted AN characters.	
If 2010AA.N404 is not present, 2010AA.N402 must be present.	
2010AA.N402 must be a valid State Code.	Valid State Code reference must be available for this edit.
If 2010AA.N404 is not present, 2010AA.N403 must be present.	
2010AA.N403 must be a valid 9 digit Zip Code.	Valid Zip Code reference must be available for this edit.
Must not be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
2010AA.REF must be present.	
Only one iteration of 2010AA.REF with REF01 = "EI" or "SY" is allowed.	
2010AA.REF01 must be present.	
2010AA.REF01 must be valid values.	
2010AA.REF02 must be present.	
2010AA.REF02 must be populated with accepted AN characters.	
2010AA.REF02 must be nine digits with no punctuation.	
2010AA.REF must be associated with the provider identified in 2010AA.NM109	Valid NPI Crosswalk must be available for this edit. The NPI crosswalk is used to validate the tax information submitted in this loop.
Must not be present.	
Must not be present.	
	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2010AA.REF must not be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
2010AA.REF01 must be present.	Only Trailblazer. 01/20: Companion Guide Note needed.
2010AA.REF01 must be "1G".	Only Trailblazer. 01/20: Companion Guide Note needed.
2010AA.REF02 must be present.	Only Trailblazer. 01/20: Companion Guide Note needed.
When 2010AA.REF01 = "1G", 2010AA.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).	Only Trailblazer. 01/20: Companion Guide Note needed.
Must not be present.	
Must not be present.	
<b>If 2010AA.NM1 is present, 2010AA.PER may be present.</b>	
<b>Only two iterations of 2010AA.PER are allowed.</b>	
2010AA.PER01 must be present.	
2010AA.PER01 must be "IC".	
For the 1st 2010AA.PER transmitted, 2010AA.PER02 must be present.	
For the 2nd 2010AA.PER transmitted, 2010AA.PER02 must not be present.	
2010AA.PER02 must not = 1000A.PER02.	
2010AA.PER02 must contain at least one non-space character.	
2010AA.PER02 must be 1 - 60 characters.	
2010AA.PER02 must be populated with accepted AN characters.	
2010AA.PER03 must be present.	
2010AA.PER03 must be valid values.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2010AA.PER04 must be present.	
2010AA.PER04 must contain at least one non-space character.	
2010AA.PER04 must be 1 - 256 characters.	
2010AA.PER04 must be populated with accepted AN characters.	
2010AA.PER05 must be valid values.	
If 2010AA.PER05 is "EX" 2010AA.PER03 must be "TE"	
If 2010AA.PER05 is present 2010AA.PER06 must be present.	
2010AA.PER04 must be 1 - 256 characters.	
2010AA.PER06 must contain at least one non-space character.	
2010AA.PER06 must be populated with accepted AN characters.	
If 2010AA.PER05 is present, 2010AA.PER07 may be present.	
2010AA.PER07 must be valid values.	
If 2010AA.PER07 is "EX", 2010AA.PER05 must be "TE".	
If 2010AA.PER07 is present, 2010AA.PER08 must be present.	
2010AA.PER08 must be 1 - 256 characters.	
2010AA.PER08 must contain at least one non-space character.	
2010AA.PER08 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
<b>Only one iteration of 2010AB.NM1 is allowed.</b>	
2010AB.NM101 must be present.	
2010AB.NM101 must be "87".	
2010AB.NM102 must be present.	
2010AB.NM102 must be valid values.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>If 2010AB.NM1 is present, 2010AB.N3 must be present.</b>	
<b>Only one iteration of 2010AB.N3 is allowed.</b>	
2010AB.N301 must be present.	
2010AB.N301 must contain at least one non-space character.	
2010AB.N301 must be 1 - 55 characters.	
2010AB.N301 must be populated with accepted AN character.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2010AB.N302 must contain at least one non-space character.	
2010AB.N302 must be 1 - 55 characters.	
2010AB.N302 must be populated with accepted AN character.	
<b>If 2010AB.NM1 is present, 2010AB.N4 must be present.</b>	
<b>Only one iteration of 2010AB.N4 is allowed.</b>	
2010AB.N401 must be present.	
2010AB.N401 must contain at least two non-space characters.	
2010AB.N401 must be 2-30 characters.	
2010AB.N401 must be populated with accepted AN characters.	
If 2010AB.N404 is not present, 2010AB.N402 must be present.	



**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2010AB.N402 must be a valid State Code.	Valid State Code reference must be available for this edit.
If 2010AB.N404 is not present, 2010AB.N403 must be present.	
N403 must be a valid Zip Code.	Valid Zip Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2010AC.NM1 must not be present	Loop not accepted by Medicare. 11/20: Companion Guide Note needed.
2010AC.N3 must not be present.	Loop not accepted by Medicare. 11/20: Companion Guide Note needed.
2010AC.N4 must not be present.	Loop not accepted by Medicare. 11/20: Companion Guide Note needed.

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2010AC.REF must not be present.	Loop not accepted by Medicare. 11/20: Companion Guide Note needed.
2010AC.REF must not be present.	Loop not accepted by Medicare. 11/20: Companion Guide Note needed.
2000B must be present.	
2000B.HL must be present.	
Only one iteration of 2000B.HL is allowed.	This error means there can only be one HL in each iteration of the loop.
2000B.HL01 must be present.	
2000B.HL01 must be 1 - 12 characters.	
2000B.HL01 must be numeric.	
2000B.HL01 must be equal the value of the previous HL01 (2000A.HL01) plus one.	
2000B.HL02 must be present.	
2000B.HL02 must be equal to the value of the HL01 (2000A.HL01) of the parent HL.	
2000B.HL03 must be present.	
2000B.HL03 must be "22".	
2000B.HL04 must be present.	
2000B.HL04 must be "0".	
2000B.SBR must be present.	
Only one iteration of 2000B.SBR is allowed.	
2000B.SBR01 must be present.	
2000B.SBR01 must be valid values.	
2000B.SBR01 must be "S" or "P".	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2000B.SBR01 = "S" there must be at least one 2320.SBR01 with a value equal to "P".	
Companion Guide Note needed.	
2000B.SBR02 must be "18".	
2000B.SBR03 must contain at least one non-space character.	
2000B.SBR03 must be 1 - 50 characters.	
2000B.SBR03 must be populated with accepted AN characters.	
If 2000B.SBR03 is present, 2000B.SBR04 must not be present.	
2000B.SBR04 must contain at least one non-space character.	
2000B.SBR04 must be 1 - 60 characters.	
2000B.SBR04 must be populated with accepted AN characters.	
2000B.SBR05 must be valid values.	
If 2000B.SBR01 is "P", 2000B.SBR05 must not be present.	
If 2000B.SBR01 is not "P", 2000B.SBR05 must be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
2000B.SBR09 must be "MB".	
<b>Only one iteration of 2000B.PAT is allowed.</b>	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2000B.PAT05 must be "D8"	
If 2000B.PAT05 is present, 2000B.PAT06 must be present.	
2000B.PAT06 must be a valid date in CCYYMMDD format.	
2000B.PAT07 must be "01".	
If 2000B.PAT07 is present, 2000B.PAT08 must be present.	
2000B.PAT08 must be > 0 and <= 9,999.99	
2000B.PAT08 is limited to 0, 1 or 2 decimal positions.	
2000B.PAT09 must be "Y".	
<b>2010BA.NM1 must be present.</b>	
<b>Only one iteration of 2010BA.NM1 allowed.</b>	
2010BA.NM101 must be present.	
2010BA.NM101 must be "IL".	
2010BA.NM102 must be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2010BA.NM102 must be "1".	
2010BA.NM103 must be present.	
2010BA.NM103 must contain at least one non-space character.	
2010BA.NM103 must be 1 - 60 characters.	
2010BA.NM103 must be populated with accepted AN characters.	
2010BA.NM104 must be present.	
2010BA.NM104 must contain at least one non-space character.	
2010BA.NM104 must be 1 - 35 characters.	
2010BA.NM104 must be populated with accepted AN characters.	
2010BA.NM105 must contain at least one non-space character.	
2010BA.NM105 must be 1 - 25 characters.	
2010BA.NM105 must be populated with accepted AN characters.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
2010BA.NM107 must contain at least one non-space character.	
2010BA.NM107 must be 1 - 10 characters.	
2010BA.NM107 must be populated with accepted AN characters.	
2010BA.NM108 must be present.	
2010BA.NM108 must be "MI".	
2010BA.NM109 must be present.	
If Medicare IDs:  2010BA.NM109 must be 10 - 11 positions in the format of NNNNNNNNNA or NNNNNNNNNAA or NNNNNNNNNAN where "A" represents an alpha character and "N" represents a numeric digit.	01/20: Companion Guide Note needed.
OR If Railroad IDs:  2010BA.NM109 must be 7 - 12 positions in the format of ANNNNNN or AANNNNNN or AANNNNNNNN or AAANNNNNN or AAANNNNNNN where "A" represents an alpha character and "N" represents a numeric digit.	
Must not be present.	
Must not be present.	
Must not be present.	
Only one iteration of 2010BA.N3 is allowed.	
2010BA.N301 must be present.	
2010BA.N301 must contain at least one non-space character.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2010BA.N301 must be 1 - 55 characters.	
2010BA.N301 must be populated with accepted AN characters.	
2010BA.N302 must contain at least one non- space character.	
2010BA.N302 must be 1 - 55 characters.	
2010BA.N302 must be populated with accepted AN characters.	
2010BA.N4 must be present.	
Only one iteration of 2010BA.N4 is allowed.	
2010BA.N401 must be present.	
2010BA.N401 must contain at least two non- space characters.	
2010BA.N401 must be 2-30 characters.	
2010BA.N401 must be populated with accepted AN characters.	
If 2010BA.N404 is not present, 2010BA.N402 must be present.	

**837 -  
Professional Edits**

<b>Proposed 5010 Edits CEDI</b>	<b>Misc. Notes</b>
2010BA.N402 must be a valid State Code.	Valid State Code reference must be available for this edit.
2010BA.N402 must be a valid state or province code.	Valid State Code reference must be available for this edit.
If 2010BA.N404 is not present, 2010BA.N403 must be present.	
2010BA.N403 must be a valid postal/zip Code	Valid Zip Code reference must be available for this edit.
2010BA.N404 must be a valid 2 character Country Code.	Valid alpha-2 Country Code reference must be available for this edit. (from Part 1 of ISO 3166)
Must not be present.	
Must not be present.	
2010BA.N407 must be a valid Country Subdivision Code.	Valid Country Subdivision Code reference must be available for this edit. (from Part 2 of ISO 3166)
2010BA.DMG must be present.	
Only one iteration of 2010BA.DMG is allowed.	
2010BA.DMG01 must be present.	
2010BA.DMG01 must be "D8".	
2010BA.DMG02 must be present.	
2010BA.DMG02 must be a valid date in format CCYYMMDD	
2010BA.DMG02 must not be a future date.	06/04: Companion Guide Note needed.
2010BA.DMG03 must be present.	
2010BA.DMG03 must be valid values.	
Must not be present.	
Must not be present.	



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2010BA.REF with REF01 = "SY" must not be present.	Medicare doesn't support this segment. Companion Guide Note needed.
Only one iteration of 2010BA.REF with REF01 = "Y4" is allowed.	Pass through, syntax only.
2010BA.REF01 must be present.	
2010BA.REF01 must be "Y4".	
2010BA.REF02 must be present.	
2010BA.REF02 must contain at least one <u>non-space character</u> .	
2010BA.REF02 must be 1 - 50 characters.	
2010BA.REF02 must be populated with <u>accepted AN characters</u> .	
Must not be present.	
Must not be present.	
Only one iteration of 2010BA.PER is allowed.	Pass through, syntax only.
2010BA.PER01 must be "IC".	
2010BA.PER02 must be 1 - 60 characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2010BA.PER02 must be populated with accepted AN characters.	
2010BA.PER03 must be present.	
2010BA.PER03 must be "TE".	
2010BA.PER04 must contain at least one <u>non-space character</u> .	
2010BA.PER04 must be present.	
2010BA.PER04 must be 1 - 256 characters.	
2010BA.PER04 must be populated with <u>accepted AN characters</u> .	
2010BA.PER05 must be valid values.	
2010BA.PER06 must contain at least one <u>non-space character</u> .	
If 2010BA.PER05 is present 2010BA.PER06 must be present.	
2010BA.PER06 must be 1 - 256 characters.	
2010BA.PER06 must be populated with <u>accepted AN characters</u> .	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
2010BB.NM1 must be present.	
Only one iteration of 2010BB.NM1 is allowed.	
2010BB.NM101 must be present.	
2010BB.NM101 must be "PR".	
2010BB.NM102 must be present.	
2010BB.NM102 must be "2".	
2010BB.NM103 must be present.	
2010BB.NM103 must contain at least one non-space character.	
2010BB.NM103 must be 1 - 60 characters.	
2010BB.NM103 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2010BB.NM108 must be present.	
2010BB.NM108 must be "PI".	
2010BB.NM109 must be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2010BB.NM109 must be the same value as 1000B.NM109.	
2010BB.NM109 must be 2-80 characters.	
2010BB.NM109 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>Only one iteration of 2010BB.N3 is allowed.</b>	
2010BB.N301 must be present.	
2010BB.N301 must contain at least one non-space character.	
2010BB.N301 must be 1 - 55 characters.	
2010BB.N301 must be populated with accepted AN characters.	
2010BB.N302 must contain at least one non-space character.	
2010BB.N302 must be 1 - 55 characters.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2010BB.N302 must be populated with accepted AN characters.	
<b>2010BB.N4 must be present.</b>	
<b>Only one iteration of 2010BB.N4 is allowed.</b>	
2010BB.N401 must be present.	
2010BB.N401 must contain at least two non-space characters.	
2010BB.N401 must be 2-30 characters.	
2010BB.N401 must be populated with accepted AN characters.	
If 2010BB.N404 is not present, 2010BB.N402 must be present.	
2010BB.N402 must be a valid State Code.	Valid State Code reference must be available for this edit.
If 2010BB.N404 is not present, 2010BB.N403 must be present.	
2010BB.N403 must be a valid Zip Code.	Valid Zip Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2010BB.REF with REF01 = "2U", "EI", "FY" or "NF" must not be present.	Not accepted by Medicare. 03/31: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.
2010BB.REF must not be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
2010BB.REF01 must be present.	Only Trailblazer. 01/20: Companion Guide Note needed.
2010BB.REF01 must be valid values.	Only Trailblazer. 01/20: Companion Guide Note needed.
2010BB.REF02 must be present.	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.
When 2010BB.REF01 = "G2" or "LU", 2010BB.REF02 must be 1 - 50 characters.	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.
When 2010BB.REF01 = "G2" or "LU", 2010BB.REF02 must be populated with accepted AN characters.	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.
2010BB.REF02 must be valid from a trading partner management perspective when evaluated with 1000A.NM109.	Only Trailblazer. 01/20: Companion Guide Note needed.
Must not be present.	
Must not be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
Loop must not be present.	01/20: Companion Guide Note needed.
Segment must not be present.	01/20: Companion Guide Note needed.
Loop must not be present.	01/20: Companion Guide Note needed.
Segment must not be present.	01/20: Companion Guide Note needed.
Segment must not be present.	01/20: Companion Guide Note needed.
Segment must not be present.	01/20: Companion Guide Note needed.
Segment must not be present.	01/20: Companion Guide Note needed.
Segment must not be present.	01/20: Companion Guide Note needed.
Only 100 iterations of the 2300 loop are allowed.	
2300.CLM must be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
Only one iteration of 2300.CLM is allowed.	
2300.CLM01 must be present.	
2300.CLM01 must contain at least one non-space character.	
2300.CLM01 must be 1 - 38 characters.	Companion Guide Note Needed - only positions 1 - 20 will be stored/returned
2300.CLM01 must be populated with accepted AN characters.	
2300.CLM02 must be present.	
2300.CLM02 must be numeric.	
2300.CLM02 must be >= 0 .	
	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2300.CLM02 is limited to 0, 1 or 2 decimal positions.	
2300.CLM02 must equal the sum of all 2400.SV102 amounts.	
CLM02 must equal the sum of all 2320 & 2430 CAS amounts and the 2320 AMT02 (AMT01=D).	
Must not be present.	
Must not be present.	
2300.CLM05-1 must be present.	



**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2300.CLM05-1 must be a valid POS code.	Valid Place of Service reference must be available for this edit.
2300.CLM05-2 must be present.	
2300.CLM05-2 must be "B".	
2300.CLM05-3 must be present.	
2300.CLM05-3 must be "1".	Medicare Part B only accepts original claims 01/20: Companion Guide Note needed.
2300.CLM06 must be present.	
2300.CLM06 must be valid values.	
2300.CLM07 must be present.	
2300.CLM07 must be valid values.	
2300.CLM08 must be present.	
2300.CLM08 must be valid values.	
2300.CLM09 must be present.	
2300.CLM09 must be valid values.	
2300.CLM10 must be "P".	
If 2300.DTP with DTP01 = 439 is present, then 2300.CLM11 must be present.	
2300.CLM11-1 must be present.	
2300.CLM11-1 must be valid values.	
2300.CLM11-2 is present 2300.CLM11-1 must be present.	
2300.CLM11-2 must be valid values.	
Must not be present.	
If 2300.CLM11-1 or 2300.CLM11-2 is "AA", then 2300.CLM11-4 must be present.	
If 2300.CLM11-4 must be a valid State Code.	Valid State Code reference must be available for this edit.
If 2300.CLM11-1 or 2300.CLM11-2 is "AA" and 2300.CLM11-4 is not present, then 2300.CLM11-5 must be present.	
2300.CLM11-5 must be a valid Country Code.	Valid Country Code reference must be available for this edit.
2300.CLM12 must be valid values.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
2300.CLM20 must be valid values.	
<b>Only one iteration of 2300.DTP with DTP01 = "431" is allowed.</b>	
2300.DTP01 must be present.	
2300.DTP01 must be "431".	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
2300.DTP03 must not be a future date.	
<b>Only one iteration of 2300.DTP with DTP01 = "454" is allowed.</b>	
2300.DTP01 must be present.	
2300.DTP01 must be "454".	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
2300.DTP03 must not be a future date.	
<b>Only one iteration of 2300.DTP with DTP01 = "304" is allowed.</b>	
2300.DTP01 must be present.	
2300.DTP01 must be "304".	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
<b>If 2300.CR208 = "A" or "M" then 2300.DTP with DTP01 = "453" must be present.</b>	
<b>Only 1 iteration of 2300.DTP with DTP01 = "453" is allowed.</b>	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2300.DTP01 must be present.	
2300.DTP01 must be "453".	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
2300.DTP03 must not be a future date.	
If 2300.CLM11-1 or CLM11-2 = "AA" or "OA" then 2300.DTP with DTP01 = "439" must be present.	
<b>Only one iteration of 2300.DTP with DTP01 = "439" is allowed.</b>	
2300.DTP01 must be present.	
2300.DTP01 must be "439".	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
2300.DTP03 must not be a future date.	
<b>Only one iteration of 2300.DTP with DTP01 = "484" is allowed.</b>	
2300.DTP01 must be present.	
2300.DTP01 must be "484".	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
2300.DTP03 must not be a future date.	
<b>Only one iteration of 2300.DTP with DTP01 = "455" is allowed.</b>	
2300.DTP01 must be present.	
2300.DTP01 must be "455".	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
2300.DTP03 must not be a future date.	
<b>Only one iteration of 2300.DTP with DTP01 = "471" is allowed.</b>	
2300.DTP01 must be present.	
2300.DTP01 must be "471".	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
2300.DTP03 must not be a future date.	
<b>Only one iteration of 2300.DTP with DTP01 = "314", "360" or "361" is allowed.</b>	Future dates are allowed in this situation. 01/20: Companion Guide Note needed.
2300.DTP01 must be present.	
2300.DTP01 must be valid values.	
2300.DTP02 must be present.	
2300.DTP02 must be valid values.	
2300.DTP03 must be present.	
If 2300.DTP02 = "D8" then 2300.DTP03 must be a valid date in CCYYMMDD format.	
If 2300.DTP02 = "RD8" then 2300.DTP03 must be a valid date in CCYYMMDD- CCYYMMDD format.	
<b>Only one iteration of 2300.DTP with DTP01 = "297" is allowed.</b>	
2300.DTP01 must be present.	
2300.DTP01 must be "297".	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2300.DTP03 must be a valid date in CCYYMMDD format.	
2300.DTP03 must not be a future date.	
<b>Only one iteration of 2300.DTP with DTP01 = "296" is allowed.</b>	
2300.DTP01 must be present.	
2300.DTP01 must be "296".	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
<b>If 2400.SV105 = "21", "51" or "61" then 2300.DTP with DTP01 = "435" must be present.</b>	Companion Guide Note needed.
<b>Only one iteration of 2300.DTP with DTP01 = "435" is allowed.</b>	
2300.DTP01 must be present.	
2300.DTP01 must be "435".	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
2300.DTP03 must not be a future date.	Companion Guide note needed
<b>Only one iteration of 2300.DTP with DTP01 = "096" is allowed.</b>	
2300.DTP01 must be present.	
2300.DTP01 must be "096".	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
2300.DTP03 must not be a future date.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
<b>Only two iteration of 2300.DTP with DTP01 = "090" or "091" are allowed.</b>	
2300.DTP01 must be present.	
2300.DTP01 must be valid values.	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
<b>Only one iteration of 2300.DTP with DTP01 = "444" is allowed.</b>	Pass through, syntax only.
2300.DTP01 must be present.	
2300.DTP01 must be "444".	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
<b>Only one iteration of 2300.DTP with DTP01 = "050" is allowed.</b>	Pass through, syntax only.
2300.DTP01 must be present.	
2300.DTP01 must be "050".	
2300.DTP02 must be present.	
2300.DTP02 must be "D8".	
2300.DTP03 must be present.	
2300.DTP03 must be a valid date in CCYYMMDD format.	
<b>Only ten iterations of 2300.PWK are allowed.</b>	
2300.PWK01 must be present.	
2300.PWK01 must be valid values.	
2300.PWK02 must be present.	
2300.PWK02 must be valid values.	
Must not be present.	
Must not be present.	
When 2300.PWK05 is present, 2300.PWK02 must be "BM", "EL", "EM", "FX" or "FT".	
2300.PWK05 must be "AC".	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
When 2300.PWK06 is present, 2300.PWK02 must be "BM", "EL", "EM", "FX" or "FT" .	
2300.PWK06 must be 2-50 characters.	IG note limiting to 50
2300.PWK06 must be populated with accepted AN characters.	
2300.PWK06 must contain at least two non-space characters.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>2300.CN1 must not be present.</b>	IG note that CN1 is not for HIPAA claims.
<b>Only one iteration of 2300.AMT is allowed.</b>	
2300.AMT01 must be present.	
2300.AMT01 must be "F5".	
2300.AMT02 must be numeric.	
2300.AMT02 must be <= 99,999.99.	
	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2300.AMT02 must be >= 0.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2300.AMT02 is limited to 0, 1 or 2 decimal positions.	
Must not be present.	
<b>Only one iteration of 2300.REF with REF01 = "4N" is allowed.</b>	pass thru, syntax only
2300.REF01 must be present.	
2300.REF01 must be "4N".	
2300.REF02 must be present.	
2300.REF02 must be valid values.	
Must not be present.	
Must not be present.	
<b>2300.REF with REF01 = "F5" must not be present.</b>	
<b>Only one iteration of 2300.REF with REF01 = "EW" is allowed.</b>	
2300.REF01 must be present.	
2300.REF01 must be "EW".	
2300.REF02 must be present.	
2300.REF02 must contain at least one non-space character.	
2300.REF02 must be 1 - 50 characters.	
2300.REF02 must be populated with accepted AN characters.	
	Valid MQSA reference must be available for this edit.



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
<b>Only one iteration of 2300.REF with REF01 = "9F" is allowed.</b>	
2300.REF01 must be present.	
2300.REF01 must be "9F".	
2300.REF02 must be present.	
2300.REF02 must contain at least one non- space character.	
2300.REF02 must be 1 - 50 characters.	
2300.REF02 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
<b>Only one iteration of 2300.REF with REF01 = "G1" is allowed.</b>	
2300.REF01 must be present.	
2300.REF01 must be "G1".	
2300.REF02 must be present.	
2300.REF02 must contain at least one non- space character.	
2300.REF02 must be 1 - 50 characters.	
2300.REF02 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
<b>2300.REF with REF01 = "F8" must not be present.</b>	Medicare only accepts ORIGINAL claim (CLM05-3=1) 01/20: Companion Guide Note needed.
<b>Only one iteration of 2300.REF with REF01 = "X4" is allowed.</b>	
2300.REF01 must be present.	
2300.REF01 must be "X4".	
2300.REF02 must be present.	
2300.REF02 must contain at least one non-space character.	
2300.REF02 must be 1 - 50 characters.	
2300.REF02 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
<b>Only one iteration of 2300.REF with REF01 = "9A" is allowed.</b>	Pass through, syntax only
2300.REF01 must be present.	
2300.REF01 must be "9A".	
2300.REF02 must be present.	
2300.REF02 must contain at least one non-space character.	
2300.REF02 must be 1-50 characters.	
2300.REF02 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
<b>Only 1 iteration of 2300.REF with REF01 = "9C" is allowed.</b>	Pass through, syntax only
2400.REF01 must be present.	
2400.REF01 must be "9C".	
2400.REF02 must be present.	
2300.REF02 must contain at least one non-space character.	
2300.REF02 must be 1-50 characters.	
2300.REF02 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
<b>Only one iteration of 2300.REF with REF01 = "LX" is allowed.</b>	
2300.REF01 must be present.	
2300.REF01 must be "LX".	
2300.REF02 must be present.	
2300.REF02 must contain at least one non-space character.	
2300.REF02 must be 1 - 50 characters.	
2300.REF02 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
<b>Only one iteration of 2300.REF with REF01 = "D9" is allowed.</b>	Pass through, syntax only
2300.REF01 must be present.	
2300.REF01 must be "D9".	
2300.REF02 must be present.	
2300.REF02 must contain at least one non-space character.	
2300.REF02 must be 1-20 characters.	
2300.REF02 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
<b>Only one iteration of 2300.REF with REF01 = "EA" is allowed.</b>	
2300.REF01 must be present.	
2300.REF01 must be "EA".	
2300.REF02 must be present.	
2300.REF02 must contain at least one non-space character.	
2300.REF02 must be 1 - 50 characters.	
2300.REF02 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
<b>Only one iteration of 2300.REF with REF01 = "P4" is allowed.</b>	
2300.REF01 must be present.	
2300.REF01 must be "P4".	
2300.REF02 must be present.	
2300.REF02 must contain at least one non-space character.	
2300.REF02 must be 1-50 characters.	
Must not be present.	
Must not be present.	
<b>Only one iteration of 2300.REF with REF01 = "1J" is allowed.</b>	
2300.REF01 must be present.	02/10: VA will not use this segment, so there are no issues with requiring NPI.
2300.REF01 must be "1J".	
2300.REF02 must be present.	
2300.REF02 must be valid according to the NPI algorithm.	
The first position of 2300.REF02 must be a "1".	
Must not be present.	
Must not be present.	
<b>Only ten iterations of K3 are allowed.</b>	
2300.K301 must be present.	
2300.K301 must contain at least one non-space character.	
2300.K301 must be 1-80 characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2300.K301 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
<b>Only one iteration of 2300.NTE is allowed.</b>	
2300.NTE01 must be present.	
2300.NTE01 must be valid values.	
2300.NTE02 must be present.	
2300.NTE02 must contain at least one non-space character.	
2300.NTE02 must be 1 - 80 characters.	
2300.NTE02 must be populated with accepted AN characters.	
<b>Only one iteration of 2300.CR1 is allowed.</b>	
<b>If 2300.CR1 is present, 2300.CLM05-1 must be "41" or "42".</b>	02/04: Companion Guide Note needed.
2300.CR101 must be "LB".	
If 2300.CR101 is present, then 2300.CR102 must be present.	
2300.CR102 must be >0 and <= 9,999.99	12/2: Companion Guide note needed - instruct submitters to send <TBD> if transport was not actually conducted. 02/11: Submitted a HIR to X12 to clarify the submission requirements and provide a work-around.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
2300.CR104 must be present.	
2300.CR104 must be valid values.	
2300.CR105 must be present.	
2300.CR105 must be "DH".	
2300.CR106 must be present.	03/31: Medicare specific limitation. Companion Guide Note needed.
2400.CR106 must be numeric.	
2400.CR106 must be => 0	
2400.CR106 must be 1 - 4 digits.	
Must not be present.	
Must not be present.	
2300.CR109 must be 1 - 80 characters.	
2300.CR109 must be populated with accepted AN characters.	
2300.CR109 must contain at least one non- space character.	
2300.CR110 must contain at least one non- space character.	
2300.CR110 must be 1 - 80 characters.	
2300.CR110 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Only one iteration of 2300.CR2 is allowed.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2300.CR208 must be present.	
2300.CR208 must be valid values.	
Must not be present.	
2300.CR210 must contain at least one non-space character.	
2300.CR210 must be 1 - 80 characters.	
[Yellow Cell]	
2300.CR210 must be populated with accepted AN characters.	
[Yellow Cell]	
2300.CR211 must contain at least one non-space character.	
2300.CR211 must be 1 - 80 characters.	
[Yellow Cell]	
2300.CR211 must be populated with accepted AN characters.	
[Yellow Cell]	
Must not be present.	



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
<b>Only three iterations of 2300.CRC with CRC01 = "07" are allowed.</b>	
If 2300.CRC is present, 2300.CLM05-1 must be "41" or "42".	
2300.CRC01 must be present.	
2300.CRC01 must be "07".	
2300.CRC02 must be present.	
2300.CRC02 must be valid values.	
2300.CRC03 must be present.	
2300.CRC03 must be valid values.	
2300.CRC04 must be valid values.	
2300.CRC05 can only be present if 2300.CRC04 is present.	
2300.CRC05 must be valid values.	
2300.CRC06 can only be present if 2300.CRC05 is present.	
2300.CRC06 must be valid values.	
2300.CRC07 can only be present if 2300.CRC06 is present.	
2300.CRC07 must be valid values.	
<b>Only three iterations of 2300.CRC with CRC01 = "E1", "E2" or "E3" are allowed.</b>	
2300.CRC01 must be present.	
2300.CRC01 must be valid values.	
2300.CRC02 must be present.	
2300.CRC02 must be valid values.	
2300.CRC03 must be present.	
2300.CRC03 must be valid values.	
2300.CRC04 must be valid values.	
2300.CRC05 can only be present if 2300.CRC04 is present.	
2300.CRC05 must be valid values.	
2300.CRC06 can only be present if 2300.CRC05 is present.	
2300.CRC06 must be valid values.	
2300.CRC07 can only be present if 2300.CRC06 is present.	
2300.CRC07 must be valid values.	
<b>Only one iteration of 2300.CRC with CRC01 = "75" is allowed.</b>	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2300.CRC01 must be present.	
2300.CRC01 must be "75".	
2300.CRC02 must be present.	
2300.CRC02 must be "Y".	
2300.CRC03 must be present.	
2300.CRC03 must be "IH".	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>Only one iteration of 2300.CRC with CRC01 = "ZZ" is allowed.</b>	Pass Through Syntax Only
2300.CRC01 must be present.	
2300.CRC01 must be "ZZ".	
2300.CRC02 must be present.	
2300.CRC02 must be valid values.	
2300.CRC03 must be present.	
If 2300.CRC02 is "Y", 2300.CRC03 must be valid values.	
If 2300.CRC02 is "N", 2300.CRC03 must be "NU".	
2300.CRC04 must be valid values.	
2300.CRC05 must be valid values.	
Must not be present.	
Must not be present.	
<b>2300.HI with HI01-1 = "BK" must be present.</b>	ICD-9 Only period
<b>2300.HI with HI01-1 = "BK" or "ABK" must be present.</b>	Transition period
<b>2300.HI with HI01-1 = "ABK" must be present.</b>	ICD-10 Only period - assumes no dual-use after mandated date.
<b>Only one iteration of 2300.HI with HI01-1 = "BK" is allowed.</b>	ICD-9 Only period
<b>Only one iteration of 2300.HI with HI01-1 = "BK" or "ABK" is allowed.</b>	Transition period
<b>Only one iteration of 2300.HI with HI01-1 = "ABK" is allowed.</b>	ICD-10 Only period - assumes no dual-use after mandated date.
2300.HI01-1 must be present.	
2300.HI01-1 must = "BK"	ICD-9 Only period
2300.HI01-1 must be "BK" or "ABK".	Transition period

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2300.HI01-1 must = "ABK"	ICD-10 Only period - assumes no dual-use after mandated date.
2300.HI01-2 must be present.	
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "1" and 2300.HI01-1 is "BK" then 2300.HI01-2 must be a valid ICD-9-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "1" and 2300.HI01-1 is "BK" then 2300.HI01-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "1" and 2300.HI01-1 is "ABK" then 2300.HI01-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472"	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "1" & 2300.HI01-1 is "ABK" then 2300.HI01-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "1" and 2300.HI01-1 is "BK" then 2300.HI01-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.	ICD-9 Only period and Transition period.  Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "1" and 2300.HI01-1 is "BK", 2300.HI01-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "1" (all lines) and 2300.HI01-1 is "ABK" then 2300.HI01-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "1" (all lines) and 2300.HI01-1 is "ABK", 2300.HI01-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2300.HI01-2 must not contain a "."	REMOVE PERIODS FROM DIAG CODES IN TRANSLATION
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2300.HI02-1 must be "BF" or "ABF".	Transition period
2300.HI02-1 must = "BF"	ICD-9 Only period
2300.HI02-1 must = "ABF"	ICD-10 Only period - assumes no dual-use after mandated date.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "2" and 2300.HI02-1 is "BF" then 2300.HI02-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "2" and 2300.HI02-1 is "BF" then 2300.HI02-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "2" and 2300.HI02-1 is "ABF" then 2300.HI02-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list.	Transition period and ICD-10 Only period. Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "2" & 2300.HI02-1 is "ABF" then 2300.HI02-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "2" and 2300.HI02-1 is "BF" then 2300.HI02-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.	ICD-9 Only period and Transition period.  Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "2" and 2300.HI02-1 is "BF", 2300.HI02-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "2" and 2300.HI02-1 is "ABF" then 2300.HI02-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "2" and 2300.HI02-1 is "ABF", 2300.HI02-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
2300.HI02-2 must not contain a "."	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2300.HI03 can only be present if 2300.HI02 is present.	
2300.HI03-1 must be "BF" or "ABF".	Transition period
2300.HI03-1 must = "BF"	ICD-9 Only period
2300.HI03-1 must = "ABF"	ICD-10 Only period - assumes no dual-use after mandated date.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "3" and 2300.HI03-1 is "BF" then 2300.HI03-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list	ICD-9 Only period and Transition period.  Valid ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "3" and 2300.HI03-1 is "BF" then 2300.HI03-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "3" and 2300.HI03-1 is "ABF" then 2300.HI03-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list.	Transition period and ICD-10 Only period. Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "3" & 2300.HI03-1 is "ABF" then 2300.HI03-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "3" and 2300.HI03-1 is "BF" then 2300.HI03-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.	ICD-9 Only period and Transition period. Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "3" and 2300.HI03-1 is "BF", 2300.HI03-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.	ICD-9 Only period and Transition period. Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "3" and 2300.HI03-1 is "ABF" then 2300.HI03-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "3" and 2300.HI03-1 is "ABF", 2300.HI03-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
2300.HI03-2 must not contain a "."	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2300.HI04 can only be present if 2300.HI03 is present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2300.HI04-1 must be "BF" or "ABF".	Transition period
2300.HI04-1 must = "BF"	ICD-9 Only period
2300.HI04-1 must = "ABF"	ICD-10 Only period - assumes no dual-use after mandated date.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "4" and 2300.HI04-1 is "BF" then 2300.HI04-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "4" and 2300.HI04-1 is "BF" then 2300.HI04-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "4" and 2300.HI04-1 is "ABF" then 2300.HI04-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "4" & 2300.HI04-1 is "ABF" then 2300.HI04-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "4" and 2300.HI04-1 is "BF" then 2300.HI04-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.	ICD-9 Only period and Transition period.  Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "4" and 2300.HI04-1 is "BF", 2300.HI04-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "4" and 2300.HI04-1 is "ABF" then 2300.HI04-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "4" and 2300.HI04-1 is "ABF", 2300.HI04-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
2300.HI04-2 must not contain a "."	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2300.HI05 can only be present if 2300.HI04 is present.	
2300.HI05-1 must be "BF" or "ABF".	Transition period
2300.HI05-1 must = "BF"	ICD-9 Only period
2300.HI05-1 must = "ABF"	ICD-10 Only period - assumes no dual-use after mandated date.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "5" and 2300.HI05-1 is "BF" then 2300.HI05-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list	ICD-9 Only period and Transition period.  Valid ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "5" and 2300.HI05-1 is "BF" then 2300.HI05-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "5" and 2300.HI05-1 is "ABF" then 2300.HI05-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list	Transition period and ICD-10 Only period.  Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "5" & 2300.HI05-1 is "ABF" then 2300.HI05-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "5" and 2300.HI05-1 is "BF" then 2300.HI05-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.	ICD-9 Only period and Transition period.  Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit.



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "5" and 2300.HI05-1 is "BF", 2300.HI05-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "5" and 2300.HI05-1 is "ABF" then 2300.HI05-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "5" and 2300.HI05-1 is "ABF", 2300.HI05-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
2300.HI05-2 must not contain a "."	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2300.HI06 can only be present if 2300.HI05 is present.	
2300.HI06-1 must be "BF" or "ABF".	Transition period
2300.HI06-1 must = "BF"	ICD-9 Only period
2300.HI06-1 must = "ABF"	ICD-10 Only period - assumes no dual-use after mandated date.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "6" and 2300.HI06-1 is "BF" then 2300.HI06-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list	ICD-9 Only period and Transition period.  Valid ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "6" and 2300.HI06-1 is "BF" then 2300.HI06-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "6" and 2300.HI06-1 is "ABF" then 2300.HI06-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list.	Transition period and ICD-10 Only period. Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "6" & 2300.HI06-1 is "ABF" then 2300.HI06-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "6" and 2300.HI06-1 is "BF" then 2300.HI06-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.	ICD-9 Only period and Transition period. Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "6" and 2300.HI06-1 is "BF", 2300.HI06-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.	ICD-9 Only period and Transition period. Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "6" and 2300.HI06-1 is "ABF" then 2300.HI06-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "6" and 2300.HI06-1 is "ABF", 2300.HI06-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
2300.HI06-2 must not contain a "."	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2300.HI07 can only be present if 2300.HI06 is present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2300.HI07-1 must be "BF" or "ABF".	Transition period
2300.HI07-1 must = "BF"	ICD-9 Only period
2300.HI07-1 must = "ABF"	ICD-10 Only period - assumes no dual-use after mandated date.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "7" and 2300.HI07-1 is "BF" then 2300.HI07-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "7" and 2300.HI07-1 is "BF" then 2300.HI07-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "7" and 2300.HI07-1 is "ABF" then 2300.HI07-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "7" & 2300.HI07-1 is "ABF" then 2300.HI07-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "7" and 2300.HI07-1 is "BF" then 2300.HI07-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.	ICD-9 Only period and Transition period.  Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "7" and 2300.HI07-1 is "BF", 2300.HI07-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "7" and 2300.HI07-1 is "ABF" then 2300.HI07-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "7" and 2300.HI07-1 is "ABF", 2300.HI07-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
2300.HI07-2 must not contain a "."	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2300.HI08 can only be present if 2300.HI07 is present.	
2300.HI08-1 must be "BF" or "ABF".	Transition period
2300.HI08-1 must = "BF"	ICD-9 Only period
2300.HI08-1 must = "ABF"	ICD-10 Only period - assumes no dual-use after mandated date.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "8" and 2300.HI08-1 is "BF" then 2300.HI08-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list	ICD-9 Only period and Transition period.  Valid ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "8" and 2300.HI08-1 is "BF" then 2300.HI08-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "8" and 2300.HI08-1 is "ABF" then 2300.HI08-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list	Transition period and ICD-10 Only period.  Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "8" & 2300.HI08-1 is "ABF" then 2300.HI08-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "8" and 2300.HI08-1 is "BF" then 2300.HI08-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.	ICD-9 Only period and Transition period.  Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "8" and 2300.HI08-1 is "BF", 2300.HI08-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "8" and 2300.HI08-1 is "ABF" then 2300.HI08-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "8" and 2300.HI08-1 is "ABF", 2300.HI08-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
2300.HI08-2 must not contain a "."	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2300.HI09 can only be present if 2300.HI08 is present.	03/31: Pass through, syntax only. 02/17: Companion Guide note needed.
2300.HI09-1 must be "BF" or "ABF".	
2300.HI09-2 must be present.	
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "9" and 2300.HI09-1 is "BF" then 2300.HI09-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list.	04/07: Edits for HI09 - HI12 added back for CEDI only.  ICD-9 Only period and Transition period.  Valid ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "9" and 2300.HI09-1 is "BF" then 2300.HI09-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "9" and 2300.HI09-1 is "ABF" then 2300.HI09-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list.	Transition period and ICD-10 Only period. Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "9" & 2300.HI09-1 is "ABF" then 2300.HI09-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "9" and 2300.HI09-1 is "BF" then 2300.HI09-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.	ICD-9 Only period and Transition period. Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "9" and 2300.HI09-1 is "BF", 2300.HI09-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.	ICD-9 Only period and Transition period. Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "9" and 2300.HI09-1 is "ABF" then 2300.HI09-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "1" and 2300.HI09-1 is "ABF", 2300.HI09-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
2300.HI09-2 must not contain a "."	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2300.HI10 can only be present if 2300.HI09 is present.	03/31: Pass through, syntax only. 02/17: Companion Guide note needed.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2300.HI10-1 must be "BF" or "ABF".	
2300.HI10-2 must be present.	
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "10" and 2300.HI10-1 is "BF" then 2300.HI10-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period. Valid ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "10" and 2300.HI10-1 is "BF" then 2300.HI10-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period. Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "10" and 2300.HI10-1 is "ABF" then 2300.HI10-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list.	Transition period and ICD-10 Only period. Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "10" & 2300.HI10-1 is "ABF" then 2300.HI10-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "10" and 2300.HI10-1 is "BF" then 2300.HI10-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.	ICD-9 Only period and Transition period. Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "10" and 2300.HI10-1 is "BF", 2300.HI10-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.	ICD-9 Only period and Transition period. Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "10" and 2300.HI10-1 is "ABF" then 2300.HI10-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "10" and 2300.HI10-1 is "ABF", 2300.HI10-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
2300.HI10-2 must not contain a "."	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2300.HI11 can only be present if 2300.HI10 is present.	03/31: Pass through, syntax only. 02/17: Companion Guide note needed.
2300.HI11-1 must be "BF" or "ABF".	
2300.HI11-2 must be present.	
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "11" and 2300.HI11-1 is "BF" then 2300.HI11-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list	ICD-9 Only period and Transition period. Valid ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "11" and 2300.HI11-1 is "BF" then 2300.HI11-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period. Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "11" and 2300.HI11-1 is "ABF" then 2300.HI11-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list	Transition period and ICD-10 Only period. Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "11" & 2300.HI11-1 is "ABF" then 2300.HI11-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "11" and 2300.HI11-1 is "BF" then 2300.HI11-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.	ICD-9 Only period and Transition period. Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit.



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "11" and 2300.HI11-1 is "BF", 2300.HI11-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "11" and 2300.HI11-1 is "ABF" then 2300.HI11-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "11" and 2300.HI11-1 is "ABF", 2300.HI11-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.	Transition period and ICD-10 Only period.  Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
2300.HI11-2 must not contain a "."	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2300.HI12 can only be present if 2300.HI11 is present.	03/31: Pass through, syntax only. 02/17: Companion Guide note needed.
2300.HI12-1 must be "BF" or "ABF".	
2300.HI12-2 must be present.	
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "12" and 2300.HI12-1 is "BF" then 2300.HI12-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-9-CM Diagnosis Code list	ICD-9 Only period and Transition period.  Valid ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "12" and 2300.HI12-1 is "BF" then 2300.HI12-2 must be a valid ICD-9-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-9-CM Diagnosis Code list.	ICD-9 Only period and Transition period.  Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "12" and 2300.HI12-1 is "ABF" then 2300.HI12-2 must be a valid ICD-10-CM Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the ICD-10-CM Diagnosis Code list.	Transition period and ICD-10 Only period. Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 is "12" & 2300.HI12-1 is "ABF" then 2300.HI12-2 must be a valid ICD-10-CM Principal Diagnosis code on the date in 2400.DTP03 when DTP01 = "472", based on the CMS subset of the ICD-10-CM Diagnosis Codes.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, or SV107-4 are not "12" and 2300.HI12-1 is "BF" then 2300.HI12-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the date of service range for this claim.	ICD-9 Only period and Transition period. Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "12" and 2300.HI12-1 is "BF", 2300.HI12-2 must be a valid ICD-9-CM Principal Diagnosis code for every date in the DOS range for this claim., based on the CMS subset of the ICD-9-CM Diag list.	ICD-9 Only period and Transition period. Valid Shared System Subset of the ICD-9-CM Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3, and SV107-4 are not "12" and 2300.HI12-1 is "ABF" then 2300.HI12-2 must be a valid ICD-10-CM Principal Diagnosis code for every date in the date of service range for this claim.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
If 2400.SV107-1, SV107-2, SV107-3 & SV107-4 are not "12" and 2300.HI12-1 is "ABF", 2300.HI12-2 must be a valid ICD-10-CM Principal Diagnosis for every date in the DOS range for this claim., based on the CMS subset of the ICD-10-CM Diag list.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit.
2300.HI12-2 must not contain a "."	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
Only one iteration of 2300.HI with HI01-1 = "BP" is allowed.	
2300.HI01-1 must be present.	
2300.HI01-1 must be "BP".	
2300.HI01-2 must be present.	Valid HCPCS reference must be available for this edit.
2300.HI01-2 must be a valid HCPCS Principle Procedure code.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2300.HI02-1 must be "BO".	
2300.HI02-2 must be a valid HCPCS Principle Procedure code.	Valid HCPCS reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>Only two iteration of 2300.HI with HI01-1 = "BG" are allowed.</b>	12/4: Pass-through, syntax only
2300.HI01-1 must be present.	
2300.HI01-1 must be "BG".	
2300.HI01-2 must be present.	
2300.HI01-2 must be a valid Condition code.	Valid NUBC Condition Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
If 2300.HI01 is present then 2300.HI02 may be present.	
2300.HI02-1 must be "BG".	
2300.HI02-2 must be a valid Condition code.	Valid NUBC Condition Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
If 2300.HI02 is present then 2300.HI03 may be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2300.HI03-1 must be "BG".	
2300.HI03-2 must be a valid Condition code.	Valid NUBC Condition Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
If 2300.HI03 is present then 2300.HI04 may be present.	
2300.HI04-1 must be "BG".	
2300.HI04-2 must be a valid Condition code.	Valid NUBC Condition Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
If 2300.HI04 is present then 2300.HI05 may be present.	
2300.HI05-1 must be "BG".	
2300.HI05-2 must be a valid Condition code.	Valid NUBC Condition Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
If 2300.HI05 is present then 2300.HI06 may be present.	
2300.HI06-1 must be "BG".	
2300.HI06-2 must be a valid Condition code.	Valid NUBC Condition Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
If 2300.HI06 is present then 2300.HI07 may be present.	
2300.HI07-1 must be "BG".	
2300.HI07-2 must be a valid Condition code.	Valid NUBC Condition Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
If 2300.HI07 is present then 2300.HI08 may be present.	
2300.HI08-1 must be "BG".	
2300.HI08-2 must be a valid Condition code.	Valid NUBC Condition Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
If 2300.HI08 is present then 2300.HI09 may be present.	
2300.HI09-1 must be "BG".	
2300.HI09-2 must be a valid Condition code.	Valid NUBC Condition Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
If 2300.HI09 is present then 2300.HI10 may be present.	
2300.HI10-1 must be "BG".	
2300.HI10-2 must be a valid Condition code.	Valid NUBC Condition Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
If 2300.HI10 is present then 2300.HI11 may be present.	
2300.HI11-1 must be "BG".	
2300.HI11-2 must be a valid Condition code.	Valid NUBC Condition Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
If 2300.HI11 is present then 2300.HI12 may be present.	
2300.HI12-1 must be "BG".	
2300.HI12-2 must be a valid Condition code.	Valid NUBC Condition Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>Only one iteration of 2300.HCP is allowed.</b>	Pass through, syntax only.
2300.HCP01 must be present.	
2300.HCP01 must be valid values.	
2300.HCP02 must be present.	
2300.HCP02 must be <= 99,999.99	
2300.HCP03 must be <= 99,999.99	
2300.HCP04 must contain at least one non-space character.	
2300.HCP04 must be 1 - 50 characters.	



**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2300.HCP04 must be populated with accepted AN characters.	
2300.HCP05 must be 1 to 9 digits.	
2300.HCP06 must contain at least one non-space character.	
2300.HCP06 must be 1 - 50 characters.	
2300.HCP06 must be populated with accepted AN characters.	
2300.HCP07 must be <= 99,999.99	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2300.HCP13 must be valid values.	
2300.HCP14 must be valid values.	
2300.HCP15 must be valid values.	
<b>Two iterations of this loop are allowed.</b>	
<b>Only one iteration of 2310A.NM1 is allowed.</b>	
2310A.NM101 must be present.	
2310A.NM101 must be valid values.	
For the first iteration of the referring provider loop, 2310A.NM101 must be "DN".	
For the second iteration of the referring provider loop, 2310A.NM101 must be "P3".	
2310A.NM102 must be present.	
2310A.NM102 must be "1".	
2310A.NM103 must be present.	
2310A.NM103 must contain at least one non-space character.	
2310A.NM103 must be 1 - 60 characters.	
2310A.NM103 must be populated with accepted AN characters.	
2310A.NM104 must contain at least one non-space character.	
2310A.NM104 must be 1 - 35 characters.	
2310A.NM104 must be populated with accepted AN characters.	
2310A.NM105 must contain at least one non-space character.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2310A.NM105 must be 1 - 25 characters.	
2310A.NM105 must be populated with accepted AN characters.	
Must not be present.	
2310A.NM107 must contain at least one non- space character.	
2310A.NM107 must be 1 - 10 characters.	
2310A.NM107 must be populated with accepted AN characters.	
	Only Trailblazer. 01/20: Companion Guide Note needed.
2310A.NM108 must be present.	Everyone but Trailblazer 01/20: Companion Guide Note needed.
2310A.NM108 must be "XX".	
2310A.NM109 must be present if 2310A.NM108 is present.	
2310A.NM109 must be valid according to the NPI algorithm.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
The first position of 2310A.NM109 must be a "1".	
If any SV101-3 through SV101-6 (procedure code modifier) not = "EY", 2310A NM109 must be valid on PECOS file (match include NPI + 1st four characters of last name + 1st character of first name).	
Must not be present.	
Must not be present.	
Must not be present.	
	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.
<b>2310A.REF must not be present.</b>	Everyone but Trailblazer 01/20: Companion Guide Note needed.
2310A.REF01 must be present.	Only Trailblazer. 01/20: Companion Guide Note needed.
2310A.REF01 must be valid values.	Only Trailblazer. 01/20: Companion Guide Note needed.
2310A.REF02 must be present.	Only Trailblazer. 01/20: Companion Guide Note needed.
When 2310A.REF01 = "0B", 2310A.REF02 must contain at least one non-space character.	Only Trailblazer. 01/20: Companion Guide Note needed.
When 2310A.REF01 = "1G", 2310A.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).	Only Trailblazer. 01/20: Companion Guide Note needed.
When 2310A.REF01 = "0B", 2310A.REF02 must be 1 - 50 characters.	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.
When 2310A.REF01 = "0B", 2310A.REF02 must be populated with accepted AN characters.	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
<b>Only one iteration of 2310B.NM1 is allowed.</b>	
2310B.NM101 must be present.	
2310B.NM101 must be "82".	
2310B.NM102 must be present.	
2310B.NM102 must be valid values.	
2310B.NM103 must be present.	
2310B.NM103 must contain at least one non-space character.	
2310B.NM103 must be 1 - 60 characters.	
2310B.NM103 must be populated with accepted AN characters.	
If 2310B.NM102 = "2" then 2310B.NM104 must not be present.	
2310B.NM104 must contain at least one non-space character.	
2310B.NM104 must be 1 - 35 characters.	
2310B.NM104 must be populated with accepted AN characters.	
If 2310B.NM102 = "2" then 2310B.NM105 must not be present.	
2310B.NM105 must contain at least one non-space character.	
2310B.NM105 must be 1 - 25 characters.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2310B.NM105 must be populated with accepted AN characters.	
Must not be present.	
If 2310B.NM102 = "2" then 2310B.NM107 must not be present.	
2310B.NM107 must contain at least one non-space character.	
If 2310B.NM107 must be 1 - 10 characters.	
2310B.NM107 must be populated with accepted AN characters.	
	Only Trailblazer. 01/20: Companion Guide Note needed.
2310B.NM108 must be present.	Everyone but Trailblazer 01/20: Companion Guide Note needed.
2310B.NM108 must be "XX".	Valid NPI Crosswalk must be available for this edit.
2310B.NM109 must be present if 2310B.NM108 is present.	
2310B.NM109 must be valid according to the NPI algorithm.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2310B.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109.	
The first position of 2310B.NM109 must be a "1".	
Must not be present.	
Must not be present.	
Must not be present.	
<b>If 2310B.NM1 is present, 2310B.PRV with PRV01 = "PE" may be present.</b>	
<b>Only one iteration of 2310B.PRV with PRV01 = "PE" is allowed.</b>	
2310B.PRV01 must be present.	
2310B.PRV01 must be "PE".	
2310B.PRV02 must be present.	
2310B.PRV02 must be "PXC".	
2310B.PRV03 must be present.	
2310B.PRV03 must be a valid Provider Taxonomy Code	Valid Taxonomy reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.
<b>2310B.REF must not be present.</b>	Everyone but Trailblazer 01/20: Companion Guide Note needed.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
<b>Only one iteration of 2310C.NM1 is allowed.</b>	
2310C.NM101 must be present.	
2310C.NM101 must be "77".	
2310C.NM102 must be present.	
2310C.NM102 must be "2".	
2310C.NM103 must be present.	
2310C.NM103 must contain at least one non-space character.	
2310C.NM103 must be 1 - 60 characters.	
2310C.NM103 must be populated with accepted AN characters.	



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2310C.NM108 must be "XX".	
If 2310C.NM108 is present, 2310C.NM109 must be present.	
2310C.NM109 must be valid according to the NPI algorithm.	
The first position of 2310C.NM109 must be a "1".	
Must not be present.	
Must not be present.	
Must not be present.	
<b>If 2310C.NM1 is present, 2310.N3 must be present.</b>	
<b>Only one iteration of 2310C.N3 is allowed.</b>	
2310C.N301 must be present.	
2310C.N301 must contain at least one non-space character.	
2310C.N301 must be 1 - 55 characters.	
2310C.N301 must be populated with accepted AN characters.	
2310C.N302 must contain at least one non-space character.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2310C.N302 must be 1 - 55 characters.	
2310C.N302 must be populated with accepted AN characters.	
<b>If 2310C.NM1 is present, 2310.N4 must be present.</b>	
<b>Only one iteration of 2310C.N4 is allowed.</b>	
2310C.N401 must be present.	
2310C.N401 must contain at least two non- space characters.	
2310C.N401 must be 2-30 characters.	
2310C.N401 must be populated with accepted AN characters.	
If 2310C.N404 is not present, 2310C.N402 must be present.	
2310C.N402 must be a valid State Code.	Valid State Code reference must be available for this edit.
If 2310C.N404 is not present, 2310C.N403 must be present.	
2310C.N403 must be a valid 9 digit Zip Code.	Valid Zip Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
<b>2310C.REF must not be present.</b>	01/06: This REF (2310C and 2420C) not accepted by Medicare. 01/20: Companion Guide Note needed.
If 2310C.NM1 is present, 2310C.PER may be present.	
Only one iteration of 2310C.PER is allowed.	
2310C.PER01 must be present.	
2310C.PER01 must be "IC".	
2310C.PER02 must be 1 - 60 characters.	
2310C.PER03 must be present.	
2310C.PER03 must be "TE".	
2310C.PER04 must be present.	
2310C.PER04 must contain at least one non-space character.	
2310C.PER04 must be 1 - 256 characters.	
2310C.PER04 must be populated with accepted AN characters.	
2310C.PER05 must be "EX".	
2310C.PER05 must be valid values.	
If 2310C.PER05 is present, 2310C.PER06 must be present.	
2310C.PER06 must contain at least one non-space character.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2310C.PER06 must be 1 - 256 characters.	
2310C.PER06 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>Only one iteration 2310D.NM1 is allowed.</b>	
2310D.NM101 must be present.	
2310D.NM101 must be "DQ".	
2310D.NM102 must be present.	
2310D.NM102 must be "1".	
2310D.NM103 must be present.	
2310D.NM103 must contain at least one non- space character.	
2310D.NM103 must be 1 - 60 characters.	
2310D.NM103 must be populated with accepted AN characters.	
2310D.NM104 must contain at least one non- space character.	
2310D.NM104 must be 1 - 35 characters.	
2310D.NM104 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2310D.NM105 must contain at least one non-space character.	
2310D.NM105 must be 1 - 25 characters.	
2310D.NM105 must be populated with accepted AN characters.	
Must not be present.	
2310D.NM107 must contain at least one non-space character.	
2310D.NM107 must be 1 - 10 characters.	
2310D.NM107 must be populated with accepted AN characters.	
	Only Trailblazer. 01/20: Companion Guide Note needed.
2310D.NM108 must be present.	Everyone but Trailblazer 01/20: Companion Guide Note needed.
2310D.NM108 must be "XX".	
If 2310D.NM108 is present, 2310D.NM109 must be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2310D.NM109 must be valid according to the NPI algorithm.	
The first position of 2310D.NM109 must be a "1".	
Must not be present.	
Must not be present.	
Must not be present.	
<b>Only 2 iterations of 2310D.REF are allowed.</b>	Only Trailblazer. 01/20: Companion Guide Note needed.
<b>Must not be present.</b>	Everyone but Trailblazer
2310D.REF01 must be present.	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.
2310D.REF02 must be present.	Only Trailblazer. 01/20: Companion Guide Note needed.
When 2310D.REF01 = "0B" or "LU", 2310D.REF02 must contain at least one non-space character.	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.
When 2310D.REF01 = "0B" or "LU", 2310D.REF02 must be 1 - 50 characters.	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.
When 2310D.REF01 = "0B" or "LU", 2310D.REF02 must be populated with accepted AN characters.	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.
Must not be present.	
Must not be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
<b>Only one iteration 2310E.NM1 is allowed.</b>	
2310E.NM101 must be present.	
2310E.NM101 must be "PW".	
2310E.NM102 must be present.	
2310E.NM102 must be "2".	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>If 2310E.NM1 is present, 2310E.N3 must be present.</b>	
<b>Only one iteration of 2310E.N3 is allowed.</b>	
2310E.N301 must be present.	
2310E.N301 must contain at least one non-space character.	
2310E.N301 must be 1 - 55 characters.	
2310E.N301 must be populated with accepted AN characters.	
2310E.N302 must contain at least one non-space character.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2310E.N302 must be 1 - 55 characters.	
2310E.N302 must be populated with accepted AN characters.	
<b>If 2310E.NM1 is present, 2310E.N4 must be present.</b>	
<b>Only one iteration of 2310E.N4 is allowed.</b>	
2310E.N401 must be present.	
2310E.N401 must contain at least two non- space characters.	
2310E.N401 must be 2-30 characters.	
2310E.N401 must be populated with accepted AN characters.	
If 2310E.N404 is not present, 2310E.N402 must be present.	
2310E.N402 must be a valid State Code.	Valid State Code reference must be available for this edit.
If 2310E.N404 is not present, 2310E.N403 must be present.	



**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2310E.N403 must be a valid Zip Code.	Valid Zip Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>Only one iteration 2310F.NM1 is allowed.</b>	
2310F.NM101 must be present.	
2310F.NM101 must be "45".	
2310F.NM102 must be present.	
2310F.NM102 must be "2".	
2310F.NM103 must contain at least one non-space character.	
2310F.NM103 must be 1 - 60 characters.	
2310F.NM103 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>If 2310F.NM1 is present, 2310F.N3 must be present.</b>	
<b>Only one iteration of 2310F.N3 is allowed.</b>	
2310F.N301 must be present.	
2310F.N301 must contain at least one non-space character.	
2310F.N301 must be 1 - 55 characters.	
2310F.N301 must be populated with accepted AN characters.	
2310F.N302 must contain at least one non-space character.	
2310F.N302 must be 1 - 55 characters.	
2310F.N302 must be populated with accepted AN characters.	
<b>If 2310F.NM1 is present, 2310F.N4 must be present.</b>	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
<b>Only one iteration of 2310F.N4 is allowed.</b>	
2310F.N401 must be present.	
2310F.N401 must contain at least two non-space characters.	
2310F.N401 must be 2-30 characters.	
2310F.N401 must be populated with accepted AN characters.	Valid State Code reference must be available for this edit.
If 2310F.N404 is not present, 2310F.N402 must be present.	
2310F.N402 must be a valid State Code.	Valid State Code reference must be available for this edit.
If 2310F.N404 is not present, 2310F.N403 must be present.	
2310F.N403 must be a valid Zip Code.	Valid Zip Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>Only ten iterations of the 2320 loop are allowed.</b>	
<b>Only one iteration of 2320.SBR is allowed.</b>	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2320.SBR01 must be present.	
2320.SBR01 must be valid values.	
Each iteration of 2320.SBR01 must contain a different code value (each code value may appear in one and only one SBR01 element).	
If 2000B.SBR01 = "S", 2320.SBR01 ="P" must be present.	
2320.SBR02 must be present.	
2320.SBR02 must be valid values.	
2320.SBR03 must contain at least one non-space character.	
2320.SBR03 must be 1 - 50 characters.	
2320.SBR03 must be populated with accepted AN characters.	
If 2320.SBR03 is present, 2320.SBR04 must not be present.	
2320.SBR04 must contain at least one non-space character.	
2320.SBR04 must be 1 - 60 characters.	
2320.SBR04 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2320.SBR09 must be valid values.	
2320.SBR09 must not = "MA" or "MB".	
<b>If 2320.SBR is present, 2320.CAS may be present.</b>	02/10: 04/01/2010 is the date the Final Rule mandates the use of 5010. After that date, this code (which was allowed in 4010) is not a compliant code.
<b>Only 5 iterations of 2320.CAS are allowed.</b>	
2320.CAS01 must be present.	Valid Claim Adjustment Reason Code reference <b>must be available for this edit.</b>
2320.CAS01 must be valid values.	
If 2320.CAS01 = "CR" then 2330B.DTP with DTP01 = "573" must be prior to 01/01/2012.	
2320.CAS02 must be present.	
If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS02 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".	
If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS02 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".	
2320.CAS03 must be present.	
2320.CAS03 must be numeric.	
2320.CAS03 must not = 0.	
2320.CAS03 is limited to 0, 1 or 2 decimal positions.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2320.CAS03 must be >= -99,999.99. and <= 99,999.99.	
	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2320.CAS04 must be 1-15 digits.	11/25: Medicare specific limitation. 01/08: Not brought into Core System, so no Medicare size limit is needed.
2320.CAS04 must not = 0.	
If 2320.CAS02 is present, 2320.CAS05 may be present.	Valid Claim Adjustment Reason Code reference must be available for this edit.
If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS05 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".	
If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS05 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".	
2320.CAS05 is present, 2320.CAS06 must be present.	
2320.CAS06 must be numeric.	
2320.CAS06 must not = 0.	
2320.CAS06 is limited to 0, 1 or 2 decimal positions.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2320.CAS03 must be >= -99,999.99. and <= 99,999.99.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
	11/25: Medicare specific limitation. 01/08: Not brought into Core System, so no Medicare size limit is needed.
If 2320.CAS05 is present, 2320.CAS07 may be present.	
2320.CAS07 must be 1-15 digits.	
2320.CAS07 must not = 0.	
If 2320.CAS05 is present, 2320.CAS08 may be present.	Valid Claim Adjustment Reason Code reference must be available for this edit.
If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS08 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".	
If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS08 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".	
2320.CAS08 is present, 2320.CAS09 must be present.	
2320.CAS09 must be numeric.	
2320.CAS09 must not = 0.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2320.CAS09 is limited to 0, 1 or 2 decimal positions.	
2320.CAS09 must be >= -99,999.99. and <= 99,999.99.	11/25: Medicare specific limitation. 01/08: Not brought into Core System, so no Medicare size limit is needed.

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
If 2320.CAS08 is present, 2320.CAS10 may be present.	
2320.CAS10 must be 1-15 digits.	
2320.CAS10 must not = 0.	
If 2320.CAS08 is present, 2320.CAS11 may be present.	Valid Claim Adjustment Reason Code reference must be available for this edit.
If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS11 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".	
If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS11 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".	
2320.CAS11 is present, 2320.CAS12 must be present.	
2320.CAS12 must be numeric.	
2320.CAS12 must not = 0.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2320.CAS12 is limited to 0, 1 or 2 decimal positions.	
2320.CAS12 must be >= -99,999.99. and <= 99,999.99.	11/25: Medicare specific limitation. 01/08: Not brought into Core System, so no Medicare size limit is needed.



**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
If 2320.CAS11 is present, 2320.CAS13 may be present.	
2320.CAS13 must be 1-15 digits.	
2320.CAS13 must not = 0.	
If 2320.CAS11 is present, 2320.CAS14 may be present.	Valid Claim Adjustment Reason Code reference must be available for this edit.
If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS14 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".	
If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS14 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".	
2320.CAS14 is present, 2320.CAS15 must be present.	
2320.CAS15 must be numeric.	
2320.CAS15 must not = 0.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2320.CAS15 is limited to 0, 1 or 2 decimal positions.	
2320.CAS15 must be >= -99,999.99. and <= 99,999.99.	11/25: Medicare specific limitation. 01/08: Not brought into Core System, so no Medicare size limit is needed.

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
If 2320.CAS14 is present, 2320.CAS16 may be present.	
2320.CAS16 must be 1-15 digits.	
2320.CAS16 must not = 0.	
If 2320.CAS14 is present, 2320.CAS17 may be present.	Valid Claim Adjustment Reason Code reference must be available for this edit.
If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS17 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".	
If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS17 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573"	
If 2320.CAS17 is present, 2320.CAS18 must be present.	
2320.CAS18 must be numeric.	
2320.CAS18 must not = 0.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2320.CAS18 is limited to 0, 1 or 2 decimal positions.	
2320.CAS18 must be >= -99,999.99. and <= 99,999.99.	11/25: Medicare specific limitation. 01/08: Not brought into Core System, so no Medicare size limit is needed.

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
If 2320.CAS17 is present, 2320.CAS19 may be present.	
2320.CAS19 must be 1-15 digits.	
2320.CAS19 must not = 0.	
If 2320.SBR is present, 2320.AMT with AMT01 = "D" may be present.	
Only one iteration of 2320.AMT with AMT01 = "D" is allowed.	
If 2000B.SBR01 = "S" then one 2320 loop with an AMT segment with AMT01 = "D" must be present.	
2320.AMT01 must be present.	
2320.AMT01 must be "D".	
2320 .AMT02 must be numeric.	
2320.AMT02 must be <= 99,999.99.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2320.AMT02 must be >= 0.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2320.AMT02 is limited to 0, 1 or 2 decimal positions.	
2320.AMT02 must = the sum of all 2430.SVD02 payer paid amounts (when the value in 2430.SVD01 is the same as the value in 2330B.NM109) minus the sum of all claim level adjustments (2320.CAS adjustment amounts) for the same payer.	
Must not be present.	
<b>If 2320.SBR is present, 2320.AMT with AMT01 = "A8" may be present.</b>	Pass through, syntax only.
<b>Only one iteration of 2320.AMT with AMT01 = "A8" is allowed.</b>	Pass through, syntax only.
2320.AMT01 must be present.	
2320.AMT01 must be "A8".	
2320.AMT02 must be numeric.	
2320.AMT02 must be <= 99,999.99.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2320.AMT02 is limited to 0, 1 or 2 decimal positions.	
The sum of all 2320.AMT02 (with AMT01 = "A8") elements must = 2300.CLM02.	
2320.AMT02 must be >= 0.	
Must not be present.	
<b>If 2320.SBR is present, 2320.AMT with AMT01 = "EAF" may be present.</b>	Pass through, syntax only.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
<b>Only one iteration of 2320.AMT with AMT01 = "EAF" is allowed.</b>	Pass through, syntax only.
2320.AMT01 must be present.	
2320.AMT01 must be "EAF".	
2320.AMT02 must be numeric.	
2320.AMT02 must be <= 99,999.99.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2320.AMT02 is limited to 0, 1 or 2 decimal positions.	
Must not be present.	
<b>If 2320.SBR is present, 2320.OI must be present.</b>	
<b>Only one iteration of 2320.OI is allowed.</b>	
Must not be present.	
Must not be present.	
2320.OI03 must be present.	
2320.OI03 must be valid values.	
2320.OI04 must be "P".	
Must not be present.	
2320.OI06 must be present.	
2320.OI06 must be valid values.	
<b>If 2320.SBR is present, 2320.MOA may be present.</b>	
<b>Only one iteration of 2320.MOA is allowed on outpatient claims.</b>	
2320.MOA01 must be numeric.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2320.MOA01 must be >= 0.0 and <= 1.0.	2320.MOA01 must be a percentage expressed as a decimal.
2320.MOA01 is limited to 0, 1 or 2 decimal positions.	
2320.MOA02 must be numeric.	
2320.MOA02 must be <= 99,999.99.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
If 2330B.DTP03 with DTP01 = "573" is present, 2320.MOA03 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA03 must be a valid Remittance Advice Remark Code for the high/low date range of the 2430.DTP03s when DTP01 = "573"	
If 2330B.DTP03 with DTP01 = "573" is present, 2320.MOA04 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA04 must be a valid Remittance Advice Remark Code for the high/low date range of the 2430.DTP03s when DTP01 = "573"	
If 2330B.DTP03 with DTP01 = "573" is present, 2320.MOA05 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA05 must be a valid Remittance Advice Remark Code for the high/low date range of the 2430.DTP03s when DTP01 = "573"	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
If 2330B.DTP03 with DTP01 = "573" is present, 2320.MOA06 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA06 must be a valid Remittance Advice Remark Code for the high/low date range of the 2430.DTP03s when DTP01 = "573"	
If 2330B.DTP03 with DTP01 = "573" is present, 2320.MOA07 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA07 must be a valid Remittance Advice Remark Code for the high/low date range of the 2430.DTP03s when DTP01 = "573"	
2320 .MOA08 must be numeric.	
2320.MOA08 must be <= 99,999.99.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2320.MOA08 must be >= 0.	
2320.MOA08 is limited to 0, 1 or 2 decimal positions.	
2320 .MOA09 must be numeric.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2320.MOA09 must be <= 99,999.99.	
2320.MOA09 must be >= 0.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2320.MOA09 is limited to 0, 1 or 2 decimal positions.	
<b>If 2320SBR is present, 2330A.NM1 must be present.</b>	
<b>Only one iteration of 2330A.NM1 is allowed.</b>	
2330A.NM101 must be present.	
2330A.NM101 must be "IL".	
2330A.NM102 must be present.	
2330A.NM102 must be valid values.	
2330AN.M103 must be present.	
2330A.NM103 must be 1 - 60 characters.	
2330A.NM103 must be populated with <u>accepted AN characters</u> .	
2330A.NM103 must contain at least one non-space character.	
If 2330A.NM102 is "2", 2330A.NM104 must not be present.	
2330A.NM104 must contain at least one non-space character.	
2330A.NM104 must be 1 - 35 characters.	
2330A.NM104 must be populated with <u>accepted AN characters</u> .	
If 2330A.NM102 is "2", 2330A.NM105 must not be present.	



**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2330A.NM105 must contain at least one non-space character.	
2330A.NM105 must be 1 - 25 characters.	
2330A.NM105 must be populated with accepted AN characters.	
Must not be present.	
If 2330A.NM102 is "2", 2330A.NM107 must not be present.	
2330A.NM107 must contain at least one non-space character.	
2330A.NM107 must be 1 - 10 characters.	
2330A.NM107 must be populated with accepted AN characters.	
2330A.NM108 must be present.	
2330A.NM108 must be valid values.	
2330A.NM109 must be present.	
2330A.NM109 must contain at least two non-space characters.	
2330A.NM109 must be 2-80 characters.	
2330A.NM109 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
If 2330A.NM1 is present, 2330A.N3 may be present.	
Only one iteration of 2330A.N3 is allowed.	
2330A.N301 must be present.	
2330A.N301 must contain at least one non-space character.	
2330A.N301 must be 1 - 55 characters.	
2330A.N301 must be populated with accepted AN characters.	
2330A.N302 must contain at least one non-space character.	
2330A.N302 must be 1 - 55 characters.	
2330A.N302 must be populated with accepted AN characters.	
If 2330A.NM1 is present, 2330A.N4 must be present.	
Only one iteration of 2330A.N4 is allowed.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2330A.N401 must be present.	
2330A.N401 must contain at least two non-space characters.	
2330A.N401 must be 2-30 characters.	
2330A.N401 must be populated with accepted AN characters.	
If 2330A.N404 is not present, 2330A.N402 must be present.	
2330A.N402 must be a valid State Code.	Valid State Code reference must be available for this edit.
If 2330A.N404 is not present, 2330A.N403 must be present.	
2330A.N403 must be a valid Zip Code.	Valid Zip Code reference must be available for this edit.
2330A.N404 must be a valid 2 character Country Code.	Valid alpha-2 Country Code reference must be available for this edit. (from Part 1 of ISO 3166)
Must not be present.	
Must not be present.	
2330A.N407 must be a valid Country Subdivision Code.	Valid Country Subdivision Code reference must be available for this edit. (from Part 2 of ISO 3166)
If 2330A.NM1 is present, 2330A.REF may be present.	
Only one iteration of 2330A.REF is allowed.	
2330A.REF01 must be present.	
2310A.REF01 must be "SY".	
2330A.REF02 must be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2330A.REF02 must be 9 digits, with no punctuation.  The first 3 digits cannot be higher than 772, and digits 1-3, 4-5, and 6-9 cannot be zeros.	
Must not be present.	
Must not be present.	
<b>If 2320.SBR is present, 2330B.NM1 must be present.</b>	
<b>Only one iteration of 2330B.NM1 is allowed.</b>	
2330B.NM101 must be present.	
2330B.NM101 must be "PR".	
2330B.NM102 must be present.	
2330B.NM102 must be "2".	
2330B.NM103 must be present.	
2330B.NM103 must contain at least one non-space character.	
2300B.NM103 must be 1 - 60 characters.	
2330B.NM103 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2330B.NM108 must be present.	
2330B.NM108 must be valid values.	
2330B.NM109 must be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
When sending Line Adjudication Information for this payer, 2330B.NM109 must = 2430.SVD01.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>If 2330B.NM1 is present, 2330B.N3 may be present.</b>	
2330B.N301 must be present.	
2330B.N301 must contain at least one non-space character.	
2330B.N301 must be 1 - 55 characters.	
2330B.N301 must be populated with accepted AN characters.	
2330B.N302 must contain at least one non-space character.	
2330B.N302 must be 1 - 55 characters.	
2330B.N302 must be populated with accepted AN characters.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
If 2330B.NM1 is present, 2330B.N4 must be present.	
Only one iteration of 2330B.N4 is allowed.	
2330B.N401 must be present.	
2330B.N401 must contain at least two non-space characters.	
2330B.N401 must be 2-30 characters.	
2330B.N401 must be populated with accepted AN characters.	
If 2330B.N404 is not present, 2330B.N402 must be present.	
2330B.N402 must be a valid State Code.	Valid State Code reference must be available for this edit.
If 2330B.N404 is not present, 2330B.N403 must be present.	
2330B.N403 must be a valid Zip Code.	Valid Zip Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
If 2330B.NM1 is present, 2330B.DTP may be present.	
Only one iteration of 2330B.DTP is allowed.	
If 2330B.NM1 is present and 2430.DTP with DTP01 = "573" is not present, 2330B.DTP may be present.	
2330B.DTP01 must be present.	
2330B.DTP01 must be "573".	
2330B.DTP02 must be present.	
2330B.DTP02 must be "D8".	
2330B.DTP03 must a valid date in CCYYMMDD format.	
2330B.DTP03 must not be a future date.	
If 2330B.NM1 is present, 2330B.REF with 2330B.REF01 = "2U", "EI", "FY" or "NF" may be present.	06/04: Pass through, syntax only.
Only two iterations of 2330B.REF with 2330B.REF01 = "2U", "EI", "FY" or "NF" are allowed.	
2330B.REF01 must be present.	
2330B.REF01 must be valid values.	
2330B.REF02 must be present.	
If 2330B.REF01 = "EI", 2330B.REF02 must be 9 digits with no punctuation.  Cannot be zeros.	
If 2330B.REF01 = "2U", "FY" or "NF", 2330B.REF02 must be must be 1 - 50 characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2330B.REF01 = "2U", "FY" or "NF", 2330B.REF02 must be populated with accepted AN characters.	
If 2330B.REF01 = "2U", "FY" or "NF", 2330B.REF02 must contain at least one non-space character.	
Must not be present.	
Must not be present.	
If 2330B.NM1 is present, 2330B.REF with 2330B.REF with REF01 = "G1" may be present.	
Only one iteration of 2330B.REF with REF01 = "G1" is allowed.	
2330B.REF01 must be present.	
2330B.REF01 must be "G1".	
2330B.REF02 must be present.	
2330B.REF02 must be 1 - 50 characters.	
2330B.REF02 must be populated with accepted AN characters.	
2330B.REF02 must contain at least one non-space character.	
Must not be present.	
Must not be present.	
If 2330B.NM1 is present, 2330B.REF with 2330B.REF with REF01 = "9F" may be present.	
Only one iteration of 2330B.REF with REF01 = "9F" is allowed.	
2330B.REF01 must be present.	
2330B.REF01 must be "9F".	
2330B.REF02 must be present.	



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2330B.REF02 must be 1 - 50 characters.	
2330B.REF02 must be populated with accepted AN characters.	
2330B.REF02 must contain at least one non- space character.	
Must not be present.	
Must not be present.	
If 2330B.NM1 is present, 2330B.REF with 2330B.REF with REF01 = "T4" may be <b>present.</b>	
Only one iteration of 2330B.REF with REF01 = "T4" is allowed.	
2330B.REF01 must be present.	
2330B.REF01 must be "T4".	
2330B.REF02 must be present.	
2330B.REF02 must be "Y".	
Must not be present.	
Must not be present.	
If 2330B.NM1 is present, 2330B.REF with 2330B.REF with REF01 = "F8" may be <b>present.</b>	
Only one iteration of 2330B.REF with REF01 = "F8" is allowed.	
2330B.REF01 must be present.	
2330B.REF01 must be "F8".	
2330B.REF02 must be present.	
2330B.REF02 must be 1 - 50 characters.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2330B.REF02 must be populated with accepted AN characters.	
2330B.REF02 must contain at least one non-space character.	
Must not be present.	
Must not be present.	
Loop must not be present.	01/20: Companion Guide Note needed.
Segment must not be present.	01/20: Companion Guide Note needed.
Segment must not be present.	01/20: Companion Guide Note needed.
Loop must not be present.	
Segment must not be present.	01/20: Companion Guide Note needed.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Segment must not be present.	01/20: Companion Guide Note needed.
Loop must not be present.	
Segment must not be present.	01/20: Companion Guide Note needed.
Segment must not be present.	01/20: Companion Guide Note needed.
Loop must not be present.	
Segment must not be present.	01/20: Companion Guide Note needed.
Segment must not be present.	01/20: Companion Guide Note needed.
Loop must not be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
<b>Segment must not be present.</b>	01/20: Companion Guide Note needed.
<b>Segment must not be present.</b>	01/20: Companion Guide Note needed.
<b>Only 50 iterations of the 2400 loop are allowed.</b>	
<b>2400.LX must be present.</b>	
<b>Only one iteration of 2400.LX is allowed.</b>	
2400.LX01 must be present.	
2400.LX01 must be numeric.	
2400.LX01 must be must be > 0 and <= 50.	
The first 2400.LX01 must be "1".	
Subsequent 2400.LX01 values must increment by 1.	
<b>2400.SV1 must be present.</b>	
<b>Only one iteration of 2400.SV1 is allowed.</b>	
2400.SV101-1 must be present.	
2400.SV101-1 must be "HC".	
2400.SV101-2 must be present.	
When 2400.SV101-1 = "HC", 2400.SV101-2 must be a valid HCPCS Code on the date in 2400.DTP03 when DTP01 = "472".	Valid CMS Proprietary HCPCS reference must be available for this edit.
When 2400.SV101-1 = "HC", 2400.SV101-2 must be a valid HCPCS Code on the date in 2400.DTP03 when DTP01 = "472". <b>OR</b> When 2400.SV101-1 = "HC", 2400.SV101-2 must be a valid HCPCS Code from the DME subset on the date in 2400.DTP03 when DTP01 = "472".	12/16: Fallback edits: used only if primary edit above is determined to be unworkable. Review this before finalizing.  Valid HCPCS reference must be available for this edit (full external code list).
2400.SV101-3 must be valid procedure modifier on the date in 2400.DTP03 when DTP01 = "472".	Valid CMS Proprietary Procedure Code Modifier to Procedure Code reference must be available for this edit.

**837 -  
Professional Edits**

<b>Proposed 5010 Edits CEDI</b>	<b>Misc. Notes</b>
2400.SV101-3 must be valid procedure modifier on the date in 2400.DTP03 when DTP01 = "472".	12/16: Fallback edits:used only if primary edit above is determined to be unworkable. Review this before finalizing.  Valid Procedure Code Modifier reference must be available for this edit (full external code list).
If 2400.SV101-3 = "90" 2400.REF with REF01 = "F4" must be present.	
If 2400.SV101-4 is present, 2400.SV101-3 must be present.	Valid CMS Proprietary Procedure Code Modifier to Procedure Code reference must be available for this edit.
2400.SV101-4 must be valid procedure modifier on the date in 2400.DTP03 when DTP01 = "472".	
If 2400.SV101-4 = "90" 2400.REF with REF01 = "F4" must be present.	
If 2400.SV101-5 is present, 2400.SV101-4 must be present.	Valid CMS Proprietary Procedure Code Modifier to Procedure Code reference must be available for this edit.
2400.SV101-5 must be valid procedure modifier on the date in 2400.DTP03 when DTP01 = "472".	
If 2400.SV101-5 = "90" 2400.REF with REF01 = "F4" must be present.	
If 2400.SV101-6 is present, 2400.SV101-5 must be present.	Valid CMS Proprietary Procedure Code Modifier to Procedure Code reference must be available for this edit.
2400.SV101-6 must be valid procedure modifier on the date in 2400.DTP03 when DTP01 = "472".	
If 2400.SV101-6 = "90" 2400.REF with REF01 = "F4" must be present.	
2400.SV101-7 must contain at least one non-space character.	Valid CMS Proprietary table of Procedure Codes that require a description must be available for this edit.
2400.SV101-7 must be present. when 2400.SV101-2 is present on the table of procedure codes that require a description.	
2400.SV101-7 must be 1 - 80 characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2400.SV101-7 must be populated with accepted AN characters.	
Must not be present.	
2400.SV102 must be present.	
2400.SV102 must be numeric.	11/25: Medicare specific limitation. 1/20: Companion Guide Note needed.
2400.SV102 must be <= 99,999.99.	
2400.SV102 must be >= 0	
2400.SV102 is limited to 0, 1 or 2 decimal positions.	
SV102 must = the sum of all payer amounts paid found in 2430 SVD02 and the sum of all line adjustments found in 2430 CAS Adjustment Amounts.	Need companion guide note stating that Medicare can only accept one payer prior to Medicare and any claim with more than one prior payer must be submitted on paper.
2400.SV103 must be present.	
2400.SV103 must be "UN".	Valid CMS Proprietary table of Anesthesia Modifiers must be available for this edit.
2400.SV104 must be present.	
2400.SV104 must be numeric.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
If 2400.SV103 = "MJ", 2400.SV104 must be 1 to 3 digits with no decimal.	12/16: Medicare specific limitation. Companion Guide Note needed.
If 2400.SV103 = "UN", 2400.SV104 must be > 0 and <= 999.9	02/17: Medicare specific limitation. Companion Guide Note needed.
If 2400.SV103 = "UN", 2400.SV104 must be > 0 and <= 9,999.9.	01/08: Placeholder edit: This edit will replace the edit above after the MCS field expansion.
If 2400.SV103 = "MJ", 2400.SV104 must be > 0 and <= 9,999.	03/31: Placeholder edit: This edit will replace the edit above after the MCS field expansion.
When 2400.SV101-2 is associated with a proc option of "DR" or "PP", 2400.SV104 must be = "1" or "2".	
When 2400.SV101-2 is associated with a proc option of "DR" or "PP" and 2400.SV104 = "2", one of 2400.SV101-3, SV101-4, SV101-5 or SV101-6 must = "RT" and one must = "LT".	
2400.SV105 must be a valid Place of Service Code on the date in GS04.	Valid Place of Service reference must be available for this edit. <b>OR</b> Valid CMS Proprietary Place of Service Code to Procedure Code reference must be available for this edit.
Must not be present.	
	Pre-ICD-10 CMS will only accept pointers 1 through 8. If a claim uses pointers 9 through 12, the claim will be rejected. When ICD-10 is accepted, CMS will accept pointers 1 through 12. 03/31: Companion Guide note needed.
2400.SV107-1 must be present.	
2400.SV107-1 must be >= 1 and <= 12.	ICD-9 Only period. 04/07: Revised edit.

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2400.SV107-1 must be >= 1 and <= 12.	ICD-10 Only period. Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
There must be a corresponding diagnosis code in 2300.HI where HI01-1 is "ABK" or "BK" for the pointer value entered. Example 1: if 2400.SV107-1 = 3, when 2300.HI01-1 with "BK" or "ABK", 2300.HI03-2 must be populated. Example 2: if 2400.SV107-1 = 5, when 2300.HI01-1 with "BK" or "ABK", 2300.HI05-2 must be populated.	
If SV107-1 is present, 2400.SV107-2 may be present.	
2400.SV107-2 must be >= 1 and <= 12.	ICD-9 Only period. 04/07: Revised edit.
2400.SV107-2 must be >= 1 and <= 12.	ICD-10 Only period. Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
There must be a corresponding diagnosis code in 2300.HI where HI01-1 is "ABK" or "BK" for the pointer value entered. Example 1: if 2400.SV107-1 = 3, when 2300.HI01-1 with "BK" or "ABK", 2300.HI03-2 must be populated. Example 2: if 2400.SV107-1 = 5, when 2300.HI01-1 with "BK" or "ABK", 2300.HI05-2 must be populated.	
If SV107-2 is present, 2400.SV107-3 may be present.	
2400.SV107-3 must be >= 1 and <= 12.	ICD-9 Only period. 04/07: Revised edit.
2400.SV107-3 must be >= 1 and <= 12.	ICD-10 Only period. Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
There must be a corresponding diagnosis code in 2300.HI where HI01-1 is "ABK" or "BK" for the pointer value entered. Example 1: if 2400.SV107-1 = 3, when 2300.HI01-1 with "BK" or "ABK", 2300.HI03-2 must be populated. Example 2: if 2400.SV107-1 = 5, when 2300.HI01-1 with "BK" or "ABK", 2300.HI05-2 must be populated.	
If SV107-3 is present, 2400.SV107-4 may be present.	



**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2400.SV107-4 must be >= 1 and <= 12.	ICD-9 Only period. 04/07: Revised edit.
2400.SV107-4 must be >= 1 and <= 12.	ICD-10 Only period. Valid ICD-10-CM Diagnosis Code reference must be available for this edit.
There must be a corresponding diagnosis code in 2300.HI where HI01-1 is "ABK" or "BK" for the pointer value entered. Example 1: if 2400.SV107-1 = 3, when 2300.HI01-1 with "BK" or "ABK", 2300.HI03-2 must be populated. Example 2: if 2400.SV107-1 = 5, when 2300.HI01-1 with "BK" or "ABK", 2300.HI05-2 must be populated.	
Must not be present.	
2400.SV109 must be "Y".	
Must not be present.	
2400.SV111 must be "Y".	
2400.SV112 must be "Y".	
Must not be present.	
Must not be present.	
2400.SV115 must be "0".	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
One iteration of 2400.SV5 is allowed when 2400.SV101-3, SV101-4, SV101-5, or SV101-6 = "RR", "NU", or "UE."	
2400.SV501-1 must be present.	
2400.SV501-1 must be "HC".	
2400.SV501-2 must = 2400.SV101-2.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2400.SV502 must be present.	
2400.SV502 must be "DA".	
2400.SV503 must be present.	
2400.SV503 must be numeric.	
2400.SV503 must be 1 - 3 digits.	03/31: Medicare specific limitation. Companion Guide Note needed.
2400.SV503 must be > 0.	
2400.SV504 must be present.	
2400.SV504 must be numeric.	
2400.SV504 is limited to 0, 1 or 2 decimal positions.	
2400.SV504 must be <= 99,999.99.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2400.SV504 must be >= 0.	
2400.SV505 must be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
244.SV505 must be numeric.	
2400.SV505 is limited to 0, 1 or 2 decimal positions.	
2400.SV505 must be <= 99,999.99.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2400.SV505 must be >= 0.	
2400.SV506 must be present.	
2400.SV506 must be valid values.	
Must not be present.	
<b>Only ten iterations of 2400.PWK are allowed.</b>	
2400.PWK01 must be present.	
2400.PWK01 must be valid values.	
2400.PWK02 must be present.	
2400.PWK02 must be valid values.	
Must not be present.	
Must not be present.	
When 2400.PWK05 is present, 2400.PWK02 must be "BM", "EL", "EM", "FX" or "FT" .	
2400.PWK05 must be "AC".	
When 2400.PWK06 is present, 2400.PWK02 must be "BM", "EL", "EM", "FX" or "FT" .	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2400.PWK06 must contain at least two non-space characters.	
2400.PWK06 must be 2-50 characters.	
2400.PWK06 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
Must not be present.	
2400.PWK with PWK01 = "CT" must be present when 2400.CR3 is present.	
Only one iteration of 2400.PWK with PWK01 = "CT" is allowed.	
2400.PWK01 must be present.	
2400.PWK01 must be "CT".	
2400.PWK02 must be present.	
2400.PWK02 must be valid values.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Only one iteration of 2400.CR1 is allowed.	3/31: Per X12N Interpretation, this segment is only allowed when transport is actually conducted.
If 2400.CR102 is present, 2400.CR101 must be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2400.CR101 must be valid values.	
If 2400.CR101 is present, then 2400.CR102 must be present.	
2300.CR102 must be >0 and <= 9,999.99.	
	12/18: CMS specific length.
Must not be present.	
2400.CR104 must be present.	
2400.CR104 must be valid values.	
2400.CR105 must be present.	
2400.CR105 must be "DH".	
2400.CR106 must be present.	
2400.CR106 must be numeric.	
2400.CR106 must be => 0	
2400.CR106 must be 1 - 4 digits.	03/31: Medicare specific limitation. Companion Guide Note needed.
Must not be present.	
Must not be present.	
2400.CR109 must be 1 - 80 characters.	
2400.CR109 must be populated with accepted AN characters.	
2400.CR109 must contain at least one non-space character.	
2400.CR110 must contain at least one non-space character.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2400.CR110 must be 1 - 80 characters.	
2400.CR110 must be populated with accepted AN characters.	
<b>2400.CR3 must be present when any of the following conditions are met but not all of them are met</b> <ul style="list-style-type: none"> <li>• 2400.PWK with PWK02 = "AD" is present</li> <li>• 2400.CR3 is present</li> <li>• 2400.DTP with DTP01 = "463" is present</li> <li>• 2400.CRC01 = '09' is present</li> <li>• 2440.LQ is present</li> <li>• 2440.FRM is present</li> </ul>	
<b>Only one iteration of 2400.CR3 is allowed.</b>	
2400.CR301 must be present.	
If 2400.DTP with DTP01 = "607" is present, 2400.CR301 must be "R" or "S".	
2400.CR301 must be valid values.	
2400.CR302 must be present.	
2400.CR302 must be "MO".	
2400.CR303 must be present.	
2400.CR303 must be 1 - 2 digits.	03/31: Medicare specific limitation. Companion Guide Note needed.
2400.CR303 must be numeric.	
2400.CR303 must be > 0 unless 2400.LQ02 = "08.02".	
Must not be present.	
Must not be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
	12:23 Regardless of qualifier, only 3 iterations of this segment are allowed in this position.
Only 3 iterations of 2400.CRC with CRC01 = "09" are allowed.	02/19: The "07" and "70" qualifiers are not accepted on Medicare DME claims.
	12:23 Regardless of qualifier, only 3 iterations of this segment are allowed in this position.
No iterations of 2400.CRC with CRC01 = "07" are allowed.	02/19: Segments with the "07" qualifier are not accepted by Medicare for DME.
	12:23 Regardless of qualifier, only 3 iterations of this segment are allowed in this position. 02/19: Segments with the "70" qualifier are not accepted by Medicare for DME.
	02/19: Segments with the "70" qualifier are not accepted by Medicare for DME.
No iterations of 2400.CRC with CRC01 = "70" are allowed.	02/19: Segments with the "70" qualifier are not accepted by Medicare for DME.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>Only 3 iterations of 2400.CRC with CRC01 = "09" are allowed.</b>	12:23 Regardless of qualifier, only 3 iterations of this segment are allowed in this position.
<b>If 2400.CR3 is present, one iteration of 2400.CRC with CRC01 = "09" must be present.</b>	
2400.CRC01 must be present.	
2400.CRC01 must be "09".	
2400.CRC02 must be present.	
2400.CRC02 must be valid values.	
2400.CRC03 must be present.	
2400.CRC03 must be valid values.	
If 2400.CRC04 is not "38", 2400.CRC03 must be "38".	
If 2400.CRC03 is present, 2400.CRC04 may be present.	
2400.CRC04 must be valid values.	
If 2400.CRC03 is not "38", 2400.CRC04 must be "38".	
Must not be present.	
Must not be present.	
Must not be present.	
<b>2400.DTP with DTP01 = "472" must be present.</b>	
<b>Only one iteration of 2400.DTP with DTP01 = "472" is allowed.</b>	
2400.DTP01 must be present.	
2400.DTP01 must be "472".	



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2400.DTP02 must be present.	
2400.DTP02 must be valid values.	
2400.DTP03 must be present.	
If 2400.DTP02 is D8, then 2400.DTP03 must be a valid date in the format of CCYYMMDD.	
If 2400.DTP02 is RD8, then 2400.DTP03 must be a valid date in the format of CCYYMMDD-CCYYMMDD.	
If 2400.DTP02 is D8, 2400.DTP03 must not be a future date.	
If 2400.DTP02 is RD8, the first date listed in 2400.DTP03 must not be a future date.	
If 2400.DTP02 is RD8, the first date listed in 2400.DTP03 must be a date prior to the second date listed in 2400.DTP03.	
Reject the claim if 2400.DTP02=D8 or 2400.DTP02 = RD8 and the CCYYMM portion of the first date and the CCYYMM portion of the second date are equal and 2400.SV101-3, SV101-4, SV101-5 or SV101-6 = "RR" and 2400.SV104 is not = "1".	
When 2400.DTP02 = RD8 and the second date is a future date, one of the following proc options must exist for the procedure: "IS", "PA", "PE", "PI", "PK", "PL", "PP", "PS" or "PX"	
Reject the claim if 2400.DTP02 = "RD8" and the first date is not = the second date and SV101-2 is not "E0935" or "E0936", & the proc option "GL" or "IS" does NOT exist, & the proc option "DF", "DI", "DR", "LP", "OC", "OG", "OL" or "OP does exist.	
<b>Only one iteration of 2400.DTP with DTP01 = "471" is allowed.</b>	
2400.DTP01 must be present.	
2400.DTP01 must be "471".	
2400.DTP02 must be present.	
2400.DTP02 must be "D8".	
2400.DTP03 must be a valid date in the format of CCYYMMDD.	
2400.DTP03 must not be a future date.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
	06/04: Companion Guide Note needed.
<b>One iteration of 2400.DTP with DTP01 = "607" must be present when 2400.CR301 = "R" or "S".</b>	
2400.DTP01 must be present.	
2400.DTP01 must be "607".	
2400.DTP02 must be present.	
2400.DTP02 must be "D8".	
2400.DTP03 must be a valid date in the format of CCYYMMDD.	
2400.DTP03 must not be a future date.	
	06/04: Companion Guide Note needed.
<b>If 2400.CR3 is present, 2400.DTP with DTP01 = "463" must be present.</b>	
<b>Only one iteration of 2400.DTP with DTP01 = "463" is allowed.</b>	
2400.DTP01 must be present.	
2400.DTP01 must be "463".	
2400.DTP02 must be present.	
2400.DTP02 must be "D8".	
2400.DTP03 must be a valid date in the format of CCYYMMDD.	
2400.DTP03 must not be a future date.	
	06/04: Companion Guide Note needed.
<b>2400.DTP with DTP01 = "461" must be present when 2400.CRC01 = "09" and CRC03 or CRC04 = "38" and CRC02 = "Y".</b>	
<b>Only one iteration of 2400.DTP with DTP01 = "461" is allowed.</b>	
2400.DTP01 must be present.	
2400.DTP01 must be "461".	
2400.DTP02 must be present.	
2400.DTP02 must be "D8".	
2400.DTP03 must be a valid date in the format of CCYYMMDD.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2400.DTP03 must not be a future date.	
	06/04: Companion Guide Note needed.
<b>2400.DTP with DTP01 = "304" must not be present.</b>	
<b>Only two iterations of 2400.DTP with DTP01 = "738" or "739" are allowed.</b>	
2400.DTP01 must be present.	
2400.DTP01 must be valid values.	
2400.DTP02 must be present.	
2400.DTP02 must be "D8".	
2400.DTP03 must be a valid date in the format of CCYYMMDD.	
2400.DTP03 must not be a future date.	
<b>Only one iteration of 2400.DTP with DTP01 = "011" is allowed.</b>	Pass through, syntax only
2400.DTP01 must be present.	
2400.DTP01 must be "011".	
2400.DTP02 must be present.	
2400.DTP02 must be "D8".	
2400.DTP03 must be a valid date in the format of CCYYMMDD.	
<b>2400.DTP with DTP01 = "455" must not be present.</b>	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
<b>Only one iteration of 2400.DTP with DTP01 = "454" is allowed.</b>	
2400.DTP01 must be present.	
2400.DTP01 must be "454".	
2400.DTP02 must be present.	
2400.DTP02 must be "D8".	
2400.DTP03 must be a valid date in the format of CCYYMMDD.	
2400.DTP03 must not be a future date.	
<b>Only one iteration of 2400.DTP with QTY01 = "PT" is allowed.</b>	
2400.QTY01 must be present.	
2400.QTY01 must be "PT".	
2400.QTY02 must be present.	
2400.QTY02 must be numeric.	
2400.QTY02 must be > 1.	
2400.QTY02 must be 1 - 2 digits.	03/31: Medicare specific limitation. Companion Guide Note needed.
Must not be present.	
Must not be present.	
<b>Only one iteration of 2400.DTP with QTY01 = "FL" is allowed.</b>	
2400.QTY01 must be present.	
2400.QTY01 must be "FL".	
2400.QTY02 must be present.	
2400.QTY02 must be numeric.	
2400.QTY02 must be > 0.	
2400.QTY02 must be 1 - 2 digits.	03/31: Medicare specific limitation. Companion Guide Note needed.

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
<b>Only 5 iterations of 2400.DTP are allowed.</b>	
2400.MEA01 must be present.	
2400.MEA01 must be valid values.	
2400.MEA02 must be present.	
2400.MEA02 must be valid values.	
2400.MEA03 must be present.	
2400.MEA03 must be numeric.	
2400.MEA03 must be >= 0 and <= 99.9.	03/31: Medicare specific limitation. Companion Guide Note needed.
2400.MEA03 is limited to 1 decimal position.	03/31: Medicare specific limitation. Companion Guide Note needed.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>Must not be present.</b>	01/20: Companion Guide Note needed.  Medicare does not support post-adjudicated claim processing (a non-HIPAA mandated use).

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
<b>Only 1 iteration of 2400.REF with REF01 = "9B" is allowed.</b>	Pass through, syntax only.
2400.REF01 must be present.	
2400.REF01 must be "9B".	
2400.REF02 must be present.	
2400.REF02 must be 1-50 characters.	
2400.REF02 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
<b>Only 1 iteration of 2400.REF with REF01 = "9D" is allowed.</b>	Pass through, syntax only.
2400.REF01 must be present.	
2400.REF01 must be "9D".	
2400.REF02 must be present.	
2400.REF02 must be 1-50 characters.	
2400.REF02 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
<b>Only 5 iterations of 2400.REF with REF01 = "G1" are allowed.</b>	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2400.REF01 must be present.	
2400.REF01 must be "G1".	
2400.REF02 must be present.	
2400.REF02 must contain at least one non-space character.	
2400.REF02 must be 1 - 50 characters.	
2400.REF02 must be populated with accepted AN characters.	
Must not be present.	
2400.REF04-1 must be "2U".	
If 2400.REF04-1 is present, 2400.REF04-2 must be present.	
2400.REF04-2 must = 2330B.NM109	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>Only 1 iteration of 2400.REF with REF01 = "6R" is allowed.</b>	
2400.REF01 must be present.	
2400.REF01 must be "6R".	
2400.REF02 must be present.	
2400.REF02 must contain at least one non-space character.	
2400.REF02 must be 1 - 30 characters.	Implementation Limitation
2400.REF02 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2400.REF02 must be unique within a single iteration of 2300.CLM01.	
Must not be present.	
Must not be present.	
<b>Only one iteration of 2400.REF with REF01 = "EW" is allowed.</b>	
2400.REF01 must be present.	
2400.REF01 must be "EW".	
2400.REF02 must be present.	
2400.REF02 must contain at least one non-space character.	
2400.REF02 must be 1 - 50 characters.	
2400.REF02 must be populated with accepted AN characters.	
	Valid MQSA reference must be available for this edit.
Must not be present.	
Must not be present.	
<b>Only one iteration of 2400.REF with REF01 = "X4" is allowed.</b>	
2400.REF01 must be present.	
2400.REF01 must be "X4".	
2400.REF02 must be present.	
2400.REF02 must contain at least one non-space character.	



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2400.REF02 must be 1 - 50 characters.	
2400.REF02 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
<b>2400.REF with REF01 = "F4" must be present when 2400.SV101-3, SV101-4,SV101-5 or SV101-6 are = "90",</b>	
<b>Only one iteration of 2400.REF with REF01 = "F4" is allowed.</b>	
2400.REF01 must be present.	
2400.REF01 must be "F4".	
2400.REF02 must be present.	
2400.REF02 must be 1 - 50 characters.	
2400.REF02 must be populated with accepted AN characters.	
2400.REF02 must contain at least one non-space character.	
Must not be present.	
Must not be present.	
<b>Only one iteration of 2400.REF with REF01 = "BT" is allowed.</b>	
2400.REF01 must be present.	
2400.REF01 must be "BT".	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2400.REF02 must be present.	
2400.REF02 must contain at least one non-space character.	
2400.REF02 must be 1 - 50 characters.	
2400.REF02 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
<b>Only 5 iterations of 2400.REF with REF01 = "9F" are allowed.</b>	
2400.REF01 must be present.	
2400.REF01 must be "9F".	
2400.REF02 must be present.	
2400.REF02 must contain at least one non-space character.	
2400.REF02 must be 1 - 50 characters.	
2400.REF02 must be populated with accepted AN characters.	
Must not be present.	
2400.REF04-1 must be "2U".	
If 2400.REF04-1 is present, 2400.REF04-2 must be present.	
2400.REF04-2 must = 2330B.NM109	
Must not be present.	
Must not be present.	
Must not be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
<b>Only one iteration of 2400.AMT with AMT01 = "T" is allowed.</b>	06/04: Pass through, syntax only
2400.AMT01 must be present.	
2400.AMT01 must be "T".	
2400.AMT02 must be present.	
2400.AMT02 must be numeric.	
2400.AMT02 Must be <= 99,999.99.	
2400.AMT02 is limited to 0, 1 or 2 decimal positions.	
Must not be present.	
<b>Only one iteration of 2400.AMT with AMT01 = "F4" is allowed.</b>	06/04: Pass through, syntax only
2400.AMT01 must be present.	
2400.AMT01 must be "F4".	
2400.AMT02 must be present.	
2400.AMT02 must be numeric.	
2400.AMT02 must be > 0 .	
2400.AMT02 is limited to 0, 1 or 2 decimal positions.	
Must not be present.	
<b>Only ten iterations of 2400.K3 are allowed.</b>	
2400.K301 must be present.	
2400.K301 must be 1 - 80 characters	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2400.K301 must be populated with accepted AN characters.	
2400.K301 must contain at least one non-space character.	
Must not be present.	
Must not be present.	
<b>2400.NTE with NTE01 = "ADD" or "DCP" must be present when 2400.SV101-2 is associated with a proc option of "JK".</b>	CEDI only Proprietary Procedure Code/Option file reference must be available for this edit.
<b>Only one iteration of 2400.NTE with NTE01 = "ADD" or "DCP" is allowed.</b>	
2400.NTE01 must be present.	
2400.NTE01 must be valid values.	
2400.NTE02 must be present.	
2400.NTE02 must contain at least one non-space character.	
2400.NTE02 must be 1 - 80 characters.	
2400.NTE02 must be populated with accepted AN characters.	
<b>Only one iteration of 2400.NTE with NTE01 = "TPO" is allowed.</b>	Pass through, syntax only.
2400.NTE01 must be present.	
2400.NTE01 must be "TPO".	
2400.NTE02 must be present.	
2400.NTE02 must contain at least one non-space character.	
2400.NTE02 must be 1 - 80 characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2400.NTE02 must be populated with accepted AN characters.	
<b>If 2420B.NM1 with NM101 = "QB" is present, 2400.PS1 must be present.</b>	02/03: Reference CR 6362 for Provider ID instructions.
<b>Only one iteration of 2400.NTE "TPO" is allowed.</b>	
2400.PS101 must be present.	
2400.PS101 must = 2420B.NM109 or 2420B.REF02	
2400.PS102 must be > 0 and <= 99,999.99.	
Must not be present.	
<b>Only one iteration of 2400.HCP is allowed.</b>	12/23: Pass-through, syntax only.
2400.HCP01 must be present.	
2400.HCP01 must be valid values.	
2400.HCP02 must be present.	
2400.HCP02 must be <= 99,999.99	
2400.HCP03 must be <= 99,999.99	
2400.HCP04 must be 1 - 50 characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2400.HCP04 must be populated with accepted AN characters.	
2400.HCP05 must be 1 to 9 digits.	
2400.HCP06 must contain at least one non-space character.	
2400.HCP06 must be 1 - 50 characters.	
2400.HCP06 must be populated with accepted AN characters.	
2430.SVD05 must be numeric.	
2400.HCP07 must be <= 99,999.99	
Must not be present.	
2400.HCP09 must be valid values.	
If 2400.HCP10 is present, 2400.HCP09 must be present.	
If 2400.HCP09 is present, 2400.HCP10 must be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
When 2400.HCP09 = "HC", 2400.HCP10 must be a valid HCPCS Code on the date in 2400.DTP03 when DTP01 = "472".	Valid HCPCS reference must be available for this edit (full external code list).
2400.HCP11 must be valid values.	
If 2400.HCP12 is present, 2400.HCP11 must be present.	
If 2400.HCP11 is present, 2400.HCP12 must be present.	
2400.HCP12 must be 1-8 digits.	
2400.HCP13 must be valid values.	
2400.HCP14 must be valid values.	
2400.HCP15 must be valid values.	
<b>Only one iteration of 2410.LIN is allowed.</b>	12/30: Pass-through, syntax only for Part B.
Must not be present.	
2410.LIN02 must be present.	
2410.LIN02 must be "N4".	
2410.LIN03 must be present.	
2410.LIN03 must be a valid NDC code on the date in 2400.DTP03 when DTP01 = "472".	Part B will use the CAP file (?) for NDC verification. CEDI will use the shared system file for NDC verification.
2410.LIN03 must be valid with an associated default HCPCS code.	Valid HCPCS reference must be available for this edit.
2410.LIN03 must be valid with an associated default HCPCS code with the value of "Oral Cancer".	Valid HCPCS reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2410.CTP04 must be present.	



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2410.CTP04 must be > 0 and <= 9,999,999.999.	03/31: Medicare specific limitation. Companion Guide Note needed.
2410.CTP04 is limited to 3 decimal positions.	03/31: Medicare specific limitation. Companion Guide Note needed.
2410. CTP05-1 must be present.	
2410.CTP05-1 must be valid values.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2410.LIN is present, 2410.REF may be present.	06/04: Pass-through, syntax only.
Only one iteration of 2410.REF is allowed.	
If SV101-3, SV101-4,SV101-5 or SV101-6 are = "J1", 2410.REF with REF01 = "XZ" must be present.	
2410.REF01 must be present.	
2410.REF01 must be valid values.	
2410.REF02 must be present.	
2410.REF02 must be at least one non-space character	
2410.REF02 must be 1 - 50 characters.	
2410.REF02 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
Only one iteration of 2420A.NM1 is allowed.	
2420A.NM101 must be present.	
2420A.NM101 must be "82".	
2420A.NM102 must be present.	
2420A.NM102 must be valid values.	
2420A.NM103 must be present.	
2420A.NM103 must contain at least one non-space character.	
2420A.NM103 must be 1 - 60 characters.	
2420A.NM103 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2420A.NM102 is "2", 2420A.NM104 must not be present.	
2420A.NM104 must contain at least one non-space character.	
2420A.NM104 must be 1 - 35 characters.	
2420A.NM104 must be populated with accepted AN characters.	
If 2420A.NM102 is "2", 2420A.NM105 must not be present.	
2420A.NM105 must contain at least one non-space character.	
2420A.NM105 must be 1 - 25 characters.	
2420A.NM105 must be populated with accepted AN characters.	
Must not be present.	
If 2420A.NM102 is "2", 2420A.NM107 must not be present.	
2420A.NM107 must be 1 - 10 characters.	
2420A.NM107 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
	Trailblazer Only 01/20: Companion Guide Note needed.
	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
2420A.NM108 must be "XX".	
If 2420A.NM108 is present, 2420A.NM109 must be present.	
2420A.NM109 must be valid according to the NPI algorithm.	
2420A.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109.	Valid NPI Crosswalk must be available for this edit.
The first position of 2420A.NM109 must be a "1".	
Must not be present.	
Must not be present.	
Must not be present.	
If 2420A.NM1 is present, 2420A.PRV may be present.	
Only one iteration of 2420A.PRV is allowed.	
2420A.PRV01 must be present	
2420A.PRV01 must be "PE".	
2420A.PRV02 must be present.	
2420A.PRV02 must be "PXC".	
2420A.PRV03 must be present.	

**837 -  
Professional Edits**

<b>Proposed 5010 Edits CEDI</b>	<b>Misc. Notes</b>
2420A.PRV03 must be valid Taxonomy Code	Valid Provider Taxonomy Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
	Only Trailblazer. 01/20: Companion Guide Note needed.
	Only Trailblazer. 01/20: Companion Guide Note needed.
<b>2420A.REF must not be present.</b>	Everyone but Trailblazer 01/20: Companion Guide Note needed.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
If 2400.PS1 is present, 2420B.NM1 with NM101 = "QB" must be present.	
Only one iteration of 2420B.NM1 is allowed.	
2420B.NM101 must be present.	
2420B.NM101 must be "QB".	
2420B.NM102 must be present.	
2420B.NM102 must be valid values.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
	Only Trailblazer. 01/20: Companion Guide Note needed.
2420B.NM108 must be present.	Everyone but Trailblazer 01/20: Companion Guide Note needed.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2420B.NM108 must be "XX".	
If 2420B.NM108 is present, 2420B.NM109 must be present.	
2420B.NM109 must be valid according to the NPI algorithm.	
The first position of 2420B.NM109 must be a "1".	
Must not be present.	
Must not be present.	
Must not be present.	
If 2420B.NM1 is present and 2420B.NM109 is not present, 2420B.REF with REF01 = "1G" may be present.	Trailblazer Only
Only 1 iteration of 2420B.REF with REF01 = "1G" is allowed.	Trailblazer Only
Must not be present.	Everyone but Trailblazer
2420B.REF01 must be present	
2420B.REF01 must be "1G".	Trailblazer Only
2420B.REF02 must be present.	
2420B.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).	
Must not be present.	
Must not be present.	
One one iteration of 2420C.NM1 is allowed.	
2420C.NM101 must be present.	
2420C.NM101 must be "77".	
2420C.NM102 must be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2420C.NM102 must be "2".	
2420C.NM103 must be present.	
2420C.NM103 must be at least one non-space character	
2420C.NM103 must be 1 - 50 characters.	
2420C.NM103 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
2420C.NM108 must be "XX".	
If 2420C.NM108 is present, 2420C.NM109 must be present.	
2420C.NM109 must be valid according to the NPI algorithm.	
The first position of 2420C.NM109 must be a "1".	
Must not be present.	
Must not be present.	
Must not be present.	
<b>If 2420C.NM1 is present, 2420C.N3 must be present.</b>	
<b>Only one iteration of 2420C.N3 is allowed.</b>	
2420C.N301 must be present.	
2420C.N301 must contain at least one non-space character.	
2420C.N301 must be 1 - 55 characters.	



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2420C.N301 must be populated with accepted AN characters.	
2420C.N302 must contain at least one non-space character.	
2420C.N302 must be 1 - 55 characters.	
2420C.N302 must be populated with accepted AN characters.	
<b>If 2420C.NM1 is present, 2420C.N4 must be present.</b>	
<b>Only one iteration of 2420C.N4 is allowed.</b>	
2420C.N401 must be present.	
2420C.N401 must contain at least two non-space characters.	
2420C.N401 must be 2-30 characters.	
2420C.N401 must be populated with accepted AN characters.	
If 2420C.N404 is not present, 2420C.N402 must be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2420C.N402 must be a valid State Code.	Valid State Code reference must be available for this edit.
If 2420C.N404 is not present, 2420C.N403 must be present.	
2420C.N403 must be a valid 9 digit Zip Code.	Valid Zip Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>2420C.REF must not be present.</b>	Segment not accepted by Medicare. 01/20: Companion Guide Note needed.
<b>Only one iteration of 2420D.NM1 is allowed.</b>	
2420D.NM101 must be present.	
2420D.NM101 must be "DQ".	
2420D.NM102 must be present.	
2420D.NM102 must be "1".	
2420D.NM103 must be present.	
2420D.NM103 must contain at least one non-space character.	
2420D.NM103 must be 1 - 60 characters.	
2420D.NM103 must be populated with accepted AN characters.	
2420D.NM104 must contain at least one non-space character.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2420D.NM104 must be 1 - 35 characters.	
2420D.NM104 must be populated with accepted AN characters.	
2420D.NM105 must contain at least one non- space character.	
2420D.NM105 must be 1 - 25 characters.	
2420D.NM105 must be populated with accepted AN characters.	
Must not be present.	
2420D.NM107 must contain at least one non- space character.	
2420D.NM107 must be 1 -10 characters.	
2420D.NM107 must be populated with accepted AN characters.	
	Only Trailblazer. 01/20: Companion Guide Note needed.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2420D.NM108 must be present.	Everyone but Trailblazer 01/20: Companion Guide Note needed.
2420D.NM108 must be "XX".	
If 2420D.NM108 is present, 2420D.NM109 must be present.	
2420D.NM109 must be valid according to the NPI algorithm.	
The first position of 2420D.NM109 must be a "1".	
Must not be present.	
Must not be present.	
Must not be present.	
If 2420D.NM1 is present and 2420D.NM109 is not present, 2420D.REF with REF01 = "0B", "1G" or "LU" may be present.	Trailblazer Only 11/20: G2 is not valid for Medicare. 01/20: Companion Guide Note needed.
Only 3 iterations of 2420D.REF with REF01 = "0B", "1G" or "LU" are allowed.	Trailblazer Only
Must not be present.	Everyone but Trailblazer
2420D.REF01 must be present.	Trailblazer Only
2420D.REF01 must be valid values.	Trailblazer Only
2420D.REF02 must be present.	Trailblazer Only
When 2420D.REF01 = "1G", 2420D.REF02 must be in format ANNNNN or AAANN (where A is an alpha character and N is a numeric digit).	Trailblazer Only
When 2420D.REF01 = "0B" or "LU", 2420D.REF02 must contain at least one non-space character.	Trailblazer Only
When 2420D.REF01 = "0B" or "LU", 2420D.REF02 must be 1 - 50 characters.	Trailblazer Only

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
	Trailblazer Only
When 2420D.REF01 = "0B" or "LU", 2420D.REF02 must be populated with <u>accepted AN characters</u> .	Trailblazer Only
	Trailblazer Only
Must not be present.	
	Trailblazer Only
If 2420D.REF01 = "LU", 2420D.REF04-1 <u>may be present</u> .	Trailblazer Only
2420D.REF04-1 must be "2U".	Trailblazer Only
If 2420D.REF04-1 is present, 2420D.REF04-2 <u>must be present</u> .	Trailblazer Only
2420D.REF04-2 must = 2330B.NM109.	Trailblazer Only
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>2420E.NM1 must be present.</b>	
<b>Only one iteration of 2420E.NM1 is allowed.</b>	
2420E.NM101 must be present.	
2420E.NM101 must be "DK".	
2420E.NM102 must be present.	
2420E.NM102 must be "1".	
2420E.NM103 must be present.	
2420E.NM103 must contain at least one <u>non-space character</u> .	
2420E.NM103 must be 1 - 60 characters.	
2420E.NM103 must be populated with <u>accepted AN characters</u> .	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2420E.NM104 must contain at least one non-space character.	
2420E.NM104 must be 1 - 35 characters.	
2420E.NM104 must be populated with accepted AN characters.	
2420E.NM105 must contain at least one non-space character.	
2420E.NM105 must be 1 - 25 characters.	
2420E.NM105 must be populated with accepted AN characters.	
Must not be present.	
2420E.NM107 must contain at least one non-space character.	
2420E.NM107 must be 1 -10 characters.	
2420E.NM107 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
	Only Trailblazer. 01/20: Companion Guide Note needed.
2420E.NM108 must be present.	Everyone but Trailblazer 01/20: Companion Guide Note needed.
2420E.NM108 must be "XX".	
If 2420E.NM108 is present, 2420E.NM109 must be present.	
2420E.NM109 must be valid according to the NPI algorithm.	
The first position of 2420E.NM109 must be a "1".	
If any SV101-3 through SV101-6 (procedure code modifier) not = "EY", 2310A NM109 must be valid on PECOS file (match include NPI + 1st four characters of last name + 1st character of first name)	
Must not be present.	
Must not be present.	
Must not be present.	
<b>If 2420E.NM1 is present, 2420E.N3 may be present.</b>	
<b>Only one iteration of 2420E.N3 is allowed.</b>	
2420E.N301 must be present.	
2420E.N301 must contain at least one non-space character.	
Location.N301 must be 1 - 55 characters.	
2420E.N301 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2420E.N302 must contain at least one non-space character.	
2420E.N302 must be 1 - 55 characters.	
2420E.N302 must be populated with accepted AN characters.	
<b>If 2420E.NM1 is present, 2420E.N4 may be present.</b>	
<b>Only one iteration of 2420E.N4 is allowed.</b>	
2420E.N401 must be present.	
2420E.N401 must contain at least two non-space characters.	
2420E.N401 must be 2-30 characters.	
2420E.N401 must be populated with accepted AN characters.	
If 2420E.N404 is not present, 2420E.N402 must be present.	
2420E.N402 must be a valid State Code.	Valid State Code reference must be available for this edit.
If 2420E.N404 is not present, 2420E.N403 must be present.	



**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2420E.N403 must be a valid Zip Code.	Valid Zip Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>If 2420E.NM1 is present and 2420E.NM109 is not present, 2420E.REF may be present.</b>	Trailblazer Only
<b>Only 1 iteration of 2420E.REF are allowed.</b>	Trailblazer Only
<b>Must not be present.</b>	Everyone but Trailblazer
<b>2420E.REF01 must be "1G".</b>	Trailblazer Only 11/20: G2 is not valid for Medicare. 01/20: Companion Guide Note needed. 1/06: 0B and G2 are not valid for Medicare.
2420E.REF02 must be present.	
2420E.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).	
Must not be present.	
Must not be present.	Only used with G2.
<b>If 2420E.NM1 is present, 2420E.PER may be present.</b>	
<b>If 2400.CR3 is present, 2420E.PER must be present.</b>	
<b>One iteration of 2420E.PER is allowed.</b>	
2420E.PER01 must be present.	
2420E.PER01 must be "IC".	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2420E.PER02 must be present.	
2420E.PER02 must contain at least one non-space character.	
2420E.PER02 must be 1 - 60 characters.	
2420E.PER02 must be populated with accepted AN characters.	
2420E.PER03 must be present.	
2420E.PER03 must be valid values.	
2420E.PER04 must be present.	
2420E.PER04 must contain at least one non-space character.	
2420E.PER04 must be 1 - 256 characters.	
2420E.PER04 must be populated with accepted AN characters.	
2420E.PER05 must be valid values.	
If 2420E.PER05 is "EX", 2420E.PER03 must be "TE".	
If 2420E.PER06 is present, 2420E.PER05 must be present.	
2420E.PER06 must contain at least one non-space character.	
2420E.PER06 must be 1 - 256 characters.	
2420E.PER06 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2420E.PER05 is present, 2420E.PER07 <u>may be present</u> .	
2420E.PER07 must be valid values.	
If 2420E.PER07 is "EX", 2420E.PER05 must be "TE".	
If 2420E.PER08 is present, 2420E.PER07 <u>must be present</u> .	
2420E.PER08 must contain at least one non-space character.	
2420E.PER08 must be 1 - 256 characters.	
2420E.PER08 must be populated with accepted AN characters.	
Must not be present.	
<b>Two iterations of this loop are allowed.</b>	
<b>Only one iteration of 2420F.NM1 is allowed.</b>	
2420F.NM101 must be present.	
For the first iteration of the 2420F loop, 2420F.NM101 must be "DN".	
For the second iteration of the 2420F loop, 2420F.NM101 must be "P3".	
2420F.NM102 must be present.	
2420F.NM102 must be "1".	
2420F.NM103 must be present.	
2420F.NM103 must contain at least one non-space character.	
2420F.NM103 must be 1 - 60 characters.	
2420F.NM103 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2420F.NM104 must contain at least one non-space character.	
2420F.NM104 must be 1 - 35 characters.	
2420F.NM104 must be populated with accepted AN characters.	
2420F.NM105 must contain at least one non-space character.	
2420F.NM105 must be 1 - 25 characters.	
2420F.NM105 must be populated with accepted AN characters.	
Must not be present.	
2420F.NM107 must contain at least one non-space character.	
2420F.NM107 must be 1 - 10 characters.	
2420F.NM107 must be populated with accepted AN characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
	Only Trailblazer. 01/20: Companion Guide Note needed.
2420F.NM108 must be present.	Everyone but Trailblazer 01/20: Companion Guide Note needed.
2420F.NM108 must be "XX".	
2420F.NM109 must be valid according to the NPI algorithm.	
The first position of 2420F.NM109 must be a "1".	
2420F.NM109 must not = 2310A.NM109.	
2420F.NM109 must not = 2310F.NM109.	
If any SV101-3 through SV101-6 (procedure code modifier) not = "EY", 2420F NM109 must be valid on PECOS file (match include NPI + 1st four characters of last name + 1st character of first name)	
Must not be present.	
Must not be present.	
Must not be present.	
If 2420F.NM1 is present and 2420F.NM109 is not present, 2420F.REF may be present.	Trailblazer Only Companion Guide Note needed.
Only 1 iterations of 2420F.REF is allowed	Trailblazer Only Companion Guide Note needed.
2420F.REF must not be present.	Everyone but Trailblazer. Companion Guide Note needed.

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2420F.REF01 must be present.	
2420E.REF01 must be "1G".	11/20: G2 is not valid for Medicare. 01/20: Companion Guide Note needed. 1/06: 0B and G2 are not valid for Medicare.
2420F.REF02 must be present.	
2420F.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).	
Must not be present.	
Must not be present.	
<b>Only one iteration of 2420G.NM1 is allowed.</b>	
2420G.NM101 must be present.	
2420G.NM101 must be "PW".	
2420G.NM102 must be present.	
2420G.NM102 must be "2".	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>If 2420G.NM1 is present, 2420G.N3 must be present.</b>	
<b>Only one iteration of 2420G.N3 is allowed.</b>	
2420G.N301 must be present.	
2420G.N301 must contain at least one non- space character.	
2420G.N301 must be 1 - 55 characters.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2420G.N301 must be populated with accepted AN characters.	
2420G.N302 must contain at least one non-space character.	
2420G.N302 must be 1 - 55 characters.	
2420G.N302 must be populated with accepted AN characters.	
<b>If 2420G.NM1 is present, 2420G.N4 must be present.</b>	
<b>Only one iteration of 2420G.N4 is allowed.</b>	
2420G.N401 must be present.	
2420G.N401 must contain at least two non-space characters.	
2420G.N401 must be 2-30 characters.	
2420G.N401 must be populated with accepted AN characters.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
If 2420G.N404 is not present, 2420G.N402 must be present.	
2420G.N402 must be a valid State Code.	Valid State Code reference must be available for this edit.
If 2420G.N404 is not present, 2420G.N403 must be present.	
2420G.N403 must be a valid Zip Code.	Valid Zip Code reference must be available for this edit.
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>Only one iteration of 2420H.NM1 is allowed.</b>	
2420H.NM101 must be present.	
2420H.NM101 must be "45".	
2420H.NM102 must be present.	
2420H.NM102 must be "2".	
2420H.NM103 must contain at least one non-space character.	
2420H.NM103 must be 1 - 60 charcters	
2420H.NM103 must be populated with accepted AN characters.	



837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
Must not be present.	
<b>If 2420H.NM1 is present, 2420H.N3 must be present.</b>	
<b>Only one iteration of 2420H.N3 is allowed.</b>	
2420H.N301 must be present.	
2420H.N301 must contain at least one non-space character.	
2420H.N301 must be 1 - 55 characters.	
2420H.N301 must be populated with accepted AN characters.	
2420H.N302 must contain at least one non-space character.	
2420H.N302 must be 1 - 55 characters.	
2420H.N302 must be populated with accepted AN characters.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
If 2420H.NM1 is present, 2420H.N4 must be present.	
Only one iteration of 2420H.N4 is allowed.	
2420H.N401 must be present.	
2420H.N401 must contain at least two non-space characters.	
2420H.N401 must be 2-30 characters.	
2420H.N401 must be populated with accepted AN characters.	
If 2420H.N404 is not present, 2420H.N402 must be present.	
2420H.N402 must be a valid State Code.	Valid State Code reference must be available for this edit.
If 2420H.N404 is not present, 2420H.N403 must be present.	
2420H.N403 must be a valid Zip Code.	Valid Zip Code reference must be available for this edit.
Must not be present.	
Must not be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
Must not be present.	
Must not be present.	
<b>15 iterations of this loop are allowed.</b>	
<b>Only 1 iteration of 2430.SVD is allowed.</b>	
2430.SVD01 must be present.	
2430.SVD01 must = 2330B.NM109 (for the same payer).	
2430.SVD02 must be present.	
2430.SVD02 must be numeric.	
2430.SVD02 must be >= 0.	
2430.SVD02 must be <= 99,999.99.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2430.SVD02 is limited to 0, 1 or 2 decimal positions.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2430.SVD03-1 must be present.	
2430.SVD03-1 must be "HC".	01/08: Medicare only accepts "HC". Claims with "ER", "IV" or "WK" will be rejected. 01/20: Companion Guide Note needed.
2430.SVD03-2 must be present.	
When 2430.SVD03-1 = "HC", 2430.SVD03-2 must be a valid HCPCS Code on the date in 2400.DTP03 when DTP01 = "472".	Valid CMS Proprietary HCPCS reference must be available for this edit.
When 2430.SVD03-1 = "HC", 2430.SVD03-2 must be a valid HCPCS Code on the date in 2400.DTP03 when DTP01 = "472". <b>OR</b> When 2430.SVD03-1 = "HC", 2430.SVD03-2 must be a valid HCPCS Code from the DME subset on the date in 2400.DTP03 when DTP01 = "472".M2289	12/16: Fallback edits: used only if primary edit above is determined to be unworkable. Review this before finalizing.  Valid HCPCS reference must be available for this edit (full external code list).
2430.SVD03-3 must be valid procedure modifier.	Valid Procedure Code Modifier reference must be available for this edit.
2430.SVD03-4 is present, 2430.SVD03-3 must be present.	
2430.SVD03-4 must be valid procedure modifier.	Valid Procedure Code Modifier reference must be available for this edit.
2430.SVD03-5 is present, 2430.SVD03-4 must be present.	
2430.SVD03-5 must be valid procedure modifier.	Valid Procedure Code Modifier reference must be available for this edit.

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2430.SVD03-6 is present, 2430.SVD03-5 must be present.	
2430.SVD03-6 must be valid procedure modifier.	Valid Procedure Code Modifier reference must be available for this edit.
2430.SVD03-7 must contain at least one non-space character.	
2430.SVD03-7 must be 1 - 80 characters.	
2430.SVD03-7 must be populated with accepted AN characters.	
Must not be present.	
Must not be present.	
2430.SVD05 must be present.	
2430.SVD05 must be numeric.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2430.SVD05 must be >= 0 and <= 999.9.	01/08: Medicare size limit 999.9. 02/17: Companion Guide note needed.
2430.SVD05 must be >= 0 and <= 9,999.9.	01/08: Placeholder edit: Medicare size limit 9999.9. This edit will replace the edit above after the MCS field expansion.
2430.SVD05 must be an integer (whole number).	Companion Guide note needed.
2430.SVD06 must be numeric.	
2430.SVD06 must be a integer (no decimals).	
2430.SVD06 must 1 - 6 digits.	Medicare business edit Companion guide item
<b>If 2430.SVD is present, 2430.CAS may be present.</b>	
<b>Only 5 iterations of 2430.CAS are allowed.</b>	
2430.CAS01 must be present.	
2430.CAS01 must be valid values.	
If 2430.CAS01 = "CR" then 2430.DTP with DTP01 = "573" must be prior to 01/01/2012.	02/10: 04/01/2010 is the date the Final Rule mandates the use of 5010. After that date, this code (which was allowed in 4010) is not a compliant code.
2430.CAS02 must be present.	
2430.CAS02 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
2430.CAS03 must be present.	
2430.CAS03 must be numeric.	
2430.CAS03 must not = 0.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2430.CAS03 is limited to 0, 1 or 2 decimal positions.	
2430.CAS03 must be >= -99,999.99 and <= 99,999.99.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2320.CAS04 must be 1-15 digits.	11/25: Medicare specific limitation. 01/08: Not brought into Core System, so no Medicare size limit is needed.
2430.CAS04 must not = 0.	
If 2430.CAS02 is present, 2430.CAS05 may be present.	
2430.CAS05 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
If 2430.CAS05 is present, 2430.CAS06 must be present.	
2430.CAS06 must be numeric.	
2430.CAS06 must not = 0.	
2430.CAS06 is limited to 0, 1 or 2 decimal positions.	
2430.CAS06 must be >= -99,999.99. and <= 99,999.99.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
If 2430.CAS05 is present, 2430.CAS07 may be present.	
2320.CAS07 must be 1-15 digits.	11/25: Medicare specific limitation. 01/08: Not brought into Core System, so no Medicare size limit is needed.
2430.CAS07 must not = 0.	
If 2430.CAS05 is present, 2430.CAS08 may be present.	
2430.CAS08 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
If 2430.CAS08 is present, 2430.CAS09 must be present.	
2430.CAS09 must be numeric.	
2430.CAS09 must not = 0.	
2430.CAS09 is limited to 0, 1 or 2 decimal positions.	
2430.CAS09 must be >= -99,999.99. and <= 99,999.99.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
If 2430.CAS08 is present, 2430.CAS10 may be present.	



**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2320.CAS10 must be 1-15 digits.	11/25: Medicare specific limitation. 01/08: Not brought into Core System, so no Medicare size limit is needed.
2430.CAS10 must not = 0.	
If 2430.CAS08 is present, 2430.CAS11 may be present.	
2430.CAS011 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
If 2430.CAS11 is present, 2430.CAS12 must be present.	
2430.CAS12 must be numeric.	
2430.CAS12 must not = 0.	
2430.CAS12 is limited to 0, 1 or 2 decimal positions.	
2430.CAS12 must be >= -99,999.99. and <= 99,999.99.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
If 2430.CAS11 is present, 2430.CAS13 may be present.	
2320.CAS13 must be 1-15 digits.	11/25: Medicare specific limitation. 01/08: Not brought into Core System, so no Medicare size limit is needed.

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2430.CAS13 must not = 0.	
If 2430.CAS11 is present, 2430.CAS14 may be present.	
2430.CAS014 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
If 2430.CAS14 is present, 2430.CAS15 must be present.	
2430.CAS15 must be numeric.	
2430.CAS15 must not = 0.	
2430.CAS15 is limited to 0, 1 or 2 decimal positions.	
2430.CAS15 must be >= -99,999.99. and <= 99,999.99.	11/25: Medicare specific limitation. 1/20: Companion Guide Note needed.
If 2430.CAS14 is present, 2430.CAS16 may be present.	
2320.CAS16 must be 1-15 digits.	11/25: Medicare specific limitation. 01/08: Not brought into Core System, so no Medicare size limit is needed.
2430.CAS16 must not = 0.	
If 2430.CAS14 is present, 2430.CAS17 may be present.	

**837 -  
Professional Edits**

Proposed 5010 Edits CEDI	Misc. Notes
2430.CAS017 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
If 2430.CAS17 is present, 2430.CAS18 must be present.	
2430.CAS18 must be numeric.	
2430.CAS18 must not = 0.	
2430.CAS18 is limited to 0, 1 or 2 decimal positions.	
2430.CAS15 must be >= -99,999.99. and <= 99,999.99.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
If 2430.CAS17 is present, 2430.CAS19 may be present.	
2320.CAS19 must be 1-15 digits.	11/25: Medicare specific limitation. 01/08: Not brought into Core System, so no Medicare size limit is needed.
2430.CAS19 must not = 0.	
<b>If 2430.SVD is present, 2430.DTP must be present.</b>	
<b>Only one iteration of 2430.DTP is allowed.</b>	
2430.DTP01 must be present.	
2430.DTP01 must be "573".	
2430.DTP02 must be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2430.DTP02 must be "D8".	
2430.DTP03 must be present.	
2430.DTP03 must be a valid date in the format of CCYYMMDD.	
<b>If 2430.SVD is present, 2430.AMT may be present.</b>	Pass through, syntax only.
<b>Only 1 iteration of 2430.AMT is allowed.</b>	
2430.AMT01 must be present.	
2430.AMT01 must be "EAF".	
2430.AMT02 must be numeric.	
2430.AMT02 must be <= 99,999.99.	11/25: Medicare specific limitation. 01/08: Medicare limit not needed for pass through elements.
2430.AMT02 is limited to 0, 1 or 2 decimal positions.	
Must not be present.	
<b>If 2400.CR3 is present, 2440.LQ must be present.</b>	
<b>If 2400.PWK with PWK01 = "CT" and PWK02 = "AD" is present, 2440.LQ must be present.</b>	
<b>Only 1 iteration of 2440.LQ is allowed.</b>	
2440.LQ01 must be present.	
2440.LQ01 must be "UT".	
2440.LQ02 must be present.	
2440.LQ02 must be a valid DMERC CMN Form.	Valid DMERC CMN Form reference must be available for this edit.
2440.LQ02 must be a valid form for the procedure code in 2400.SV102.	CMS Proprietary Procedure code/Form reference must be available for this edit.

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2440.LQ02 must contain at least one non-space character.	
If 2440.LQ is present, 2440.FRM must be present.	
If 2440.LQ = "484.03", occurrences of 2440.FRM with FRM01 = ("1A" or "1B") and FRM01 = "1C" and FRM01 = "05" are required.	
If 2440.LQ = "484.03" and 2440.FRM01 = "1A" and FRM03 >= 56.0 and <= 59.0, one occurrence of 2440.FRM with FRM01 = "07", "08" or "09" is required.	
If 2440.LQ = "484.03" and 2440.FRM01 = "1B" and FRM03 >= 89.0, one occurrence of 2440.FRM with FRM01 = "07", "08" or "09" is required.	
If 2400.PWK with PWK01 = "CT" is present, 2440.FRM must be present.	
Only 99 iterations of 2440.FRM are allowed.	
2440.FRM01 must be present.	
2440.FRM01 must be valid for the value in 2440.LQ02.	
If 2440.LQ02='484.03' and 2440.FRM01='05' is present and the value in FRM03 is > '4', an occurrence of FRM01 with the value of '6A' or '6B' is required.	
If 2440.LQ02='484.03' and 2440.FRM01='6A' or '6B', an occurrence of FRM01 with the value of '6C' is required.	
If 2440.LQ02='484.03' and 2440.FRM01='6C', an occurrence of FRM01 with the value of '6A' or '6B' is required.	
2440.FRM02 must be valid values.	
If 2440.FRM03 and 2440.FRM04 and 2440.FRM05 are not present, 2440.FRM02 must be present.	
If 2440.LQ02 = '484.03' and 2440 FRM with FRM01 = "04", "07", "08" or "09" is present, then 2440.FRM02 must be present.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2440.FRM03 must contain at least one non-space character.	
2440.FRM03 must be present if 2440.LQ02 = "04.04" and 2440.FRM01 = "07B", "09B", "10B" or "10C".	
2440.FRM03 must be present if 2440.LQ02 = "06.03" and FRM01 = "02" or "03".	
2440.FRM03 must be present if 2440.LQ02 = "09.03" and FRM01 = "01", "01A", "01B", "01C", "02", "02A", "02B", "02C", "03" or "04".	
2440.FRM03 must be present if 2440.LQ02 = "10.03" and FRM01 = "03", "03A", "03B", "04", "04A", "04B", "05", "06", "08A", "08C", "08D", "08F", "08G" or "09".	
2440.FRM03 must be present if 2440.LQ02 = "484.03" and FRM01 = "02".	
2440.FRM03 must be 1 - 50 characters.	11/25: Medicare specific limitation. 01/20: Companion Guide Note needed.
2440.FRM03 must be populated with accepted AN characters.	
If 2440.FRM02 and 2440.FRM04 and 2440.FRM05 are not present, 2440.FRM03 must be present.	
If 2440.LQ02 = '484.03' and 2440 FRM with FRM01 = "1A", "1B", "02", "03" or "05" is present, then 2440.FRM03 must be present.	
2440.FRM04 must be a valid date in the format of CCYYMMDD.	

837 -  
Professional Edits

Proposed 5010 Edits CEDI	Misc. Notes
2440.FRM04 must not be a future date.	
If 2440.FRM02 and 2440.FRM03 and 2440.FRM05 are not present, 2440.FRM04 must be present.	
If 2440.LQ02 = '484.03' and 2440 FRM with FRM01 = "1C" is present, then 2440.FRM04 must be present.	
2440.FRM05 must be numeric.	
2440.FRM05 must be present if 2440.LQ02 = "10.03" and FRM01 = "08B", "08E" or "08H".	
2440.FRM05 must be >= 0 and <= 100.0.	
2440.FRM05 is limited to 0 or 1 decimal positions.	
If 2440.FRM02 and 2440.FRM03 and 2440.FRM04 are not present, 2440.FRM05 must be present.	
<b>SE must be present.</b>	
SE01 must be present.	
SE01 must be numeric.	
SE01 must equal the transaction segment count.	
SE01 must be > 0.	
SE02 must be present.	
SE02 must = ST02.	
<b>GE must be present.</b>	

**837 -  
Professional Edits**

<b>Proposed 5010 Edits CEDI</b>	<b>Misc. Notes</b>
GE01 must be present.	
GE01 must be numeric.	
GE01 must equal the number of transaction sets included in the functional group.	
GE01 must be > 0.	
GE02 must be present.	
GE02 must = GS06.	
<b>IEA must be present.</b>	
<b>Only one iteration of IEA is allowed.</b>	This error means there can't be more than one IEA segment in this set, not that there can't be more than 1 in a physical file.
IEA01 must be present.	
IEA01 must be numeric.	
IEA01 must equal the number of functional groups included in the interchange.	
IEA01 must be > 0.	



Change Log  
Changes to the version included for POC Review

Location	Change
GS04	Corrected typo.
BHT	Added "999" in column J.
2010AA.REF03 (1G)	Added "must not be present".
2010AA.REF04 (1G)	Added "must not be present".
2000B.SBR01	Corrected location information.
2010BA.N302	Changed to match the corresponding institutional edit.
2010BA.N407	Changed to match the corresponding institutional edit.
2010BA.REF01 (SY)	Changed the misc note for consistency with similar messages.
2010BB.N302	Changed to match the corresponding institutional edit.
2300.PWK05	Changed the edit to "If 05 is present, 02 must be =.....".
2300.PWK05	Changed to match the corresponding institutional edit.
2300.PWK06	Changed the edit to "If 06 is present, 02 must be =.....".
2300.AMT02 (F5)	Removed the miscellaneous note.
2300.CR106	Removed the miscellaneous note.
2310A.N407	Changed to match the corresponding institutional edit.
2400.PWK05	Changed to match the corresponding institutional edit.
2400.PWK06	Changed to match the corresponding institutional edit.
2400.DTP03 (472)	Changed to match the corresponding institutional edit.
GS06	Added triad seperators.
2000B.PAT08	Added triad separators.
2300.CLM02	Added triad separators.
2300.CN102	Added triad separators.
2300.AMT02 (F5)	Added triad separators.
2300.REF02 (9A)	Changed to match the corresponding institutional edits.
2300.REF02 (9C)	Changed to match the corresponding institutional edits.
2300.CR102	Added triad seperators.
2300.CR106	Added triad seperators.
2300.HI01-5 (BE)	Added triad seperators.
2300.HI02-5 (BE)	Added triad seperators.
2300.HI03-5 (BE)	Added triad seperators.
2300.HI04-5 (BE)	Added triad seperators.
2300.HI05-5 (BE)	Added triad seperators.
2300.HI06-5 (BE)	Added triad seperators.
2300.HI07-5 (BE)	Added triad seperators.
2300.HI08-5 (BE)	Added triad seperators.
2300.HI09-5 (BE)	Added triad seperators.
2300.HI10-5 (BE)	Added triad seperators.
2300.HI11-5 (BE)	Added triad seperators.
2300.HI12-5 (BE)	Added triad seperators.
2300.HI02 (BG)	Changed to match the corresponding institutional edit.

Change Log  
Changes to the version included for POC Review

2300.HI03 (BG)	Changed to match the corresponding institutional edit.
2300.HI04 (BG)	Changed to match the corresponding institutional edit.
2300.HI05 (BG)	Changed to match the corresponding institutional edit.
2300.HI06 (BG)	Changed to match the corresponding institutional edit.
2300.HI07 (BG)	Changed to match the corresponding institutional edit.
2300.HI08 (BG)	Changed to match the corresponding institutional edit.
2300.HI09 (BG)	Changed to match the corresponding institutional edit.
2300.HI10 (BG)	Changed to match the corresponding institutional edit.
2300.HI11 (BG)	Changed to match the corresponding institutional edit.
2300.HI12 (BG)	Changed to match the corresponding institutional edit.
2300.HCP02	Added triad seperators.
2300.HCP03	Added triad seperators.
2300.HCP07	Added triad seperators.
2400.SV104	Added triad seperators.
2400.CR102	Added triad seperators.
2400.PS102	Added triad seperators.
2400.HCP02	Added triad seperators.
2400.HCP03	Added triad seperators.
2400.HCP05	Added triad seperators.
2400.HCP07	Added triad seperators.
2400.HCP12	Added triad seperators.
2410.CTP04	Added triad seperators.
2430.SVD05	Added triad seperators.
2430.SVD06	Added triad seperators.
2000B.HL04	Changed to match the corresponding institutional edit.
2000A.CUR	Changed to the standard wording "must not be present."
2310B.REF (1G,0B,G2,LU)	Changed error code to I9.
2310C.PER	Changed error code to I9.
2320.CAS03	Added 2nd CSC code (519).
2320.CAS09	Added 2nd CSC code (519).
2320.CAS12	Added 2nd CSC code (519).
2320.CAS15	Added 2nd CSC code (519).
2320.CAS18	Added 2nd CSC code (519).
2330A.N3	Changed error code to I9.
2330B.NM1	Changed error code to I9.
2330B.NM109	Changed to match the corresponding institutional edit.
2330B.N4	Changed to match the corresponding institutional edit.
2400.REF (6R)	Changed to match the corresponding institutional edit.
2400.NTE02 (ADD/DCP)	Changed to match the corresponding institutional edit.
2410.CTP05	Changed to match the corresponding institutional edit.
2420A.NM107	Changed to match the corresponding institutional edit and corrected location info.

Change Log  
Changes to the version included for POC Review

2420A.NM108	Corrected error code.
2420A.REF (1G,0B,G2,LU)	Changed to match the corresponding institutional edit.
2420A.REF01 (1G,0B,G2,LU)	Changed error code to "New CSC: "Payer specific restriction on the number of repetitions". Added the list of valid values.
2420F.NM109	Changed to match the corresponding institutional edits.
2420F.REF (1G)	Changed to match the corresponding institutional edit and misc note.
2420F.REF01 (1G)	Added "not used" highlighting.
2430.SVD05	Changed to match the corresponding institutional edit.
2430.SVD06	Changed to match the corresponding institutional edit.
2430.CAS01	Changed to match the corresponding institutional edit.
2430.CAS03	Added 2nd CSC code (519).
2430.CAS06	Added 2nd CSC code (519).
2430.CAS09	Added 2nd CSC code (519).
2430.CAS12	Added 2nd CSC code (519).
2430.CAS15	Added 2nd CSC code (519).
2430.CAS18	Added 2nd CSC code (519).
SE	Corrected location typo.
2300.REF (F8)	Replaced 999/I9 with 277/compliant qualifiers restricted.
2310A.NM108	Changed to 277/situational data required.
2310B.NM108	Changed to 277/situational data required.
2310C.NM108	Changed to 277/situational data required.
2310D.NM108	Changed to 277/situational data required.
2400.LX01	Changed to match the corresponding institutional edit.
2420A.NM108	Changed to 277/situational data required.
2420B.NM108	Changed to 277/situational data required.
2420D.NM108	Changed to 277/situational data required.
2420E.NM108	Changed to 277/situational data required.
2420F.NM108	Changed to 277/situational data required.
2420F.REF01 (1G)	Changed to match the corresponding institutional edit.
2430.SVD06	Changes 476 to 526 and remove the note.
2430.SVD03-1	Moved the SVD03-1 edit to an SVD03-1 line and removed it from the SVD03 line.
GS	Changed the error code to an AK905 error code.
GS01	Changed the error codes to AK905 error codes.
GS02	Changed the error codes to AK905 error codes.
GS03	Changed the error codes to AK905 error codes.
GS04	Removed the IK403 error code, no replacement defined.
GS05	Removed the IK403 error code, no replacement defined.

Change Log  
Changes to the version included for POC Review

GS06	Changed the error codes to AK905 error codes.
GS07	Removed the IK403 error code, no replacement defined.
GS08	Changed the error codes to AK905 error codes.
ST	Changed the error codes to AK502 error codes.
ST01	Changed the error codes to AK502 error codes.
ST02	Changed the error codes to AK502 error codes.
ST03	Changed the error codes to AK502 error codes.
2010AA.REF (1G)	Changed error code to I9.
2010AA.PER	Changed error code to I9.
2310A.REF (0B/IG)	Changed error code to I9.
2310B.PRIV	Changed error code to I9.
2330A.REF (SY)	Changed error code to I9.
2330B.N3	Changed error code to I9.
2330B.DTP (573)	Changed error code to I9.
2330B.REF (2U/EI/FY/ NF)	Changed error code to I9.
2330B.REF (G1)	Changed error code to I9.
2330B.REF (9F)	Changed error code to I9.
2330B.REF (T4)	Changed error code to I9.
2330B.REF (F8)	Changed error code to I9.
2410.CTP04	Changed the edit to >0 from >= 0.
2410.REF (XZ)	Changed error code to I9.
2420A.PRIV	Changed error code to I9.
2420A.REF (1G,0B,G2,LU)	Changed error code to I9.
2420B.REF (1G)	Changed error code to I9.
2420B.REF (0B/1G/LU)	Changed error code to I9.
2420E.N3	Changed error code to I9.
2420E.N4	Changed error code to I9.
2420E.REF (1G)	Changed error code to I9.
2420E.PER	Changed error code to I9.
2420F.REF (1G)	Changed error code to I9.
2430.CAS	Changed error code to I9.
2430.AMT (EAF)	Changed error code to I9.
SE	Changed the error code to an AK502 error.
SE01	Changed the error code to an AK502 error.
SE02	Changed the error code to an AK502 error.
GE	Changed the error code to an AK905 error.
GE01	Changed the error code to an AK905 error.
GE02	Changed the error code to an AK905 error.
2010AA.NM108	Changed "= 31" to "is a valid VA identifier".

Change Log  
Changes to the version included for POC Review

2310A.NM108	Changed "= 31" to "is a valid VA identifier".
2310B.NM108	Changed "= 31" to "is a valid VA identifier".
2310C.NM108	Changed "= 31" to "is a valid VA identifier".
2310D.NM108	Changed "= 31" to "is a valid VA identifier".
2320.CAS	Changed to match the corresponding institutional edit.
2320.CAS01	Changed to match the corresponding institutional edit.
2320.AMT (D)	Changed to match the corresponding institutional edit.
2320.AMT (A8)	Changed to match the corresponding institutional edit.
2320.AMT (EAF)	Changed to match the corresponding institutional edit.
2320.MOA	Changed to match the corresponding institutional edit.
2420A.NM108	Changed "= 31" to "is a valid VA identifier".
2420B.NM108	Changed "= 31" to "is a valid VA identifier".
2420D.NM108	Changed "= 31" to "is a valid VA identifier".
2420E.NM108	Changed "= 31" to "is a valid VA identifier".
2420F.NM108	Changed "= 31" to "is a valid VA identifier".
ISA05	Added explicit values.
ISA07	Added explicit values.
GS01	Added explicit values.
2010AA.N302	Changed location reference loop name and element name in edit and note.
2010BA.DMG02	Added companion guide note.
2010BB.NM109	Changed edit to require 2010BB.NM109 to be the same as 1000B.NM109 and removed the standard edits.
2300.CLM11-2	Added edit requiring CLM11-1 if CLM11-2 is present.
2320.MOA	Removed "Medicare" from segment name.
2330B.REF (2U/EI/FY/ NF)	Added pass-thru note.
2330B.REF (9F)	Removed miscellaneous note.
2400.SV101-3	Corrected spelling of "modifier".
2400.SV101-4	Corrected spelling of "modifier".
2400.SV101-5	Corrected spelling of "modifier".
2400.SV101-6	Corrected spelling of "modifier".
2400.SV103	Corrected spelling of "modifier".
2400.DTP (607)	Added note for "companion guide note needed".
2400.DTP (463)	Added note for "companion guide note needed".
2400.DTP (461)	Added note for "companion guide note needed".
2400.HCP09	Replaced explicit value with "valid value" edit.
2410.REF (XZ)	Added "pass-thru" note.
2430.SVD03-2	Corrected spelling of "modifier".
2430.SVD03-3	Corrected spelling of "modifier".
2430.SVD03-4	Corrected spelling of "modifier".
2430.SVD03-5	Corrected spelling of "modifier".
2430.SVD03-6	Corrected spelling of "modifier".
2430.CAS01	Corrected segment name.

Change Log  
Changes to the version included for POC Review

2010AA.N301	Corrected the location reference loop name.
2300.CLM02	Changed the CSC code to the code approved by the committee (697)
2300.DTP03 (454)	Changed the CSC code to the code approved by the committee (701)
2300.DTP03 (435)	Changed the CSC code to the code approved by the committee (394)
2300.DTP03 (096)	Changed the CSC code to the code approved by the committee (394)
2300.AMT02 (F5)	Changed the CSC code to the code approved by the committee (697)
2320.CAS03	Changed the CSC code to the code approved by the committee (697)
2320.CAS06	Changed the CSC code to the code approved by the committee (697)
2320.CAS09	Changed the CSC code to the code approved by the committee (697)
2320.CAS12	Changed the CSC code to the code approved by the committee (697)
2320.CAS15	Changed the CSC code to the code approved by the committee (697)
2320.CAS18	Changed the CSC code to the code approved by the committee (697)
2320.AMT02 (D)	Changed the CSC code to the code approved by the committee (697)
2320.AMT02 (A8)	Changed the CSC code to the code approved by the committee (697)
2320.MOA01	Changed the CSC code to the code approved by the committee (697)
2320.MOA02	Changed the CSC code to the code approved by the committee (697)
2320.MOA08	Changed the CSC code to the code approved by the committee (697)
2320.MOA09	Changed the CSC code to the code approved by the committee (697)
2400.SV102	Changed the CSC code to the code approved by the committee (697)
2400.SV504	Changed the CSC code to the code approved by the committee (697)
2400.SV505	Changed the CSC code to the code approved by the committee (697)
2400.MEA03	Changed the CSC code to the code approved by the committee (697)
2400.AMT02 (T)	Changed the CSC code to the code approved by the committee (697)
2400.AMT02 (F4)	Changed the CSC code to the code approved by the committee (697)
2400.HCP10	Changed the CSC code to the code approved by the committee (697)
2410.CTP04	Changed the CSC code to the code approved by the committee (697)
2430.SVD02	Changed the CSC code to the code approved by the committee (697)
2430.CAS03	Changed the CSC code to the code approved by the committee (697)
2430.CAS06	Changed the CSC code to the code approved by the committee (697)
2430.CAS09	Changed the CSC code to the code approved by the committee (697)
2430.CAS12	Changed the CSC code to the code approved by the committee (697)
2430.CAS15	Changed the CSC code to the code approved by the committee (697)
2430.CAS18	Changed the CSC code to the code approved by the committee (697)
2440.LQ	Changed the CSC code to the code approved by the committee (698)
2440.LQ02	Changed the CSC code to the code approved by the committee (698)
2440.FRM01	Changed the CSC code to the code approved by the committee (699)
2440.FRM03	Changed the CSC code to the code approved by the committee (699)
2440.FRM05	Changed the CSC code to the code approved by the committee (699)
2440.FRM05	Changed the CSC code to the code approved by the committee (697)
2440.FRM05	Corrected the location reference.
2000A.PRV02	Corrected the location reference.

Change Log  
Changes to the version included for POC Review

2000A.PRV03	Corrected the location reference.
2010BA.N407	Removed the edit added 4/21 - W/G decided against that edit during calls.
2300.HI08-2(BF)	Corrected location reference typo.
2300.HI09-2(BF)	Corrected location reference typo.
2300.HI010-2(BF)	Corrected location reference typo.
2300.HI011-2(BF)	Corrected location reference typo.
2300.HI012-2(BF)	Corrected location reference typo.
2310A.NM108	Corrected the location reference.
2310A.NM109	Corrected location reference typo.
2310A.NM109	Removed the "must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109" edit.
2310B.NM107	Corrected the location reference.
2310B.NM108	Corrected the location reference.
2310C.NM107	Corrected the location reference.
2310D.NM108	Corrected the location reference.
2330A.NM107	Corrected the location reference.
2400.REF02 (6R)	Corrected the location reference.
2400.AMT02 (T)	Corrected the location references.
2400.AMT02 (F4)	Corrected the location references.
2410.CTP05	Removed the edit added 4/26.
2420A.NM108	Corrected the location reference.
2420A.PRV01	Corrected the location reference.
2420A.PRV02	Corrected the location reference.
2420A.PRV03	Corrected the location reference.
2420B.NM108	Corrected the location reference.
2420D.NM108	Corrected the location reference.
2420E.NM108	Corrected the location reference.
2420F.NM108	Corrected the location reference.
2420F.NM109	Removed "must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109" edit
2440.LQ	Changed the segment to "not allowed" for Part B. Removed all element level edits for Part B.
2440.LQ	Changed the segment to "not allowed" for Part B.
2440.FRM	Changed the segment to "not allowed" for Part B. Removed all element level edits for Part B.
ISA	Added misc note
ST	Added misc note
1000A.NM104	Removed edit <i>"If 1000A.NM102 is "1", 1000A.NM104 must be present"</i> .
1000A.PER02	Changed 999 edit to <i>"IK403 = I12: "Implementation Pattern Match Failure"</i>
1000A.PER04	Added 277 edit for punctuation
1000A.PER06	Added 277 edit for punctuation
1000A.PER06	Added 277 edit for punctuation
1000A.PER08	Added 277 edit for punctuation
2000A.HL	Added misc note
2010AA.N302	Removed edit <i>"If 2010AA.N301 is present, 2010AA.N302 may be present"</i> .

Change Log  
Changes to the version included for POC Review

2010AA.REF02	Added 999 edit "2010AA.REF02 must be populated with accepted AN characters".
2010AA.REF02	Added 277 edit "2010AA.REF02 must be nine digits with no punctuation".
2010AA.REF02	Modified misc note
2000B.HL04	Added misc note.
IEA	Changed TA1 error code to "TA105: 023 Improper (Premature) End-of-File (Transmission)"
IEA	Added misc note
2300.HI	Added new rows for 277 instructions and CSCCs to all the HI segments.
All N/U Elements	Added new row(s) with 277 instructions for each N/U element in the spreadsheet.
GS01	Added new row(s) with 277 instructions.
GS02	Added new row(s) with 277 instructions.
GS03	Added new row(s) with 277 instructions.
GS03	Added new row(s) with 277 instructions.
BHT03	Added new row(s) with 277 instructions.
BHT04	Added CSCC.
BHT06	Added CSCC.
1000A.NM103	Added new row(s) with 277 instructions.
1000A.NM104	Added new row(s) with 277 instructions.
1000A.NM105	Added new row(s) with 277 instructions.
1000A.NM109	Added CSCC.
1000A.PER02	Added new row(s) with 277 instructions.
1000A.PER04	Added new row(s) with 277 instructions.
1000B.NM103	Added new row(s) with 277 instructions.
1000B.NM109	Added CSCC.
2000A.CUR	Added CSCC.
2000A.PRV03	Added CSCC.
2010AA.NM103	Added new row(s) with 277 instructions.
2010AA.NM104	Added new row(s) with 277 instructions.
2010AA.NM105	Added new row(s) with 277 instructions.
2010AA.NM107	Added new row(s) with 277 instructions.
2010AA.NM108	Added CSCC.
2010AA.NM109	Added new row(s) with 277 instructions.
2010AA.NM109	Added CSCC.
2010AA.N301	Added new row(s) with 277 instructions.
2010AA.N301	Added CSCC.
2010AA.N302	Added new row(s) with 277 instructions.
2010AA.N302	Added CSCC.
2010AA.N401	Added new row(s) with 277 instructions.
2010AA.N402	Added CSCC.
2010AA.N404	Added CSCC.
2010AA.N407	Added CSCC.
2010AA.REF01 (1G)	Added CSCCs.



Change Log  
Changes to the version included for POC Review

2010AA.REF02 (EI/SY)	Added new row(s) with 277 instructions.
2010AA.REF02 (1G)	Added CSCCs.
2010AA.PER02	Added new row(s) with 277 instructions.
2010AA.PER04	Added new row(s) with 277 instructions.
2010AA.PER06	Added new row(s) with 277 instructions.
2010AA.PER08	Added new row(s) with 277 instructions.
2010AB.N301	Added new row(s) with 277 instructions.
2010AB.N301	Added CSCC.
2010AB.N302	Added new row(s) with 277 instructions.
2010AB.N302	Added CSCC.
2010AB.N401	Added new row(s) with 277 instructions.
2010AB.N402	Added CSCC.
2010AB.N403	Added CSCC.
2010AB.N404	Added CSCC.
2010AB.N407	Added CSCC.
2010AC Loop	Added CSCCs.
2000B.SBR01	Added CSCC.
2000B.SBR04	Added new row(s) with 277 instructions.
2000B.SBR09	Added CSCCs.
2000B.PAT08	Added CSCCs.
2010BA.NM102	Added CSCCs.
2010BA.NM103	Added new row(s) with 277 instructions.
2010BA.NM104	Added new row(s) with 277 instructions.
2010BA.NM104	Added CSCCs.
2010BA.NM105	Added new row(s) with 277 instructions.
2010BA.NM107	Added new row(s) with 277 instructions.
2010BA.NM109	Added CSCCs.
2010BA.N301	Added new row(s) with 277 instructions.
2010BA.N302	Added new row(s) with 277 instructions.
2010BA.N401	Added new row(s) with 277 instructions.
2010BA.N401	Added CSCCs.
2010BA.N404	Added CSCCs.
2010BA.N407	Added CSCCs.
2010BA.DMG02	Added CSCCs.
2010BA.REF01 (SY)	Added CSCCs.
2010BA.REF01 (Y4)	Added new row(s) with 277 instructions.
2010BA.REF02 (Y4)	Added new row(s) with 277 instructions.
2010BA.PER01	Added new row(s) with 277 instructions.
2010BA.PER02	Added new row(s) with 277 instructions.
2010BA.PER03	Added new row(s) with 277 instructions.
2010BA.PER04	Added new row(s) with 277 instructions.

Change Log  
Changes to the version included for POC Review

2010BA.PER05	Added new row(s) with 277 instructions.
2010BA.PER06	Added new row(s) with 277 instructions.
2010BB.NM103	Added new row(s) with 277 instructions.
2010BB.N301	Added new row(s) with 277 instructions.
2010BB.N302	Added new row(s) with 277 instructions.
2010BB.N401	Added new row(s) with 277 instructions.
2010BB.N403	Added CSCCs.
2010BB.N404	Added CSCCs.
2010BB.N407	Added CSCCs.
2010BB.REF (U/EI/FY/NF)	Added CSCCs.
2000C Loop	Added CSCCs.
2300.CLM01	Added new row(s) with 277 instructions.
2300.CLM02	Added CSCCs.
2300.CLM02	Added CSCCs.
2300.CLM05-1	Added CSCCs.
2300.CLM05-3	Added CSCCs.
2300.CLM11-4	Added CSCCs.
2300.CLM11-5	Added CSCCs.
2300.DTP03 (431)	Added CSCCs.
2300.DTP03 (454)	Added CSCCs.
2300.DTP03 (453)	Added CSCCs.
2300.DTP03 (435)	Added CSCCs.
2300.DTP03 (439)	Added CSCCs.
2300.DTP03 (484)	Added CSCCs.
2300.DTP03 (471)	Added CSCCs.
2300.DTP03 (455)	Added CSCCs.
2300.DTP03 (471)	Added CSCCs.
2300.DTP03 (297)	Added CSCCs.
2300.DTP03 (435)	Added CSCCs.
2300.DTP03 (096)	Added CSCCs.
2300.PWK06	Added new row(s) with 277 instructions.
2300.AMT02 (F5)	Added CSCCs.
2300.REF02 (EW)	Added new row(s) with 277 instructions.
2300.REF02 (EW)	Added CSCCs.
2300.REF02 (9F)	Added new row(s) with 277 instructions.
2300.REF02 (G1)	Added new row(s) with 277 instructions.
2300.REF02 (F8)	Added CSCCs.
2300.REF02 (X4)	Added new row(s) with 277 instructions.
2300.REF02 (9A)	Added new row(s) with 277 instructions.
2300.REF02 (9C)	Added new row(s) with 277 instructions.
2300.REF02 (LX)	Added new row(s) with 277 instructions.

Change Log  
Changes to the version included for POC Review

2300.REF02 (D9)	Added new row(s) with 277 instructions.
2300.REF02 (D9)	Added CSCCs.
2300.REF02 (EA)	Added new row(s) with 277 instructions.
2300.REF02 (1J)	Added CSCCs.
2300.K301	Added new row(s) with 277 instructions.
2300.NTE02	Added new row(s) with 277 instructions.
2300.CR1	Added CSCCs.
2300.CR102	Added CSCCs.
2300.CR106	Added CSCCs.
2300.CR109	Added new row(s) with 277 instructions.
2300.CR110	Added new row(s) with 277 instructions.
2300.CR210	Added new row(s) with 277 instructions.
2300.CR211	Added new row(s) with 277 instructions.
2300.CRC	Added CSCCs.
2300.HCP04	Added new row(s) with 277 instructions.
2300.HCP06	Added new row(s) with 277 instructions.
2310A.NM103	Added new row(s) with 277 instructions.
2310A.NM104	Added new row(s) with 277 instructions.
2310A.NM105	Added new row(s) with 277 instructions.
2310A.NM108	Added CSCC.
2310A.NM109	Added CSCC.
2310A.REF (0B/IG)	Added new row(s) with 277 instructions.
2310A.REF (0B/IG)	Added CSCC.
2310B.NM104	Added new row(s) with 277 instructions.
2310B.NM105	Added new row(s) with 277 instructions.
2310B.NM108	Added CSCC.
2310B.NM109	Added CSCC.
2310B.PR03	Added CSCC.
2310A.REF (0B/IG)	Added CSCC.
2310C.NM103	Added new row(s) with 277 instructions.
2310C.NM109	Added CSCC.
2310C.N301	Added new row(s) with 277 instructions.
2310C.N302	Added new row(s) with 277 instructions.
2310C.N401	Added new row(s) with 277 instructions.
2310C.N403	Added CSCCs.
2310C.N404	Added CSCCs.
2310C.N407	Added CSCCs.
2310C.REF	Added CSCC.
2310D.NM103	Added new row(s) with 277 instructions.
2310D.NM104	Added new row(s) with 277 instructions.
2310D.NM105	Added new row(s) with 277 instructions.

Change Log  
Changes to the version included for POC Review

2310D.NM108	Added CSCC.
2310D.NM109	Added CSCC.
2310D.REF (0B/1G/LU)	Added CSCC.
2310E.N301	Added new row(s) with 277 instructions.
2310E.N302	Added new row(s) with 277 instructions.
2310E.N401	Added new row(s) with 277 instructions.
2310E.N403	Added CSCCs.
2310E.N404	Added CSCCs.
2310E.N407	Added CSCCs.
2310F.NM103	Added new row(s) with 277 instructions.
2310F.N301	Added new row(s) with 277 instructions.
2310F.N302	Added new row(s) with 277 instructions.
2310F.N401	Added new row(s) with 277 instructions.
2310F.N403	Added CSCCs.
2310F.N404	Added CSCCs.
2310F.N407	Added CSCCs.
2320.SBR01	Added CSCC.
2320.SBR04	Added new row(s) with 277 instructions.
2320.SBR09	Added CSCC.
2320.CAS03	Added CSCC.
2320.CAS04	Added CSCC.
2320.CAS05	Added CSCC.
2320.CAS06	Added CSCC.
2320.CAS07	Added CSCC.
2320.CAS08	Added CSCC.
2320.CAS09	Added CSCC.
2320.CAS10	Added CSCC.
2320.CAS11	Added CSCC.
2320.CAS12	Added CSCC.
2320.CAS13	Added CSCC.
2320.CAS14	Added CSCC.
2320.CAS15	Added CSCC.
2320.CAS16	Added CSCC.
2320.CAS17	Added CSCC.
2320.CAS18	Added CSCC.
2320.CAS19	Added CSCC.
2320.AMT02 (D)	Added CSCC.
2320.AMT02 (A8)	Added CSCC.
2320.AMT (EAF)	Added CSCC.
2320.MOA01	Added CSCC.
2320.MOA02	Added CSCC.

Change Log  
Changes to the version included for POC Review

2320.MOA03	Added CSCC.
2320.MOA04	Added CSCC.
2320.MOA05	Added CSCC.
2320.MOA06	Added CSCC.
2320.MOA07	Added CSCC.
2320.MOA08	Added CSCC.
2320.MOA09	Added CSCC.
2330A.NM103	Added new row(s) with 277 instructions.
2330A.NM104	Added new row(s) with 277 instructions.
2330A.NM105	Added new row(s) with 277 instructions.
2330A.NM107	Added new row(s) with 277 instructions.
2330A.NM109	Added new row(s) with 277 instructions.
2330A.N301	Added new row(s) with 277 instructions.
2330A.N302	Added new row(s) with 277 instructions.
2330A.N401	Added new row(s) with 277 instructions.
2330A.N403	Added CSCCs.
2330A.N404	Added CSCCs.
2330A.N407	Added CSCCs.
2330A.REF (SY)	Added CSCCs.
2330B.NM103	Added new row(s) with 277 instructions.
2330B.N301	Added new row(s) with 277 instructions.
2330B.N302	Added new row(s) with 277 instructions.
2330B.N401	Added new row(s) with 277 instructions.
2330A.N403	Added CSCCs.
2330A.N404	Added CSCCs.
2330A.N407	Added CSCCs.
2330B.DTP (573)	Added CSCCs.
2330B.REF (2U/EI/FY/ NF)	Added CSCCs.
2330B.REF02 (G1)	Added new row(s) with 277 instructions.
2330B.REF02 (9F)	Added new row(s) with 277 instructions.
2330B.REF02 (F8)	Added new row(s) with 277 instructions.
2330C.REF (1G/0B)	Added CSCCs.
2330D.REF (0B/LU)	Added CSCCs.
2330E.REF (0B/LU)	Added CSCCs.
2330F.REF (0B/LU)	Added CSCCs.
2330G.REF (G2/LU)	Added CSCCs.
2400.SV101-2	Added CSCCs.
2400.SV101-3	Added CSCCs.
2400.SV101-4	Added CSCCs.
2400.SV101-5	Added CSCCs.
2400.SV101-6	Added CSCCs.

Change Log  
Changes to the version included for POC Review

2400.SV101-7	Added new row(s) with 277 instructions.
2400.SV102	Added CSCCs.
2400.SV103	Added CSCCs.
2400.SV104	Added CSCCs.
2400.SV107-1	Added CSCC.
2400.SV107-2	Added CSCC.
2400.SV107-3	Added CSCC.
2400.SV107-4	Added CSCC.
2400.SV503	Added CSCC.
2400.SV504	Added CSCC.
2400.SV505	Added CSCC.
2400.PWK06	Added new row(s) with 277 instructions.
2400.CR102	Added CSCC.
2400.CR106	Added CSCC.
2400.CR109	Added new row(s) with 277 instructions.
2400.CR110	Added new row(s) with 277 instructions.
2400.CR303	Added CSCC.
2400.CRC (09)	Added CSCC.
2400.CRC (07)	Added CSCC.
2400.CRC (70)	Added CSCC.
2400.CRC03	Added CSCC.
2400.CRC04	Added CSCC.
2400.DTP03 (472)	Added CSCC.
2400.DTP03 (471)	Added CSCC.
2400.DTP03 (607)	Added CSCC.
2400.DTP03 (463)	Added CSCC.
2400.DTP03 (461)	Added CSCC.
2400.DTP03 (738)	Added CSCC.
2400.DTP03 (455)	Added CSCC.
2400.DTP03 (454)	Added CSCC.
2400.QTY02 (PT)	Added CSCC.
2400.QTY02 (FL)	Added CSCC, corrected the location reference.
2400.MEA03	Added CSCC.
2400.REF (G1)	Added new row(s) with 277 instructions.
2400.REF02 (6R)	Added new row(s) with 277 instructions.
2400.REF02 (EW)	Added new row(s) with 277 instructions.
2400.REF02 (X4)	Added new row(s) with 277 instructions.
2400.REF02 (F4)	Added new row(s) with 277 instructions.
2400.REF (F4)	Added CSCC.
2400.REF02 (BT)	Added new row(s) with 277 instructions.
2400.REF02 (9F)	Added new row(s) with 277 instructions.

Change Log  
Changes to the version included for POC Review

2400.AMT02 (T)	Added CSCC.
2400.AMT02 (F4)	Added CSCC.
2400.K301	Added new row(s) with 277 instructions.
2400.NTE02 (ADD/DCP)	Added new row(s) with 277 instructions.
2400.NTE (ADD/DCP)	Added CSCC.
2400.NTE02 (TPO)	Added new row(s) with 277 instructions.
2400.PS1	Added CSCC.
2400.PS102	Added CSCC.
2430.SVD03-1	Added CSCC.
2400.HCP04	Added new row(s) with 277 instructions.
2400.HCP06	Added new row(s) with 277 instructions.
2400.HCP09	Added CSCC, correctrd the location reference.
2400.HCP10	Added CSCC.
2410.CTP04	Added CSCC.
2410.REF (XZ)	Added new row(s) with 277 instructions.
2410.REF (XZ)	Added CSCC.
2420A.NM103	Added new row(s) with 277 instructions.
2420A.NM104	Added new row(s) with 277 instructions.
2420A.NM105	Added new row(s) with 277 instructions.
2420A.NM107	Added new row(s) with 277 instructions.
2420A.NM109	Added CSCC.
2420A.REF (1G/0B/G2/LU)	Added CSCC.
2420B.NM1	Added CSCC.
2420B.NM109	Added CSCC.
2420B.REF (1G)	Added CSCC.
2420C.NM103	Added new row(s) with 277 instructions.
2420C.NM109	Added CSCC.
2420C.N301	Added new row(s) with 277 instructions.
2420C.N302	Added new row(s) with 277 instructions.
2420C.N401	Added new row(s) with 277 instructions.
2420C.N404	Added CSCCs.
2420C.REF	Added CSCC.
2420D.NM103	Added new row(s) with 277 instructions.
2420D.NM104	Added new row(s) with 277 instructions.
2420D.NM105	Added new row(s) with 277 instructions.
2420D.NM107	Added new row(s) with 277 instructions.
2420D.NM109	Added CSCC.
2420D.REF (0B/1G/LU)	Added new row(s) with 277 instructions.
2420D.REF (0B/1G/LU)	Added new row(s) with 277 instructions.
2420D.REF (0B/1G/LU)	Added CSCC.
2420E.NM103	Added new row(s) with 277 instructions.

Change Log  
Changes to the version included for POC Review

2420E.NM104	Added new row(s) with 277 instructions.
2420E.NM105	Added new row(s) with 277 instructions.
2420E.NM107	Added new row(s) with 277 instructions.
2420E.NM109	Added CSCC.
2420E.N301	Added new row(s) with 277 instructions.
2420E.N302	Added new row(s) with 277 instructions.
2420E.N401	Added new row(s) with 277 instructions.
2420E.N404	Added CSCCs.
2420E.REF (1G)	Added CSCC.
2420E.PER02	Added new row(s) with 277 instructions.
2420E.PER04	Added new row(s) with 277 instructions.
2420E.PER06	Added new row(s) with 277 instructions.
2420E.PER08	Added new row(s) with 277 instructions.
2420F.NM103	Added new row(s) with 277 instructions.
2420F.NM104	Added new row(s) with 277 instructions.
2420F.NM105	Added new row(s) with 277 instructions.
2420F.NM107	Added new row(s) with 277 instructions.
2420F.NM109	Added CSCC.
2420F.REF01 (1G)	Added CSCC.
2420F.REF02 (1G)	Added CSCC.
2420G.NM103	Added new row(s) with 277 instructions.
2420G.N301	Added new row(s) with 277 instructions.
2420G.N302	Added new row(s) with 277 instructions.
2420G.N401	Added new row(s) with 277 instructions.
2420G.N404	Added CSCCs.
2420H.NM103	Added new row(s) with 277 instructions.
2420H.N301	Added new row(s) with 277 instructions.
2420H.N302	Added new row(s) with 277 instructions.
2420H.N401	Added new row(s) with 277 instructions.
2420H.N404	Added CSCCs.
2430.SVD02	Added CSCCs.
2430.SVD03-1	Added CSCCs.
2430.SVD05	Added CSCCs.
2430.SVD06	Added CSCCs.
2430.CAS03	Added CSCCs.
2430.CAS06	Added CSCCs.
2430.CAS09	Added CSCCs.
2430.CAS12	Added CSCCs.
2430.CAS15	Added CSCCs.
2430.CAS18	Added CSCCs.
2440.LQ	Added CSCCs.



Change Log  
Changes to the version included for POC Review

2440.LQ02	Added CSCCs.
2440.FRM	Added CSCCs.
2440.FRM01	Added CSCCs.
2440.FRM02	Added CSCCs.
2440.FRM03	Added new row(s) with 277 instructions.
2440.FRM03	Added CSCCs.
2440.FRM04	Added CSCCs.
GS01	Changed 999 from E to R when element does not contain HC, also removed 277 edits due to redundancy
GS02	Removed 277 edit since this is before loop 2000
GS03	Removed 277 edit since this is before loop 2000
GS04	Removed 277 edit since this is before loop 2000
GS07	999 was missing on the first reject edit for missing element - added
GS07	999 was missing on the second edit for invalid value "X" - added
GS07	Removed 277 edit since this is before loop 2000
BHT03	Removed 277 edits since this is before loop 2000
BHT04	Removed 277 edit since this is before loop 2000
BHT06	Changed from 277 edit to 999 for invalid code value
1000B.NM103	Removed 277 edits since 277 does not contain an STC for the informaiton source
1000B.NM104	Removed 277 edits since 277 does not contain an STC for the informaiton source
1000B.NM105	Removed 277 edits since 277 does not contain an STC for the informaiton source
1000B.NM106	Removed 277 edits since 277 does not contain an STC for the informaiton source
1000B.NM107	Removed 277 edits since 277 does not contain an STC for the informaiton source
1000B.NM109	Removed 277 edits since 277 does not contain an STC for the informaiton source
1000B.NM110	Removed 277 edits since 277 does not contain an STC for the informaiton source
1000B.NM111	Removed 277 edits since 277 does not contain an STC for the informaiton source
1000B.NM112	Removed 277 edits since 277 does not contain an STC for the informaiton source
Amout Elements	Updated all monetary amounts to reflect flat file pictures of S9(8)V99
2300.HCP13-15	Modified the element edits from 2400.HCP to 2300.HCP
X222.121.2010BA.NM109.020	Joined the edits for Medicare IDs and Railroad IDs with an OR condition
X222.305.2320.AMT02.060	Modified edit to include impact of CAS amounts
X222.257.2310A.NM109.040	Removed edit for "2310A.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109."
X222.299.2320.CAS01.030	Corrected the date in the CEDI Edit column to reflect the current compliance date of 01/01/2012
X222.484.2430.CAS02.010	Corrected the date in the CEDI Edit column to reflect the current compliance date of 01/01/2012
X222.319.2330A.REF02.020	Change the CSC to 148 to reflect the SSN rather than the EIN Added "The first 3 digits cannot be higher than 772, and digits 1-3, 4-5, and 6-9 cannot be zeros."
X222.326.2330B.REF02.020	Added "Cannot be zeros."
X222.226.2300.HI	Updated the diagnosis code pointer the correct values
X222.157.2300.CLM02.040	Modified picture clause to 9(5)V99.
X222.295.2320.SBR05.010	Removed edit - does not apply for Medicare
X222.C7..GS04	Added TA1 error for invalid GS information

Change Log  
Changes to the version included for POC Review

X222.C7..GS05	Added TA1 error for invalid GS information
X222.070..ST	Added errors for ST segment
X222.226.2300.HI01-2	Corrected references to the principle diagnosis code (254)
X222.104.2010AB.N403.010	Added Entity Identifier Code
X222.104.2010AB.N404.010	Added Entity Identifier Code
X222.211.2300.CR106	Synchronized the edits for CR106 between claim and service line level
X222.104.2010AB.N404.010	Changed CSC to 680 for entity's country rather the entities country subdivision
X222.176.2300.DTP.010	Added bolded text If <b>2300.CLM05-5</b> or 2400.SV105 = "21", "51" or "61" then 2300.DTP with DTP01 = "435" must be present.
X222.351.2400.SV105.010	Modified the date reference from GS04 to BHT04 Transaction Set Creation Date
X222.299.2320.CAS01.030	Added a test for 2430.DTP(when used)
X222.332.2330C.NM1.010	Changed to loop must not be present (for Medicare) since only NPI is allowed under HIPAA
X222.332.2330C.NM1.020	Changed to segment must not be present (for Medicare) since only NPI is allowed under HIPAA
X222.334.2330C.REF.010	Changed to segment must not be present (for Medicare) since only NPI is allowed under HIPAA
2330D / 2330E / 2330F / 2330G	Change to match 2330C - must not be present (for Medicare)
X222.460.2420E.REF.020	Modified the number of repeats for 5010 from 2 to 1 since only 1 code is allowed.
X222.434.2420A.REF02.050	Corrected the reference to 2420A. Also removed the extra =
X222.452.2420D.REF02.030	Corrected the reference to 2420D. Also remove the extra =
X222.124.2010BA.N301	Corrected references from N302 to N301
X222.306.2320.AMT02.060	Changed CSC 183 to CSC 596 for edit "must be >=0"
X222.306.2320.AMT02.050	Removed the "sum of all" since there is only one amount for the equality test
X222.380.2400.DTP03.060	Added "or equal to" for consistency with the TR3.
X222.167.2300.DTP.010	Change the repeat for the segment from 5 to 1
X222.199.2300.REF01.010	Changed the code reference from 9B to 9A for REPRICED CLAIM NUMBER
X222.200.2300.REF01.010	Changed the code reference from 9D to 9D for ADJUSTED REPRICED CLAIM NUMBER
X222.207.2300.K301.050	Corrected the incorrect to the REF segment in the 5010 and CEDI columns
X222.214.2300.CR211.010	Corrected the reference to CR210 in the 5010 and CEDI columns
X222.214.2300.CR211.020	Corrected the reference to CR210 in the 5010 and CEDI columns
X222.214.2300.CR211.040	Corrected the reference to CR210 in the 5010 and CEDI columns
X222.257.2310A.NM109.040	Added validation for NPI for CEDI based upon PECOS file match
X222.454.2420E.NM109.040	Added validation for NPI for CEDI based upon PECOS file match
X222.257.2420F.NM109.050	Added validation for NPI for CEDI based upon PECOS file match
X222.439.2420B.REF	Added notes for Trailblazer only for legacy identifiers and added new edit for everyone but Trailblazer as must not be present
X222.452.2420D.REF	Added notes for Trailblazer only for legacy identifiers and added new edit for everyone but Trailblazer as must not be present
X222.460.2420E.REF	Added notes for Trailblazer only for legacy identifiers and added new edit for everyone but Trailblazer as must not be present
X222.320.2330B.NM109.030	This edit was incorrectly placed on the N3 segment following this NM1 segment. Modified the CSC code to reflect the incorrect payer ID.

Change Log  
Changes to the version included for POC Review

X222.092.2010AA.N403.020	Removed check for N404 which is now not allowed except for the subscriber (other insured)
X222.092.2010AA.N404.010	Change to must not be present
X222.104.2010AB.N403.020	Removed check for N404 which is now not allowed except for the subscriber (other insured)
X222.104.2010AB.N404.010	Change to must not be present
X222.136.2010BB.N403.020	Removed check for N404 which is now not allowed except for the subscriber (other insured)
X222.136.2010BB.N404.010	Change to must not be present
X222.273.2310C.N403.020	Removed check for N404 which is now not allowed except for the subscriber (other insured)
X222.273.2310C.N404.010	Change to must not be present
X222.288.2310E.N403.020	Removed check for N404 which is now not allowed except for the subscriber (other insured)
X222.288.2310E.N404.010	Change to must not be present
X222.293.2310F.N403.020	Removed check for N404 which is now not allowed except for the subscriber (other insured)
X222.293.2310F.N404.010	Change to must not be present
X222.323.2330B.N403.020	Removed check for N404 which is now not allowed except for the subscriber (other insured)
X222.323.2330B.N404.010	Change to must not be present
X222.445.2420C.N403.020	Removed check for N404 which is now not allowed except for the subscriber (other insured)
X222.445.2420C.N404.010	Change to must not be present
X222.458.2420E.N403.020	Removed check for N404 which is now not allowed except for the subscriber (other insured)
X222.458.2420E.N404.010	Change to must not be present
X222.473.2420G.N403.020	Removed check for N404 which is now not allowed except for the subscriber (other insured)
X222.473.2420G.N404.010	Change to must not be present
X222.478.2420H.N403.020	Removed check for N404 which is now not allowed except for the subscriber (other insured)
X222.478.2420H.N404.010	Change to must not be present
X222.351.2400.SV103.020	Added the anesthesia modifiers currently identified. (AA, AD, QK, QS, QX, QY or QZ)
X222.484.2430.CAS02.020	Changed the disposition for this claim adjustment reason code to match the others within the segment.
X222.257.2310A.NM108.010	Change to E Accept for further processing
Topic Parking Lot	Removed. Issue tracked provide no guidance or benefit for the implementation of the CR
X222.C7..GS.010	Change from 999 to TA1 and added disposition of "TA105: 024 Invalid GS Segment"
X222.299.2320.CAS06.050	Changed Accept/Reject to E
X222.299.2320.CAS09.050	Changed Accept/Reject to E
X222.299.2320.CAS15.050	Changed Accept/Reject to E
X222.299.2320.CAS12.050	Added missing edit for too short long. Old X222.299.2320.CAS12.050 renumbered to X222.299.2320.CAS12.060
X222.299.2320.CAS18.050	Changed Accept/Reject to E
X222.299.2320.CAS18.050	Added missing edit for too short long. Old X222.299.2320.CAS18.050 renumbered to X222.299.2320.CAS18.060
X222.252.2300.HCP	For all CEDI edits changed incorrect reference of 2400 to 2300
X222.084.2000A.CUR.010	Added new 999E edit for CUR segment as a not used for implementation error. This caused the current X222.084.2000A.CUR.010 edit to be pushed down to the second edit (.020) for the CUR segment.
X222.116.2000B.SBR01.020	Changed from R to E and swapped 030 and 040 edit to get corresponding 277 under 999E
All 277 rows	Added T & C to indicate errors which identified in the translator ( T ) and which errors are identified in the CEM ( C )

Change Log  
Changes to the version included for POC Review

X222.323.2330B.N403.020 X222.445.2420C.N403.020 X222.458.2420E.N403.020 X222.473.2420G.N403.020 X222.478.2420H.N403.020 X222.092.2010AA.N403.020 X222.104.2010AB.N403.020 X222.125.2010BA.N403.030 X222.136.2010BB.N403.020 X222.273.2310C.N403.020 X222.288.2310E.N403.020 X222.288.2310E.N403.020 X222.293.2310F.N403.020	Added check if N404 is not present then validate zip code
X222.439.2420B.REF01.020	Added note "Trailblazer Only"
X222.480.2430.SVD03-7.030	Removed the edit description. The 277 is paired with the previous 999E edit.
X222.283.2310D.REF01.030	Removed per comment and Brian's agreement.
X222.157.2300.CLM05-1.020	Change reference to the BHT segment from BHT05 to BHT04 for the date.
X222.351.2400.SV101-7.020	Removed 999E edit. This edit will be performed in the CEM. Remaining edits moved up.
X222.176.2300.DTP.010	Changed CLM05-5 to CLM05-1
X222.299.2320.CAS05.020 X222.299.2320.CAS05.030	Changed reference from CAS02 to CAS05
X222.299.2320.CAS08.020 X222.299.2320.CAS08.030	Changed reference from CAS02 to CAS08
X222.299.2320.CAS11.020 X222.299.2320.CAS11.030	Changed reference from CAS02 to CAS11
X222.299.2320.CAS14.020 X222.299.2320.CAS14.030	Changed reference from CAS02 to CAS14
X222.299.2320.CAS17.020 X222.299.2320.CAS17.030	Changed reference from CAS02 to CAS17
X222.260.2310A.REF.030	Changed reference from 2310AA to 2310A in column R
X222.454.2420E.NM109.040	Changed qualifier for Entity Identifier Code from DN to DK
X222.257.2420F.NM109.050	Changed reference to 2310A to 2420F in column S
X222.494.2440.FRM03.080	Removed the language in columns R and S. Incorrect for element FRM03
X222.074.1000A.NM103.020	Changed from 999R to 999E
X222.074.1000A.NM104.025	Inserted 277 to match change for X222.074.1000A.NM103.020
X222.098.2010AA.PER04.030	Changed from 999R to 999E
X222.116.2000B.SBR04.060	Changed from 999R to 999E
X222.192.2300.REF02.045	Added edit for invalid length to coorespond with the previous 999E edit
X222.199.2300.REF02.070	Removed duplicate edit to X222.199.2300.REF02.060
X222.252.2300.HCP02.020	Changed from 999R to 999E
X222.252.2300.HCP03.010	Changed from 999R to 999E

Change Log  
Changes to the version included for POC Review

X222.277.2310C.PER04.030	Changed from 999R to 999E
X222.405.2400.REF02.030	Removed incorrect language from 5010 edit column
X222.406.2400.REF02.035	Added 277 edit for invalid size
X222.407.2400.REF02.035	Added 277 edit for invalid size
X222.423.2410.LIN01.020	Removed 277 edit, not needed for LIN01 since it is not used (999E)
X222.491.2430.AMT02.020	Changed from 999R to 999E
X222.070..ST.020	Changed edit to IK502: 1 "Transaction Set Not Supported".
X222.071..BHT03.020	Deleted non-space character edit
X222.074.1000A.NM105.030	Added EIC 41 to edit
X222.092.2010AA.N403.020	Added edit to CEDI "If 2010AA.N404 is not present, 2010AA.N403 must be a valid 9 digit Zip Code".
X222.091.2010AA.N302.010	Changed Accept/Reject to E
X222.091.2010AA.N302.020	Added edit CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length Invalid" CSC 126: "Entity's Address" Entity Identifier Code: 85 Billing Provider
X222.092.2010AA.N407.020	Added edit to CEDI "If 2010AA.N407 is present, then 2010AA.N404 must not = "US" or CAN".
X222.125.2010BA.N402.030	Added edit to CEDI "2010BA.N402 must be a valid state or province code".
X222.104.2010AB.N403.020	Added edit to CEDI "If 2010AB.N404 is not present, 2010AB.N403 must be a valid Zip Code".
X222.106.2010AC.NM1.Loop.010	Changed edit for all 2010AC segments to "CSCC A3: "Acknowledgement /Returned as unprocessable claim"
X222.157.2300.CLM05-3.02	Changed T to C
X222.182.2300.PWK06.060	Changed edit to reflect "two" non-space characters
X222.182.2300.PWK06.060	Changed edit to 999 R
X222.199.2300.REF02.010	Changed element name to "Repriced Claim Reference Number"
X222.199.2300.REF02.040	Replaced "CSC 636" with "TBD13" to align with X223 spreadsheet
X222.199.2300.REF02.060	Replaced "CSC 636" with "TBD13" to align with X223 spreadsheet
X222.205.2300.REF02.020	Added edit "2300.REF02 must contain at least one non-space character".
X222.205.2300.REF02.030	Added edit "2300.REF02 must be 1-50 characters".
X222.205.2300.REF02.040	Added 277T edit
X222.223.2300.CRC.010	Changed EPSDT CRC to Pass Through Syntax Only.
X222.223.2300.CRC05.010	Deleted edit "2300.CRC05 can only be present if 2300.CRC04 is present".
X222.226.2300.HI.010	Changed to IK304 = 3: "Required Segment Missing"
X222.226.2300.HI.020	Changed to IK304 = 3: "Required Segment Missing"
X222.226.2300.HI.030	Changed to IK304 = 3: "Required Segment Missing"
X222.295.2320.SBR.010	Added loop repeat (10)
X222.295.2320.SBR01.040	Changed disposition to CSCC A6: "Acknowledgement/Rejected for Missing Information..."
X222.299.2320.CAS02.030	Added CSC 516: Adjudication or Payment Date
X222.299.2320.CAS05.030	Changed to "CSCC A8 Acknowledgement / Rejected for relational field in error" and added "CSC 516: Adjudication or Payment Date".
X222.299.2320.CAS08.030	Changed to "CSCC A8 Acknowledgement / Rejected for relational field in error" and added "CSC 516: Adjudication or Payment Date".

Change Log  
Changes to the version included for POC Review

X222.299.2320.CAS11.030	Changed to "CSCC A8 Acknowledgement / Rejected for relational field in error" and added "CSC 516: Adjudication or Payment Date".
X222.299.2320.CAS13.020	Changed to 999E
X222.299.2320.CAS14.030	Changed to "CSCC A8 Acknowledgement / Rejected for relational field in error" and added "CSC 516: Adjudication or Payment Date".
X222.305.2320.AMT.030	Changed to CSCC A6: "Acknowledgement/Rejected for Missing Information..."
X222.401.2400.REF02.070	Added CSCC A7: "Acknowledgement /Rejected for Invalid Information..."
X222.423.2410.LIN03.020	Added CSCC A7: "Acknowledgement /Rejected for Invalid Information..."
X222.426.2410.CTP05.010	Added edit "If CTP04 is present then CPT05 must be present".
X222.430.2420A.NM109.020	Added CSCC A7: "Acknowledgement /Rejected for Invalid Information..."
X222.430.2420A.NM109.030	Added CSCC A7: "Acknowledgement /Rejected for Invalid Information..."
X222.480.2430.SVD03-3.010	Added "TBD22: "Line Adjudication Information"
X222.480.2430.SVD03-4.020	Added "TBD22: "Line Adjudication Information"
X222.480.2430.SVD03-5.020	Added "TBD22: "Line Adjudication Information"
X222.480.2430.SVD03-6.020	Added "TBD22: "Line Adjudication Information"
X222.484.2430.CAS09.060	Added "CSC 519: "Adjustment Amount" and "EIC: GB Other Insured"
X222.484.2430.CAS15.060	Added "CSC 519: "Adjustment Amount" and "EIC: GB Other Insured"
X222.491.2430.AMT02.040	Line added
Global	Changed all TBD10 to CSC 127 "Entity's Phone Number"
Global	Changed all TBD11 to CSC 53: "Entity ID Number"
Global	Changed all TBD13 to CSC 702: "Repriced Claim Reference Number"
Global	Changed all TBD16 to CSC 153: "Entity's ID Number"
Global	Changed all TBD20 to CSC 153: "Entity's ID Number"
X222.087.2010AA.NM104.050	Changed CSC to CSC 512: "Length invalid"
X222.087.2010AA.NM105.050	Changed CSC to CSC 512: "Length invalid"
X222.087.2010AA.NM107.050	Changed CSC to CSC 512: "Length invalid"
X222.103.2010AB.N302.050	Line added
X222.214.2300.CR210.030	Added CSC 512: "Length invalid"
X222.299.2320.CAS07.030	Line added
X222.299.2320.CAS10.030	Line added
X222.299.2320.CAS13.030	Line added
X222.299.2320.CAS16.030	Line added
X222.299.2320.CAS19.030	Line added
X222.411.2400.K301.020	Changed to 999E
X222.116.2000B.SBR04.030	Changed CSCC to A7: "Acknowledgement /Rejected for Invalid Information..." and added CSC 512: "Length invalid"
X222.116.2000B.SBR04.050	Changd CSC to CSC 511: "Invalid character"
X222.310.2320.MOA08.020	Added "999E IK403 = 5: "Data Element Too Long"
X222.310.2320.MOA09.050	Added CSC 598: "Non-payable Professional Component Billed Amount"
X222.322.2330B.N3.020	Added "999R IK304 = 5: "Segment Exceeds Maximum Use"
X222.320.2330B.NM109.030	Changed to "999R IK403 = I12: "Implementation Pattern Match Failure"

Change Log  
Changes to the version included for POC Review

X222.326.2330B.REF.010	Changed 999R to "IK304 = I6: "Implementation Dependent Segment Missing"
X222.326.2330B.REF02.020	Changed T to C
X222.328.2330B.REF.010	Changed 999R to "IK304 = I6: "Implementation Dependent Segment Missing"
X222.329.2330B.REF.010	Changed 999R to "IK304 = I6: "Implementation Dependent Segment Missing"
X222.330.2330B.REF.010	Changed 999R to "IK304 = I6: "Implementation Dependent Segment Missing"
X222.331.2330B.REF.010	Changed 999R to "IK304 = I6: "Implementation Dependent Segment Missing"
X222.413.2400.NTE02.040	Removed EIC TU
X222.413.2400.NTE02.060	Removed EIC TU
X222.430.2420A.NM108.020	Changed T to C
X222.465.2420F.NM108.010	Changed to CSCC A6: "Acknowledgement/Rejected for Missing Information..."
X222.465.2420F.NM108.020	Changed to CSCC A6: "Acknowledgement/Rejected for Missing Information..."
X222.390.2400.DTP03.020	Added "CSC 701 "Initial Treatment Date"
X222.389.2400.DTP03.020	Added "CSC 210 "Date of the Last X-ray"
X222.387.2400.DTP03.020	Added "CSC 653 "Test Performed Date"
X222.385.2400.DTP03.020	Added "CSC 580 "Last Certification Date"
X222.081.2000A..010	Added "IK304 = I7: "Implementation Loop Occurs Under Minimum Times"
X222.114.2000B..010	Added "IK304 = I7: "Implementation Loop Occurs Under Minimum Times"
X222.116.2000B.SBR.010	Changed from >1 to 1
X222.081.2000A..020	Added "IK304 = 4: "Loop Occurs Over Maximum Times"
X222.087.2010AA.NM108.010	Changed to "CSCC A8: "Acknowledgement / Rejected for relational field in error" and added EIC 85
X222.087.2010AA.NM108.020	Changed to "CSCC A6: "Acknowledgement/Rejected for Missing Information..." and changed T to C
X222.257.2310A.NM108.020	Changed to "CSCC A8: "Acknowledgement / Rejected for relational field in error", added EIC DN, and changed T to C
X222.257.2310A.NM108.030	Changed to "CSCC A6: "Acknowledgement/Rejected for Missing Information...", added EIC DN, and changed T to C
X222.262.2310B.NM108.010	Changed to "CSCC A8: "Acknowledgement / Rejected for relational field in error" and added EIC 82
X222.262.2310B.NM108.020	Changed to "CSCC A6: "Acknowledgement/Rejected for Missing Information..." and changed T to C
X222.280.2310D.NM108.010	Changed to "CSCC A8: "Acknowledgement / Rejected for relational field in error" and added EIC DQ
X222.280.2310D.NM108.020	Changed to "CSCC A6: "Acknowledgement/Rejected for Missing Information..." and added EIC DQ
X222.430.2420A.NM108.010	Changed to "CSCC A8: "Acknowledgement / Rejected for relational field in error"
X222.436.2420B.NM108.020	Changed to "CSCC A6: "Acknowledgement/Rejected for Missing Information...", added EIC QB, and changed T to C
X222.449.2420D.NM108.010	Changed to "CSCC A8: "Acknowledgement / Rejected for relational field in error" and added EIC DQ
X222.449.2420D.NM108.020	Changed to "CSCC A6: "Acknowledgement/Rejected for Missing Information...", added EIC DQ, and changed T to C
X222.454.2420E.NM108.020	Changed to "CSCC A6: "Acknowledgement/Rejected for Missing Information...", added EIC DK, and changed T to C
X222.465.2420F.NM108.010	Changed to "CSCC A8: "Acknowledgement / Rejected for relational field in error" and added EIC DN
X222.257.2310A.NM108.030	Changed to 999R and moved below other NM108 edits
X222.465.2420F.NM108.040	Removed edit 999R "IK403 = 2 "Conditional Required Data Element Missing"...If 2420F.NM108 is present, 2420F.NM109 must be present.

Change Log  
Changes to the version included for POC Review

X222.305.2320.AMT02.010	Added "2320.AMT02 must be <= 99,999.99" to CEDI column
X222.480.2430.SVD06.030	Removed edit 277 T "CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & "CSC 526: "Bundled or Unbundled Line Number" 2430.SVD06 must be > 0
X222.484.2430.CAS.020	Changed to IK304 = 5: "Segment Exceeds Maximum Use"
X222.484.2430.CAS01.030	Added EIC GB
X222.484.2430.CAS03.040	Added CSC 519: "Adjustment Amount" and EIC GB
X222.484.2430.CAS12.060	Added CSC 519: "Adjustment Amount" and EIC GB
X222.484.2430.CAS17.020	Added CSCC A8 Acknowledgement / Rejected for relational field in error, CSC 521: Adjustment Reason Code, CSC 516: Adjudication or Payment Date, and EIC: GB Other Insured
X222.484.2430.CAS13.020	Changed 999R to 999E
X222.484.2430.CAS18.060	Added CSC 519: "Adjustment Amount" and EIC GB
X222.484.2430.CAS06.060	Added CSC 519: "Adjustment Amount" and EIC GB
X222.484.2430.CAS04.020	Added CSCC A7: "Acknowledgement /Rejected for Invalid Information...", CSC 512: "Length invalid for receiver's application system", CSC 519: "Adjustment Amount", and EIC: GB Other Insured
X222.484.2430.CAS07.030	Added CSCC A7: "Acknowledgement /Rejected for Invalid Information...", CSC 512: "Length invalid for receiver's application system", CSC 519: "Adjustment Amount", and EIC: GB Other Insured
X222.484.2430.CAS10.030	Added CSCC A7: "Acknowledgement /Rejected for Invalid Information...", CSC 512: "Length invalid for receiver's application system", CSC 519: "Adjustment Amount", and EIC: GB Other Insured
X222.484.2430.CAS13.030	Added CSCC A7: "Acknowledgement /Rejected for Invalid Information...", CSC 512: "Length invalid for receiver's application system", CSC 519: "Adjustment Amount", and EIC: GB Other Insured
X222.484.2430.CAS16.030	Added CSCC A7: "Acknowledgement /Rejected for Invalid Information...", CSC 512: "Length invalid for receiver's application system", CSC 519: "Adjustment Amount", and EIC: GB Other Insured
X222.484.2430.CAS19.030	Added CSCC A7: "Acknowledgement /Rejected for Invalid Information...", CSC 512: "Length invalid for receiver's application system", CSC 519: "Adjustment Amount", and EIC: GB Other Insured
X222.104.2010AB.N403.020	Changed from T to C
X222.452.2420D.REF02.030	Corrected loop reference in edit from 2310B to 2420D
X222.142.2000C.HL.010	Changed T to C
X222.144.2000C.PAT.010	Changed T to C
X222.147.2010CA.NM1.010	Changed T to C
X222.149.2010CA.N3.010	Changed T to C
X222.150.2010CA.N4.010	Changed T to C
X222.152.2010CA.DMG.010	Changed T to C
X222.154.2010CA.REF.010	Changed T to C
X222.155.2010CA.PER.010	Changed T to C
X222.125.2010BA.N403.030	Loop references corrected from 2010AB to 2010BA
X222.074.1000A.NM103.040	Changed to 999R
X222.074.1000A.NM104.060	Changed to 999R
X222.074.1000A.NM105.060	Changed to 999R
X222.074.1000A.NM109.050	Changed to 999R
X222.076.1000A.PER02.080	Changed to 999R
X222.076.1000A.PER04.050	Changed to 999R



Change Log  
Changes to the version included for POC Review

X222.076.1000A.PER06.050	Changed to 999R
X222.104.2010AB.N403.010	Changed to 999R
X222.125.2010BA.N403.010	Changed to 999R
X222.076.1000A.PER08.050	Changed to 999R
X222.326.2330B.REF02.040	Changed to 999E
X222.434.2420A.REF02.040	Changed to 999E
X222.104.2010AB.N403.030	Edit deactivated (hidden)
X222.125.2010BA.N403.030	Edit deactivated (hidden)
X222.136.2010BB.N403.020	Changed to CSCC A8: "Acknowledgement / Rejected for relational field in error"
X222.288.2310E.N403.020	Changed to CSCC A8: "Acknowledgement / Rejected for relational field in error"
X222.293.2310F.N403.020	Changed to CSCC A8: "Acknowledgement / Rejected for relational field in error"
X222.317.2330A.N403.020	Changed to CSCC A8: "Acknowledgement / Rejected for relational field in error"
X222.323.2330B.N403.020	Changed to CSCC A8: "Acknowledgement / Rejected for relational field in error"
X222.458.2420E.N403.020	Added: CSCC A8: "Acknowledgement / Rejected for relational field in error"
X222.473.2420G.N403.020	Added: CSCC A8: "Acknowledgement / Rejected for relational field in error"
X222.478.2420H.N403.020	Added: CSCC A8: "Acknowledgement / Rejected for relational field in error"
X222.131.2010BA.PER06.020	Changed to 999R
X222.074.1000A.NM103.020	Changed to 999R
X222.074.1000A.NM104.010	Changed to 999R
X222.074.1000A.NM104.030	Changed to 999R
X222.074.1000A.NM104.050	Changed to 999R
X222.074.1000A.NM105.020	Changed to 999R
X222.074.1000A.NM105.040	Changed to 999R
X222.074.1000A.NM109.030	Changed to 999R
X222.074.1000A.NM109.070	Changed to 999R and changed to IK403=I12
X222.076.1000A.PER02.020	Changed to 999R
X222.076.1000A.PER02.040	Changed to 999R
X222.076.1000A.PER02.060	Changed to 999R
X222.076.1000A.PER04.030	Changed to 999R
X222.076.1000A.PER06.030	Changed to 999R
X222.076.1000A.PER08.030	Changed to 999R
X222.103.2010AB.N302.060	Added: IK403 = 6: "Invalid Character in Data Element"
X222.133.2010BB.NM109.050	Added to CEDI: 2010BB.NM109 must be populated with accepted AN characters.
X222.277.2310C.PER04.050	Added to CEDI: 1000A.PER04 must be populated with accepted AN characters.
X222.277.2310C.PER06.050	Added to CEDI: 1000A.PER06 must be populated with accepted AN characters.
X222.397.2400.REF02.050	Added to CEDI: 2400.REF02 must be populated with accepted AN characters.
X222.398.2400.REF02.050	Added to CEDI: 2400.REF02 must be populated with accepted AN characters.
X222.326.2330B.REF02.045	NEW EDIT: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 128: "Entity's tax id" EIC: TBD for "Other Payer"
X222.434.2420A.REF02.045	NEW EDIT: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 560: "Entity's Additional/Secondary Identifier" EIC 82 Rendering Provider

Change Log  
Changes to the version included for POC Review

X222.098.2010AA.PER06.020	Changed to 999E
X222.098.2010AA.PER06.025	NEW EDIT: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length Invalid" CSC 127: "Entity's Phone Number" EIC: 85 Billing Provider
X222.098.2010AA.PER08.02	Changed to 999E
X222.098.2010AA.PER08.025	NEW EDIT: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" EIC: 85 billing Provider
X222.131.2010BA.PER04.050	Added: CSC 512: "Length Invalid"
X222.157.2300.CLM01.040	Added: CSC 512: "Length Invalid"
X222.328.2330B.REF02.025	NEW EDIT: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length Invalid" CSC 48: "Referral/authorization" EIC: TBD for "Other Payer"
X222.329.2330B.REF02.020	Changed to 999E
X222.329.2330B.REF02.025	NEW EDIT: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length Invalid" CSC 48: "Referral/authorization" EIC: TBD for "Other Payer"
X222.331.2330B.REF02.020	Changed to 999E
X222.331.2330B.REF02.025	NEW EDIT: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length Invalid" CSC 464: "Payer Assigned Claim Control Number" EIC: TBD for "Other Payer"
X222.359.2400.SV503.025	NEW EDIT: 999E IK403 = 5: "Data Element Too Long"
X222.359.2400.SV504.035	NEW EDIT: 999E IK403 = 5: "Data Element Too Long"
X222.359.2400.SV505.035	NEW EDIT: 999E IK403 = 5: "Data Element Too Long"
X222.368.2400.CR102.015	NEW EDIT: 999E IK403 = 5: "Data Element Too Long"
X222.368.2400.CR106.035	NEW EDIT: 999E IK403 = 5: "Data Element Too Long"
X222.371.2400.CR303.015	NEW EDIT: 999E IK403 = 5: "Data Element Too Long"
X222.391.2400.QTY02.035	NEW EDIT: 999E IK403 = 5: "Data Element Too Long"
X222.392.2400.QTY02.035	NEW EDIT: 999E IK403 = 5: "Data Element Too Long"
X222.393.2400.MEA03.025	NEW EDIT: 999E IK403 = 5: "Data Element Too Long"
X222.415.2400.PS101.025	NEW EDIT: 999E IK403 = 5: "Data Element Too Long"
X222.426.2410.CTP04.015	NEW EDIT: 999E IK403 = 5: "Data Element Too Long"
X222.428.2410.REF02.035	NEW EDIT: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length Invalid" CSC 219: "Prescription number"
X222.475.2420H.NM103.025	NEW EDIT: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length Invalid" CSC 504: "Entity's Last Name" CSC 266: "Facility point of origin and destination - ambulance"
X222.480.2430.SVD06.030	Changed to 999E
X222.480.2430.SVD06.035	NEW EDIT: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length Invalid"
X222.326.2330B.REF02.030	Changed to 999E
X222.326.2330B.REF02.035	NEW EDIT: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length Invalid" CSC 128: "Entity's tax id" EIC: TBD for "Other Payer"
X222.434.2420A.REF02.030	Changed to 999E
X222.434.2420A.REF02.035	NEW EDIT: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length Invalid" CSC 560: "Entity's Additional/Secondary Identifier" EIC 82 Rendering Provider
X222.480.2430.SVD05.025	NEW EDIT: 999E IK403 = 5: "Data Element Too Long"

Change Log  
Changes to the version included for POC Review

X222.480.2430.SVD05.035	NEW EDIT: 999E IK403 = 5: "Data Element Too Long"
X222.434.2420A.REF02.050	Changed to IK403 = 6: "Invalid Character in Data Element"
X222.116.2000B.SBR04.060	Changed to 999R
X222.131.2010BA.PER04.020	Changed to 999R
X222.116.2000B.SBR01.020	Changed to 999R
X222.074.1000A.NM104.025	Edit deactivated (hidden)
X222.074.1000A.NM103.050	Edit deactivated (hidden)
X222.074.1000A.NM104.020	Edit deactivated (hidden)
X222.074.1000A.NM104.040	Edit deactivated (hidden)
X222.074.1000A.NM104.070	Edit deactivated (hidden)
X222.074.1000A.NM105.030	Edit deactivated (hidden)
X222.074.1000A.NM105.050	Edit deactivated (hidden)
X222.074.1000A.NM105.070	Edit deactivated (hidden)
X222.074.1000A.NM109.040	Edit deactivated (hidden)
X222.074.1000A.NM109.060	Edit deactivated (hidden)
X222.076.1000A.PER02.030	Edit deactivated (hidden)
X222.076.1000A.PER02.050	Edit deactivated (hidden)
X222.076.1000A.PER02.070	Edit deactivated (hidden)
X222.076.1000A.PER02.090	Edit deactivated (hidden)
X222.076.1000A.PER04.040	Edit deactivated (hidden)
X222.076.1000A.PER04.060	Edit deactivated (hidden)
X222.076.1000A.PER06.040	Edit deactivated (hidden)
X222.076.1000A.PER06.060	Edit deactivated (hidden)
X222.076.1000A.PER08.040	Edit deactivated (hidden)
X222.076.1000A.PER08.060	Edit deactivated (hidden)
X222.351.2400.SV103.020	Changed to 277C and CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD29: Anesthesia Unit Qualifier
2010AA.NM108	Changed all to 277/situational data required.
X222.328.2330B.REF02.020	Changed to 999E
X222.428.2410.REF03.010	Changed to 999E
X222.428.2410.REF04.010	Changed to 999E
X222.087.2010AA.NM109.050	Changed to 999R and IK403 = I12: "Implementation Pattern Match Failure"
X222.480.2430.SVD05.050	Changed to IK403 = 6: "Invalid Character in Data Element"
X222.305.2320.AMT02.020	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.305.2320.AMT02.040	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.305.2320.AMT02.050	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.305.2320.AMT02.060	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.320.2330B.NM103.040	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.320.2330B.NM103.060	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.322.2330B.N301.040	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.322.2330B.N301.060	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information

Change Log  
Changes to the version included for POC Review

X222.322.2330B.N302.040	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.322.2330B.N302.060	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.323.2330B.N401.040	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.323.2330B.N401.060	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.323.2330B.N402.020	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.323.2330B.N403.020	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.323.2330B.N407.010	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.326.2330B.REF02.020	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.326.2330B.REF02.035	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.326.2330B.REF02.045	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.328.2330B.REF02.025	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.328.2330B.REF02.040	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.329.2330B.REF02.025	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.329.2330B.REF02.040	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.331.2330B.REF02.025	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.331.2330B.REF02.040	Replaced a TBD EIC with CSC 286: Other payer's Explanation of Benefits/payment information
X222.106.2010AC.010	Edit deactivated (hidden)
X222.106.2010AC.NM1.010	Changed to 277T
X222.108.2010AC.N3.010	Changed to 277T
X222.109.2010AC.N4.010	Changed to 277T
X222.111.2010AC.REF.010	Changed to 277T
X222.113.2010AC.REF.020	Changed to 277T
X222.142.2000C.HL.010	Changed to 277T
X222.144.2000C.PAT.010	Changed to 277T
X222.147.2010CA.NM1.010	Changed to 277T
X222.149.2010CA.N3.010	Changed to 277T
X222.150.2010CA.N4.010	Changed to 277T
X222.152.2010CA.DMG.010	Changed to 277T
X222.154.2010CA.REF.010	Changed to 277T
X222.155.2010CA.PER.010	Changed to 277T
X222.092.2010AA.N407.010	Edit deactivated (hidden)
X222.092.2010AA.N407.020	Edit deactivated (hidden)
X222.092.2010AA.N407.005	NEW EDIT: 999E IK403 = I10: "Implementation "Not Used" Element Present"
X222.104.2010AB.N407.005	NEW EDIT: 999E IK403 = I10: "Implementation "Not Used" Element Present"
X222.104.2010AB.N407.010	Edit deactivated (hidden)
X222.104.2010AB.N407.020	Edit deactivated (hidden)
X222.136.2010BB.N407.005	NEW EDIT: 999E IK403 = I10: "Implementation "Not Used" Element Present"
X222.136.2010BB.N407.010	Edit deactivated (hidden)
X222.273.2310C.N407.005	NEW EDIT: 999E IK403 = I10: "Implementation "Not Used" Element Present"
X222.273.2310C.N407.010	Edit deactivated (hidden)
X222.288.2310E.N407.005	NEW EDIT: 999E IK403 = I10: "Implementation "Not Used" Element Present"

Change Log  
Changes to the version included for POC Review

X222.288.2310E.N407.010	Edit deactivated (hidden)
X222.293.2310F.N407.005	NEW EDIT: 999E IK403 = I10: "Implementation "Not Used" Element Present"
X222.293.2310F.N407.010	Edit deactivated (hidden)
X222.323.2330B.N407.005	NEW EDIT: 999E IK403 = I10: "Implementation "Not Used" Element Present"
X222.323.2330B.N407.010	Edit deactivated (hidden)
X222.445.2420C.N407.005	NEW EDIT: 999E IK403 = I10: "Implementation "Not Used" Element Present"
X222.445.2420C.N407.010	Edit deactivated (hidden)
X222.458.2420E.N407.005	NEW EDIT: 999E IK403 = I10: "Implementation "Not Used" Element Present"
X222.458.2420E.N407.010	Edit deactivated (hidden)
X222.473.2420G.N407.005	NEW EDIT: 999E IK403 = I10: "Implementation "Not Used" Element Present"
X222.473.2420G.N407.010	Edit deactivated (hidden)
X222.478.2420H.N407.005	NEW EDIT: 999E IK403 = I10: "Implementation "Not Used" Element Present"
X222.478.2420H.N407.010	Edit deactivated (hidden)
X222.127.2010BA.DMG04.020	Edit deactivated (hidden)
X222.074.1000B.NM109.020	NEW EDIT: 999R IK403 = 6: "Invalid Character in Data Element"
X222.074.1000B.NM109.030	NEW EDIT: 999R IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"
X222.074.1000B.NM109.040	NEW EDIT: 999R IK403 = 6: "Invalid Character in Data Element"
X222.133.2010BB.NM109.025	NEW EDIT: 277 C CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 21: "Missing or Invalid Information" CSC 153: "Entity ID Number" EIC "PR" Payer CSC 153: "Entity ID Number" EIC 40: "Reciever"
X222.133.2010BB.NM109.030	Corrected column R & S language to reflect a "size" edit
X222.226.2300.HI04-2.050	Changed CSC to 255 "Diagnosis code"
X222.287.2310E.N301.040	Changed EIC 266 to CSC 266
X222.287.2310E.N301.060	Changed EIC 266 to CSC 266
X222.287.2310E.N302.040	Changed EIC 266 to CSC 266
X222.287.2310E.N302.060	Changed EIC 266 to CSC 266
X222.288.2310E.N401.040	Changed EIC 266 to CSC 266
X222.288.2310E.N401.060	Changed EIC 266 to CSC 266
X222.288.2310E.N402.020	Changed EIC 266 to CSC 266
X222.288.2310E.N403.020	Changed EIC 266 to CSC 266
X222.290.2310F.NM103.030	Changed EIC 266 to CSC 266
X222.290.2310F.NM103.050	Changed EIC 266 to CSC 266
X222.292.2310F.N301.040	Changed EIC 266 to CSC 266
X222.292.2310F.N301.060	Changed EIC 266 to CSC 266
X222.292.2310F.N302.040	Changed EIC 266 to CSC 266
X222.292.2310F.N302.060	Changed EIC 266 to CSC 266
X222.293.2310F.N401.040	Changed EIC 266 to CSC 266

Change Log  
Changes to the version included for POC Review

X222.293.2310F.N401.060	Changed EIC 266 to CSC 266
X222.293.2310F.N402.020	Changed EIC 266 to CSC 266
X222.293.2310F.N403.020	Changed EIC 266 to CSC 266
X222.091.2010AA.N302.005	Edit relocated (X222.091.2010AA.N302.050)
X222.091.2010AA.N302.050	Edit deactivated (hidden)
X222.103.2010AB.N302.020	Edit deactivated (hidden)
X222.103.2010AB.N302.030	Edit deactivated (hidden)
X222.103.2010AB.N302.045	NEW EDIT: CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length Invalid" CSC 126: "Entity's Address" EIC: 87 Pay-to Provider
X222.124.2010BA.N302.010	Edit deactivated (hidden)
X222.135.2010BB.N302.010	Edit deactivated (hidden)
X222.272.2310C.N302.010	Edit deactivated (hidden)
X222.287.2310E.N302.010	Edit deactivated (hidden)
X222.292.2310F.N302.010	Edit deactivated (hidden)
X222.316.2330A.N302.010	Edit deactivated (hidden)
X222.322.2330B.N302.010	Edit deactivated (hidden)
X222.444.2420C.N302.010	Edit deactivated (hidden)
X222.457.2420E.N302.010	Edit deactivated (hidden)
X222.472.2420G.N302.010	Edit deactivated (hidden)
X222.477.2420H.N302.010	Edit deactivated (hidden)
X222.316.2330A.N301.015	Edit relocated (X222.316.2330A.N301.060)
X222.316.2330A.N301.060	Edit deactivated (hidden)
X222.257.2420F.NM109.050	Edit deactivated (hidden)
X222.465.2420F.NM109.050	NEW EDIT added
X222.332.2330C.NM1.010	Edit deactivated (hidden)
X222.332.2330C..010	NEW EDIT added
X222.336.2330D..010	NEW EDIT: CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"
X222.340.2330E..010	NEW EDIT: CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"
X222.343.2330F..010	NEW EDIT: CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"
X222.347.2330G..010	NEW EDIT: CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"
X222.439.2420B.REF.030	Changed to 999R
X222.452.2420D.REF.030	Changed to 999R
X222.460.2420E.REF.030	Changed to 999R
X222.283.2310D.REF.015	NEW EDIT: 999R IK403 = I10: "Implementation "Not Used" Element Present" (Everyone but TrailBlazer)

Change Log  
Changes to the version included for POC Review

X222.277.2310C.PER04.050	Corrected typo in loop reference (Column R) from 1000A to 2310C
X222.277.2310C.PER05.020	Corrected typo in loop reference (Column R) from 1000A to 2310C
X222.277.2310C.PER06.020	Corrected typo in loop reference (Column R) from 1000A to 2310C
X222.277.2310C.PER06.050	Corrected typo in loop reference (Column R) from 1000A to 2310C
X222.277.2310C.PER04.020	Corrected typo in loop reference (Column R) from 2010BA to 2310C
X222.182.2300.PWK06.070	Edit deactivated (hidden)
X222.096.2010AA.REF02.030	Edit deactivated (hidden) (replaced by X222.140.2010BB.REF02.070)
X222.140.2010BB.REF02.070	NEW EDIT: 999R IK403 = I12: "Implementation Pattern Match Failure" (replaces X222.096.2010AA.REF02.030)
X222.092.2010AA.N402.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.092.2010AA.N403.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.104.2010AB.N402.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.104.2010AB.N403.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.125.2010BA.N402.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.125.2010BA.N403.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.136.2010BB.N402.020	Reworded proposed edit
X222.136.2010BB.N403.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.273.2310C.N402.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.273.2310C.N403.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.288.2310E.N402.020	Reworded proposed edit
X222.293.2310F.N402.020	Reworded proposed edit
X222.293.2310F.N403.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.317.2330A.N402.020	Reworded proposed edit
X222.317.2330A.N403.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.323.2330B.N402.020	Reworded proposed edit
X222.323.2330B.N403.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.445.2420C.N402.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.445.2420C.N403.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.458.2420E.N402.020	Reworded proposed edit
X222.458.2420E.N403.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.473.2420G.N402.020	Reworded proposed edit
X222.473.2420G.N403.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.478.2420H.N402.020	Reworded proposed edit
X222.478.2420H.N403.020	Changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..." & reworded proposed edit
X222.351.2400.SV101-3.010	Added CSCC A7: "Acknowledgement /Rejected for Invalid Information..."
X222.351.2400.SV101-3.020	Added CSCC A7: "Acknowledgement /Rejected for Invalid Information..."
X222.480.2430.SVD02.070	Added CSCC A7: "Acknowledgement /Rejected for Invalid Information..."
X222.351.2400.SV102.025	Edit reference number added to row. Is not a new edit.
X222.119.2000B.PAT08.020	Changed to 277C

Change Log  
Changes to the version included for POC Review

X222.119.2000B.PAT08.025	NEW EDIT: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 273: "Weight" EIC: IL Subscriber
X222.114.2000B.HL04.020	Changed to 277T
X222.305.2320.AMT02.060	Revised proposed edits
X222.351.2400.SV102.060	NEW EDIT: 277C CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 400: "Claim is out of balance: CSC 583:"Line Item Charge Amount" CSC 643: "Service Line Paid Amount"
X222.157.2300.CLM02.080	NEW EDIT: 277C CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 400: "Claim is out of Balance" CSC 672 "Payer's payment information is out of balance"
General	Balancing tab removed. Balancing edits incorporated into spreadsheet
General	Edit rules worksheet added
General	Style sheet removed
X222.295.2320.SBR04.010	Re-worded proposed edit language
X222.116.2000B.SBR04.070	Edit deactivated (hidden)
X222.116.2000B.SBR04.015	Edit relocated (X222.116.2000B.SBR04.060)
X222.116.2000B.SBR04.060	Edit deactivated (hidden)
X222.328.2330B.REF02.025	Added 277T
X222.124.2010BA.N301.020	Corrected proposed edit reference from N302 to N301
X222.121.2010BA.NM102.020	Changed to 277C
X222.121.2010BA.NM104.010	Changed to 277C
X222.391.2400.QTY02.035	Corrected proposed edit reference from CR106 to QTY02
X222.119.2000B.PAT08.015	NEW EDIT added: 999E IK403 = 5: "Data Element Too Long"
X222.119.2000B.PAT08.020	Changed to 277T
X222.C7..GS07.010	Changed to TA1
X222.C7..GS07.020	Changed to TA1
X222.074.1000B.NM109.050	NEW EDIT added: IK403 = I12: "Implementation Pattern Match Failure"
X222.074.1000B.NM109.020	Edit deactivated (hidden) see X222.074.1000B.NM109.050 above
X222.074.1000B.NM109.030	Edit deactivated (hidden) see X222.074.1000B.NM109.050 above
X222.074.1000B.NM109.040	Edit deactivated (hidden) see X222.074.1000B.NM109.050 above
X222.157.2300.CLM02.080	Proposed edit language changed to read "CLM02 must equal the sum of all 2320 & 2430 CAS amounts and the 2320 AMT02 (AMT01=D)."
X222.496..SE.020	Edit deactivated (hidden)
X222.C8..GE.020	Edit deactivated (hidden)
X222.252.2300.HCP01.010	Removed value 06 from column N
Edits Rules	Changes made to row 105. Added new rows 58, 101, and 145.
X222.305.2320.AMT02.040	Changed to 277C
X222.306.2320.AMT02.060	Changed to 277C



Change Log  
Changes to the version included for POC Review

X222.307.2320.AMT02.005	Edit relocated (X222.307.2320.AMT02.030)
X222.307.2320.AMT02.030	Edit deactivated (hidden)
X222.307.2320.AMT02.040	Edit deactivated (hidden)
X222.307.2320.AMT02.025	NEW EDIT added: 277T CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 6 Balance due from the subscriber. EIC: GB Other Insured
General	Removed 4010A1 values column
X222.116.2000B.SBR05.030	Changed to 277C
X222.138.2010BB.REF.010	Changed to 277C
X222.310.2320.MOA02.040	Changed to 277C
X222.310.2320.MOA08.040	Changed to 277C
X222.310.2320.MOA09.040	Changed to 277C
X222.351.2400.SV107-1.020	Changed to 277C
X222.351.2400.SV107-2.020	Changed to 277C
X222.351.2400.SV107-3.020	Changed to 277C
X222.351.2400.SV107-4.020	Changed to 277C
X222.410.2400.AMT02.030	Changed to 277C
X222.351.2400.SV101-7.040	Removed incorrect proposed edit language
X222.362.2400.PWK06.040	Removed incorrect proposed edit language
X222.188.2300.AMT02.030	Changed to 277C

Change Log  
Changes to the version included for POC Review

Date	Reason
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/21/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	
4/22/2009	



Change Log  
Changes to the version included for POC Review

4/26/2009	
4/26/2009	
4/26/2009	
4/26/2009	
4/26/2009	
4/26/2009	
4/26/2009	
4/26/2009	
4/26/2009	
4/26/2009	
4/26/2009	
4/26/2009	
4/26/2009	
4/26/2009	
4/26/2009	
4/26/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/27/2009	
4/28/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	

Change Log  
Changes to the version included for POC Review

5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/3/2009	
5/4/2009	

Change Log  
Changes to the version included for POC Review

5/4/2009	
5/4/2009	
5/4/2009	
5/4/2009	
5/4/2009	
5/4/2009	
5/4/2009	
5/4/2009	
5/4/2009	
5/4/2009	
5/4/2009	
5/4/2009	
5/4/2009	
5/4/2009	
5/4/2009	
5/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	
6/4/2009	

Change Log  
Changes to the version included for POC Review

6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/7/2009	
6/9/2009	
6/27/2009	

Change Log  
Changes to the version included for POC Review

6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
6/27/2009	
7/16/2009	
7/16/2009	
7/16/2009	
7/16/2009	
7/16/2009	
7/16/2009	
7/16/2009	
7/16/2009	
7/16/2009	
7/16/2009	
7/16/2009	
7/16/2009	



Change Log  
Changes to the version included for POC Review

7/16/2009	
7/16/2009	
7/16/2009	
7/16/2009	
7/16/2009	
7/16/2009	
7/19/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	



Change Log  
Changes to the version included for POC Review

7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	



Change Log  
Changes to the version included for POC Review

7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	









Change Log  
Changes to the version included for POC Review

7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	

Change Log  
Changes to the version included for POC Review

7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
7/23/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
8/11/2009	
9/1/2009	
9/3/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	

Change Log  
Changes to the version included for POC Review

10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	

Change Log  
Changes to the version included for POC Review

10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/6/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	

Change Log  
Changes to the version included for POC Review

10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	

Change Log  
Changes to the version included for POC Review

10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/20/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/27/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	
10/29/2009	



Change Log  
Changes to the version included for POC Review

11/2/2009	
11/2/2009	
11/2/2009	
11/2/2009	
11/2/2009	
11/2/2009	
11/2/2009	
11/2/2009	
11/2/2009	
11/2/2009	
11/2/2009	
11/2/2009	
11/3/2009	
11/3/2009	
11/3/2009	
11/3/2009	
11/3/2009	
11/3/2009	
11/3/2009	
11/3/2009	
11/3/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	
11/4/2009	



Change Log  
Changes to the version included for POC Review

11/4/2009	
11/4/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/5/2009	
11/16/2009	
11/17/2009	
12/11/2009	New edit rules
12/11/2009	New edit rules
12/11/2009	New edit rules
12/11/2009	New edit rules
12/11/2009	New edit rules
12/11/2009	New edit rules
12/11/2009	New edit rules
12/11/2009	New edit rules
12/11/2009	New edit rules
12/11/2009	New edit rules
12/18/2009	New edit rules
12/18/2009	New edit rules
12/18/2009	New edit rules
12/18/2009	New edit rules
12/18/2009	New edit rules
12/18/2009	New edit rules
12/18/2009	New edit rules





Change Log  
Changes to the version included for POC Review

12/18/2009	New edit rules
12/22/2009	New edit rules
12/22/2009	New edit rules
12/22/2009	New edit rules
12/22/2009	New edit rules
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	277C cannot be after a 999R
12/29/2009	HP comment
12/29/2009	New edit rules
12/29/2009	New edit rules
12/29/2009	New edit rules
12/29/2009	CMS TPMS decision
12/29/2009	
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision

Change Log  
Changes to the version included for POC Review

12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	Redundant edit
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/29/2009	CMS decision
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment

Change Log  
Changes to the version included for POC Review

12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	HP comment
12/30/2009	NGS comment
12/30/2009	NGS comment
12/30/2009	NGS comment
12/30/2009	NGS comment
12/30/2009	NGS comment
12/30/2009	NGS comment
12/30/2009	NGS comment
12/30/2009	NGS comment
12/30/2009	NGS comment
12/30/2009	NGS comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment

Change Log  
Changes to the version included for POC Review

1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	HP comment
1/6/2010	Spreadsheet consistency
1/6/2010	Spreadsheet consistency
1/6/2010	Redundant edit
1/6/2010	Redundant edit
1/6/2010	
1/6/2010	Spreadsheet consistency
1/6/2010	Redundant edit
1/6/2010	Redundant edit
1/6/2010	Redundant edit
1/6/2010	Redundant edit
1/6/2010	Redundant edit
1/6/2010	Redundant edit
1/6/2010	Redundant edit
1/6/2010	Redundant edit
1/6/2010	Redundant edit
1/6/2010	Redundant edit
1/6/2010	Redundant edit
1/6/2010	Redundant edit
1/6/2010	Spreadsheet consistency
1/6/2010	Spreadsheet consistency
1/8/2010	Incorrect page reference in element identifier
1/8/2010	Corrects page reference from 257 to 465
1/8/2010	Incorrect edit reference
1/8/2010	Corrects edit reference from X222.332.2330C.NM1.010 to X222.332.2330C..010
1/8/2010	VMS comment
1/8/2010	VMS comment
1/8/2010	VMS comment
1/8/2010	VMS comment
1/8/2010	NGS comment
1/8/2010	NGS comment
1/8/2010	NGS comment
1/8/2010	NGS & VMS comment

Change Log  
Changes to the version included for POC Review

1/8/2010	NHIC comment
1/8/2010	NHIC comment
1/8/2010	NHIC comment
1/8/2010	NHIC comment
1/8/2010	CMS review
1/8/2010	WPS comment
1/8/2010	HP comment
1/8/2010	HP comment
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/8/2010	Spreadsheet consistency
1/11/2010	HP comment
1/11/2010	CMS review
1/11/2010	CMS review
1/13/2010	CMS review
1/13/2010	Per Gary



Change Log  
Changes to the version included for POC Review

1/13/2010	Per Gary
1/13/2010	Per Gary
1/19/2010	Per Gary
1/19/2010	Per Gary
1/19/2010	Per Gary
1/19/2010	CMS decision
1/19/2010	CMS decision
1/19/2010	CMS decision
2/17/2010	CMS decision
2/17/2010	Redundant edit
2/17/2010	Spreadsheet consistency
2/17/2010	Spreadsheet consistency
2/17/2010	WPS comment
2/19/2010	FCSO comment
2/19/2010	FCSO comment
2/19/2010	FCSO comment
2/19/2010	FCSO comment
2/19/2010	FCSO comment
2/19/2010	FCSO comment
2/24/2010	NGS comment
2/24/2010	NGS comment
2/24/2010	NGS comment
2/24/2010	NGS comment
2/24/2010	NGS comment
2/24/2010	NGS comment
2/24/2010	NGS comment
2/25/2010	NHIC comment
2/25/2010	CMS direction
2/25/2010	FCSO comment (873l)
2/25/2010	FCSO comment (873l)

Change Log  
Changes to the version included for POC Review

2/25/2010	FCSO comment (873l)
2/25/2010	FCSO comment (873l)
2/25/2010	FCSO comment (873l)
2/25/2010	FCSO comment (873l)
3/1/2010	CMS decision
3/1/2010	FCSO comment
3/1/2010	FCSO comment
3/1/2010	FCSO comment
3/1/2010	FCSO comment
3/1/2010	FCSO comment
3/1/2010	FCSO comment
3/1/2010	FCSO comment
3/1/2010	FCSO comment
3/1/2010	FCSO comment
3/1/2010	FCSO comment
3/1/2010	FCSO comment
3/1/2010	CMS
3/1/2010	CMS
3/1/2010	CMS

## **Spreadsheet Details**

- **An Edit Identifier is used to uniquely identify each row in an Edit Spreadsheet. It consists of the following fields separated by periods:**

- \* TR3 Identifier.
- \* TR3 Page reference for the segment identified.
- \* TR3 Loop ID (if there is no loop ID there will be two periods together).
- \* Segment ID and Element Position.
- \* Edit Number (within the Segment ID / Element Position).

- **The “Accept/Reject” Column will be populated with one of the following values as indicated below:**

- \* R - The transaction set (ST-SE) is rejected back to the submitter.
- \* E - The transaction set (ST-SE) is passed to the CEM where additional validation occurs. Rejections for both syntax and business reasons will occur at the claim level within the CEM.
- \* T - The error is identified in the translator and an STC record is added to the 837 flat file following the segment that had the error.
- \* C - The error is identified in the CEM, a 277CA flat file, including the business error information, will be generated.

- **Acronyms:**

- \* CSC - Claim Status Code.
- \* CSCC - Claim Status Category Code.
- \* EIC - Entity Identifier Code.

- **Edit inclusion methodology:**

- \* If a segment/element/composite is required, based on either guide usage or by situational rule interpretation, there will be an edit that indicates it must be present.
- \* If a segment/element/composite is not used, based on either guide usage or by situational rule interpretation, there will be an edit that indicates that it must not be present.
- \* If a segment/element/composite does not have either of those explicit notations, the edits listed will apply when the segment/element/component is present.

- **Assumptions:**

instructions or add Medicare specific requirements. Unless otherwise explicitly specified in the EDITS worksheet, all X12 IG instructions must be followed.  
constraints or business rules. This notation indicates that the information is stored on the repository but not used in any CMS system processing.  
\* Front End processing will determine billing criteria (inpatient, outpatient, POA, etc.) based on the NUBC manual. Specific criteria will not be included in this document.

included when they can be consistently enforced by a transaction receiver. In the absence of consistently enforceable criteria, no edit will be included to control inclusion/exclusion.

Example: 2320 COB Payer Amt Paid - there is no way for the receiver to determine whether the claim has been adjudicated by the payer in Loop 2330B, so no edit will be included for that criteria.

\* Format definitions, rules, restrictions, guidance, or instructions published by the code set owner of an external code set must be met for a code from an external code set to be noted as "valid".

qualifier clause (Only one iteration of 2300.HI with HI01-1 = "DR" is allowed), otherwise the segment edit will just include the number of iterations allowed (Only one iteration of 2310C.NM1 is allowed).

- **Valid dates - dates must be valid according to the calendar for the specific year.**

- \* Only 01 - 12 are valid for the month positions of the date field.

- \* If month is "01", the day positions may be populated with 01 - 31.

- \* If month is "02", the day positions may be populated with 01 - 28, except during leap years (2008 was a leap year, leap years occur every 4 years) when the day positions may be populated with 01 - 29.

- \* If month is "03", the day positions may be populated with 01 - 31.

- \* If month is "04", the day positions may be populated with 01 - 30.

- \* If month is "05", the day positions may be populated with 01 - 31.

- \* If month is "06", the day positions may be populated with 01 - 30.

- \* If month is "07", the day positions may be populated with 01 - 31.

- \* If month is "08", the day positions may be populated with 01 - 31.

- \* If month is "09", the day positions may be populated with 01 - 30.

- \* If month is "10", the day positions may be populated with 01 - 31.

- \* If month is "11", the day positions may be populated with 01 - 30.

- \* If month is "12", the day positions may be populated with 01 - 31.

- **Future Date edits:**

- \* Edits restricting a date field from being a "future date" should be evaluated against the date the file was received.

- **ICD Codes:**

- \* Edits that are specific to the period when ICD-9 is allowed are highlighted in pink.

- \* Edits that are specific to the period when ICD-10 is allowed are highlighted in turquoise.

- **Numeric edits:**

- \* Positive/Negative/Zero:
  - **Any numeric value with an edit that indicates it must be  $\geq 0$  means that negative numbers are not allowed.**
  - **Any numeric value with an edit that indicates it must be  $> 0$  means that neither zero nor negative numbers are allowed.**
  - **If neither of these explicit edit are present, negative, zero, and positive numbers are allowed.**
- \* If an edit references a numeric value (must be  $\geq$ ,  $\leq$  or  $=$  with a numeric limitation) implies a numeric content requirement so the standard numeric check will not be included.
- \* The words "digit" or "digits" in an edit implies numeric content.
- **Alphanumeric edits:**
  - \* The words "character" or "characters" in an edit implies alphanumeric content.
  - \* If the data of an AN element or composite is from an external code list, the standard AN edits will not be included.
    - **If an edit contains a bracketed clause, [clause], each contractor must supply the information noted in the edit (e.g. receiver code).**

## Terms and Definitions

- The flow of the transactions is:
- \* **Front end processing – commercial translator edits, specific to each contractor.**
- EDI syntax integrity validation
  - Valid Segments (e.g. valid segment identifier, number of elements, delimiters)
  - Segment order (as defined by the X12 / NCPDP standard)
  - Element Attributes (e.g. X12 usage, repetitions, data type, and min/max size)
  - Numeric element validation (e.g. leading minus signs, decimal points for R data types)
  - X12 / NCPDP syntactical rules
- HIPAA syntax integrity validation based upon adopted specifications (X12 / NCPDP)
  - Repeat maximums for segments, loops, elements (when repeating element are used)
  - Used and un-used qualifiers, (internal) codes, elements, and segments
  - Intra-segment situational data elements (e.g. DTP for auto accident becomes required when CLM011-1 or CLM11-2 is "AA" or "OA")

\* **Common edit module – identical processing across contractors**

- External code source validation
- All CMS business rule validation that is evaluated post-translation
- Balancing edits
- Situation based edits
- Code Set edits
- Product Type/Type of Service edits

\* **Shared system – CMS claims processing system.**

· **277** – Denotes that a 277 acknowledgement will be returned to the submitter. common edit module is invoked). When this type of error is identified an STC record is added to the 837 flat file following the segment with the identified error.

type of error is identified an STC record is added to the 277 flat file following the segment with the identified error.

· **999** – Denotes that a 999 acknowledgement will be returned to the submitter. rejected back to the submitter. If multiple transaction sets are included in one functional group, only the transaction set with an identified 999R error will be rejected, not all the transaction sets in the functional set (ST-SE) will continue to be evaluated against the translator errors before being passed to the CEM for additional validation. When an error is identified an STC record is added to the 837 flat file following

**Exception:** If the 999E is based on usage of a "Not Used" element only a 999E will be generated and sent back to the submitter. No corresponding 277 will be created in the flat file for this type of error.

## **Assumptions**

- 277 acknowledgements and 999 acknowledgements are not mutually exclusive.

## **General Edit Rules:**

**These are the priority rules. They supersede the secondary rules whenever there is a conflict between the instructions.**

- 999R edits stand alone. They are not associated with a corresponding 277 error.
- 999E edits are always followed by a 277T edit.

- \* Exception: a 999E based on usage of a "Not Used" element stands alone.
- 277C edits stand alone. They are not associated with a corresponding 999 error.
- 277T edits are usually preceded by a 999E edit but can stand alone.
- \* Special Case: When an element has more than one error that can be identified in the translator, there can be multiple 277Ts following one 999E. acknowledged as shown in the spreadsheet. If envelope errors result in a transaction not being recognized as an X12 transaction, contractors have flexibility on how to acknowledge the transaction.
- All Table 1 edits result in a 999R or TA1 rejection.
- \* Exception: "Not Used" elements will be associated with stand-alone 999E edits.
- All Table 2 edits related to CMS business constraints will be associated with a 277 edit.
- \* EDI Syntax Integrity Validation (WEDI Level 1) or HIPAA Syntax Integrity Validation, which includes Situational Rule Validation (WEDI Level 2) edits will be associated with a 277T edit.
- \* Common Edit Module validation (WEDI Levels 3 through 6) edits will be associated with a 277C edit.
- All Table 2 edits related to CMS technical constraints will be associated with a 999E followed by a 277T edit.
- \* Examples: amounts or quantities for which CMS's internal system size is smaller than the IG allowed maximum.

## **Specific Edit Rules:**

**These are the secondary rules. They apply only when they do not violate the priority rules.**

- Loops that are not accepted based on Medicare business rules will be associated with a stand-alone 277T edit.
- Segments that are not accepted based on Medicare business rules will be associated with a stand-alone 277T edit.
- All "... must be populated with accepted AN characters" edits will be associated with a 999E (IK403=6)/277T edit combination.
- All "...must be # - ## characters" edits will be associated with a 999E (IK403=4 or IK403=5)/277T edit combination.
- All "...must be {<, >, =, <=,>=}" edits that establish element length will be associated with a 999E (IK403=4 or IK403=5)/277T edit combination.
- All "...must contain at least ## non-space characters" edits will be associated with a 999R edit (IK403=6).
- All "...must be present" edits at the segment level will be associated with a 999R edit (IK304=3). **Exception:** if the edit reflects Medicare business rules instead of X12 syntax rules, the edit will be associated with a 277T edit.

- All "...must be present" edits at the element level will be associated with a 999R edit (IK403=1).  
**Exception:** if the edit reflects Medicare business rules instead of X12 syntax rules, the edit will be associated with a 277T edit.
- All "If ... is not present, ... must be present" edits at the segment level will be associated with a 999R edit (IK304=16).
- All "If ... is present, ... must be present" edits referring to a relationship between two elements within the same segment will be associated with a 999R edit (IK403=2).
- All "If ... is present, ... must be present" edits referring to a relationship between two different segments will be associated with a 277C edit.
- All "If ...is present, ....may be present" edits referring to a relationship between two elements within the same segment will be associated with a 999R edit (IK403=10).
- All "If ... is present, ... may be present" edits referring to a relationship between two different segments will be associated with a 999R edit (IK304=19).
  
- All "...must be valid values" edits will be associated with a 999R edit (IK304=7).
  
- All "...must be {explicit value}" edits will be associated with a 999R edit (IK403=7).
  
- All "...must be numeric" edits will be associated with a 999R edit (IK403=6).
  
- All external code source edits will be associated with a 277C edit.
  
- All "must be an integer" edits will be associated with a 999R edit (IK403=6).
  
- All "must be a valid date" edits will be associated with a 999R edit (IK403=8).
  
- All "must be a valid time" edits will be associated with a 999R edit (IK403=8).
  
- All "must not be present" edits at the segment level will be associated with a 277T edit.
  
- All "must not be present" edits at the element level will be associated with a 999E edit (IK403=110).
- All "If ...NM102 is "2", ... must not be present" edits will be associated with a 999R edit (IK403=113).
- All dollar amounts or numeric elements that use <, >, =, <=, or >= to establish value limits will be associated with a 277T edit.
  
- All edits limiting the number of iterations of a segment will be associated with a 999R (IK304=5).  
\* **Exception:** All edits limiting the number of iterations of the first segment of a loop will be associated with a 999R (IK304=4).

**Segment or Element Specific Edit Rules:**

**These are the tertiary rules. They apply only when they do not violate the priority or secondary rules.**

- In Loops 1000A and 2010AA, NM109 edits referring to "approved electronic submitter" (trading partner management edits) will be associated with a 999R edit (trading partner management edits).



- Elements that are situational in the TR3 but listed as "must not be present" and shaded gray on the edits spreadsheets are not to be mapped to the flat file.

837 - Institutional Edits

	If alternative formats of the 5010 Edits spreadsheet are required, please use the "Submit Feedback" feature at the bottom of the Technical Documentation web page, from which these documents were downloaded.												
	<a href="http://www.cms.hhs.gov/MFFS5010D0/20_Technical%20Documentation.asp#TopOfPage">http://www.cms.hhs.gov/MFFS5010D0/20_Technical%20Documentation.asp#TopOfPage</a>												
8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/999/277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.C3..ISA.010	ISA	INTERCHANGE CONTROL HEADER		1	R	—	1		TA1	R	TA105: 024 "Invalid Interchange Content".	ISA must be present.	
X223.C3..ISA.020	ISA								TA1	R	TA105: 024 "Invalid Interchange Content".	Only one iteration of ISA is allowed.	This error means there can't be more than one ISA segment in this set, not that there can't be more than 1 in a physical file.
X223.C3..ISA01.010	ISA01	Authorization Information Qualifier	ID	2-2	R			00, 03	TA1	R	TA105: 010 "Invalid Authorization Information Qualifier Value".	ISA01 must be present.	
X223.C3..ISA01.020	ISA01								TA1	R	TA105: 010 "Invalid Authorization Information Qualifier Value".	ISA01 must be valid values.	
X223.C3..ISA02.010	ISA02	Authorization Information	AN	10-10	R				TA1	R	TA105: 011 "Invalid Authorization Information Value".	ISA02 must be present.	
X223.C3..ISA02.020	ISA02								TA1	R	TA105: 011 "Invalid Authorization Information Value".	ISA02 must be 10 characters.	
X223.C3..ISA02.030	ISA02								TA1	R	TA105: 011 "Invalid Authorization Information Value".	ISA02 must be populated with accepted AN characters.	
X223.C3..ISA03.010	ISA03	Security Information Qualifier	ID	2-2	R			00, 01	TA1	R	TA105: 012 "Security Information Qualifier Value".	ISA03 must be present.	
X223.C3..ISA03.020	ISA03								TA1	R	TA105: 012 "Security Information Qualifier Value".	ISA03 must be valid values.	
X223.C3..ISA04.010	ISA04	Security Information	AN	10-10	R				TA1	R	TA105: 013 "Security Information Value".	ISA04 must be present.	
X223.C3..ISA04.020	ISA04								TA1	R	TA105: 013 "Security Information Value".	ISA04 must be 10 characters.	
X223.C3..ISA04.030	ISA04								TA1	R	TA105: 013 "Security Information Value".	ISA04 must be populated with accepted AN characters.	
X223.C3..ISA05.010	ISA05	Interchange ID Qualifier	ID	2-2	R			01, 14, 20, 27, 28, 29, 30, 33, ZZ	TA1	R	TA105: 005 "Invalid Interchange ID Qualifier for Sender".	ISA05 must be present.	
X223.C3..ISA05.020	ISA05								TA1	R	TA105: 005 "Invalid Interchange ID Qualifier for Sender".	ISA05 must be "27", "28" or "ZZ".	
X223.C3..ISA06.010	ISA06	Interchange Sender ID	AN	15-15	R				TA1	R	TA105: 006 "Invalid Interchange Sender ID".	ISA06 must be present.	
X223.C3..ISA06.020	ISA06								TA1	R	TA105: 006 "Invalid Interchange Sender ID".	ISA06 must be 15 characters.	
X223.C3..ISA06.030	ISA06								TA1	R	TA105: 006 "Invalid Interchange Sender ID".	ISA06 must contain at least one non-space character.	
X223.C3..ISA06.040	ISA06								TA1	R	TA105: 006 "Invalid Interchange Sender ID".	ISA06 must be populated with accepted AN characters.	
X223.C3..ISA07.010	ISA07	Interchange ID Qualifier	ID	2-2	R			01, 14, 20, 27, 28, 29, 30, 33, ZZ	TA1	R	TA105: 007 "Invalid Interchange ID Qualifier for Receiver".	ISA07 must be present.	
X223.C3..ISA07.020	ISA07								TA1	R	TA105: 007 "Invalid Interchange ID Qualifier for Receiver".	ISA07 must be "27", "28" or "ZZ".	
X223.C3..ISA08.010	ISA08	Interchange Receiver ID	AN	15-15	R				TA1	R	TA105: 008 "Invalid Interchange Receiver ID".	ISA08 must be present.	
X223.C3..ISA08.020	ISA08								TA1	R	TA105: 008 "Invalid Interchange Receiver ID".	ISA08 must be 15 characters.	
X223.C3..ISA08.030	ISA08								TA1	R	TA105: 008 "Invalid Interchange Receiver ID".	ISA08 must contain at least one non-space character.	
X223.C3..ISA08.040	ISA08								TA1	R	TA105: 008 "Invalid Interchange Receiver ID".	ISA08 must be populated with accepted AN characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.C3..ISA09.010	ISA09	Interchange Date	DT	6-6	R				TA1	R	TA105: 014 "Invalid Interchange Date Value".	ISA09 must be present.	
X223.C3..ISA09.020	ISA09								TA1	R	TA105: 014 "Invalid Interchange Date Value".	ISA09 must be a valid date in YYMMDD format.	
X223.C3..ISA09.030	ISA09								TA1	R	TA105: 014 "Invalid Interchange Date Value".	ISA09 must be a the date of the interchange; must not be a future date.	
X223.C3..ISA10.010	ISA10	Interchange Time	TM	4-4	R			HHMM	TA1	R	TA105: 015 "Invalid Interchange Time Value".	ISA10 must be present.	
X223.C3..ISA10.020	ISA10								TA1	R	TA105: 015 "Invalid Interchange Time Value".	ISA10 must be a valid time in HHMM format.	
X223.C3..ISA11.010	ISA11	Repetiiton Seperator		1-1	R				TA1	R	TA105: 024 "Invalid Interchange Content".	ISA11 must be present.	01/20: Companion Guide Note needed.
X223.C3..ISA11.020	ISA11								TA1	R	TA105: 024 "Invalid Interchange Content".	ISA11 must be 1 character.	
X223.C3..ISA11.030	ISA11								TA1	R	TA105: 024 "Invalid Interchange Content".	ISA11 must contain at least one non-space character.	
X223.C3..ISA12.010	ISA12	Interchange Control Version Number	ID	5-5	R			00501	TA1	R	TA105: 017 "Invalid Interchange Version ID Value".	ISA12 must be present.	
X223.C3..ISA12.020	ISA12								TA1	R	TA105: 017 "Invalid Interchange Version ID Value".	ISA12 must be "00501".	
X223.C3..ISA13.010	ISA13	Interchange Control Number	N0	9-9	R				TA1	R	TA105: 018 "Invalid Interchange Control Number Value".	ISA13 must be present.	
X223.C3..ISA13.020	ISA13								TA1	R	TA105: 018 "Invalid Interchange Control Number Value".	ISA13 must be numeric.	
X223.C3..ISA13.030	ISA13								TA1	R	TA105: 018 "Invalid Interchange Control Number Value".	ISA13 must be 9 characters.	
X223.C3..ISA13.040	ISA13								TA1	R	TA105: 018 "Invalid Interchange Control Number Value".	ISA13 must be > 0.	
X223.C3..ISA13.050	ISA13								TA1	R	TA105: 018 "Invalid Interchange Control Number Value".	ISA13 must be unsigned.	
X223.C3..ISA14.010	ISA14	Acknowledgement Requested	ID	1-1	R			0, 1	TA1	R	TA105: 019 "Invalid Acknowledgment Requested Value".	ISA14 must be present.	
X223.C3..ISA14.020	ISA14								TA1	R	TA105: 019 "Invalid Acknowledgment Requested Value".	ISA14 must be valid values.	
X223.C3..ISA15.010	ISA15	Usage Indicator	ID	1-1	R			P, T	TA1	R	TA105: 020 "Invalid Test Indicator Value".	ISA15 must be present.	
X223.C3..ISA15.020	ISA15								TA1	R	TA105: 020 "Invalid Test Indicator Value".	ISA15 must be valid values.	
X223.C3..ISA16.010	ISA16	Component Element Separator		1-1	R				TA1	R	TA105: 027 "Invalid Component Element Separator".	ISA16 must be present.	
X223.C3..ISA16.020	ISA16								TA1	R	TA105: 027 "Invalid Component Element Separator".	ISA16 must be 1 character	
X223.C3..ISA16.030	ISA16								TA1	R	TA105: 027 "Invalid Component Element Separator".	ISA16 must contain at least one non-space character.	
X223.C3..ISA16.040	ISA16								TA1	R	TA105: 027 "Invalid Component Element Separator".	ISA16 must be populated with accepted AN characters.	
	<b>GS</b>	<b>Functional Groups</b>					>1						
X223.C7..GS.010	<b>GS</b>	<b>FUNCTIONAL GROUP HEADER</b>		1	R	___	1		TA1	R	TA105: 024 Invalid GS Segment	<b>GS must be present.</b>	
X223.C7..GS.020	<b>GS</b>								999	R	AK905: 1 "Functional Group Not Supported".	<b>Only one iteration of GS is allowed.</b>	
X223.C7..GS01.010	GS01	Functional Identifier Code	ID	2-2	R			HC	999	R	AK905: 1 "Functional Group Not Supported".	GS01 must be present.	
X223.C7..GS01.020	GS01								999	R	AK905: 1 "Functional Group Not Supported".	GS01 must be "HC".	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.C7..GS02.010	GS02	Application Sender Code	AN	2-15	R				999	R	AK905: 14 "Unknown Security Originator".	GS02 must be present.	
X223.C7..GS02.020	GS02								999	R	AK905: 14 "Unknown Security Originator".	GS02 must be 2-15 characters.	
X223.C7..GS02.030	GS02								999	R	AK905: 14 "Unknown Security Originator".	GS02 must contain at least two non-space characters.	
X223.C7..GS02.040	GS02								999	R	AK905: 14 "Unknown Security Originator".	GS02 must be populated with accepted AN characters.	
X223.C7..GS03.010	GS03	Application Receiver Code	AN	2-15	R				999	R	AK905: 13 "Unknown Security Recipient".	GS03 must be present.	
X223.C7..GS03.020	GS03								999	R	AK905: 13 "Unknown Security Recipient".	GS03 must be 2-15 characters.	
X223.C7..GS03.030	GS03								999	R	AK905: 13 "Unknown Security Recipient".	GS03 must contain at least two non-space characters.	
X223.C7..GS03.040	GS03								999	R	AK905: 13 "Unknown Security Recipient".	GS03 must be populated with accepted AN characters.	
X223.C7..GS04.010	GS04	Date	DT	8-8	R			CCYYMMDD	TA1	R	TA105: 024 Invalid GS Segment	GS04 must be present.	
X223.C7..GS04.020	GS04								TA1	R	TA105: 024 Invalid GS Segment	GS04 must be a valid date in CCYYMMDD format.	
X223.C7..GS04.030	GS04								TA1	R	TA105: 024 Invalid GS Segment	GS04 must be the date the functional group is created; must not be a future date.	
X223.C7..GS05.010	GS05	Time	TM	4-8	R			HHMM, HHMMSS, HHMMSSD, HHMMSSDD	TA1	R	TA105: 024 Invalid GS Segment	GS05 must be present.	
X223.C7..GS05.020	GS05								TA1	R	TA105: 024 Invalid GS Segment	GS05 must be a valid time in a valid format.	
X223.C7..GS06.010	GS06	Group Control Number	N0	1-9	R				999	R	AK905: 6 "Group Control Number Violates Syntax".	GS06 must be present.	
X223.C7..GS06.020	GS06								999	R	AK905: 6 "Group Control Number Violates Syntax".	GS06 must be numeric.	
X223.C7..GS06.030	GS06								999	R	AK905: 6 "Group Control Number Violates Syntax".	GS06 must be > 0.	
X223.C7..GS06.040	GS06								999	R	AK905: 6 "Group Control Number Violates Syntax".	GS06 must be < =999,999,999.	
X223.C7..GS06.050	GS06								999	R	AK905: 19 "Functional Group Control Number not Unique within Interchange.	GS06 must be unique within the interchange.	
X223.C7..GS07.010	GS07	Responsible Agency Code	ID	1-2	R			X	TA1	R	TA105: 024 Invalid GS Segment	GS07 must be present.	
X223.C7..GS07.020	GS07								TA1	R	TA105: 024 Invalid GS Segment	GS07 must be "X".	
X223A1.23..GS08.010	GS08	Version Identifier Code	AN	1-12	R			005010X223A1	999	R	AK905: 2 "Functional Group Version Not Supported"	GS08 must be present.	
X223.C7..GS08.020 edit deactivated													
X223A1.23..GS08.020	GS08								999	R	AK905: 2 "Functional Group Version Not Supported"	GS08 must be "005010X223A1".	
	<b>ST</b>	<b>Transaction Sets</b>					<b>&gt;1</b>						
X223.067..ST.010	<b>ST</b>	<b>TRANSACTION SET HEADER</b>		<b>1</b>	<b>R</b>	<b>---</b>	<b>&gt;1</b>		999	<b>R</b>	<b>IK502: 6 "Missing or Invalid Transaction Set Identifier".</b>	<b>ST must be present.</b>	
X223.067..ST.020	<b>ST</b>								999	<b>R</b>	<b>IK502: 1 "Transaction Set Not Supported".</b>	<b>Only one iteration of ST is allowed.</b>	This error means there can't be more than one ST segment in this set, not that there can't be more than 1 within the GS.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.067..ST01.010	ST01	Transaction Set Identifier Code	ID	3-3	R			837	999	R	IK502: 6 "Missing or Invalid Transaction Set Identifier".	ST01 must be present.	
X223.067..ST01.020	ST01								999	R	IK502: 6 "Missing or Invalid Transaction Set Identifier".	ST01 must be "837".	
X223.067..ST02.010	ST02	Transaction Set Control Number	AN	4-9	R				999	R	IK502: 7 "Missing or Invalid Transaction Set Control Number".	ST02 must be present.	
X223.067..ST02.020	ST02								999	R	IK502: 7 "Missing or Invalid Transaction Set Control Number".	ST02 must be 4-9 characters.	
X223.067..ST02.030	ST02								999	R	IK502: 7 "Missing or Invalid Transaction Set Control Number".	ST02 must contain at least four non-space characters.	
X223.067..ST02.040	ST02								999	R	IK502: 7 "Missing or Invalid Transaction Set Control Number".	ST02 must be populated with accepted AN characters.	
X223.067..ST02.050	ST02								999	R	IK502: 23 "Transaction Set Control Number Not Unique within the Functional Group".	ST02 must be a unique number within the ISA-IEA envelope.	
X223A1.11..ST03.010	ST03	Version, Release, or Industry Identifier	AN	1-35	R			005010X223A1	999	R	IK502: I6 "Implementation Convention Not Supported".	ST03 must be present.	
X223.067..ST03.020	ST03								999	R	IK502: I6 "Implementation Convention Not Supported".	ST03 must be "005010X223A1".	
X223.068..BHT.010	BHT	<b>BEGINNING OF HIERARCHICAL TRANSACTION</b>		1	R	___	1		999	R	IK304 = 3: "Required Segment Missing"	BHT must be present.	
X223.068..BHT.020	BHT								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only iteration of BHT is allowed.	
X223.068..BHT01.010	BHT01	Hierarchical Structure Code	ID	4-4	R			0019	999	R	IK403 = 1: "Required Data Element Missing"	BHT01 must be present.	
X223.068..BHT01.020	BHT01								999	R	IK403 = 7: "Invalid Code Value"	BHT01 must be "019".	
X223.068..BHT02.010	BHT02	Transaction Set Purpose Code	ID	2-2	R			00, 18	999	R	IK403 = 1: "Required Data Element Missing"	BHT02 must be present.	
X223.068..BHT02.020	BHT02								999	R	IK403 = 7: "Invalid Code Value"	BHT02 must be valid values.	
X223.068..BHT03.010	BHT03	Originator Application Transaction ID	AN	1-30	R				999	R	IK403 = 1: "Required Data Element Missing"	BHT03 must be present.	
X223.068..BHT03.020	BHT03								999	R	IK403 = 5: "Data Element Too Long"	BHT03 must be 1-30 characters.	
X223.068..BHT03.030	BHT03								999	R	IK403 = 6: "Invalid Character in Data Element"	BHT03 must be populated with accepted AN characters.	
X223.068..BHT04.010	BHT04	Transaction Set Creation Date	DT	8-8	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	BHT04 must be present.	
X223.068..BHT04.020	BHT04								999	R	IK403 = 8: "Invalid Date"	BHT04 must be a valid date in CCYYMMDD format.	
X223.068..BHT05.010	BHT05	Transaction Set Creation Time	TM	4-8	R			HHMM, HHMMSS, HHMMSSD, HHMMSSDD	999	R	IK403 = 1: "Required Data Element Missing"	BHT05 must be present.	
X223.068..BHT05.020	BHT05								999	R	IK403 = 9: "Invalid Time"	BHT05 must be a valid time in a valid time format.	
X223.068..BHT06.010	BHT06	Claim or Encounter ID	ID	2-2	R			31, CH, RP	999	R	IK403 = 1: "Required Data Element Missing"	BHT06 must be present.	
X223.068..BHT06.020	BHT06								999	R	IK403 = 7: "Invalid Code Value"	BHT06 must be "CH".	
X223.071.1000A..010		<b>SUBMITTER NAME LOOP</b>		1	R	1000A	1		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 1000A is allowed.	
X223.071.1000A.NM1.010	NM1	<b>SUBMITTER NAME</b>							999	R	IK304 = 3: "Required Segment Missing"	1000A.NM1 must be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.071.1000A.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			41	999	R	IK403 = 1: "Required Data Element Missing"	1000A.NM101 must be present.	
X223.071.1000A.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	1000A.NM101 must be "41".	
X223.071.1000A.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			1, 2	999	R	IK403 = 1: "Required Data Element Missing"	1000A.NM102 must be present.	
X223.071.1000A.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	1000A.NM102 must be valid values.	
X223.071.1000A.NM103.010	NM103	Submitter Last or Organization Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	1000A.NM103 must be present.	
X223.071.1000A.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM103 must contain at least one non-space character.	
X223.071.1000A.NM103.030	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM103 must be populated with accepted AN characters.	
X223.071.1000A.NM103.040 edit deactivated													
X223.071.1000A.NM103.050	NM103								999	R	IK403 = 5: "Data Element Too Long"	1000A.NM103 must be 1 - 60 characters.	
X223.071.1000A.NM103.060 edit deactivated													
X223.071.1000A.NM104.010	NM104	Submitter First Name	AN	1-35	S				999	R	IK403 = I13: "Implementation Dependent 'not used' Data Element Present"	If 1000A.NM102 is "2", 1000A.NM104 must not be present.	
X223.071.1000A.NM104.020 edit deactivated													
X223.071.1000A.NM104.030	NM104								999	R	IK403 = 5: "Data Element Too Long"	1000A.NM104 must be 1 - 35 characters.	
X223.071.1000A.NM104.040 edit deactivated													
X223.071.1000A.NM104.050	NM104								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM104 must contain at least one non-space character.	
X223.071.1000A.NM104.060	NM104								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM104 must be populated with accepted AN characters.	
X223.071.1000A.NM104.070 edit deactivated													
X223.071.1000A.NM105.010	NM105	Submitter Middle Name	AN	1-25	S				999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM105 must contain at least one non-space character.	
X223.071.1000A.NM105.020	NM105								999	R	IK403 = I13: "Implementation Dependent 'not used' Data Element Present"	If 1000A.NM102 is "2", 1000A.NM105 must not be present.	
X223.071.1000A.NM105.030 edit deactivated													
X223.071.1000A.NM105.040	NM105								999	R	IK403 = 5: "Data Element Too Long"	1000A.NM105 must be 1 - 25 characters.	
X223.071.1000A.NM105.050 edit deactivated													
X223.071.1000A.NM105.060	NM105								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM105 must be populated with accepted AN characters.	
X223.071.1000A.NM105.070 edit deactivated													
X223.071.1000A.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	1000A.NM106 must not be present.	
X223.071.1000A.NM107.010	NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	1000A.NM107 must not be present.	
X223.071.1000A.NM108.010	NM108	Identification Code Qualifier	ID	1-2	R			46	999	R	IK403 = 1: "Required Data Element Missing"	1000A.NM108 must be present.	
X223.071.1000A.NM108.020	NM108								999	R	IK403 = 7: "Invalid Code Value"	1000A.NM108 must be "46".	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.071.1000A.NM109.010	NM109	Submitter Identifier	AN	2-80	R				999	R	IK403 = 1: "Required Data Element Missing"	1000A.NM109 must be present.	
X223.071.1000A.NM109.020	NM109								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM109 must contain at least two non-space characters.	
X223.071.1000A.NM109.030	NM109								999	R	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	1000A.NM109 must be 2-80 characters.	
X223.071.1000A.NM109.040 edit deactivated													
X223.071.1000A.NM109.050	NM109								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.NM109 must be populated with accepted AN characters.	
X223.071.1000A.NM109.060 edit deactivated													
X223.071.1000A.NM109.070	NM109								999	R	IK403 = I12: "Implementation Pattern Match Failure"	1000A.NM109 must be an approved electronic submitter.	
X223.071.1000A.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	1000A.NM110 must not be present.	
X223.071.1000A.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	1000A.NM111 must not be present.	
X223.071.1000A.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	1000A.NM112 must not be present.	
X223.073.1000A.PER.010	PER	<b>SUBMITTER EDI CONTACT INFORMATION</b>		<b>2</b>	<b>R</b>	<b>1000A</b>			<b>999</b>	<b>R</b>	<b>IK304 = 3: "Required Segment Missing"</b>	<b>1000A.PER must be present.</b>	
X223.073.1000A.PER.020	PER								<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only two iterations of 1000A.PER are allowed.</b>	
X223.073.1000A.PER01.010	PER01	Contact Function Code	ID	2-2	R			IC	999	R	IK403 = 1: "Required Data Element Missing"	1000A.PER01 must be present.	
X223.073.1000A.PER01.020	PER01								999	R	IK403 = 7: "Invalid Code Value"	1000A.PER01 must be "IC".	
X223.073.1000A.PER02.010	PER02	Submitter Contact Name	AN	1-60	S				999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER02 must contain at least one non-space character.	
X223.073.1000A.PER02.020	PER02								999	R	IK403 = I12: "Implementation Pattern Match Failure"	For the 1st 1000A.PER transmitted, 1000A.PER02 must not = 1000A.NM103.	
X223.073.1000A.PER02.030 edit deactivated													
X223.073.1000A.PER02.040	PER02								999	R	IK403 = I13: "Implementation Dependent 'not used' Data Element Present"	For the 2nd 1000A.PER transmitted, 1000A.PER02 must not be present.	
X223.073.1000A.PER02.050 edit deactivated													
X223.073.1000A.PER02.060	PER02								999	R	IK403 = 5: "Data Element Too Long"	1000A.PER02 must be 1 - 60 characters.	
X223.073.1000A.PER02.070 edit deactivated													
X223.073.1000A.PER02.080	PER02								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER02 must be populated with accepted AN characters.	
X223.073.1000A.PER02.090 edit deactivated													
X223.073.1000A.PER03.010	PER03	Communication Number Qualifier	ID	2-2	R			EM, FX, TE	999	R	IK403 = 1: "Required Data Element Missing"	1000A.PER03 must be present.	
X223.073.1000A.PER03.020	PER03								999	R	IK403 = 7: "Invalid Code Value"	1000A.PER03 must be valid values.	
X223.073.1000A.PER04.010	PER04	Communication Number	AN	1-256	R				999	R	IK403 = 1: "Required Data Element Missing"	1000A.PER04 must be present.	
X223.073.1000A.PER04.020	PER04								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER04 must contain at least one non-space character.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.073.1000A.PER04.030	PER04								999	R	IK403 = 5: "Data Element Too Long"	1000A.PER04 must be 1 - 256 characters.	
X223.073.1000A.PER04.040 edit deactivated													
X223.073.1000A.PER04.050	PER04								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER04 must be populated with accepted AN characters.	
X223.073.1000A.PER04.060 edit deactivated													
X223.073.1000A.PER05.010	PER05	Communication Number Qualifier	ID	2-2	S			EM, EX, FX, TE	999	R	IK403 = 7: "Invalid Code Value"	1000A.PER05 must be valid values.	
X223.073.1000A.PER05.020	PER05								999	R	IK403 = 7: "Invalid Code Value"	If 1000A.PER05 is "EX", 1000A.PER03 must be "TE".	
X223.073.1000A.PER06.010	PER06	Communication Number	AN	1-256	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 1000A.PER06 is present, 1000A.PER05 must be present.	
X223.073.1000A.PER06.020	PER06								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER06 must contain at least one non-space character.	
X223.073.1000A.PER06.030	PER06								999	R	IK403 = 5: "Data Element Too Long"	1000A.PER06 must be 1 - 256 characters.	
X223.073.1000A.PER06.040 edit deactivated													
X223.073.1000A.PER06.050	PER06								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER06 must be populated with accepted AN characters.	
X223.073.1000A.PER06.060 edit deactivated													
X223.073.1000A.PER07.010	PER07	Communication Number Qualifier	ID	2-2	S			EM, EX, FX, TE	999	R	IK403 = 10: "Exclusion Condition Violated"	If 1000A.PER05 is present, 1000A.PER07 may be present.	
X223.073.1000A.PER07.020	PER07								999	R	IK403 = 7: "Invalid Code Value"	1000A.PER07 must be valid values.	
X223.073.1000A.PER07.030	PER07								999	R	IK403 = 7: "Invalid Code Value"	If 1000A.PER07 is "EX", 1000A.PER05 must be "TE".	
X223.073.1000A.PER08.010	PER08	Communication Number	AN	1-256	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 1000A.PER08 is present, 1000A.PER07 must be present.	
X223.073.1000A.PER08.020	PER08								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER08 must contain at least one non-space character.	
X223.073.1000A.PER08.030	PER08								999	R	IK403 = 5: "Data Element Too Long"	1000A.PER08 must be 1 - 256 characters.	
X223.073.1000A.PER08.040 edit deactivated													
X223.073.1000A.PER08.050	PER08								999	R	IK403 = 6: "Invalid Character in Data Element"	1000A.PER08 must be populated with accepted AN characters.	
X223.073.1000A.PER08.060 edit deactivated													
X223.073.1000A.PER09.010	PER09	Contact Inquiry Reference	AN	1-20	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	1000A.PER09 must not be present.	
X223.076.1000B..010		<b>RECEIVER NAME LOOP</b>		<b>1</b>	<b>R</b>	<b>1000B</b>	<b>1</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 1000B is allowed.</b>	
X223.076.1000B.NM1.010	<b>NM1</b>	<b>RECEIVER NAME</b>							<b>999</b>	<b>R</b>	<b>IK304 = 3: "Required Segment Missing"</b>	<b>1000B.NM1 must be present.</b>	
X223.076.1000B.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			40	999	R	IK403 = 1: "Required Data Element Missing"	1000B.NM101 must be present.	
X223.076.1000B.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	1000B.NM101 must be "40".	
X223.076.1000B.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	1000B.NM102 must be present.	
X223.076.1000B.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	1000B.NM102 must be "2".	
X223.076.1000B.NM103.010	NM103	Receiver Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	1000B.NM103 must be present.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.076.1000B.NM103.020	NM103								999	R	IK403 = 5: "Data Element Too Long"	1000B.NM103 must be 1-60 characters.	
X223.076.1000B.NM103.030	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	1000B.NM103 must be populated with accepted AN characters.	
X223.076.1000B.NM103.040	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	1000B.NM103 must contain at least one non-space character.	
X223.076.1000B.NM104.010	NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.076.1000B.NM105.010	NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.076.1000B.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.076.1000B.NM107.010	NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.076.1000B.NM108.010	NM108	Identification Code Qualifier	ID	1-2	R			46	999	R	IK403 = 1: "Required Data Element Missing"	1000B.NM108 must be present.	
X223.076.1000B.NM108.020	NM108								999	R	IK403 = 7: "Invalid Code Value"	1000B.NM108 must be "46".	
X223.076.1000B.NM109.010	NM109	Receiver Primary Identifier	AN	2-80	R				999	R	IK403 = 1: "Required Data Element Missing"	1000B.NM109 must be present.	
X223.076.1000B.NM109.020	NM109								999	R	IK403 = I12: "Implementation Pattern Match Failure"	1000B.NM109 must be [contractor put receiver code here].	
X223.076.1000B.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.076.1000B.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.076.1000B.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.078.2000A..010		<b>BILLING PROVIDER LOOP</b>							999	R	<b>IK304 = I7: "Implementation Loop Occurs Under Minimum Times"</b>	<b>2000A must be present.</b>	
X223.078.2000A..020		<b>BILLING PROVIDER LOOP</b>							999	R	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2000A is allowed.</b>	*companion guide note needed
X223.078.2000A.HL.010	HL	<b>BILLING/PAY-TO PROVIDER HIERARCHICAL LEVEL</b>		1	R				999	R	<b>IK304 = 3: "Required Segment Missing"</b>	<b>2000A.HL must be present.</b>	
X223.078.2000A.HL.020	HL								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2000A.HL is allowed.</b>	This error means there can only be one HL in each iteration of the loop.
X223.078.2000A.HL01.010	HL01	Hierarchical ID Number	AN	1-12	R				999	R	IK403 = 1: "Required Data Element Missing"	2000A.HL01 must be present.	
X223.078.2000A.HL01.020	HL01								999	R	IK403 = 5: "Data Element Too Long"	2000A.HL01 must be 1-12 characters.	
X223.078.2000A.HL01.030	HL01								999	R	IK403 = 6: "Invalid Character in Data Element"	2000A.HL01 must be numeric value.	
X223.078.2000A.HL01.040	HL01								999	R	IK403 = 7: "Invalid Code Value"	The first HL01 must be "1".	
X223.078.2000A.HL02.010	HL02	Hierarchical Parent ID Number	AN	1-12	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.078.2000A.HL03.010	HL03	Hierarchical Level Code	ID	1-2	R			20	999	R	IK403 = 1: "Required Data Element Missing"	2000A.HL03 must be present.	
X223.078.2000A.HL03.020	HL03								999	R	IK403 = 7: "Invalid Code Value"	2000A.HL03 must be "20".	
X223.078.2000A.HL04.010	HL04	Hierarchical Child Code	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2000A.HL04 must be present.	
X223.078.2000A.HL04.020	HL04								999	R	IK403 = 7: "Invalid Code Value"	2000A.HL04 must be "1".	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.080.2000A.PRV.010	PRV	<b>BILLING/PAY-TO PROVIDER SPECIALTY INFORMATION</b>		1	S	2000A			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2000A.PRV is allowed.</b>	
X223.080.2000A.PRV01.010	PRV01	Provider Code	ID	1-3	R			BI	999	R	IK403 = 1: "Required Data Element Missing"	2000A.PRV01 must be present.	
X223.080.2000A.PRV01.020	PRV01								999	R	IK403 = 7: "Invalid Code Value"	2000A.PRV01 must be "BI".	
X223.080.2000A.PRV02.010	PRV02	Reference Identification Qualifier	ID	2-3	R			PXC	999	R	IK403 = 1: "Required Data Element Missing"	2000A.PRV02 must be present.	
X223.080.2000A.PRV02.020	PRV02								999	R	IK403 = 7: "Invalid Code Value"	2000A.PRV02 must be "PXC".	
X223.080.2000A.PRV03.010	PRV03	Provider Taxonomy Code	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2000A.PRV03 must be present.	
X223.080.2000A.PRV03.020	PRV03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 145: "Entity's specialty/taxonomy code" EIC: 85 Billing Provider	2000A.PRV03 Must be a valid Provider Taxonomy Code.	Valid Provider Taxonomy Code reference must be available for this edit.
X223.080.2000A.PRV04.010	PRV04	State or Province Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.080.2000A.PRV05.010	PRV05	PROVIDER SPECIALTY INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.080.2000A.PRV06.010	PRV06	Provider Organization Code	ID	3-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.081.2000A.CUR.010	CUR	<b>FOREIGN CURRENCY INFORMATION</b>		1	S	2000A			999	E	IK304 = I4: "Implementation "Not Used" Segment Present"	<b>2000A.CUR must not be present.</b>	01/20: Companion Guide Note needed.
X223.081.2000A.CUR.020	CUR								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 681: "Claim Currency Not Supported"		
X223.084.2010AA..010		<b>Billing Provider Name Loop</b>		1	R	2010AA	1		999	R	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2010AA is allowed.</b>	
X223.084.2010AA.NM1.010	NM1	<b>Billing Provider Name</b>							999	R	<b>IK304 = 3: "Required Segment Missing"</b>	<b>2010AA.NM1 must be present.</b>	
X223.084.2010AA.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			85	999	R	IK403 = 1: "Required Data Element Missing"	2010AA.NM101 must be present.	
X223.084.2010AA.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2010AA.NM101 must be "85".	
X223.084.2010AA.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	2010AA.NM102 must be present.	
X223.084.2010AA.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2010AA.NM102 must be "2".	
X223.084.2010AA.NM103.010	NM103	Billing Provider Last or Organizational Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AA.NM103 must be present.	
X223.084.2010AA.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.NM103 must contain at least one non-space character.	
X223.084.2010AA.NM103.030	NM103								999	E	IK403 = 5: "Data Element Too Long"	2010AA.NM103 must be 1-60 characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.084.2010AA.NM103.040	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: 85 Billing Provider		
X223.084.2010AA.NM103.050	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.NM103 must be populated with accepted AN characters.	
X223.084.2010AA.NM103.060	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: 85 Billing Provider		
X223.084.2010AA.NM104.010	NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.084.2010AA.NM105.010	NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.084.2010AA.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.084.2010AA.NM107.010	NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.084.2010AA.NM108.010	NM108	Identification Code Qualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" TBD01: "Situational segment/element required for adjudication." EIC: 85 Billing Provider	2010AA.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.084.2010AA.NM108.020	NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: 85 Billing Provider	2010AA.NM108 must be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
X223.084.2010AA.NM108.030	NM108								999	R	IK403 = 7: "Invalid Code Value"	2010AA.NM108 must be "XX".	
X223.084.2010AA.NM109.010	NM109	Billing Provider Identifier	AN	2-80	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2010AA.NM108 is present, 2010AA.NM109 must be present.	
X223.084.2010AA.NM109.020	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 85 Billing Provider	2010AA.NM109 must be valid according to the NPI algorithm.	
X223.084.2010AA.NM109.030	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 85 Billing Provider	The first position of 2010AA.NM109 must be a "1".	
X223.084.2010AA.NM109.040	NM109								277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 85 Billing Provider	2010AA.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109.	Valid NPI Crosswalk must be available for this edit.
X223.084.2010AA.NM109.050	NM109								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2010AA.NM109 billing provider must be "associated" to the submitter (from a trading partner management perspective) in 1000A.NM109.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.084.2010AA.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.084.2010AA.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.084.2010AA.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.087.2010AA.N3.010	N3	BILLING PROVIDER ADDRESS		1	R	2010AA			999	R	IK304 = 3: "Required Segment Missing"	2010AA.N3 must be present.	
X223.087.2010AA.N3.020	N3								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010AA.N3 is allowed.	
X223.087.2010AA.N301.010	N301	Billing Provider Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AA.N301 must be present.	
X223.087.2010AA.N301.020	N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.N301 must contain at least one non-space character.	
X223.087.2010AA.N301.030	N301								999	E	IK403 = 5: "Data Element Too Long"	2010AA.N301 must be 1-55 characters.	
X223.087.2010AA.N301.040	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 126: "Entity's Address" EIC: 85 Billing Provider		
X223.087.2010AA.N301.050	N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.N301 must be populated with accepted AN characters.	
X223.087.2010AA.N301.060	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: 85 Billing Provider		
X223.087.2010AA.N301.070	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 503: "Entity's Street Address" EIC: 85 Billing Provider	2010AA.N301 must not contain the following exact phrases (not case sensitive): "Post Office Box", "P.O. BOX", "PO BOX", "LOCK BOX", "LOCK BIN", "P O BOX".	N301 must be a street address, not a post office box or lock box.
X223.087.2010AA.N302.010 edit deactivated													
X223.087.2010AA.N302.012	N302	Billing Provider Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	If present, 2010AA.N302 must contain at least one non-space character.	
X223.087.2010AA.N302.015	N302								999	E	IK403 = 5: "Data Element Too Long"	2010AA.N302 must be 1-55 characters.	
X223.087.2010AA.N302.020	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 126: "Entity's Address" EIC: 85 Billing Provider		
X223.087.2010AA.N302.030	N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.N302 must be populated with accepted AN characters.	
X223.087.2010AA.N302.040	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: 85 Billing Provider		
X223.087.2010AA.N302.050 edit deactivated													

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.087.2010AA.N302.060 edit deactivated													
X223.088.2010AA.N4.010	N4	BILLING PROVIDER CITY/STATE/ZIP CODE		1	R	2010AA			999	R	IK304 = 3: "Required Segment Missing"	2010AA.N4 must be present.	
X223.088.2010AA.N4.020	N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010AA.N4 is allowed.	
X223.088.2010AA.N401.010	N401	Billing Provider City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AA.N401 must be present.	
X223.088.2010AA.N401.020	N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.N401 must contain at least two non-space characters.	
X223.088.2010AA.N401.030	N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2010AA.N401 must be 2-30 characters.	
X223.088.2010AA.N401.040	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" EIC: 85 Billing Provider		
X223.088.2010AA.N401.050	N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.N401 must be populated with accepted AN characters.	
X223.088.2010AA.N401.060	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" EIC: 85 Billing Provider		
X223.088.2010AA.N402.010	N402	Billing Provider State or Province Code	ID	2-2	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2010AA.N404 is not present, 2010AA.N402 must be present.	
X223.088.2010AA.N402.020 edit deactivated													
X223.088.2010AA.N402.030	N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" EIC: 85 Billing Provider	2010AA.N402 must be a valid state code.	Valid State Code reference must be available for this edit.
X223.088.2010AA.N403.010	N403	Billing Provider Postal Zone or ZIP Code	ID	3-15	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	If 2010AA.N404 is not present, 2010AA.N403 must be present.	
X223.088.2010AA.N403.020 edit deactivated													
X223.088.2010AA.N403.030	N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC: 85 Billing Provider	2010AA.N403 must be a valid 9 digit zip code.	Valid Zip Code reference must be available for this edit.
X223.088.2010AA.N404.010	N404	Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.088.2010AA.N405.010	N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.088.2010AA.N406.010	N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.088.2010AA.N407.010	N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.088.2010AA.N407.020 edit deactivated													

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.090.2010AA.REF.010	REF	BILLING PROVIDER TAX IDENTIFICATION		1	R	2010AA			999	R	IK304 = 3: "Required Segment Missing"	2010AA.REF must be present.	
X223.090.2010AA.REF.020	REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010AA.REF with REF01 = "EI" is allowed.	
X223.090.2010AA.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			EI	999	R	IK403 = 1: "Required Data Element Missing"	2010AA.REF01 must be present.	
X223.090.2010AA.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2010AA.REF01 must be "EI".	
X223.090.2010AA.REF02.010	REF02	Billing Provider Additional Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AA.REF02 must be present.	
X223.090.2010AA.REF02.020	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.REF02 must be populated with accepted AN characters.	2010AA.REF02 must be populated with accepted AN characters.
X223.090.2010AA.REF02.030	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 128: "Entity's Tax ID" EIC: 85 Billing Provider		
X223.090.2010AA.REF02.040	REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 128: "Entity's tax id" EIC: 85 Billing Provider	2010AA.REF02 must be 9 digits with no punctuation.	pass through, syntax only.
X223.090.2010AA.REF02.050	REF02								277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" CSC 562: "Entity's National Provider Identifier (NPI)" CSC 128: "Entity's tax id" EIC: 85 Billing Provider	2010AA.REF must be associated with the provider identified in 2010AA.NM109	
X223.090.2010AA.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.090.2010AA.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.091.2010AA.PER.010	PER	BILLING PROVIDER CONTACT INFORMATION		2	S	2010AA			999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	If 2010AA.NM1 is present, 2010AA.PER may be present.	
X223.091.2010AA.PER.020	PER								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2010AA.PER are allowed.	
X223.091.2010AA.PER01.010	PER01	Contact Function Code	ID	2-2	R			IC	999	R	IK403 = 1: "Required Data Element Missing"	2010AA.PER01 must be present.	
X223.091.2010AA.PER01.020	PER01								999	R	IK403 = 7: "Invalid Code Value"	2010AA.PER01 must be "IC".	
X223.091.2010AA.PER02.010	PER02	Billing Provider Contact Name	AN	1-60	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	For the 1st 2010AA.PER transmitted, 2010AA.PER02 must be present.	
X223.091.2010AA.PER02.020	PER02								999	R	IK403 = I13: "Implementation Dependent 'not used' Data Element Present"	For the 2nd 2010AA.PER transmitted, 2010AA.PER02 must not be present.	
X223.091.2010AA.PER02.030	PER02								999	R	IK403 = 10: "Exclusion Condition Violated"	2010AA.PER02 must not = 1000A.PER02.	
X223.091.2010AA.PER02.040	PER02								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER02 must contain at least one non-space character.	
X223.091.2010AA.PER02.050	PER02								999	E	IK403 = 5: "Data Element Too Long"	2010AA.PER02 must be 1-60 characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.091.2010AA.PER02.060	PER02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 561: "Entity's Contact Name" FIC: 85 Billing Provider		
X223.091.2010AA.PER02.070	PER02								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER02 must be populated with accepted AN characters.	
X223.091.2010AA.PER02.080	PER02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 561: "Entity's Contact Name" FIC: 85 Billing Provider		
X223.091.2010AA.PER03.010	PER03	Communication Number Qualifier	ID	2-2	R			EM, FX, TE	999	R	IK403 = 1: "Required Data Element Missing"	2010AA.PER03 must be present.	
X223.091.2010AA.PER03.020	PER03								999	R	IK403 = 7: "Invalid Code Value"	2010AA.PER03 must be valid values.	
X223.091.2010AA.PER04.010	PER04	Communication Number	AN	1-256	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AA.PER04 must be present.	
X223.091.2010AA.PER04.020	PER04								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER04 must contain at least one non-space character.	
X223.091.2010AA.PER04.030	PER04								999	E	IK403 = 5: "Data Element Too Long"	2010AA.PER04 must be 1-256 characters.	
X223.091.2010AA.PER04.040	PER04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 127: "Entity's Phone Number" FIC: 85 Billing Provider		
X223.091.2010AA.PER04.050	PER04								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER04 must be populated with accepted AN characters.	
X223.091.2010AA.PER04.060	PER04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" FIC: 85 Billing Provider		
X223.091.2010AA.PER05.010	PER05	Communication Number Qualifier	ID	2-2	S			EM, EX, FX, TE	999	R	IK403 = 7: "Invalid Code Value"	2010AA.PER05 must be valid values.	
X223.091.2010AA.PER05.020	PER05								999	R	IK403 = 7: "Invalid Code Value"	If 2010AA.PER05 is "EX" 2010AA.PER03 must be "TE".	
X223.091.2010AA.PER06.010	PER06	Communication Number	AN	1-256	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2010AA.PER05 is present 2010AA.PER06 must be present.	
X223.091.2010AA.PER06.020	PER06								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER06 must contain at least one non-space character.	
X223.091.2010AA.PER06.030	PER06								999	E	IK403 = 5: "Data Element Too Long"	2010AA.PER06 must be 1-256 characters.	
X223.091.2010AA.PER06.035	PER06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 127: "Entity's Phone Number" FIC: 85 Billing Provider		
X223.091.2010AA.PER06.040	PER06								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER06 must be populated with accepted AN characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.091.2010AA.PER06.050	PER06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" EIC: 85 billing Provider		
X223.091.2010AA.PER07.010	PER07	Communication Number Qualifier	ID	2-2	S			EM, EX, FX, TE	999	R	IK403 = 10: "Exclusion Condition Violated"	If 2010AA.PER05 is present, 2010AA.PER07 may be present.	
X223.091.2010AA.PER07.020	PER07								999	R	IK403 = 7: "Invalid Code Value"	2010AA.PER07 must be valid values.	
X223.091.2010AA.PER07.030	PER07								999	R	IK403 = 7: "Invalid Code Value"	If 2010AA.PER07 is "EX", 2010AA.PER05 must be "TE".	
X223.091.2010AA.PER08.010	PER08	Communication Number	AN	1-256	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2010AA.PER07 is present, 2010AA.PER08 must be present.	
X223.091.2010AA.PER08.015	PER08								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER08 must contain at least one non-space character.	
X223.091.2010AA.PER08.020	PER08								999	E	IK403 = 5: "Data Element Too Long"	2010AA.PER08 must be 1-256 characters.	
X223.091.2010AA.PER08.025	PER08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 127: "Entity's Phone Number" EIC: 85 Billing Provider		
X223.091.2010AA.PER08.030 edit deactivated													
X223.091.2010AA.PER08.040	PER08								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AA.PER08 must be populated with accepted AN characters.	
X223.091.2010AA.PER08.050	PER08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 127: "Entity's Phone Number" EIC: 85 billing Provider		
X223.091.2010AA.PER09.010	PER09	Contact Inquiry Reference	AN	1-20	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2010AA.PER09 must not be present.	
X223.094.2010AB.NM1.010	NM1	PAY TO ADDRESS NAME		1	S	2010AB	1		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	One iteration of 2010AB.NM1 is allowed.	
X223.094.2010AB.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			87	999	R	IK403 = 1: "Required Data Element Missing"	2010AB.NM101 must be preset.	
X223.094.2010AB.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2010AB.NM101 must be "87".	
X223.094.2010AB.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	2010AB.NM102 must be present.	
X223.094.2010AB.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2010AB.NM102 must be "2".	
X223.094.2010AB.NM103.010	NM103	Pay-to Provider Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.094.2010AB.NM104.010	NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.094.2010AB.NM105.010	NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.094.2010AB.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.094.2010AB.NM107.010	NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.094.2010AB.NM108.010	NM108	Identification Code Qualifier	ID	1-2	R				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.094.2010AB.NM109.010	NM109	Pay-to Provider Identifier	AN	2-80	R				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.094.2010AB.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.094.2010AB.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.094.2010AB.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.096.2010AB.N3.010	N3	PAY-TO ADDRESS		1	R	2010AB			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2010AB.NM1 is present, 2010AB.N3 must be present.	
X223.096.2010AB.N3.020	N3								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010AB.N3 is allowed.	
X223.096.2010AB.N301.010	N301	Pay-to Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AB.N301 must be present.	
X223.096.2010AB.N301.020	N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AB.N301 must be at least one non-space character.	
X223.096.2010AB.N301.030	N301								999	E	IK403 = 5: "Data Element Too Long"	2010AB.N301 must be 1-55 characters.	
X223.096.2010AB.N301.040	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 126: "Entity's Address" EIC: 87 Pay-to Provider		
X223.096.2010AB.N301.050	N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AB.N301 must be populated with accepted AN characters.	
X223.096.2010AB.N301.060	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: 87 Pay-to Provider		
X223.096.2010AB.N302.010													
X223.096.2010AB.N302.020	N302	Pay-to Provider Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	If present, 2010AB.N302 must be at least one non-space character.	
X223.096.2010AB.N302.030													
X223.096.2010AB.N302.040	N302								999	E	IK403 = 5: "Data Element Too Long"	2010AB.N302 must be 1-55 characters.	
X223.096.2010AB.N302.050	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 126: "Entity's Address" EIC: 87 Pay-to Provider		
X223.096.2010AB.N302.060	N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AB.N302 must be populated with accepted AN characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.096.2010AB.N302.070	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: 87 Pay-to Provider		
X223.097.2010AB.N4.010	N4	PAY-TO ADDRESS CITY/STATE/ZIP CODE		1	R	2010AB			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2010AB.NM1 is present, 2010AB.N4 must be present.	
X223.097.2010AB.N4.020	N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010AB.N4 is allowed.	
X223.097.2010AB.N401.010	N401	Pay-to Adress City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2010AB.N401 must be present.	
X223.097.2010AB.N401.020	N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2010AB.N401 must contain at least two non-space characters.	
X223.097.2010AB.N401.030	N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2010AB.N401 must be 2-30 characters.	
X223.097.2010AB.N401.040	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" EIC: 87 Pay-to Provider		
X223.097.2010AB.N401.050	N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2010AB.N401 must be populated with accepted AN characters.	
X223.097.2010AB.N401.060	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" EIC: 87 Pay-to Provider		
X223.097.2010AB.N402.010	N402	Pay-to-Address State Code	ID	2-2	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2010AB.N404 is not present, 2010AB.N402 must be present.	
X223.097.2010AB.N402.020 edit deactivated													
X223.097.2010AB.N402.030	N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" EIC: 87 Pay-to Provider	2010AB.N402 must be a valid state code.	Valid State Code reference must be available for this edit.
X223.097.2010AB.N403.010	N403	Pay-to Address Postal Zone or ZIP Code	ID	3-15	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2010AB.N404 is not present, 2010AB.N403 must be present.	
X223.097.2010AB.N403.020 edit deactivated													
X223.097.2010AB.N403.030	N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC: 87 Pay-to Provider	2010AB.N403 must be a valid zip code.	Valid Zip Code reference must be available for this edit.
X223.097.2010AB.N404.010	N404	Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.097.2010AB.N405.010	N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.097.2010AB.N406.010	N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.097.2010AB.N407.010	N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.097.2010AB.N407.020 edit deactivated													
X223.099.2010AC..010	NM1	PAY-TO PLAN NAME Loop				2010AC			277	T	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restrictions on the number of repetitions"	2010AC loop must not be present.	11/20: Companion Guide Note needed.
X223.099.2010AC.NM1.010 edit deactivated													
X223.099.2010AC.NM1.020	NM1	PAY-TO PLAN NAME		1	S	2010AC			277	T	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restrictions on the number of repetitions"	2010AC.NM1 must not be present	
X223.101.2010AC.N3.010	N3	PAY-TO PLAN ADDRESS		1	R	2010AC			277	T	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restrictions on the number of repetitions"	2010AC.N3 must not be present.	
X223.102.2010AC.N4.010	N4	PAY-TO PLAN CITY/STATE/ZIP CODE		1	R	2010AC			277	T	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restrictions on the number of repetitions"	2010AC.N4 must not be present.	
X223.104.2010AC.REF.010	REF	PAY-TO PLAN SECONDARY IDENTIFICATION		1	S	2010AC			277	T	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restrictions on the number of repetitions"	2010AC.REF with REF01 = 2U, FY, or NF must not be present.	
X223.106.2010AC.REF.020	REF	PAY-TO PLAN TAX IDENTIFICATION		1	R	2010AC			277	T	CSCC A3: "Acknowledgement /Returned as unprocessable claim" TBD02: "Payer specific restrictions on the number of repetitions"	2010AC.REF with REF01 = EI must not be present.	
X223.078.2000B..010		SUBSCRIBER LOOP				2000B	>1		999	R	IK304 = I7: "Implementation Loop Occurs Under Minimum Times"	2000B must be present.	
X223.078.2000B.HL.010	HL	SUBSCRIBER HIERARCHICAL LEVEL		1	R	2000B			999	R	IK304 = 3: "Required Segment Missing"	2000B.HL must be present.	
X223.078.2000B.HL.020	HL								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2000B.HL is allowed.	This error means there can only be one HL in each iteration of the loop.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.107.2000B.HL01.010	HL01	Hierarchical ID Number	AN	1-12	R				999	R	IK403 = 1: "Required Data Element Missing"	2000B.HL01 must be present.	
X223.107.2000B.HL01.020	HL01								999	R	IK403 = 5: "Data Element Too Long"	2000B.HL01 must be 1-12 characters.	
X223.107.2000B.HL01.030	HL01								999	R	IK403 = 6: "Invalid Character in Data Element"	2000B.HL01 must be numeric.	
X223.107.2000B.HL01.040	HL01								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2000B.HL01 must equal the value of the previous HL01 (2000A.HL01) plus one.	
X223.107.2000B.HL02.010	HL02	Hierarchical Parent ID Number	AN	1-12	R				999	R	IK403 = 1: "Required Data Element Missing"	2000B.HL02 must be present.	
X223.107.2000B.HL02.020	HL02								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2000B.HL02 must equal the value of the HL01 (2000A.HL01) of the parent HL.	
X223.107.2000B.HL03.010	HL03	Hierarchical Level Code	ID	1-2	R			22	999	R	IK403 = 1: "Required Data Element Missing"	2000B.HL03 must be present.	
X223.107.2000B.HL03.020	HL03								999	R	IK403 = 7: "Invalid Code Value"	2000B.HL03 must be "22".	
X223.107.2000B.HL04.010	HL04	Hierarchical Child Code	ID	1-1	R			0, 1	999	R	IK403 = 1: "Required Data Element Missing"	2000B.HL04 must be present.	
X223.107.2000B.HL04.020	HL04								999	E	IK403 = 7: "Invalid Code Value"	2000B.HL04 must be "0".	
X223.107.2000B.HL04.030	HL04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2000B.HL04 must be "0".	
X223.109.2000B.SBR.010	SBR	<b>SUBSCRIBER INFORMATION</b>		1	R	2000B			999	R	IK304 = 3: "Required Segment Missing"	2000B.SBR must be present.	
X223.109.2000B.SBR.020	SBR								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2000B.SBR is allowed.	
X223.109.2000B.SBR01.010	SBR01	Payer Responsibility Sequence Number Code	ID	1-1	R		A, B, C, D, E, F, G, H, P, S, T, U		999	R	IK403 = 1: "Required Data Element Missing"	2000B.SBR01 must be present.	
X223.109.2000B.SBR01.020	SBR01								999	E	IK403 = 7: "Invalid Code Value"	2000B.SBR01 must be valid values.	
X223.109.2000B.SBR01.030	SBR01								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2000B.SBR01 must be "S" or "P".	Companion Guide Note needed.
X223.109.2000B.SBR01.040	SBR01								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." CSC 286: "Other payer's Explanation of Benefits/payment information"	If 2000B.SBR01 = "S" there must be at least one 2320.SBR01 with a value equal to "P".	
X223.109.2000B.SBR02.010	SBR02	Individual Relationship Code	ID	2-2	S			18	999	R	IK403 = 1: "Required Data Element Missing"	2000B.SBR02 must be present.	
X223.109.2000B.SBR02.020	SBR02								999	R	IK403 = 7: "Invalid Code Value"	2000B.SBR02 must be "18".	
X223.109.2000B.SBR03.010	SBR03	Insured Group or Policy Number	AN	1-50	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2000B.SBR03 must contain at least one non-space character.	
X223.109.2000B.SBR03.020	SBR03								999	E	IK403 = 5: "Data Element Too Long"	2000B.SBR03 must be 1-50 characters.	
X223.109.2000B.SBR03.030	SBR03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 163: "Entity's Policy Number" EJC - II - Subscriber		
X223.109.2000B.SBR03.040	SBR03								999	E	IK403 = 6: "Invalid Character in Data Element"	2000B.SBR03 must be populated with accepted AN characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.109.2000B.SBR03.050	SBR03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 163: "Entity's policy number" EIC: II Subscriber		
X223.109.2000B.SBR04.010	SBR04	Insured Group Name	AN	1-60	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2000B.SBR04 is present, 2000B.SBR03 must not be present.	
X223.109.2000B.SBR04.015	SBR04								999	R	IK403 = 6: "Invalid Character in Data Element"	2000B.SBR04 must contain at least one non-space character.	
X223.109.2000B.SBR04.020	SBR04								999	E	IK403 = 5: "Data Element Too Long"	2000B.SBR04 must be 1-60 characters.	
X223.109.2000B.SBR04.030	SBR04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 663: "Entity's Group Name" EIC: II Subscriber		
X223.109.2000B.SBR04.040	SBR04								999	E	IK403 = 6: "Invalid Character in Data Element"	2000B.SBR04 must be populated with accepted AN characters.	
X223.109.2000B.SBR04.050	SBR04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 663: "Entity's Group Name" EIC: II Subscriber		
X223.109.2000B.SBR04.060 edit deactivated	SBR04												
X223.109.2000B.SBR04.070 edit deactivated	SBR04												
X223.109.2000B.SBR05.010	SBR05	Insurance Type Code	ID	1-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2000B.SBR05 must not be present.	
X223.109.2000B.SBR06.010	SBR06	Coordination of Benefits Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2000B.SBR06 must not be present.	
X223.109.2000B.SBR07.010	SBR07	Yes/No Condition or Response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2000B.SBR07 must not be present.	
X223.109.2000B.SBR08.010	SBR08	Employment Status Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2000B.SBR08 must not be present.	
X223.109.2000B.SBR09.010	SBR09	Claim Filing Indicator Code	ID	1-2	S			11, 12, 13, 14, 15, 16, 17, AM, BL, CH, CI, DS, FI, HM, LM, MA, MB, MC, OF, TV, VA, WC, ZZ	277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2000B.SBR09 must be "MA".	
X223.112.2010BA.NM1.010	NM1	SUBSCRIBER NAME		1	R	2010BA	1		999	R	IK304 = 3: "Required Segment Missing"	2010BA.NM1 must be present.	
X223.112.2010BA.NM1.020	NM1								999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2010BA.NM1 is allowed.	
X223.112.2010BA.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			IL	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.NM101 must be present.	
X223.112.2010BA.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2010BA.NM101 must be "IL".	
X223.112.2010BA.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			1, 2	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.NM102 must be present.	
X223.112.2010BA.NM102.020	NM102								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2010BA.NM102 must be "1".	
X223.112.2010BA.NM103.010	NM103	Subscriber Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BA.NM103 must be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.112.2010BA.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM103 must contain at least one non-space character.	
X223.112.2010BA.NM103.030	NM103								999	E	IK403 = 5: "Data Element Too Long"	2010BA.NM103 must be 1-60 characters.	
X223.112.2010BA.NM103.040	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: IL Subscriber		
X223.112.2010BA.NM103.050	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM103 must be populated with accepted AN characters.	
X223.112.2010BA.NM103.060	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: IL Subscriber		
X223.112.2010BA.NM104.010	NM104	Subscriber First Name	AN	1-35	S				277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." CSC 505: "Entity's First Name" EIC: IL Subscriber	2010BA.NM104 must be present.	
X223.112.2010BA.NM104.020	NM104								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM104 must contain at least one non-space character.	
X223.112.2010BA.NM104.030	NM104								999	E	IK403 = 5: "Data Element Too Long"	2010BA.NM104 must be 1-35 characters.	
X223.112.2010BA.NM104.040	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" EIC: IL Subscriber		
X223.112.2010BA.NM104.050	NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM104 must be populated with accepted AN characters.	
X223.112.2010BA.NM104.060	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC: IL Subscriber		
X223.112.2010BA.NM105.010	NM105	Subscriber Middle Name	AN	1-25	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM105 must contain at least one non-space character.	
X223.112.2010BA.NM105.020	NM105								999	E	IK403 = 5: "Data Element Too Long"	2010BA.NM105 must be 1-25 characters.	
X223.112.2010BA.NM105.030	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: IL Subscriber		
X223.112.2010BA.NM105.040	NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM105 must be populated with accepted AN characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.112.2010BA.NM105.050	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: IL Subscriber		
X223.112.2010BA.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2010BA.NM106 must not be present.	
X223.112.2010BA.NM107.010	NM107	Subscriber Name Suffix	AN	1-10	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM107 must contain at least one non-space character.	
X223.112.2010BA.NM107.020	NM107								999	E	IK403 = 5: "Data Element Too Long"	2010BA.NM107 must be 1-10 characters.	
X223.112.2010BA.NM107.030	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: IL Subscriber		
X223.112.2010BA.NM107.040	NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.NM107 must be populated with accepted AN characters.	
X223.112.2010BA.NM107.050	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: IL Subscriber		
X223.112.2010BA.NM108.010	NM108	Identification Code Qualifier	ID	1-2	R			II, MI	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.NM108 must be present.	2010BA.NM108 must be present.
X223.112.2010BA.NM108.020	NM108								999	R	IK403 = 7: "Invalid Code Value"	2010BA.NM108 must be "MI".	2010BA.NM108 must be "MI".
X223.112.2010BA.NM109.010	NM109	Subscriber Primary Identifier	AN	2-80	S				999	R	IK403 = 1: "Required Data Element Missing"	2010BA.NM109 must be present.	
X223.112.2010BA.NM109.020	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 164: "Entity's contract/member number" EIC: IL Subscriber	NM109 must be 10 - 11 positions in the format of NNNNNNNNNA or NNNNNNNNNAA or NNNNNNNNNAN where "A" represents an alpha character and "N" represents a numeric digit.	01/20: Companion Guide Note needed.
X223.112.2010BA.NM109.030	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 164: "Entity's contract/member number" EIC: IL Subscriber	NM109 must be 7 - 12 positions in the format of ANNNNNN or AANNNNNN or AAANNNNNNN or AAANNNNNNN where "A" represents an alpha character and "N" represents a numeric digit.	01/20: Companion Guide Note needed.
X223.112.2010BA.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2010BA.NM110 must not be present.	
X223.112.2010BA.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2010BA.NM111 must not be present.	
X223.112.2010BA.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2010BA.NM112 must not be present.	
X223.115.2010BA.N3.010	<b>N3</b>	<b>SUBSCRIBER ADDRESS</b>		<b>1</b>	<b>S</b>	<b>2010BA</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2010BA.N3 is allowed.</b>	
X223.115.2010BA.N301.010	N301	Subscriber Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BA.N301 must be present.	
X223.115.2010BA.N301.020	N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.N301 must contain at least one non-space character.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.115.2010BA.N301.030	N301								999	E	IK403 = 5: "Data Element Too Long"	2010BA.N301 must be 1-55 characters.	
X223.115.2010BA.N301.040	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street Address" FIC: II Subscriber		
X223.115.2010BA.N301.050	N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.N301 must be populated with accepted AN characters.	
X223.115.2010BA.N301.060	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" FIC: II Subscriber		
X223.115.2010BA.N302.010 edit deactivated													
X223.115.2010BA.N302.020	N302	Subscriber Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	If present 2010BA.N302 must contain at least one non-space character.	
X223.115.2010BA.N302.030	N302								999	E	IK403 = 5: "Data Element Too Long"	2010BA.N302 must be 1-55 characters.	
X223.115.2010BA.N302.040	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street Address" FIC: II Subscriber		
X223.115.2010BA.N302.050	N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.N302 must be populated with accepted AN characters.	
X223.115.2010BA.N302.060	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" FIC: II Subscriber		
X223.116.2010BA.N4.010	N4	SUBSCRIBER CITY/STATE/ZIP CODE		1	R	2010BA			999	R	IK304 = 3: "Required Segment Missing"	2010BA.N4 must be present.	
X223.116.2010BA.N4.020	N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010BA.N4 is allowed.	
X223.116.2010BA.N401.010	N401	Subscriber City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BA.N401 must be present.	
X223.116.2010BA.N401.020	N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.N401 must contain at least two non-space characters.	
X223.116.2010BA.N401.030	N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2010BA.N401 must be 2-30 characters.	
X223.116.2010BA.N401.040	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" FIC: II Subscriber		
X223.116.2010BA.N401.050	N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.N401 must be populated with accepted AN characters.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.116.2010BA.N401.060	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" EIC: IL Subscriber		
X223.116.2010BA.N402.010	N402	Subscriber State Code	ID	2-2	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2010BA.N404 is not present, 2010BA.N402 must be present.	
X223.116.2010BA.N402.020 edit deactivated													
X223.116.2010BA.N402.030	N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" EIC: IL Subscriber	2010BA.N402 must be a valid state code.	Valid State Code reference must be available for this edit.
X223.116.2010BA.N403.010	N403	Subscriber Postal Zone or ZIP Code	ID	3-15	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2010BA.N404 is not present, 2010BA.N403 must be present.	
X223.116.2010BA.N403.020 edit deactivated													
X223.116.2010BA.N403.030	N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC: IL Subscriber	2010BA.N403 must be a valid zip code.	Valid Zip Code reference must be available for this edit.
X223.116.2010BA.N404.010	N404	Country Code	ID	2-3	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 680: "Entity's Country" EIC: IL Subscriber	2010BA.N404 must be a valid 2 character Country Code.	Valid alpha-2 Country Code reference must be available for this edit. (from Part 1 of ISO 3166)
X223.116.2010BA.N405.010	N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	2010BA.N405 must not be present.	
X223.116.2010BA.N406.010	N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.	
X223.116.2010BA.N407.010	N407	Country Subdivision Code	ID	1-3	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 695: "Entity's Country Subdivision Code" EIC: IL Subscriber	2010BA.N407 must be a valid Country Subdivision Code.	
X223.118.2010BA.DMG.010	DMG	<b>SUBSCRIBER DEMOGRAPHIC INFORMATION</b>		1	S	2010BA			999	R	IK304 = 16: "Implementation Dependent Segment Missing"	2010BA.DMG must be present.	
X223.118.2010BA.DMG.020	DMG								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010BA.DMG is allowed.	
X223.118.2010BA.DMG01.010	DMG01	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.DMG01 must be present.	
X223.118.2010BA.DMG01.020	DMG01								999	R	IK403 = 7: "Invalid Code Value"	2010BA.DMG01 must be "D8".	
X223.118.2010BA.DMG02.010	DMG02	Subscriber Birth Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.DMG02 must be present.	
X223.118.2010BA.DMG02.020	DMG02								999	R	IK403 = 8: "Invalid Date"	2010BA.DMG02 must be a valid date in CCYYMMDD format.	
X223.118.2010BA.DMG02.030	DMG02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 158: "Entity's date of birth" EIC: IL Subscriber	2010BA.DMG02 must not be a future date.	01/20: Companion Guide Note needed.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.118.2010BA.DMG03.010	DMG03	Subscriber Gender Code	ID	1-1	R			F, M, U	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.DMG03 must be present.	
X223.118.2010BA.DMG03.020	DMG03								999	R	IK403 = 7: "Invalid Code Value"	2010BA.DMG03 must be valid values.	
X223.118.2010BA.DMG04.010	DMG04	Marital Status Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.118.2010BA.DMG05.010	DMG05	Race or Ethnicity Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.118.2010BA.DMG06.010	DMG06	Citizenship Status Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.118.2010BA.DMG07.010	DMG07	Country Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.118.2010BA.DMG08.010	DMG08	Basis of Verification Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.118.2010BA.DMG09.010	DMG09	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.118.2010BA.DMG10.010	DMG10	Code List Qualifier Code	ID	1-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.118.2010BA.DMG11.010	DMG11	Industry Code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.120.2010BA.REF.010	REF	SUBSCRIBER SECONDARY IDENTIFICATION		1	S	2010BA			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2010BA.REF with REF01 = "SY" must not be present.	Companion Guide Note needed.
X223.121.2010BA.REF.010	REF	PROPERTY AND CASUALTY CLAIM NUMBER		1	S	2010BA			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010BA.REF with REF01 = "Y4" is allowed.	pass-through
X223.121.2010BA.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			Y4	999	R	IK403 = 1: "Required Data Element Missing"	2010BA.REF01 must be present.	
X223.121.2010BA.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2010BA.REF01 must be "Y4".	
X223.121.2010BA.REF02.010	REF02	Property Casualty Claim Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BA.REF02 must be present.	
X223.121.2010BA.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BA.REF02 must contain at least one non-space character.	
X223.121.2010BA.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2010BA.REF02 must be 1-50 characters.	
X223.121.2010BA.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 629: "Property Casualty Claim Number" EIC: II - Subscriber		
X223.121.2010BA.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BA.REF02 must be populated with accepted AN characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.121.2010BA.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 629: "Property Casualty Claim Number" EIC: IL Subscriber		
X223.121.2010BA.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.121.2010BA.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.122.2010BB.NM1.010	NM1	PAYER NAME		1	R	2010BB	1		999	R	IK304 = 3: "Required Segment Missing"	2010BB.NM1 must be present.	
X223.122.2010BB.NM1.020	NM1								999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2010BB.NM1 is allowed.	
X223.122.2010BB.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			PR	999	R	IK403 = 1: "Required Data Element Missing"	2010BB.NM101 must be present.	
X223.122.2010BB.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2010BB.NM101 must be "PR".	
X223.122.2010BB.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	2010BB,NM102 must be present.	
X223.122.2010BB.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2010BB.NM102 must be "2".	
X223.122.2010BB.NM103.010	NM103	Payer Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BB.NM103 must be present.	
X223.122.2010BB.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BB.NM103 must contain at least one non-space character.	
X223.122.2010BB.NM103.030	NM103								999	E	IK403 = 5: "Data Element Too Long"	2010BB.NM103 must be 1-60 characters.	
X223.122.2010BB.NM103.040	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: PR Payer		
X223.122.2010BB.NM103.050	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BB.NM103 must be populated with accepted AN characters.	
X223.122.2010BB.NM103.060	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: PR Payer		
X223.122.2010BB.NM104.010	NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.122.2010BB.NM105.010	NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.122.2010BB.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.122.2010BB.NM107.010	NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.122.2010BB.NM108.010	NM108	Identification Code Qualifier	ID	1-2	R			PI, XV	999	R	IK403 = 1: "Required Data Element Missing"	2010BB.NM108 must be present.	
X223.122.2010BB.NM108.020	NM108								999	R	IK403 = 7: "Invalid Code Value"	2010BB.NM108 must be "PI".	
X223.122.2010BB.NM109.010	NM109	Payer Identifier	AN	2-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BB.NM109 must be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.122.2010BB.NM109.020	NM109								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BB.NM109 must contain at least two non-space characters.	
X223.122.2010BB.NM109.030	NM109								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2010BB.NM109 must be 2-80 characters.	
X223.122.2010BB.NM109.040	NM109								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 53: "Entity ID Number" EIC: "PR"		
X223.122.2010BB.NM109.050	NM109								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BB.NM109 must be populated with accepted AN characters.	
X223.122.2010BB.NM109.060	NM109								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 53: "Entity ID Number" EIC: "PR"		
X223.122.2010BB.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.122.2010BB.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.122.2010BB.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.124.2010BB.N3.010	<b>N3</b>	<b>PAYER ADDRESS</b>		<b>1</b>	<b>S</b>	<b>2010BB</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2010BB.N3 is allowed.</b>	
X223.124.2010BB.N301.010	N301	Payer Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BB.N301 must be present.	
X223.124.2010BB.N301.020	N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BB.N301 must contain at least one non-space character.	
X223.124.2010BB.N301.030	N301								999	E	IK403 = 5: "Data Element Too Long"	2010BB.N301 must be 1-55 characters.	
X223.124.2010BB.N301.040	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street Address" EIC: PR Payer		
X223.124.2010BB.N301.050	N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BB.N301 must be populated with accepted AN characters.	
X223.124.2010BB.N301.060	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: PR Payer		
X223.124.2010BB.N302.010 edit deactivated													
X223.124.2010BB.N302.020	N302	Payer Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	If present, 2010BB.N302 must contain at least one non-space character.	
X223.124.2010BB.N302.030	N302								999	E	IK403 = 5: "Data Element Too Long"	2010BB.N302 must be 1-55 characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.124.2010BB.N302.040	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street Address" EIC: PR Payer		
X223.124.2010BB.N302.050	N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BB.N302 must be populated with accepted AN characters.	
X223.124.2010BB.N302.060	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: PR Payer		
X223.125.2010BB.N4.010	N4	PAYER CITY/STATE/ZIP CODE		1	R	2010BB			999	R	IK304 = 3: "Required Segment Missing"	2010BB.N4 must be present.	
X223.125.2010BB.N4.020	N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010BB.N4 is allowed.	
X223.125.2010BB.N401.010	N401	Payer City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BB.N401 must be present.	
X223.125.2010BB.N401.020	N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BB.N401 Must contain at least two non-space characters.	
X223.125.2010BB.N401.030	N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2010BB.N401 must be 2-30 characters.	
X223.125.2010BB.N401.040	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" EIC: PR Payer		
X223.125.2010BB.N401.050	N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BB.N401 must be populated with accepted AN characters.	
X223.125.2010BB.N401.060	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" EIC: PR Payer		
X223.125.2010BB.N402.010	N402	Payer State Code	ID	2-2	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2010BB.N404 is not present, 2010BB.N402 must be present.	
X223.125.2010BB.N402.020													
X223.125.2010BB.N402.030	N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" EIC: PR Payer	2010BB.N402 must be a valid state code.	Valid State Code reference must be available for this edit.
X223.125.2010BB.N403.010	N403	Payer Postal Zone or ZIP Code	ID	3-15	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2010BB.N404 is not present, 2010BB.N403 must be present.	
X223.125.2010BB.N403.020													
X223.125.2010BB.N403.030	N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC: PR Payer	2010BB.N403 must be a valid zip code.	Valid Zip Code reference must be available for this edit.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.125.2010BB.N404.010	N404	Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.125.2010BB.N405.010	N405	Location Qualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.125.2010BB.N406.010	N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.125.2010BB.N407.010	N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.127.2010BB.REF.010	REF	PAYER SECONDARY IDENTIFICATION		3	S	2010BB			277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2010BB.REF with REF01 = "2U", "EI", "FY", or "NF" must not be present.	Companion Guide Note needed.
X223.129.2010BB.REF.010	REF	BILLING PROVIDER SECONDARY IDENTIFICATION		1	S	2010BB			999	R	IK304 = 2: "Unexpected Segment"	2010BB.REF with REF01 = "G2" must be present when 2010AA.NM109 is not present.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.129.2010BB.REF.020	REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2010BB.REF with REF01 = "G2" is allowed.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.129.2010BB.REF.030	REF								999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	2010BB.REF must not be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
X223.129.2010BB.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			G2, LU	999	R	IK403 = 1: "Required Data Element Missing"	2010BB.REF01 must be present.	
X223.129.2010BB.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2010BB.REF01 must be valid values.	
X223.129.2010BB.REF02.010	REF02	Payer Additional Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2010BB.REF02 must be present.	
X223.129.2010BB.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2010BB.REF02 must contain at least one-none space character.	
X223.129.2010BB.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2010BB.REF02 must be 1-50 characters.	
X223.129.2010BB.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 560: "Entity's Additional/Secondary Identifier" EIC: PR Payer		
X223.129.2010BB.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2010BB.REF02 must be populated with accepted AN characters.	
X223.129.2010BB.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 560: "Entity's Additional/Secondary Identifier" EIC: PR Payer		
X223.129.2010BB.REF02.070	REF02								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2010BB.REF02 billing provider must be "associated" to the submitter (from a trading partner management perspective) in 1000A.NM109.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.129.2010BB.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.129.2010BB.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.131.2000C.HL.010	HL	PATIENT HIERARCHICAL LEVEL		1	S	2000C	>1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2000C.HL must not be present.	01/20: Companion Guide Note needed.
X223.133.2000C.PAT.010	PAT	PATIENT INFORMATION	ID	1	R	2000C			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2000C.PAT must not be present.	
X223.135.2010CA.NM1.010	NM1	PATIENT NAME	ID	1	R	2010CA			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2010CA.NM1 must not be present.	
X223.137.2010CA.N3.010	N3	PATIENT ADDRESS		1	R	2010CA			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2010CA.N3 must not be present.	
X223.138.2010CA.N4.010	N4	PATIENT CITY/STATE/ZIP CODE		1	R	2010CA			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2010CA.N4 must not be present.	
X223.140.2010CA.DMG.010	DMG	PATIENT DEMOGRAPHIC INFORMATION		1	R	2010CA			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2010CA.DMG must not be present.	
X223.142.2010CA.REF.010	REF	PROPERTY AND CASUALTY CLAIM NUMBER		1	S	2010CA			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2010CA.REF must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.143.2300.CLM.010	CLM	CLAIM INFORMATION Loop				2300	100		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only 100 iterations of the 2300 loop are allowed.	
X223.143.2300.CLM.020	CLM	CLAIM INFORMATION		1	R	2300	1		999	R	IK304 = 3: "Required Segment Missing"	2300.CLM must be present.	
X223.143.2300.CLM.030	CLM								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only 1 iteration of 2300.CLM is allowed.	
X223.143.2300.CLM01.010	CLM01	Patient Control Number	AN	1-38	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM01 must be present.	
X223.143.2300.CLM01.020	CLM01								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.CLM01 must contain at least one-non-space character.	
X223.143.2300.CLM01.030	CLM01								999	E	IK403 = 5: "Data Element Too Long"	2300.CLM01 must be 1 - 38 characters.	Companion Guide Note Needed - only positions 1 - 20 will be stored/returned
X223.143.2300.CLM01.040	CLM01								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD12: "Claim submitter's identifier"		
X223.143.2300.CLM01.050	CLM01								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.CLM01 must be populated with accepted AN characters.	
X223.143.2300.CLM01.060	CLM01								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" TBD12: "Claim submitter's identifier"		
X223.143.2300.CLM02.010	CLM02	Total Claim Charge Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM02 must be present.	
X223.143.2300.CLM02.020	CLM02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.CLM02 must be numeric.	
X223.143.2300.CLM02.030	CLM02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 178: "Submitted Charges"	2300.CLM02 must be >= 0.	
X223.143.2300.CLM02.040	CLM02								999	E	IK403 = 5: "Data Element Too Long"	2300.CLM02 must be <= 99,999,999.99.	
X223.143.2300.CLM02.050	CLM02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 178: "Submitted Charges"	2300.CLM02 must be <= 99,999,999.99.	2300.CLM02 must be <= 99,999,999.99.
X223.143.2300.CLM02.060	CLM02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 178: "Submitted Charges"	2300.CLM02 is limited to 0, 1 or 2 decimal positions.	
X223.143.2300.CLM02.070	CLM02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 400: "Claim is out of balance" CSC 178: "Submitted Charges"	2300.CLM02 must equal the sum of all 2400.SV203 amounts.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.143.2300.CLM02.080	CLM02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 400: "Claim is out of Balance" CSC 672 "Payer's payment information is out of balance"	CLM02 must equal the sum of all 2320 CAS amounts & all 2430 CAS amounts and 2320 AMT02 (when AMT01=D).	
X223.143.2300.CLM03.010	CLM03	Claim Filing Indicator Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.143.2300.CLM04.010	CLM04	Non-Institutional Claim Type Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.143.2300.CLM05.010	CLM05	HEALTH CARE SERVICE LOCATION INFORMATION			R								
X223.143.2300.CLM05-1.010	CLM05-1	Facility Type Code	AN	1-2	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM05-1 must be present.	
X223.143.2300.CLM05-1.020	CLM05-1								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 228: "Type of bill for UB claim"	2300.CLM05-1 must be the 1st and 2nd positions of a valid Uniform Bill Type Code.	Valid Uniform Bill Type Code reference must be available for this edit.
X223.143.2300.CLM05-2.010	CLM05-2	Facility Code Qualifier	ID	1-2	R			A	999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM05-2 must be present.	
X223.143.2300.CLM05-2.020	CLM05-2								999	R	IK403 = 7: "Invalid Code Value"	2300.CLM05-2 must be "A".	
X223.143.2300.CLM05-3.010	CLM05-3	Claim Frequency Code	ID	1-1	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM05-3 must be present.	
X223.143.2300.CLM05-3.020	CLM05-3								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 228:"Type of bill for UB claim"	2300.CLM05-3 must be the 3rd position of a valid Uniform Bill Type Code.	Valid Uniform Bill Type Code reference must be available for this edit.
X223.143.2300.CLM06.010	CLM06	Provider or Supplier Signature Indicator	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.143.2300.CLM07.010	CLM07	Medicare Assignment Code	ID	1-1	R			A, B, C	999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM07 must be present.	
X223.143.2300.CLM07.020	CLM07								999	R	IK403 = 7: "Invalid Code Value"	2300.CLM07 must be valid values.	
X223.143.2300.CLM08.010	CLM08	Benefits Assignment Certification Indicator	ID	1-1	R			N, W, Y	999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM08 must be present.	
X223.143.2300.CLM08.020	CLM08								999	R	IK403 = 7: "Invalid Code Value"	2300.CLM08 must be valid values.	
X223.143.2300.CLM09.010	CLM09	Release of Information Code	ID	1-1	R			I, Y	999	R	IK403 = 1: "Required Data Element Missing"	2300.CLM09 must be present.	
X223.143.2300.CLM09.020	CLM09								999	R	IK403 = 7: "Invalid Code Value"	2300.CLM09 must be valid values.	
X223.143.2300.CLM10.010	CLM10	Patient Signature Source Code	ID	1-1	N/U			P	999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.143.2300.CLM11.010	CLM11	RELATED CAUSES INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.143.2300.CLM12.010	CLM12	Special Program Indicator	ID	2-3	N/U			02, 03, 05, 09	999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.143.2300.CLM13.010	CLM13	Yes/No Condition or Response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.143.2300.CLM14.010	CLM14	Level of Service Code	ID	1-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.143.2300.CLM15.010	CLM15	Yes/No Condition or Response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.143.2300.CLM16.010	CLM16	Participation Agreement	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.143.2300.CLM17.010	CLM17	Claim Status Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.143.2300.CLM18.010	CLM18	Yes/No Condition or Response Code	ID	1-1	R				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.143.2300.CLM19.010	CLM19	Claim Submission Reason Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.143.2300.CLM20.010	CLM20	Delay Reason Code	ID	1-2	S			1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11,	999	R	IK403 = 7: "Invalid Code Value"	2300.CLM20 must be valid values.	
X223.149.2300.DTP.010	DTP	DATE - DISCHARGE HOUR		1	S	2300			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	2300.DTP with DTP01 = "096" must be present on all final inpatient claims. Final inpatient claims are ones with a TOB Freq equal to '1' or '4'.	
X223.149.2300.DTP.020	DTP								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.DTP with DTP01 = "096" is allowed.	
X223.149.2300.DTP01.010	DTP01	Date Time Qualifier	ID	3-3	R			096	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.	
X223.149.2300.DTP01.020	DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "096".	
X223.149.2300.DTP02.010	DTP02	Date Time Period Format Qualifier	ID	2-3	R			TM	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.	
X223.149.2300.DTP02.020	DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "TM".	
X223.149.2300.DTP03.010	DTP03	Discharge Hour	AN	1-35	R			HHMM	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.	
X223.149.2300.DTP03.020	DTP03								999	R	IK403 = 9: "Invalid Time"	2300.DTP03 must be a valid time in HHMM format.	
X223.150.2300.DTP.010	DTP	DATE - STATEMENT DATES	ID	1	R	2300			999	R	IK304 = 3: "Required Segment Missing"	2300.DTP must be present.	
X223.150.2300.DTP.020	DTP								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.DTP with DTP01 = "434" is allowed.	
X223.150.2300.DTP01.010	DTP01	Date Time Qualifier	ID	3-3	R			434	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.	
X223.150.2300.DTP01.020	DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "434".	
X223.150.2300.DTP02.010	DTP02	Date Time Period Format Qualifier	AN	2-3	R			RD8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.	
X223.150.2300.DTP02.010	DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "RD*"	
X223.150.2300.DTP03.010	DTP03	Statement From or To Date	AN	1-35	R			CCYYMMDD-CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.	
X223.150.2300.DTP03.020	DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.151.2300.DTP.010	DTP	DATE - ADMISSION DATE/HOUR		1	S	2300			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	2300.DTP with DTP01 = "435" must be present for all inpatient claims.	
X223.151.2300.DTP.020	DTP								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.DTP with DTP01 = "435" is allowed.	
X223.151.2300.DTP01.010	DTP01	Date Time Qualifier	ID	3-3	R			435	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.	
X223.151.2300.DTP01.020	DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "435".	
X223.151.2300.DTP02.010	DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8, DT	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.	
X223.151.2300.DTP02.020	DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be valid values.	
X223.151.2300.DTP03.010	DTP03	Admission Date and Hour	AN	1-35	R			CCYYMMDD, CCYYMMDDHHMM	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.	
X223.151.2300.DTP03.020	DTP03								999	R	IK403 = 8: "Invalid Date"	If 2300.DTP02 equals D8, then 2300.DTP03 must be a valid date in CCYYMMDD format.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.151.2300.DTP03.030	DTP03								999	R	IK403 = 8: "Invalid Date"	If 2300.DTP02 equals DT, then 2300.DTP03 must be a valid date in CCYYMMDDHHMM format.	3/17: Companion Guide note needed - CMS prefers use of the DT code and inclusion of the time.
X223.151.2300.DTP03.040	DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 189: "Facility admission date"	2300.DTP03 must not be a future date.	Companion Guide note needed
X223.152.2300.DTP.010	DTP	<b>DATE - REPRICER RECEIVED DATE</b>		1	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.DTP is allowed.</b>	pass through, syntax only.
X223.152.2300.DTP01.010	DTP01	Date Time Qualifier	ID	3-3	R			050	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP01 must be present.	
X223.152.2300.DTP01.020	DTP01								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP01 must be "050".	
X223.152.2300.DTP02.010	DTP02	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP02 must be present.	
X223.152.2300.DTP02.020	DTP02								999	R	IK403 = 7: "Invalid Code Value"	2300.DTP02 must be "D8".	
X223.152.2300.DTP03.010	DTP03	Order Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2300.DTP03 must be present.	
X223.152.2300.DTP03.020	DTP03								999	R	IK403 = 8: "Invalid Date"	2300.DTP03 must be a valid date in CCYYMMDD format.	
X223.153.2300.CL1.010	CL1	<b>INSTITUTIONAL CLAIM CODE</b>		1	R	2300			999	R	<b>IK304 = 3: "Required Segment Missing"</b>	<b>2300.CL1 must be present.</b>	
X223.153.2300.CL1.020	CL1								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.CL1 is allowed.</b>	
X223.153.2300.CL101.010	CL101	Admission Type Code	ID	1-1	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	2300.CL101 must be present when 2300.CLM05-1 is "11", "12", "18", "21", "22" or "41".	
X223.153.2300.CL101.020	CL101								999	R	IK403 = 5: "Data Element Too Long"	2300.CL101 must be 1 character.	
X223.153.2300.CL101.030	CL101								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 231: "Hospital admission type"	2300.CL101 must be a valid Admission Type Code.	Valid Admission Type Code reference must be available for this edit.
X223.153.2300.CL102.010	CL102	Admission Source Code	ID	1-1	S				999	R	IK403 = 1: "Required Data Element Missing"	2300.CL102 must be present.	
X223.153.2300.CL102.020	CL102								999	R	IK403 = 5: "Data Element Too Long"	2300.CL102 must be 1 character.	
X223.153.2300.CL102.030	CL102								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 229: "Hospital admission source"	2300.CL102 must be a valid Admission Source Code.	Valid Admission Source Code reference must be available for this edit.
X223.153.2300.CL103.010	CL103	Patient Status Code	ID	1-2	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.CL103 must be present.	
X223.153.2300.CL103.020	CL103								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 234: "Patient discharge status"	2300.CL103 must be a valid Patient Status Code.	Valid Patient Status Code reference must be available for this edit.
X223.153.2300.CL104.010	CL104	Nursing Home Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.154.2300.PWK.010	PWK	<b>CLAIM SUPPLEMENTAL INFORMATION</b>		10	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only ten iterations of 2300.PWK are allowed.</b>	pass through, syntax only.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.154.2300.PWK01.010	PWK01	Attachment Report Type Code	ID	2-2	R			03, 04, 05, 06, 07, 08, 09, 10, 11, 13, 15, 21, A3, A4, AM, AS, B2, B3, B4, BR, BS, BT, CB, CK, CT, D2, DA, DB, DG, DJ, DS, EB, HC, HR, I5, IR, LA, M1, MT, NN, OB, OC, OD, OE, OX, OZ, P4, P5, PE, PN, PO, PQ, PY, PZ, RB, RR, RT, RX, SC, VE, YP	999	R	IK403 = 1: "Required Data Element Missing"	2300.PWK01 must be present.	
X223.154.2300.PWK01.020	PWK01								999	R	IK403 = 7: "Invalid Code Value"	2300.PWK01 must be valid values.	
X223.154.2300.PWK02.010	PWK02	Attachment Transmission Code	ID	1-2	R			AA, BM, EL, EM, FT, FX	999	R	IK403 = 1: "Required Data Element Missing"	2300.PWK02 must be present.	
X223.154.2300.PWK02.020	PWK02								999	R	IK403 = 7: "Invalid Code Value"	2300.PWK02 must be valid values.	
X223.154.2300.PWK03.010	PWK03	Report Copies Needed	N0	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.154.2300.PWK04.010	PWK04	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.154.2300.PWK05.010	PWK05	Identification Code Qualifier	ID	1-2	S			AC	999	R	IK403 = 2 "Conditional Required Data Element Missing"	When 2300.PWK05 is present, 2300.PWK02 must be "BM", "EL", "EM", "FX" or "FT"	
X223.154.2300.PWK05.020	PWK05								999	R	IK403 = 7: "Invalid Code Value"	2300.PWK05 must be "AC".	
X223.154.2300.PWK06.010	PWK06	Attachment Control Number	AN	2-80	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	When 2300.PWK06 is present, 2300.PWK02 must be "BM", "EL", "EM", "FX" or "FT"	
X223.154.2300.PWK06.020	PWK06								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2300.PWK06 must be 2-50 characters.	
X223.154.2300.PWK06.030	PWK06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 489: "Attachment Control Number"		
X223.154.2300.PWK06.040	PWK06								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.PWK06 must be populated with accepted AN characters.	
X223.154.2300.PWK06.050	PWK06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 489: "Attachment Control Number"		
X223.154.2300.PWK06.060	PWK06								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.PWK06 must contain at least two non-space characters.	
X223.154.2300.PWK07.010	PWK07	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.154.2300.PWK08.010	PWK08	ACTIONS INDICATED			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.154.2300.PWK09.010	PWK09	Request Category Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.158.2300.CN1.010	CN1	CONTRACT INFORMATION	ID	1	S	2300			999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2300.CN1 must not be present.	IG note that CN1 is not for HIPAA claims.
X223.160.2300.AMT.010	AMT	PATIENT ESTIMATED AMOUNT DUE		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.AMT is allowed.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.160.2300.AMT01.010	AMT01	Amount Qualifier Code	ID	1-3	R			F3	999	R	IK403 = 1: "Required Data Element Missing"	2300.AMT01 must be present.	
X223.160.2300.AMT01.020	AMT01								999	R	IK403 = 7: "Invalid Code Value"	2300.AMT01 must be "F3".	
X223.160.2300.AMT02.010	AMT02	Patient Responsibility Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.AMT02 must be present.	
X223.160.2300.AMT02.020	AMT02								999	R	IK403 = 6: "Invalid Character in Data Element"	AMT02 must be numeric.	
X223.160.2300.AMT02.030	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 565: "Estimated Claim Due Amount" EIC: QC "Patient"	2300.AMT02 must be >= 0.	
X223.160.2300.AMT02.040	AMT02								999	E	IK403 = 5: "Data Element Too Long"	2300.AMT02 must be <=99,999,999.99.	
X223.160.2300.AMT02.050	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 565: "Estimated Claim Due Amount" EIC: QC "Patient"		
X223.160.2300.AMT02.060	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 565: "Estimated Claim Due Amount" EIC: QC "Patient"	2300.AMT02 is limited to 0, 1 or 2 decimal positions.	
X223.160.2300.AMT03.010	AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.161.2300.REF.010	REF	<b>SERVICE AUTHORIZATION EXCEPTION CODE</b>		1	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.REF with REF01 = "4N" is allowed.</b>	pass through, syntax only.
X223.161.2300.REF01.010	REF01	Reference Identification Qualifier							999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.	
X223.161.2300.REF01.020	REF01		ID	2-3	R			4N	999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "4N".	
X223.161.2300.REF02.030	REF02	Service Authorization Exception Code	ID	1-50	R			1, 2, 3, 4, 5, 6, 7	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.	
X223.161.2300.REF02.040	REF02								999	R	IK403 = 7: "Invalid Code Value"	2300.REF02 must be valid values.	
X223.161.2300.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.161.2300.REF04.010	REF04	REFERENCE IDENTIFIER	AN		N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.163.2300.REF.010	REF	<b>REFERRAL NUMBER</b>		1	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.REF with REF01 = "9F" is allowed.</b>	
X223.163.2300.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			9F	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.	
X223.163.2300.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "9F".	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.163.2300.REF02.010	REF02	Prior Authorization or Referral Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.	
X223.163.2300.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.	
X223.163.2300.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-50 characters.	
X223.163.2300.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 48: "referral/Authorization"		
X223.163.2300.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.	
X223.163.2300.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 48: "Referral/authorization."		
X223.163.2300.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.163.2300.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.164.2300.REF.010	REF	<b>PRIOR AUTHORIZATION</b>		<b>1</b>	<b>S</b>	<b>2300</b>			<b>999</b>	<b>R</b>	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.REF with REF01 = "G1" is allowed.</b>	
X223.164.2300.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			G1	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.	
X223.164.2300.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "G1".	
X223.164.2300.REF02.010	REF02	Prior Authorization Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.	
X223.164.2300.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.	
X223.164.2300.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-50 characters.	
X223.164.2300.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 252: "Authorization/Certification Number"		
X223.164.2300.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.	
X223.164.2300.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 252: "Authorization/ certification number"		
X223.164.2300.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.164.2300.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.166.2300.REF.010	REF	PAYER CLAIM CONTROL NUMBER	ID	1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.REF with REF01 = "F8" is allowed.	Required when CLM05-3 (Claim Frequency Code) indicates this claim is a replacement or void to a previously adjudicated claim.
X223.166.2300.REF.010	REF01	Reference Identification Qualifier	ID	2-3	R			F8	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.	
X223.166.2300.REF01.010	REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "F8".	
X223.166.2300.REF02.010	REF02	PAYER CLAIM CONTROL NUMBER	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.	
X223.166.2300.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.	
X223.166.2300.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-50 characters.	
X223.166.2300.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 464: "Payer Assigned Claim"		
X223.166.2300.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.	
X223.166.2300.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 464: "Payer Assigned Claim Control Number"		
X223.166.2300.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.166.2300.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.167.2300.REF.010	REF	REPRICED CLAIM NUMBER		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.REF with REF01 = "9A" is allowed.	pass through, syntax only.
X223.167.2300.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			9A	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.	
X223.167.2300.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "9A".	
X223.167.2300.REF02.010	REF02	Repriced Claim Reference Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.	
X223.167.2300.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.	
X223.167.2300.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-50 characters.	
X223.167.2300.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 702: "Repriced Claim Reference"		
X223.167.2300.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.167.2300.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 702: "Repriced Claim Reference Number"		
X223.167.2300.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.167.2300.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.168.2300.REF.010	REF	ADJUSTED REPRICED CLAIM NUMBER		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.REF with REF01 = "9C" is allowed.	pass through, syntax only.
X223.168.2300.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			9C	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.	
X223.168.2300.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "9C".	
X223.168.2300.REF02.010	REF02	Adjusted Repriced Claim Reference Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.	
X223.168.2300.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.	
X223.168.2300.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-50 characters.	
X223.168.2300.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 517: "Adjusted Repriced Claim Reference Number"		
X223.168.2300.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.	
X223.168.2300.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 517: "Adjusted Repriced Claim Reference Number"		
X223.168.2300.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.168.2300.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.169.2300.REF.010	REF	INVESTIGATIONAL DEVICE EXEMPTION NUMBER		5	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.REF with REF01 = "LX" is allowed.	CMS is only accepting one iteration.
X223.169.2300.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			LX	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.	03/30: Companion Guide Note needed.
X223.169.2300.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "LX".	
X223.169.2300.REF02.010	REF02	Investigational Device Exemption Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.	
X223.169.2300.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.	
X223.169.2300.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-50 characters.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.169.2300.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 579: "Investigational Device Exemption Identifier"		
X223.169.2300.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.	
X223.169.2300.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 579: "Investigational Device Exemption Identifier"		
X223.169.2300.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.169.2300.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.170.2300.REF.010	REF	CLAIM IDENTIFIER FOR TRANSMISSION INTERMEDIARIES		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.REF with REF01 = "D9" is allowed.	pass through, syntax only.
X223.170.2300.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			D9	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.	
X223.170.2300.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "D9"	
X223.170.2300.REF02.010	REF02	Value Added Network Trace Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.	
X223.170.2300.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.	
X223.170.2300.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-20 characters.	
X223.170.2300.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 543: "Clearinghouse or Value Added Network Trace"		
X223.170.2300.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.	
X223.170.2300.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 543: "Clearinghouse or Value Added Network Trace"		
X223.170.2300.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.170.2300.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.172.2300.REF.010	REF	AUTO ACCIDENT STATE		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.REF with REF01 = "LU" is allowed.	pass through, syntax only.
X223.172.2300.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			LU	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.	
X223.172.2300.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "LU".	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.172.2300.REF02.010	REF02	Auto Accident State or Province	AN	1-50	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" CSC 171: Other insurance coverage information (health, liability, auto, etc.)	2300.REF02 must be a valid State or Province code.	Valid State Code reference must be available for this edit.
X223.172.2300.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.172.2300.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.173.2300.REF.010	REF	<b>MEDICAL RECORD NUMBER</b>		1	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.REF with REF01 = "EA" is allowed.</b>	
X223.173.2300.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			EA	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.	
X223.173.2300.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "EA".	
X223.173.2300.REF02.010	REF02	Medical Record Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.	
X223.173.2300.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.	
X223.173.2300.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-50 characters.	
X223.173.2300.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 588: "medical Record Number"		
X223.173.2300.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.	
X223.173.2300.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 588: "Medical Record Number"		
X223.173.2300.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.173.2300.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.174.2300.REF.010	REF	<b>DEMONSTRATION PROJECT IDENTIFIER</b>		1	S	2300			999	R	<b>IK304=5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.REF with REF01 = "P4" is allowed.</b>	
X223.174.2300.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			P4	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.	
X223.174.2300.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "P4".	
X223.174.2300.REF02.010	REF02	Demonstration Project Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.	
X223.175.2300.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.	
X223.175.2300.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-50 characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.175.2300.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 556: "Demonstration Project Identifier"		
X223.174.2300.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.174.2300.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.175.2300.REF.010	REF	PEER REVIEW ORGANIZATION (PRO) APPROVAL NUMBER		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.REF with REF01 = "G4" is allowed.	
X223.175.2300.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			G4	999	R	IK403 = 1: "Required Data Element Missing"	2300.REF01 must be present.	
X223.175.2300.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2300.REF01 must be "G4".	
X223.175.2300.REF02.010	REF02	PRO Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.REF02 must be present.	
X223.175.2300.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must contain at least one non-space character.	
X223.175.2300.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2300.REF02 must be 1-50 characters.	
X223.175.2300.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 611: "Peer Review Authorization Number"		
X223.175.2300.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.REF02 must be populated with accepted AN characters.	
X223.175.2300.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 611: "Peer Review Authorization Number"		
X223.175.2300.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.175.2300.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.176.2300.K3.010	K3	FILE INFORMATION		10	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only ten iterations of K3 are allowed.	
X223.176.2300.K301.010	K301	Fixed Format Information	AN	1-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.K301 must be present.	
X223.176.2300.K301.020	K301								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.K301 must contain at least one non-space character.	
X223.176.2300.K301.030	K301								999	E	IK403 = 5: "Data Element Too Long"	2300.K301 must be 1-80 characters.	
X223.176.2300.K301.040	K301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 569: "Fixed Format Information"		

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.176.2300.K301.050	K301								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.K301 must be populated with accepted AN characters.	
X223.176.2300.K301.060	K301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 569: "Fixed Format Information"		
X223.176.2300.K302.010	K302	Record Format Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.176.2300.K303.010	K303	COMPOSITE UNIT OF MEASURE			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.178.2300.NTE.010	NTE	CLAIM NOTE		10	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only ten iterations of 2300.NTE are allowed.	
X223.178.2300.NTE01.010	NTE01	Note Reference Code	ID	3-3	R		ALG, DCP, DGN, DME, MED, NTR, ODT, RHB, RLH, RNH, SET, SFM, SPT, UPI		999	R	IK403 = 1: "Required Data Element Missing"	2300.NTE01 must be present.	
X223.178.2300.NTE01.020	NTE01								999	R	IK403 = 7: "Invalid Code Value"	2300.NTE01 must be valid values.	
X223.178.2300.NTE02.010	NTE02	Claim Note Text	AN	1-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.NTE02 must be present.	
X223.178.2300.NTE02.020	NTE02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.NTE02 must be at least one non-space character.	
X223.178.2300.NTE02.030	NTE02								999	E	IK403 = 5: "Data Element Too Long"	2300.NTE02 must be 1-80 characters.	
X223.178.2300.NTE02.040	NTE02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 297: "Medical Notes/Report"		
X223.178.2300.NTE02.050	NTE02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.NTE02 must be populated with accepted AN characters.	
X223.178.2300.NTE02.060	NTE02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 297: "Medical Notes/Report"		
X223.180.2300.NTE.010	NTE	BILLING NOTE		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.NTE is allowed.	
X223.180.2300.NTE01.010	NTE01	Note Reference Code	ID	3-3	R			ADD	999	R	IK403 = 1: "Required Data Element Missing"	2300.NTE01 must be present.	
X223.180.2300.NTE01.020	NTE01								999	R	IK403 = 7: "Invalid Code Value"	2300.NTE01 must be "ADD".	
X223.180.2300.NTE02.010	NTE02	Billing Note Text	AN	1-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.NTE02 must be present.	
X223.180.2300.NTE02.020	NTE02								999	R	IK403 = 6: "Invalid Character in Data Element"	2300.NTE02 must be at least one non-space character.	
X223.180.2300.NTE02.030	NTE02								999	E	IK403 = 5: "Data Element Too Long"	2300.NTE02 must be 1-80 characters.	
X223.180.2300.NTE02.040	NTE02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD14: "Billing Note Text"		
X223.180.2300.NTE02.050	NTE02								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.NTE02 must be populated with accepted AN characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.180.2300.NTE02.060	NTE02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" TBD14: "Billing Note Text"		
X223.181.2300.CRC.010	CRC	EPSDT REFERRAL		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.CRC with CRC01 = "ZZ" is allowed.	pass through, syntax only.
X223.181.2300.CRC01.010	CRC01	Code Category	ID	2-2	R			ZZ	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC01 must be present.	
X223.181.2300.CRC01.020	CRC01								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC01 must be "ZZ".	
X223.181.2300.CRC02.010	CRC02	Certification Condition Indicator	ID	1-1	R			N, Y	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC02 must be present.	
X223.181.2300.CRC02.020	CRC02								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC02 must be valid values.	
X223.181.2300.CRC03.010	CRC03	Condition Code	ID	2-3	R			AV, NU, S2, ST	999	R	IK403 = 1: "Required Data Element Missing"	2300.CRC03 must be present.	
X223.181.2300.CRC03.020	CRC03								999	R	IK403 = 7: "Invalid Code Value"	2300.CRC03 must be valid values.	
X223.181.2300.CRC04.010	CRC04	Condition Code	ID	2-3	S			AV, NU, S2, ST	999	R	IK403 = 7: "Invalid Code Value"	2300.CRC04 must be valid values.	
X223.181.2300.CRC05.010	CRC05	Condition Code	ID	2-3	S			AV, NU, S2, ST	999	R	IK403 = 7: "Invalid Code Value"	2300.CRC05 must be valid values.	
X223.181.2300.CRC06.010	CRC06	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.181.2300.CRC07.010	CRC07	Condition Indicator	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.184.2300.HI.010	HI	PRINCIPAL DIAGNOSIS		1	R	2300			999	R	IK304 = 3: "Required Segment Missing"	2300.HI with HI01-1 = "BK" must be present.	ICD-9 Only period
X223.184.2300.HI.020	HI								999	R	IK304 = 3: "Required Segment Missing"	2300.HI with HI01-1 = "BK" or "ABK" must be present.	Transition period
X223.184.2300.HI.030	HI								999	R	IK304 = 3: "Required Segment Missing"	2300.HI with HI01-1 = "ABK" must be present.	ICD-10 Only period - assumes no dual-use after mandated date.
X223.184.2300.HI.040	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "BK" is allowed.	ICD-9 Only period
X223.184.2300.HI.050	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "BK" or "ABK" is allowed.	Transition period
X223.184.2300.HI.060	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "ABK" is allowed.	ICD-10 Only period - assumes no dual-use after mandated date.
	HI01	HEALTH CARE CODE INFORMATION			R								
X223.184.2300.HI01-1.010	HI01-1	Code List Qualifier Code	ID	1-3	R			ABK, BK	999	R	IK403 = 1: "Required Data Element Missing"	2300.HI01-1 must be present.	
X223.184.2300.HI01-1.020	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be valid values.	
X223.184.2300.HI01-1.030	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be "BK".	ICD-9 Only period
X223.184.2300.HI01-1.040	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be "ABK".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.184.2300.HI01-2.010	HI01-2	Industry Code	AN	1-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.HI01-2 must be present.	
X223.184.2300.HI01-2.020	HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 254: "Primary diagnosis code"	If 2300.HI01-1 is "BK" then 2300.HI01-2 must be a valid ICD-9-CM Principal Diagnosis code (based on date of service).	ICD-9 Only period and Transition period. Valid ICD-9-CM Principal Diagnosis Code reference must be available for this edit

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.184.2300.HI01-2.030	HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 254: "Primary diagnosis code"	If 2300.HI01-1 is "ABK" then 2300.HI01-2 must be a valid ICD-10-CM Principal Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Diagnosis Code reference must be available for this edit
X223.184.2300.HI01-2.040	HI01-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI01-2 must not contain a ".".	
X223.184.2300.HI01-2.050	HI01-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 254: "Primary diagnosis code"		
X223.184.2300.HI01-3.010	HI01-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-3 must not be present.	
X223.184.2300.HI01-4.010	HI01-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-4 must not be present.	
X223.184.2300.HI01-5.010	HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-5 must not be present.	
X223.184.2300.HI01-6.010	HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-6 must not be present.	
X223.184.2300.HI01-7.010	HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-7 must not be present.	
X223.184.2300.HI01-8.010	HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-8 must not be present.	
X223.184.2300.HI01-9.010	HI01-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-9 must be valid values.	
X223.184.2300.HI02.010	HI02	HEALTH CARE CODE INFORMATION			S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02 must not be present.	
X223.184.2300.HI03.010	HI03	HEALTH CARE CODE INFORMATION			S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03 must not be present.	
X223.184.2300.HI04.010	HI04	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04 must not be present.	
X223.184.2300.HI05.010	HI05	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05 must not be present.	
X223.184.2300.HI06.010	HI06	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06 must not be present.	
X223.184.2300.HI07.010	HI07	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07 must not be present.	
X223.184.2300.HI08.010	HI08	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08 must not be present.	
X223.184.2300.HI09.010	HI09	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09 must not be present.	
X223.184.2300.HI10.010	HI10	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10 must not be present.	
X223.184.2300.HI11.010	HI11	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11 must not be present.	
X223.184.2300.HI12.010	HI12	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12 must not be present.	
X223.187.2300.HI.010 edit deactivated	HI												
X223.187.2300.HI.020 edit deactivated	HI												
X223.187.2300.HI.030 edit deactivated	HI												

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.187.2300.HI.040 edit deactivated	HI												
X223.187.2300.HI.050	HI	ADMITTING DIAGNOSIS		1	R	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "BJ" is allowed.	ICD-9 Only period
X223.187.2300.HI.060	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "BJ" or "ABJ" is allowed.	Transition period
X223.187.2300.HI.070	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "ABJ" is allowed.	ICD-10 Only period - assumes no dual-use after mandated date.
X223.187.2300.HI01.010	HI01	HEALTH CARE CODE INFORMATION			R								
X223.187.2300.HI01-1.010	HI01-1	Diagnosis Type Code	ID	1-3	R			ABJ, BJ	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be valid values.	
X223.187.2300.HI01-1.020	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "BJ".	ICD-9 Only period
X223.187.2300.HI01-1.030	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "ABJ".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.187.2300.HI01-2.010	HI01-2	Admitting Diagnosis Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 232: "Admitting Diagnosis"	If 2300.HI01-1 is "BJ" then 2300.HI01-2 must be a valid ICD-9-CM Admitting Diagnosis code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Admitting Diagnosis Code reference must be available for this edit.
X223.187.2300.HI01-2.020	HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 232: "Admitting Diagnosis"	If 2300.HI01-1 is "ABJ" then 2300.HI01-2 must be a valid ICD-10-CM Admitting Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Admitting Diagnosis Code reference must be available for this edit.
X223.187.2300.HI01-2.030	HI01-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI01-2 must not contain a ".".	
X223.187.2300.HI01-2.040	HI01-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 232: "Admitting Diagnosis"		
X223.187.2300.HI01-3.010	HI01-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-3 must not be present.	
X223.187.2300.HI01-4.010	HI01-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-4 must not be present.	
X223.187.2300.HI01-5.010	HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-5 must not be present.	
X223.187.2300.HI01-6.010	HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-6 must not be present.	
X223.187.2300.HI01-7.010	HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-7 must not be present.	
X223.187.2300.HI01-8.010	HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-8 must not be present.	
X223.187.2300.HI01-9.010	HI01-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-9 must not be present.	
X223.187.2300.HI02.010	HI02	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02 must not be present.	
X223.187.2300.HI03.010	HI03	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03 must not be present.	
X223.187.2300.HI04.010	HI04	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04 must not be present.	
X223.187.2300.HI05.010	HI05	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05 must not be present.	
X223.187.2300.HI06.010	HI06	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.187.2300.HI07.010	HI07	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07 must not be present.	
X223.187.2300.HI08.010	HI08	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08 must not be present.	
X223.187.2300.HI09.010	HI09	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09 must not be present.	
X223.187.2300.HI10.010	HI10	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10 must not be present.	
X223.187.2300.HI11.010	HI11	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11 must not be present.	
X223.187.2300.HI12.010	HI12	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12 must not be present.	
X223.189.2300.HI.010 edit deactivated	HI												
X223.189.2300.HI.020 edit deactivated	HI												
X223.189.2300.HI.030 edit deactivated	HI												
X223.189.2300.HI.040 edit deactivated	HI												
X223.189.2300.HI.050	HI	PATIENT REASON FOR VISIT		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "PR" is allowed.	ICD-9 Only period
X223.189.2300.HI.060	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "PR" or "APR" is allowed.	Transition period
X223.189.2300.HI.070	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "APR" is allowed.	ICD-10 Only period - assumes no dual-use after mandated date.
X223.189.2300.HI01.010	HI01	HEALTH CARE CODE INFORMATION			R								
X223.189.2300.HI01-1.010	HI01-1	Diagnosis Type Code	ID	1-3	R			APR, PR	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be valid values.	
X223.189.2300.HI01-1.020	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "PR".	ICD-9 Only period
X223.189.2300.HI01-1.030	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "APR".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.189.2300.HI01-2.010	HI01-2	Patient Reason For Visit	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 673: "Patient reason for visit"	If 2300.HI01-1 is "PR" then 2300.HI01-2 must be a valid ICD-9-CM Patient Reason for Visit code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Patient's Reason for Visit Code reference must be available for this edit.
X223.189.2300.HI01-2.020	HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 673: "Patient reason for visit"	If 2300.HI01-1 is "APR" then 2300.HI01-2 must be a valid ICD-10-CM Patient Reason for Visit code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Patient's Reason for Visit Code reference must be available for this edit.
X223.189.2300.HI01-2.030	HI01-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI01-2 must not contain a ".".	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.189.2300.HI01-2.040	HI01-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 673: "Patient reason for visit"		
X223.189.2300.HI01-3.010	HI01-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-3 must not be present.	
X223.189.2300.HI01-4.010	HI01-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-4 must not be present.	
X223.189.2300.HI01-5.010	HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-5 must not be present.	
X223.189.2300.HI01-6.010	HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-6 must not be present.	
X223.189.2300.HI01-7.010	HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-7 must not be present.	
X223.189.2300.HI01-8.010	HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-8 must not be present.	
X223.189.2300.HI02.010	HI02	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI01 is present then 2300.HI02 may be present.	
X223.189.2300.HI02-1.010	HI02-1	Diagnosis Type Code	ID	1-3	R			APR, PR	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must be valid values.	
X223.189.2300.HI02-1.020	HI02-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must = "PR".	ICD-9 Only period
X223.189.2300.HI02-1.030	HI02-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must = "APR".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.189.2300.HI02-2.010	HI02-2	Patient Reason For Visit	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 673: "Patient reason for visit"	If 2300.HI02-1 is "PR" then 2300.HI02-2 must be a valid ICD-9-CM Patient Reason for Visit code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Patient's Reason for Visit Code reference must be available for this edit.
X223.189.2300.HI02-2.020	HI02-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 673: "Patient reason for visit"	If 2300.HI02-1 is "APR" then 2300.HI02-2 must be a valid ICD-10-CM Patient Reason for Visit code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Patient's Reason for Visit Code reference must be available for this edit.
X223.189.2300.HI02-2.030	HI02-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI02-2 must not contain a ".".	
X223.189.2300.HI02-2.040	HI02-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 673: "Patient reason for visit"		
X223.189.2300.HI02-3.010	HI02-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-3 must not be present.	
X223.189.2300.HI02-4.010	HI02-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-4 must not be present.	
X223.189.2300.HI02-5.010	HI02-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-5 must not be present.	
X223.189.2300.HI02-6.010	HI02-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-6 must not be present.	
X223.189.2300.HI02-7.010	HI02-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-7 must not be present.	
X223.189.2300.HI02-8.010	HI02-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-8 must not be present.	
X223.189.2300.HI02-9.010	HI02-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-9 must not be present.	
X223.189.2300.HI03.010	HI03	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI02 is present then 2300.HI03 may be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.189.2300.HI03-1.010	HI03-1	Diagnosis Type Code	ID	1-3	R			APR, PR	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must be valid values.	
X223.189.2300.HI03-1.020	HI03-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must = "PR".	ICD-9 Only period
X223.189.2300.HI03-1.030	HI03-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must = "APR".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.189.2300.HI03-2.010	HI03-2	Patient Reason For Visit	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 673: "Patient reason for visit"	If 2300.HI03-1 is "PR" then 2300.HI03-2 must be a valid ICD-9-CM Patient Reason for Visit code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Patient's Reason for Visit Code reference must be available for this edit.
X223.189.2300.HI03-2.020	HI03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 673: "Patient reason for visit"	If 2300.HI03-1 is "APR" then 2300.HI03-2 must be a valid ICD-10-CM Patient Reason for Visit code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Patient's Reason for Visit Code reference must be available for this edit.
X223.189.2300.HI03-2.030	HI03-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI03-2 must not contain a ".".	
X223.189.2300.HI03-2.040	HI03-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 673: "Patient reason for visit"		
X223.189.2300.HI03-3.010	HI03-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-3 must not be present.	
X223.189.2300.HI03-4.010	HI03-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-4 must not be present.	
X223.189.2300.HI03-5.010	HI03-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-5 must not be present.	
X223.189.2300.HI03-6.010	HI03-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-6 must not be present.	
X223.189.2300.HI03-7.010	HI03-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-7 must not be present.	
X223.189.2300.HI03-8.010	HI03-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-8 must not be present.	
X223.189.2300.HI03-9.010	HI03-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-9 must not be present.	
X223.189.2300.HI04.010	HI04	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04 must not be present.	
X223.189.2300.HI05.010	HI05	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05 must not be present.	
X223.189.2300.HI06.010	HI06	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06 must not be present.	
X223.189.2300.HI07.010	HI07	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07 must not be present.	
X223.189.2300.HI08.010	HI08	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08 must not be present.	
X223.189.2300.HI09.010	HI09	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09 must not be present.	
X223.189.2300.HI10.010	HI10	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10 must not be present.	
X223.189.2300.HI11.010	HI11	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11 must not be present.	
X223.189.2300.HI12.010	HI12	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.193.2300.HI.010	HI	EXTERNAL CAUSE OF INJURY		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "BN" is allowed.	ICD-9 Only period
X223.193.2300.HI.020	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "BN" or "ABN" is allowed.	Transition period
X223.193.2300.HI.030	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "ABN" is allowed.	ICD-10 Only period - assumes no dual-use after mandated date.
X223.193.2300.HI01.010	HI01	HEALTH CARE CODE INFORMATION			R								
X223.193.2300.HI01-1.010	HI01-1	Diagnosis Type Code	ID	1-3	R			ABN, BN	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be valid values.	
X223.193.2300.HI01-1.020	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "BN".	ICD-9 Only period
X223.193.2300.HI01-1.030	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "ABN".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.193.2300.HI01-2.010	HI01-2	External Cause of Injury Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI01-1 is "BN" then 2300.HI01-2 must be a valid ICD-9-CM External Cause of Injury code.	ICD-9 Only period and Transition period. Valid ICD-9-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI01-2.020	HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI01-1 is "ABN" then 2300.HI01-2 must be a valid ICD-10-CM External Cause of Injury code.	Transition period and ICD-10 Only period. Valid ICD-10-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI01-2.030	HI01-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI01-2 must not contain a ".".	
X223.193.2300.HI01-2.040	HI01-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 509: "E-Code"		
X223.193.2300.HI01-3.010	HI01-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-3 must not be present.	
X223.193.2300.HI01-4.010	HI01-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-4 must not be present.	
X223.193.2300.HI01-5.010	HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-5 must not be present.	
X223.193.2300.HI01-6.010	HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-6 must not be present.	
X223.193.2300.HI01-7.010	HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-7 must not be present.	
X223.193.2300.HI01-8.010	HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-8 must not be present.	
X223.193.2300.HI01-9.010	HI01-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-9 must be valid values.	
X223.193.2300.HI02.010	HI02	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI01 is present then 2300.HI02 may be present.	
X223.193.2300.HI02-1.010	HI02-1	Diagnosis Type Code	ID	1-3	R			ABN, BN	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must be valid values.	
X223.193.2300.HI02-1.020	HI02-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must = "BN".	ICD-9 Only period
X223.193.2300.HI02-1.030	HI02-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must = "ABN".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.193.2300.HI02-2.010	HI02-2	External Cause of Injury Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI02-1 is "BN" then 2300.HI02-2 must be a valid ICD-9-CM External Cause of Injury code.	ICD-9 Only period and Transition period. Valid ICD-9-CM External Cause of Injury Code reference must be available for this edit.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.193.2300.HI02-2.020	HI02-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI02-1 is "ABN" then 2300.HI02-2 must be a valid ICD-10-CM External Cause of Injury code.	Transition period and ICD-10 Only period. Valid ICD-10-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI02-2.030	HI02-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI02-2 must not contain a ".".	
X223.193.2300.HI02-2.040	HI02-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 509: "E-Code"		
X223.193.2300.HI02-3.010	HI02-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-3 must not be present.	
X223.193.2300.HI02-4.010	HI02-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-4 must not be present.	
X223.193.2300.HI02-5.010	HI02-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-5 must not be present.	
X223.193.2300.HI02-6.010	HI02-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-6 must not be present.	
X223.193.2300.HI02-7.010	HI02-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-7 must not be present.	
X223.193.2300.HI02-8.010	HI02-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-8 must not be present.	
X223.193.2300.HI02-9.010	HI02-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-9 must be valid values.	
X223.193.2300.HI03.010	HI03	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI02 is present then 2300.HI03 may be present.	
X223.193.2300.HI03-1.010	HI03-1	Diagnosis Type Code	ID	1-3	R			ABN, BN	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must be valid values.	
X223.193.2300.HI03-1.020	HI03-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must = "BN".	ICD-9 Only period
X223.193.2300.HI03-1.030	HI03-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must = "ABN".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.193.2300.HI03-2.010	HI03-2	External Cause of Injury Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI03-1 is "BN" then 2300.HI03-2 must be a valid ICD-9-CM External Cause of Injury code.	ICD-9 Only period and Transition period. Valid ICD-9-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI03-2.020	HI03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI03-1 is "ABN" then 2300.HI03-2 must be a valid ICD-10-CM External Cause of Injury code.	Transition period and ICD-10 Only period. Valid ICD-10-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI03-2.030	HI03-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI03-2 must not contain a ".".	
X223.193.2300.HI03-2.040	HI03-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 509: "E-Code"		
X223.193.2300.HI03-3.010	HI03-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-3 must not be present.	
X223.193.2300.HI03-4.010	HI03-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-4 must not be present.	
X223.193.2300.HI03-5.010	HI03-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-5 must not be present.	
X223.193.2300.HI03-6.010	HI03-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-6 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.193.2300.HI03-7.010	HI03-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-7 must not be present.	
X223.193.2300.HI03-8.010	HI03-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-8 must not be present.	
X223.193.2300.HI03-9.010	HI03-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-9 must be valid values.	
X223.193.2300.HI04.010	HI04	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI03 is present then 2300.HI04 may be present.	
X223.193.2300.HI04-1.010	HI04-1	Diagnosis Type Code	ID	1-3	R			ABN, BN	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must be valid values.	
X223.193.2300.HI04-1.020	HI04-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI41-1 must = "BN".	ICD-9 Only period
X223.193.2300.HI04-1.030	HI04-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must = "ABN".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.193.2300.HI04-2.010	HI04-2	External Cause of Injury Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI04-1 is "BN" then 2300.HI04-2 must be a valid ICD-9-CM External Cause of Injury code.	ICD-9 Only period and Transition period. Valid ICD-9-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI04-2.020	HI04-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI04-1 is "ABN" then 2300.HI04-2 must be a valid ICD-10-CM External Cause of Injury code.	Transition period and ICD-10 Only period. Valid ICD-10-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI04-2.030	HI04-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI04-2 must not contain a ".".	
X223.193.2300.HI04-2.040	HI04-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 509: "E-Code"		
X223.193.2300.HI04-3.010	HI04-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-3 must not be present.	
X223.193.2300.HI04-4.010	HI04-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-4 must not be present.	
X223.193.2300.HI04-5.010	HI04-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-5 must not be present.	
X223.193.2300.HI04-6.010	HI04-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-6 must not be present.	
X223.193.2300.HI04-7.010	HI04-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-7 must not be present.	
X223.193.2300.HI04-8.010	HI04-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-8 must not be present.	
X223.193.2300.HI04-9.010	HI04-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-9 must be valid values.	
X223.193.2300.HI05.010	HI05	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI04 is present then 2300.HI05 may be present.	
X223.193.2300.HI05-1.010	HI05-1	Diagnosis Type Code	ID	1-3	R			ABN, BN	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must be valid values.	
X223.193.2300.HI05-1.020	HI05-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must = "BN".	ICD-9 Only period
X223.193.2300.HI05-1.030	HI05-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must = "ABN".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.193.2300.HI05-2.010	HI05-2	External Cause of Injury Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI05-1 is "BN" then 2300.HI05-2 must be a valid ICD-9-CM External Cause of Injury code.	ICD-9 Only period and Transition period. Valid ICD-9-CM External Cause of Injury Code reference must be available for this edit.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.193.2300.HI05-2.020	HI05-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI05-1 is "ABN" then 2300.HI05-2 must be a valid ICD-10-CM External Cause of Injury code.	Transition period and ICD-10 Only period. Valid ICD-10-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI05-2.030	HI05-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI05-2 must not contain a ".".	
X223.193.2300.HI05-2.040	HI05-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 509: "E-Code"		
X223.193.2300.HI05-3.010	HI05-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-3 must not be present.	
X223.193.2300.HI05-4.010	HI05-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-4 must not be present.	
X223.193.2300.HI05-5.010	HI05-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-5 must not be present.	
X223.193.2300.HI05-6.010	HI05-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-6 must not be present.	
X223.193.2300.HI05-7.010	HI05-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-7 must not be present.	
X223.193.2300.HI05-8.010	HI05-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-8 must not be present.	
X223.193.2300.HI05-9.010	HI05-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-9 must be valid values.	
X223.193.2300.HI06.010	HI06	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI05 is present then 2300.HI06 may be present.	
X223.193.2300.HI06-1.010	HI06-1	Diagnosis Type Code	ID	1-3	R			ABN, BN	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must be valid values.	
X223.193.2300.HI06-1.020	HI06-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must = "BN".	ICD-9 Only period
X223.193.2300.HI06-1.030	HI06-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must = "ABN".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.193.2300.HI06-2.010	HI06-2	External Cause of Injury Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI06-1 is "BN" then 2300.HI06-2 must be a valid ICD-9-CM External Cause of Injury code.	ICD-9 Only period and Transition period. Valid ICD-9-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI06-2.020	HI06-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI06-1 is "ABN" then 2300.HI06-2 must be a valid ICD-10-CM External Cause of Injury code.	Transition period and ICD-10 Only period. Valid ICD-10-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI06-2.030	HI06-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI06-2 must not contain a ".".	
X223.193.2300.HI06-2.040	HI06-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 509: "E-Code"		
X223.193.2300.HI06-3.010	HI06-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-3 must not be present.	
X223.193.2300.HI06-4.010	HI06-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-4 must not be present.	
X223.193.2300.HI06-5.010	HI06-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-5 must not be present.	
X223.193.2300.HI06-6.010	HI06-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-6 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.193.2300.HI06-7.010	HI06-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-7 must not be present.	
X223.193.2300.HI06-8.010	HI06-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-8 must not be present.	
X223.193.2300.HI06-9.010	HI06-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-9 must be valid values.	
X223.193.2300.HI07.010	HI07	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI06 is present then 2300.HI07 may be present.	
X223.193.2300.HI07-1.010	HI07-1	Diagnosis Type Code	ID	1-3	R			ABN, BN	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must be valid values.	
X223.193.2300.HI07-1.020	HI07-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must = "BN".	ICD-9 Only period
X223.193.2300.HI07-1.030	HI07-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must = "ABN".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.193.2300.HI07-2.010	HI07-2	External Cause of Injury Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI07-1 is "BN" then 2300.HI07-2 must be a valid ICD-9-CM External Cause of Injury code.	ICD-9 Only period and Transition period. Valid ICD-9-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI07-2.020	HI07-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI07-1 is "ABN" then 2300.HI07-2 must be a valid ICD-10-CM External Cause of Injury code.	Transition period and ICD-10 Only period. Valid ICD-10-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI07-2.030	HI07-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI07-2 must not contain a ".".	
X223.193.2300.HI07-2.040	HI07-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 509: "E-Code"		
X223.193.2300.HI07-3.010	HI07-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-3 must not be present.	
X223.193.2300.HI07-4.010	HI07-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-4 must not be present.	
X223.193.2300.HI07-5.010	HI07-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-5 must not be present.	
X223.193.2300.HI07-6.010	HI07-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-6 must not be present.	
X223.193.2300.HI07-7.010	HI07-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-7 must not be present.	
X223.193.2300.HI07-8.010	HI07-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-8 must not be present.	
X223.193.2300.HI07-9.010	HI07-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-9 must be valid values.	
X223.193.2300.HI08.010	HI08	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI07 is present then 2300.HI08 may be present.	
X223.193.2300.HI08-1.010	HI08-1	Diagnosis Type Code	ID	1-3	R			ABN, BN	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must be valid values.	
X223.193.2300.HI08-1.020	HI08-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must = "BN".	ICD-9 Only period
X223.193.2300.HI08-1.030	HI08-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must = "ABN".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.193.2300.HI08-2.010	HI08-2	External Cause of Injury Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI08-1 is "BN" then 2300.HI08-2 must be a valid ICD-9-CM External Cause of Injury code.	ICD-9 Only period and Transition period. Valid ICD-9-CM External Cause of Injury Code reference must be available for this edit.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.193.2300.HI08-2.020	HI08-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI08-1 is "ABN" then 2300.HI08-2 must be a valid ICD-10-CM External Cause of Injury code.	Transition period and ICD-10 Only period. Valid ICD-10-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI08-2.030	HI08-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI08-2 must not contain a ".".	
X223.193.2300.HI08-2.040	HI08-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 509: "E-Code"		
X223.193.2300.HI08-3.010	HI08-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-3 must not be present.	
X223.193.2300.HI08-4.010	HI08-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-4 must not be present.	
X223.193.2300.HI08-5.010	HI08-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-5 must not be present.	
X223.193.2300.HI08-6.010	HI08-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-6 must not be present.	
X223.193.2300.HI08-7.010	HI08-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-7 must not be present.	
X223.193.2300.HI08-8.010	HI08-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-8 must not be present.	
X223.193.2300.HI08-9.010	HI08-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-9 must be valid values.	
X223.193.2300.HI09.010	HI09	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI08 is present then 2300.HI09 may be present.	
X223.193.2300.HI09-1.010	HI09-1	Diagnosis Type Code	ID	1-3	R			ABN, BN	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must be valid values.	
X223.193.2300.HI09-1.020	HI09-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must = "BN".	ICD-9 Only period
X223.193.2300.HI09-1.030	HI09-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must = "ABN".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.193.2300.HI09-2.010	HI09-2	External Cause of Injury Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI09-1 is "BN" then 2300.HI09-2 must be a valid ICD-9-CM External Cause of Injury code.	ICD-9 Only period and Transition period. Valid ICD-9-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI09-2.020	HI09-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI09-1 is "ABN" then 2300.HI09-2 must be a valid ICD-10-CM External Cause of Injury code.	Transition period and ICD-10 Only period. Valid ICD-10-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI09-2.030	HI09-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI09-2 must not contain a ".".	
X223.193.2300.HI09-2.040	HI09-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 509: "E-Code"		
X223.193.2300.HI09-3.010	HI09-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-3 must not be present.	
X223.193.2300.HI09-4.010	HI09-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-4 must not be present.	
X223.193.2300.HI09-5.010	HI09-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-5 must not be present.	
X223.193.2300.HI09-6.010	HI09-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-6 must not be present.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.193.2300.HI09-7.010	HI09-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-7 must not be present.	
X223.193.2300.HI09-8.010	HI09-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-8 must not be present.	
X223.193.2300.HI09-9.010	HI09-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-9 must be valid values.	
X223.193.2300.HI10.010	HI10	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI09 is present then 2300.HI10 may be present.	
X223.193.2300.HI10-1.010	HI10-1	Diagnosis Type Code	ID	1-3	R			ABN, BN	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must be valid values.	
X223.193.2300.HI10-1.020	HI10-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must = "BN".	ICD-9 Only period
X223.193.2300.HI10-1.030	HI10-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must = "ABN".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.193.2300.HI10-2.010	HI10-2	External Cause of Injury Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI10-1 is "BN" then 2300.HI10-2 must be a valid ICD-9-CM External Cause of Injury code.	ICD-9 Only period and Transition period. Valid ICD-9-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI10-2.020	HI10-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI10-1 is "ABN" then 2300.HI10-2 must be a valid ICD-10-CM External Cause of Injury code.	Transition period and ICD-10 Only period. Valid ICD-10-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI10-2.030	HI10-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI10-2 must not contain a ".".	
X223.193.2300.HI10-2.040	HI10-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 509: "E-Code"		
X223.193.2300.HI10-3.010	HI10-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-3 must not be present.	
X223.193.2300.HI10-4.010	HI10-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-4 must not be present.	
X223.193.2300.HI10-5.010	HI10-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-5 must not be present.	
X223.193.2300.HI10-6.010	HI10-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-6 must not be present.	
X223.193.2300.HI10-7.010	HI10-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-7 must not be present.	
X223.193.2300.HI10-8.010	HI10-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-8 must not be present.	
X223.193.2300.HI10-9.010	HI10-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-9 must be valid values.	
X223.193.2300.HI11.010	HI11	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI10 is present then 2300.HI11 may be present.	
X223.193.2300.HI11-1.010	HI11-1	Diagnosis Type Code	ID	1-3	R			ABN, BN	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must be valid values.	
X223.193.2300.HI11-1.020	HI11-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must = "BN".	ICD-9 Only period
X223.193.2300.HI11-1.030	HI11-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must = "ABN".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.193.2300.HI11-2.010	HI11-2	External Cause of Injury Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI11-1 is "BN" then 2300.HI11-2 must be a valid ICD-9-CM External Cause of Injury code.	ICD-9 Only period and Transition period. Valid ICD-9-CM External Cause of Injury Code reference must be available for this edit.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.193.2300.HI11-2.020	HI11-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI11-1 is "ABN" then 2300.HI11-2 must be a valid ICD-10-CM External Cause of Injury code.	Transition period and ICD-10 Only period. Valid ICD-10-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI11-2.030	HI11-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI11-2 must not contain a ".".	
X223.193.2300.HI11-2.040	HI11-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 509: "E-Code"		
X223.193.2300.HI11-3.010	HI11-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-3 must not be present.	
X223.193.2300.HI11-4.010	HI11-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-4 must not be present.	
X223.193.2300.HI11-5.010	HI11-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-5 must not be present.	
X223.193.2300.HI11-6.010	HI11-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-6 must not be present.	
X223.193.2300.HI11-7.010	HI11-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-7 must not be present.	
X223.193.2300.HI11-8.010	HI11-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-8 must not be present.	
X223.193.2300.HI11-9.010	HI11-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-9 must be valid values.	
X223.193.2300.HI12.010	HI12	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI11 is present then 2300.HI12 may be present.	
X223.193.2300.HI12-1.010	HI12-1	Diagnosis Type Code	ID	1-3	R			ABN, BN	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must be valid values.	
X223.193.2300.HI12-1.020	HI12-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must = "BN".	ICD-9 Only period
X223.193.2300.HI12-1.030	HI12-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must = "ABN".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.193.2300.HI12-2.010	HI12-2	External Cause of Injury Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI12-1 is "BN" then 2300.HI12-2 must be a valid ICD-9-CM External Cause of Injury code.	ICD-9 Only period and Transition period. Valid ICD-9-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI12-2.020	HI12-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 509: "E-Code"	If 2300.HI12-1 is "ABN" then 2300.HI12-2 must be a valid ICD-10-CM External Cause of Injury code.	Transition period and ICD-10 Only period. Valid ICD-10-CM External Cause of Injury Code reference must be available for this edit.
X223.193.2300.HI12-2.030	HI12-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI12-2 must not contain a ".".	
X223.193.2300.HI12-2.040	HI12-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 509: "E-Code"		
X223.193.2300.HI12-3.010	HI12-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-3 must not be present.	
X223.193.2300.HI12-4.010	HI12-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-4 must not be present.	
X223.193.2300.HI12-5.010	HI12-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-5 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.193.2300.HI12-6.010	HI12-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-6 must not be present.	
X223.193.2300.HI12-7.010	HI12-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-7 must not be present.	
X223.193.2300.HI12-8.010	HI12-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI012-8 must not be present.	
X223.193.2300.HI12-9.010	HI12-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-9 must be valid values.	
X223.218.2300.HI.010	HI	<b>DIAGNOSIS RELATED GROUP (DRG) INFORMATION</b>		1	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2300.HI with HI01-1 = "DR" is allowed.</b>	03/27: not pass through
X223.218.2300.HI01.010	HI01	HEALTH CARE CODE INFORMATION			R								
X223.218.2300.HI01-1.010	HI01-1	Code List Qualifier Code	ID	1-3	R			DR	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be "DR".	
X223.218.2300.HI01-2.010	HI01-2	DRG Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 256: "DRG code(s)"	2300.HI01-2 must be a valid DRG code.	Valid Diagnosis Related Group (DRG) reference must be available for this edit.
X223.218.2300.HI01-3.010	HI01-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-3 must not be present.	
X223.218.2300.HI01-4.010	HI01-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-4 must not be present.	
X223.218.2300.HI01-5.010	HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-5 must not be present.	
X223.218.2300.HI01-6.010	HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-6 must not be present.	
X223.218.2300.HI01-7.010	HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-7 must not be present.	
X223.218.2300.HI01-8.010	HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-8 must not be present.	
X223.218.2300.HI01-9.010	HI01-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-9 must not be present.	
X223.218.2300.HI02.010	HI02	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02 must not be present.	
X223.218.2300.HI03.010	HI03	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03 must not be present.	
X223.218.2300.HI04.010	HI04	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04 must not be present.	
X223.218.2300.HI05.010	HI05	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05 must not be present.	
X223.218.2300.HI06.010	HI06	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06 must not be present.	
X223.218.2300.HI07.010	HI07	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07 must not be present.	
X223.218.2300.HI08.010	HI08	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08 must not be present.	
X223.218.2300.HI09.010	HI09	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09 must not be present.	
X223.218.2300.HI10.010	HI10	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10 must not be present.	
X223.218.2300.HI11.010	HI11	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11 must not be present.	
X223.218.2300.HI12.010	HI12	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.220.2300.HI.010	HI	OTHER DIAGNOSIS INFORMATION		2	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2300.HI with HI01-1 = "BF" are allowed.	ICD-9 Only period
X223.220.2300.HI.020	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2300.HI with HI01-1 = "BF" or "ABF" are allowed.	Transition period
X223.220.2300.HI.030	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2300.HI with HI01-1 = "ABF" are allowed.	ICD-10 Only period - assumes no dual-use after mandated date.
X223.220.2300.HI01.010	HI01	HEALTH CARE CODE INFORMATION			R								
X223.220.2300.HI01-1.010	HI01-1	Code List Qualifier Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be valid values.	
X223.220.2300.HI01-1.020	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "BF".	ICD-9 Only period
X223.220.2300.HI01-1.030	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "ABF".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.220.2300.HI01-2.010	HI01-2	Other Diagnosis	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI01-1 is "BF" then 2300.HI01-2 must be a valid ICD-9-CM Diagnosis code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI01-2.020	HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI01-1 is "ABF" then 2300.HI01-2 must be a valid ICD-10-CM Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI01-2.030	HI01-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI01-2 must not contain a ".".	
X223.220.2300.HI01-2.040	HI01-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis Code"		
X223.220.2300.HI01-3.010	HI01-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-3 must not be present.	
X223.220.2300.HI01-4.010	HI01-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-4 must not be present.	
X223.220.2300.HI01-5.010	HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-5 must not be present.	
X223.220.2300.HI01-6.010	HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-6 must not be present.	
X223.220.2300.HI01-7.010	HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-7 must not be present.	
X223.220.2300.HI01-8.010	HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-8 must not be present.	
X223.220.2300.HI01-9.010	HI01-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-9 must be valid values.	
X223.220.2300.HI02.010	HI02	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI01 is present then 2300.HI02 may be present.	
X223.220.2300.HI02-1.010	HI02-1	Code List Qualifier Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must be valid values.	
X223.220.2300.HI02-1.020	HI02-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must = "BF".	ICD-9 Only period
X223.220.2300.HI02-1.030	HI02-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must = "ABF".	ICD-10 Only period - assumes no dual-use after mandated date.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.220.2300.HI02-2.010	HI02-2	Other Diagnosis	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI02-1 is "BF" then 2300.HI02-2 must be a valid ICD-9-CM Diagnosis code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI02-2.020	HI02-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI02-1 is "ABF" then 2300.HI02-2 must be a valid ICD-10-CM Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI02-2.030	HI02-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI02-2 must not contain a ".".	
X223.220.2300.HI02-2.040	HI02-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis Code"		
X223.220.2300.HI02-3.010	HI02-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-3 must not be present.	
X223.220.2300.HI02-4.010	HI02-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-4 must not be present.	
X223.220.2300.HI02-5.010	HI02-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-5 must not be present.	
X223.220.2300.HI02-6.010	HI02-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-6 must not be present.	
X223.220.2300.HI02-7.010	HI02-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-7 must not be present.	
X223.220.2300.HI02-8.010	HI02-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-8 must not be present.	
X223.220.2300.HI02-9.010	HI02-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-9 must be valid values.	
X223.220.2300.HI03.010	HI03	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI02 is present then 2300.HI03 may be present.	
X223.220.2300.HI03-1.010	HI03-1	Code List Qualifier Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must be valid values.	
X223.220.2300.HI03-1.020	HI03-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must = "BF".	ICD-9 Only period
X223.220.2300.HI03-1.030	HI03-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must = "ABF".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.220.2300.HI03-2.010	HI03-2	Other Diagnosis	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI03-1 is "BF" then 2300.HI03-2 must be a valid ICD-9-CM Diagnosis code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI03-2.020	HI03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI03-1 is "ABF" then 2300.HI03-2 must be a valid ICD-10-CM Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Clinical Modification Diagnosis Code reference must be available for this edit.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.220.2300.HI03-2.030	HI03-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI03-2 must not contain a ".".	
X223.220.2300.HI03-2.040	HI03-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis Code"		
X223.220.2300.HI03-3.010	HI03-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-3 must not be present.	
X223.220.2300.HI03-4.010	HI03-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-4 must not be present.	
X223.220.2300.HI03-5.010	HI03-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-5 must not be present.	
X223.220.2300.HI03-6.010	HI03-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-6 must not be present.	
X223.220.2300.HI03-7.010	HI03-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-7 must not be present.	
X223.220.2300.HI03-8.010	HI03-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-8 must not be present.	
X223.220.2300.HI03-9.010	HI03-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-9 must be valid values.	
X223.220.2300.HI04.010	HI04	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI03 is present then 2300.HI04 may be present.	
X223.220.2300.HI04-1.010	HI04-1	Code List Qualifier Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must be valid values.	
X223.220.2300.HI04-1.020	HI04-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must = "BF".	ICD-9 Only period
X223.220.2300.HI04-1.030	HI04-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must = "ABF".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.220.2300.HI04-2.010	HI04-2	Other Diagnosis	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI04-1 is "BF" then 2300.HI04-2 must be a valid ICD-9-CM Diagnosis code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI04-2.020	HI04-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI04-1 is "ABF" then 2300.HI04-2 must be a valid ICD-10-CM Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI04-2.030	HI04-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI04-2 must not contain a ".".	
X223.220.2300.HI04-2.040	HI04-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis Code"		
X223.220.2300.HI04-3.010	HI04-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-3 must not be present.	
X223.220.2300.HI04-4.010	HI04-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-4 must not be present.	
X223.220.2300.HI04-5.010	HI04-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-5 must not be present.	
X223.220.2300.HI04-6.010	HI04-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-6 must not be present.	
X223.220.2300.HI04-7.010	HI04-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-7 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.220.2300.HI04-8.010	HI04-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-8 must not be present.	
X223.220.2300.HI04-9.010	HI04-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-9 must be valid values.	
X223.220.2300.HI05.010	HI05	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI04 is present then 2300.HI05 may be present.	
X223.220.2300.HI05-1.010	HI05-1	Code List Qualifier Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must be valid values.	
X223.220.2300.HI05-1.020	HI05-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must = "BF".	ICD-9 Only period
X223.220.2300.HI05-1.030	HI05-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must = "ABF".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.220.2300.HI05-2.010	HI05-2	Other Diagnosis	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI05-1 is "BF" then 2300.HI05-2 must be a valid ICD-9-CM Diagnosis code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI05-2.020	HI05-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI05-1 is "ABF" then 2300.HI05-2 must be a valid ICD-10-CM Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI05-2.030	HI05-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI05-2 must not contain a ".".	
X223.220.2300.HI05-2.040	HI05-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis Code"		
X223.220.2300.HI05-3.010	HI05-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-3 must not be present.	
X223.220.2300.HI05-4.010	HI05-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-4 must not be present.	
X223.220.2300.HI05-5.010	HI05-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-5 must not be present.	
X223.220.2300.HI05-6.010	HI05-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-6 must not be present.	
X223.220.2300.HI05-7.010	HI05-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-7 must not be present.	
X223.220.2300.HI05-8.010	HI05-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-8 must not be present.	
X223.220.2300.HI05-9.010	HI05-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-9 must be valid values.	
X223.220.2300.HI06.010	HI06	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI05 is present then 2300.HI06 may be present.	
X223.220.2300.HI06-1.010	HI06-1	Code List Qualifier Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must be valid values.	
X223.220.2300.HI06-1.020	HI06-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must = "BF".	ICD-9 Only period
X223.220.2300.HI06-1.030	HI06-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must = "ABF".	ICD-10 Only period - assumes no dual-use after mandated date.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.220.2300.HI06-2.010	HI06-2	Other Diagnosis	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI06-1 is "BF" then 2300.HI06-2 must be a valid ICD-9-CM Diagnosis code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI06-2.020	HI06-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI06-1 is "ABF" then 2300.HI06-2 must be a valid ICD-10-CM Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI06-2.030	HI06-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI06-2 must not contain a ".".	
X223.220.2300.HI06-2.040	HI06-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis Code"		
X223.220.2300.HI06-3.010	HI06-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-3 must not be present.	
X223.220.2300.HI06-4.010	HI06-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-4 must not be present.	
X223.220.2300.HI06-5.010	HI06-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-5 must not be present.	
X223.220.2300.HI06-6.010	HI06-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-6 must not be present.	
X223.220.2300.HI06-7.010	HI06-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-7 must not be present.	
X223.220.2300.HI06-8.010	HI06-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-8 must not be present.	
X223.220.2300.HI06-9.010	HI06-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-9 must be valid values.	
X223.220.2300.HI07.010	HI07	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI06 is present then 2300.HI07 may be present.	
X223.220.2300.HI07-1.010	HI07-1	Code List Qualifier Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must be valid values.	
X223.220.2300.HI07-1.020	HI07-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must = "BF".	ICD-9 Only period
X223.220.2300.HI07-1.030	HI07-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must = "ABF".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.220.2300.HI07-2.010	HI07-2	Other Diagnosis	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI07-1 is "BF" then 2300.HI01-2 must be a valid ICD-9-CM Diagnosis code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI07-2.020	HI07-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI07-1 is "ABF" then 2300.HI07-2 must be a valid ICD-10-CM Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI07-2.030	HI07-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI07-2 must not contain a ".".	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.220.2300.HI07-2.040	HI07-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis Code"		
X223.220.2300.HI07-3.010	HI07-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-3 must not be present.	
X223.220.2300.HI07-4.010	HI07-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-4 must not be present.	
X223.220.2300.HI07-5.010	HI07-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-5 must not be present.	
X223.220.2300.HI07-6.010	HI07-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-6 must not be present.	
X223.220.2300.HI07-7.010	HI07-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-7 must not be present.	
X223.220.2300.HI07-8.010	HI07-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-8 must not be present.	
X223.220.2300.HI07-9.010	HI07-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-9 must be valid values.	
X223.220.2300.HI08.010	HI08	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI07 is present then 2300.HI08 may be present.	
X223.220.2300.HI08-1.010	HI08-1	Code List Qualifier Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must be valid values.	
X223.220.2300.HI08-1.020	HI08-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must = "BF".	ICD-9 Only period
X223.220.2300.HI08-1.030	HI08-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must = "ABF".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.220.2300.HI08-2.010	HI08-2	Other Diagnosis	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI08-1 is "BF" then 2300.HI08-2 must be a valid ICD-9-CM Diagnosis code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI08-2.020	HI08-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI08-1 is "ABF" then 2300.HI08-2 must be a valid ICD-10-CM Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI08-2.030	HI08-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI08-2 must not contain a ".".	
X223.220.2300.HI08-2.040	HI08-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis Code"		
X223.220.2300.HI08-3.010	HI08-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-3 must not be present.	
X223.220.2300.HI08-4.010	HI08-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-4 must not be present.	
X223.220.2300.HI08-5.010	HI08-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-5 must not be present.	
X223.220.2300.HI08-6.010	HI08-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-6 must not be present.	
X223.220.2300.HI08-7.010	HI08-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-7 must not be present.	
X223.220.2300.HI08-8.010	HI08-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-8 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.220.2300.HI08-9.010	HI08-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-9 must be valid values.	
X223.220.2300.HI09.010	HI09	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI08 is present then 2300.HI09 may be present.	
X223.220.2300.HI09-1.010	HI09-1	Code List Qualifier Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must be valid values.	
X223.220.2300.HI09-1.020	HI09-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must = "BF".	ICD-9 Only period
X223.220.2300.HI09-1.030	HI09-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must = "ABF".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.220.2300.HI09-2.010	HI09-2	Other Diagnosis	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI09-1 is "BF" then 2300.HI09-2 must be a valid ICD-9-CM Diagnosis code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI09-2.020	HI09-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI09-1 is "ABF" then 2300.HI09-2 must be a valid ICD-10-CM Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI09-2.030	HI09-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI09-2 must not contain a "."	
X223.220.2300.HI09-2.040	HI09-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis Code"		
X223.220.2300.HI09-3.010	HI09-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-3 must not be present.	
X223.220.2300.HI09-4.010	HI09-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-4 must not be present.	
X223.220.2300.HI09-5.010	HI09-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-5 must not be present.	
X223.220.2300.HI09-6.010	HI09-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-6 must not be present.	
X223.220.2300.HI09-7.010	HI09-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-7 must not be present.	
X223.220.2300.HI09-8.010	HI09-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-8 must not be present.	
X223.220.2300.HI09-9.010	HI09-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-9 must be valid values.	
X223.220.2300.HI10.010	HI10	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI09 is present then 2300.HI10 may be present.	
X223.220.2300.HI10-1.010	HI10-1	Code List Qualifier Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must be valid values.	
X223.220.2300.HI10-1.020	HI10-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must = "BF".	ICD-9 Only period
X223.220.2300.HI10-1.030	HI10-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must = "ABF".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.220.2300.HI10-2.010	HI10-2	Other Diagnosis	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI10-1 is "BF" then 2300.HI10-2 must be a valid ICD-9-CM Diagnosis code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Clinical Modification Diagnosis Code reference must be available for this edit.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.220.2300.HI10-2.020	HI10-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI10-1 is "ABF" then 2300.HI10-2 must be a valid ICD-10-CM Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI10-2.030	HI10-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI10-2 must not contain a ".".	
X223.220.2300.HI10-2.040	HI10-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis Code"		
X223.220.2300.HI10-3.010	HI10-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-3 must not be present.	
X223.220.2300.HI10-4.010	HI10-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-4 must not be present.	
X223.220.2300.HI10-5.010	HI10-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-5 must not be present.	
X223.220.2300.HI10-6.010	HI10-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-6 must not be present.	
X223.220.2300.HI10-7.010	HI10-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-7 must not be present.	
X223.220.2300.HI10-8.010	HI10-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-8 must not be present.	
X223.220.2300.HI10-9.010	HI10-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-9 must be valid values.	
X223.220.2300.HI11.010	HI11	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI10 is present then 2300.HI11 may be present.	
X223.220.2300.HI11-1.010	HI11-1	Code List Qualifier Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must be valid values.	
X223.220.2300.HI11-1.020	HI11-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must = "BF".	ICD-9 Only period
X223.220.2300.HI11-1.030	HI11-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must = "ABF".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.220.2300.HI11-2.010	HI11-2	Other Diagnosis	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI11-1 is "BF" then 2300.HI11-2 must be a valid ICD-9-CM Diagnosis code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI11-2.020	HI11-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI11-1 is "ABF" then 2300.HI11-2 must be a valid ICD-10-CM Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI11-2.030	HI11-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI11-2 must not contain a ".".	
X223.220.2300.HI11-2.040	HI11-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis Code"		
X223.220.2300.HI11-3.010	HI11-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-3 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.220.2300.HI11-4.010	HI11-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-4 must not be present.	
X223.220.2300.HI11-5.010	HI11-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-5 must not be present.	
X223.220.2300.HI11-6.010	HI11-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-6 must not be present.	
X223.220.2300.HI11-7.010	HI11-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-7 must not be present.	
X223.220.2300.HI11-8.010	HI11-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-8 must not be present.	
X223.220.2300.HI11-9.010	HI11-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-9 must be valid values.	
X223.220.2300.HI12.010	HI12	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI11 is present then 2300.HI12 may be present.	
X223.220.2300.HI12-1.010	HI12-1	Code List Qualifier Code	ID	1-3	R			ABF, BF	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must be valid values.	
X223.220.2300.HI12-1.020	HI12-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must = "BF".	ICD-9 Only period
X223.220.2300.HI12-1.030	HI12-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must = "ABF".	ICD-10 Only period - assumes no dual-use after mandated date.
X223.220.2300.HI12-2.010	HI12-2	Other Diagnosis	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI12-1 is "BF" then 2300.HI12-2 must be a valid ICD-9-CM Diagnosis code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI12-2.020	HI12-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 255: "Diagnosis Code"	If 2300.HI12-1 is "ABF" then 2300.HI12-2 must be a valid ICD-10-CM Diagnosis code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Clinical Modification Diagnosis Code reference must be available for this edit.
X223.220.2300.HI12-2.030	HI12-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI12-2 must not contain a ".".	
X223.220.2300.HI12-2.040	HI12-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 255: "Diagnosis Code"		
X223.220.2300.HI12-3.010	HI12-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-3 must not be present.	
X223.220.2300.HI12-4.010	HI12-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-4 must not be present.	
X223.220.2300.HI12-5.010	HI12-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-5 must not be present.	
X223.220.2300.HI12-6.010	HI12-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-6 must not be present.	
X223.220.2300.HI12-7.010	HI12-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-7 must not be present.	
X223.220.2300.HI12-8.010	HI12-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-8 must not be present.	
X223.220.2300.HI12-9.010	HI12-9	Present on Admission indicator	ID	1-1	S			N, U, W, Y	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-9 must be valid values.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.239.2300.HI.010	HI								999	R	IK304 = I6: "Implementation Dependent Segment Missing"	2300.HI with HI01-1 = "BR" must be included on inpatient (not outpatient) claims when a procedure was performed.	ICD-9 Only period 3/26: only edit for valid procedure code. FISS will edit against revenue code if necessary.
X223.239.2300.HI.020	HI								999	R	IK304 = I6: "Implementation Dependent Segment Missing"	2300.HI with HI01-1 = "BR" "BBR" must be included on inpatient claims when a procedure was performed.	Transition period 3/26: only edit for valid procedure code. FISS will edit against revenue code if necessary.
X223.239.2300.HI.030	HI								999	R	IK304 = I6: "Implementation Dependent Segment Missing"	2300.HI with HI01-1 = "BBR" must be included on inpatient claims when a procedure was performed.	ICD-10 Only period - assumes no dual-use after mandated date. 3/26: only edit for valid procedure code. FISS will edit against revenue code if necessary.
X223.239.2300.HI.040	HI								999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2300.HI with HI01-1 = "BR" "BBR" must not be included except on inpatient claims when a procedure was performed.	
X223.239.2300.HI.050	HI	PRINCIPAL PROCEDURE INFORMATION		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "BR" is allowed.	ICD-9 Only period
X223.239.2300.HI.060	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "BR" "BBR" or is allowed.	Transition period
X223.239.2300.HI.070	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HI with HI01-1 = "BBR" or is allowed.	ICD-10 Only period - assumes no dual-use after mandated date.
X223.239.2300.HI01.010	HI01	HEALTH CARE CODE INFORMATION			R								
X223.239.2300.HI01-1.010	HI01-1	Code List Qualifier Code	ID	1-3	R			BBR, BR	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be valid values.	
X223.239.2300.HI01-1.020	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "BR"	ICD-9 Only period
X223.239.2300.HI01-1.030	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "BBR"	ICD-10 Only period - assumes no dual-use after mandated date.
X223.239.2300.HI01-2.010	HI01-2	Principal Procedure Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 465: "Principal Procedure Code for Service(s) Rendered"	If 2300.HI01-1 is "BR" then 2300.HI01-2 must be a valid ICD-9-CM Principal Procedure code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Principal Procedure Code reference must be available for this edit
X223.239.2300.HI01-2.020	HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 465: "Principal Procedure Code for Service(s) Rendered"	If 2300.HI01-1 is "BBR" then 2300.HI01-2 must be a valid ICD-10-CM Principal Procedure code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Principal Procedure Code reference must be available for this edit
X223.239.2300.HI01-2.030													
X223.239.2300.HI01-2.040	HI01-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI01-2 must not contain a " .".	
X223.239.2300.HI01-2.050	HI01-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" TBD08: "Advanced Billing Concepts (ARC) code"		
X223.239.2300.HI01-3.010	HI01-3	Date Time Period Format Qualifier	ID	2-3	S				999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-3 must be valid values.	
X223.239.2300.HI01-4.010	HI01-4	Date Time Period	AN	1-35	S				999	R	IK403 = 8: "Invalid Date"	2300.HI01-4 must be a valid date in CCYYMMDD format.	
X223.239.2300.HI01-5.010	HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-5 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.239.2300.HI01-6.010	HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-6 must not be present.	
X223.239.2300.HI01-7.010	HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-7 must not be present.	
X223.239.2300.HI01-8.010	HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-8 must not be present.	
X223.239.2300.HI01-9.010	HI01-9	Present on Admission indicator	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-9 must not be present.	
X223.239.2300.HI02.010	HI02	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02 must not be present.	
X223.239.2300.HI03.010	HI03	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03 must not be present.	
X223.239.2300.HI04.010	HI04	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04 must not be present.	
X223.239.2300.HI05.010	HI05	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05 must not be present.	
X223.239.2300.HI06.010	HI06	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06 must not be present.	
X223.239.2300.HI07.010	HI07	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07 must not be present.	
X223.239.2300.HI08.010	HI08	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08 must not be present.	
X223.239.2300.HI09.010	HI09	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09 must not be present.	
X223.239.2300.HI10.010	HI10	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10 must not be present.	
X223.239.2300.HI11.010	HI11	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11 must not be present.	
X223.239.2300.HI12.010	HI12	HEALTH CARE CODE INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12 must not be present.	
X223.242.2300.HI.010 edit deactivated													
X223.242.2300.HI.020 edit deactivated													
X223.242.2300.HI.030 edit deactivated													
X223.242.2300.HI.040 edit deactivated													
X223.242.2300.HI.050	HI	OTHER PROCEDURE INFORMATION		2	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2300.HI with HI01-1 = "BQ" are allowed.	ICD-9 Only period
X223.242.2300.HI.060	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2300.HI with HI01-1 = "BQ" "BBQ" are allowed.	Transition period
X223.242.2300.HI.070	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2300.HI with HI01-1 = "BBQ" are allowed.	ICD-10 Only period - assumes no dual-use after mandated date.
X223.242.2300.HI01.010	HI01	HEALTH CARE CODE INFORMATION			R								
X223.242.2300.HI01-1.010	HI01-1	Code List Qualifier Code	ID	1-3	R			BBQ, BQ	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be valid values.	
X223.242.2300.HI01-1.020	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "BQ".	ICD-9 Only period
X223.242.2300.HI01-1.030	HI01-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must = "BBQ" .	ICD-10 Only period - assumes no dual-use after mandated date.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.242.2300.HI01-2.010	HI01-2	Procedure Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI01-1 is "BQ" then 2300.HI01-2 must be a valid ICD-9-CM Other Procedure code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI01-2.020	HI01-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI01-1 is "BBQ" then 2300.HI01-2 must be a valid ICD-10-CM Other Procedure code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI01-2.030	HI01-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI01-2 must not contain a ".".	
X223.242.2300.HI01-2.040	HI01-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 490: "Other Procedure Code for Service(s) Rendered"		
X223.242.2300.HI01-3.010	HI01-3	Date Time Period Format Qualifier	ID	2-3	S			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-3 must be "D8".	
X223.242.2300.HI01-4.010	HI01-4	Date Time Period	AN	1-35	S			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI01-4 must be a valid date in CCYYMMDD format.	
X223.242.2300.HI01-5.010	HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-5 must not be present.	
X223.242.2300.HI01-6.010	HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-6 must not be present.	
X223.242.2300.HI01-7.010	HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-7 must not be present.	
X223.242.2300.HI01-8.010	HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-8 must not be present.	
X223.242.2300.HI01-9.010	HI01-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-9 must not be present.	
X223.242.2300.HI02.010	HI02	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI01 is present then 2300.HI02 may be present.	
X223.242.2300.HI02-1.010	HI02-1	Code List Qualifier Code	ID	1-3	R			BBQ, BQ	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must be valid values.	
X223.242.2300.HI02-1.020	HI02-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must = "BQ".	ICD-9 Only period
X223.242.2300.HI02-1.030	HI02-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must = "BBQ" .	ICD-10 Only period - assumes no dual-use after mandated date.
X223.242.2300.HI02-2.010	HI02-2	Procedure Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI02-1 is "BQ" then 2300.HI02-2 must be a valid ICD-9-CM Other Procedure code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI02-2.020	HI02-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI02-1 is "BBQ" then 2300.HI02-2 must be a valid ICD-10-CM Other Procedure code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI02-2.030	HI02-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI02-2 must not contain a ".".	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.242.2300.HI02-2.040	HI02-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 490: "Other Procedure Code for Service(s) Rendered"		
X223.242.2300.HI02-3.010	HI02-3	Date Time Period Format Qualifier	ID	2-3	S			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-3 must be "D8".	
X223.242.2300.HI02-4.010	HI02-4	Date Time Period	AN	1-35	S			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI02-4 must be a valid date in CCYYMMDD format.	
X223.242.2300.HI02-5.010	HI02-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-5 must not be present.	
X223.242.2300.HI02-6.010	HI02-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-6 must not be present.	
X223.242.2300.HI02-7.010	HI02-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-7 must not be present.	
X223.242.2300.HI02-8.010	HI02-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-8 must not be present.	
X223.242.2300.HI02-9.010	HI02-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-9 must not be present.	
X223.242.2300.HI03.010	HI03	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI02 is present then 2300.HI03 may be present.	
X223.242.2300.HI03-1.010	HI03-1	Code List Qualifier Code	ID	1-3	R			BBQ, BQ	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must be valid values.	
X223.242.2300.HI03-1.020	HI03-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must = "BQ".	ICD-9 Only period
X223.242.2300.HI03-1.030	HI03-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must = "BBQ" .	ICD-10 Only period - assumes no dual-use after mandated date.
X223.242.2300.HI03-2.010	HI03-2	Procedure Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI03-1 is "BQ" then 2300.HI03-2 must be a valid ICD-9-CM Other Procedure code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI03-2.020	HI03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI03-1 is "BBQ" then 2300.HI03-2 must be a valid ICD-10-CM Other Procedure code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI03-2.030	HI03-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI03-2 must not contain a ".".	
X223.242.2300.HI03-2.040	HI03-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 490: "Other Procedure Code for Service(s) Rendered"		
X223.242.2300.HI03-3.010	HI03-3	Date Time Period Format Qualifier	ID	2-3	S			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-3 must be "D8".	
X223.242.2300.HI03-4.010	HI03-4	Date Time Period	AN	1-35	S			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI03-4 must be a valid date in CCYYMMDD format.	
X223.242.2300.HI03-5.010	HI03-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-5 must not be present.	
X223.242.2300.HI03-6.010	HI03-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-6 must not be present.	
X223.242.2300.HI03-7.010	HI03-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-7 must not be present.	
X223.242.2300.HI03-8.010	HI03-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-8 must not be present.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.242.2300.HI03-9.010	HI03-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-9 must not be present.	
X223.242.2300.HI04.010	HI04	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI03 is present then 2300.HI04 may be present.	
X223.242.2300.HI04-1.010	HI04-1	Code List Qualifier Code	ID	1-3	R			BBQ, BQ	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must be valid values.	
X223.242.2300.HI04-1.020	HI04-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must = "BQ".	ICD-9 Only period
X223.242.2300.HI04-1.030	HI04-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must = "BBQ" .	ICD-10 Only period - assumes no dual-use after mandated date.
X223.242.2300.HI04-2.010	HI04-2	Procedure Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI04-1 is "BQ" then 2300.HI04-2 must be a valid ICD-9-CM Other Procedure code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI04-2.020	HI04-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI04-1 is "BBQ" then 2300.HI04-2 must be a valid ICD-10-CM Other Procedure code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI04-2.030	HI04-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI04-2 must not contain a ".".	
X223.242.2300.HI04-2.040	HI04-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 490: "Other Procedure Code for Service(s) Rendered"		
X223.242.2300.HI04-3.010	HI04-3	Date Time Period Format Qualifier	ID	2-3	S			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-3 must be "D8".	
X223.242.2300.HI04-4.010	HI04-4	Date Time Period	AN	1-35	S			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI04-4 must be a valid date in CCYYMMDD format.	
X223.242.2300.HI04-5.010	HI04-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-5 must not be present.	
X223.242.2300.HI04-6.010	HI04-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-6 must not be present.	
X223.242.2300.HI04-7.010	HI04-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-7 must not be present.	
X223.242.2300.HI04-8.010	HI04-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-8 must not be present.	
X223.242.2300.HI04-9.010	HI04-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-9 must not be present.	
X223.242.2300.HI05.010	HI05	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI04 is present then 2300.HI05 may be present.	
X223.242.2300.HI05-1.010	HI05-1	Code List Qualifier Code	ID	1-3	R			BBQ, BQ	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must be valid values.	
X223.242.2300.HI05-1.020	HI05-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must = "BQ".	ICD-9 Only period
X223.242.2300.HI05-1.030	HI05-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must = "BBQ" .	ICD-10 Only period - assumes no dual-use after mandated date.
X223.242.2300.HI05-2.010	HI05-2	Procedure Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI05-1 is "BQ" then 2300.HI05-2 must be a valid ICD-9-CM Other Procedure code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Other Procedure Code reference must be available for this edit

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.242.2300.HI05-2.020	HI05-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI05-1 is "BBQ" then 2300.HI05-2 must be a valid ICD-10-CM Other Procedure code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI05-2.030	HI05-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI05-2 must not contain a ".".	
X223.242.2300.HI05-2.040	HI05-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 490: "Other Procedure Code for Service(s) Rendered"		
X223.242.2300.HI05-3.010	HI05-3	Date Time Period Format Qualifier	ID	2-3	S			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-3 must be "D8".	
X223.242.2300.HI05-4.010	HI05-4	Date Time Period	AN	1-35	S			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI05-4 must be a valid date in CCYYMMDD format.	
X223.242.2300.HI05-5.010	HI05-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-5 must not be present.	
X223.242.2300.HI05-6.010	HI05-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-6 must not be present.	
X223.242.2300.HI05-7.010	HI05-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-7 must not be present.	
X223.242.2300.HI05-8.010	HI05-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-8 must not be present.	
X223.242.2300.HI05-9.010	HI05-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-9 must not be present.	
X223.242.2300.HI06.010	HI06	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI05 is present then 2300.HI06 may be present.	
X223.242.2300.HI06-1.010	HI06-1	Code List Qualifier Code	ID	1-3	R			BBQ, BQ	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must be valid values.	
X223.242.2300.HI06-1.020	HI06-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must = "BQ".	ICD-9 Only period
X223.242.2300.HI06-1.030	HI06-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must = "BBQ" .	ICD-10 Only period - assumes no dual-use after mandated date.
X223.242.2300.HI06-2.010	HI06-2	Procedure Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI06-1 is "BQ" then 2300.HI06-2 must be a valid ICD-9-CM Other Procedure code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI06-2.020	HI06-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI06-1 is "BBQ" then 2300.HI06-2 must be a valid ICD-10-CM Other Procedure code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI06-2.030	HI06-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI06-2 must not contain a ".".	
X223.242.2300.HI06-2.040	HI06-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 490: "Other Procedure Code for Service(s) Rendered"		
X223.242.2300.HI06-3.010	HI06-3	Date Time Period Format Qualifier	ID	2-3	S			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-3 must be "D8".	
X223.242.2300.HI06-4.010	HI06-4	Date Time Period	AN	1-35	S			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI06-4 must be a valid date in CCYYMMDD format.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.242.2300.HI06-5.010	HI06-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-5 must not be present.	
X223.242.2300.HI06-6.010	HI06-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-6 must not be present.	
X223.242.2300.HI06-7.010	HI06-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-7 must not be present.	
X223.242.2300.HI06-8.010	HI06-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-8 must not be present.	
X223.242.2300.HI06-9.010	HI06-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-9 must not be present.	
X223.242.2300.HI07.010	HI07	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI06 is present then 2300.HI07 may be present.	
X223.242.2300.HI07-1.010	HI07-1	Code List Qualifier Code	ID	1-3	R			BBQ, BQ	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must be valid values.	
X223.242.2300.HI07-1.020	HI07-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must = "BQ".	ICD-9 Only period
X223.242.2300.HI07-1.030	HI07-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must = "BBQ" .	ICD-10 Only period - assumes no dual-use after mandated date.
X223.242.2300.HI07-2.010	HI07-2	Procedure Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI07-1 is "BQ" then 2300.HI07-2 must be a valid ICD-9-CM Other Procedure code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI07-2.020	HI07-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI07-1 is "BBQ" then 2300.HI07-2 must be a valid ICD-10-CM Other Procedure code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI07-2.030	HI07-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI07-2 must not contain a ".".	
X223.242.2300.HI07-2.040	HI07-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 490: "Other Procedure Code for Service(s) Rendered"		
X223.242.2300.HI07-3.010	HI07-3	Date Time Period Format Qualifier	ID	2-3	S			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-3 must be "D8".	
X223.242.2300.HI07-4.010	HI07-4	Date Time Period	AN	1-35	S			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI07-4 must be a valid date in CCYYMMDD format.	
X223.242.2300.HI07-5.010	HI07-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-5 must not be present.	
X223.242.2300.HI07-6.010	HI07-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-6 must not be present.	
X223.242.2300.HI07-7.010	HI07-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-7 must not be present.	
X223.242.2300.HI07-8.010	HI07-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-8 must not be present.	
X223.242.2300.HI07-9.010	HI07-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-9 must not be present.	
X223.242.2300.HI08.010	HI08	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI07 is present then 2300.HI08 may be present.	
X223.242.2300.HI08-1.010	HI08-1	Code List Qualifier Code	ID	1-3	R			BBQ, BQ	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must be valid values.	
X223.242.2300.HI08-1.020	HI08-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must = "BQ".	ICD-9 Only period
X223.242.2300.HI08-1.030	HI08-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must = "BBQ" .	ICD-10 Only period - assumes no dual-use after mandated date.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.242.2300.HI08-2.010	HI08-2	Procedure Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI08-1 is "BQ" then 2300.HI08-2 must be a valid ICD-9-CM Other Procedure code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI08-2.020	HI08-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI08-1 is "BBQ" then 2300.HI08-2 must be a valid ICD-10-CM Other Procedure code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI08-2.030	HI08-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI08-2 must not contain a ".".	
X223.242.2300.HI08-2.040	HI08-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 490: "Other Procedure Code for Service(s) Rendered"		
X223.242.2300.HI08-3.010	HI08-3	Date Time Period Format Qualifier	ID	2-3	S			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-3 must be "D8".	
X223.242.2300.HI08-4.010	HI08-4	Date Time Period	AN	1-35	S			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI08-4 must be a valid date in CCYYMMDD format.	
X223.242.2300.HI08-5.010	HI08-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-5 must not be present.	
X223.242.2300.HI08-6.010	HI08-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-6 must not be present.	
X223.242.2300.HI08-7.010	HI08-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-7 must not be present.	
X223.242.2300.HI08-8.010	HI08-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-8 must not be present.	
X223.242.2300.HI08-9.010	HI08-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-9 must not be present.	
X223.242.2300.HI09.010	HI09	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI08 is present then 2300.HI09 may be present.	
X223.242.2300.HI09-1.010	HI09-1	Code List Qualifier Code	ID	1-3	R			BBQ, BQ	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must be valid values.	
X223.242.2300.HI09-1.020	HI09-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must = "BQ".	ICD-9 Only period
X223.242.2300.HI09-1.030	HI09-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must = "BBQ" .	ICD-10 Only period - assumes no dual-use after mandated date.
X223.242.2300.HI09-2.010	HI09-2	Procedure Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI09-1 is "BQ" then 2300.HI09-2 must be a valid ICD-9-CM Other Procedure code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI09-2.020	HI09-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI09-1 is "BBQ" then 2300.HI09-2 must be a valid ICD-10-CM Other Procedure code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI09-2.030	HI09-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI09-2 must not contain a ".".	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.242.2300.HI09-2.040	HI09-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 490: "Other Procedure Code for Service(s) Rendered"		
X223.242.2300.HI09-3.010	HI09-3	Date Time Period Format Qualifier	ID	2-3	S			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-3 must be "D8".	
X223.242.2300.HI09-4.010	HI09-4	Date Time Period	AN	1-35	S			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI09-4 must be a valid date in CCYYMMDD format.	
X223.242.2300.HI09-5.010	HI09-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-5 must not be present.	
X223.242.2300.HI09-6.010	HI09-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-6 must not be present.	
X223.242.2300.HI09-7.010	HI09-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-7 must not be present.	
X223.242.2300.HI09-8.010	HI09-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-8 must not be present.	
X223.242.2300.HI09-9.010	HI09-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-9 must not be present.	
X223.242.2300.HI10.010	HI10	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI09 is present then 2300.HI10 may be present.	
X223.242.2300.HI10-1.010	HI10-1	Code List Qualifier Code	ID	1-3	R			BBQ, BQ	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must be valid values.	
X223.242.2300.HI10-1.020	HI10-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must = "BQ".	ICD-9 Only period
X223.242.2300.HI10-1.030	HI10-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must = "BBQ" .	ICD-10 Only period - assumes no dual-use after mandated date.
X223.242.2300.HI10-2.010	HI10-2	Procedure Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI10-1 is "BQ" then 2300.HI10-2 must be a valid ICD-9-CM Other Procedure code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI10-2.020	HI10-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI10-1 is "BBQ" then 2300.HI10-2 must be a valid ICD-10-CM Other Procedure code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI10-2.030	HI10-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI10-2 must not contain a ".".	
X223.242.2300.HI10-2.040	HI10-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 490: "Other Procedure Code for Service(s) Rendered"		
X223.242.2300.HI10-3.010	HI10-3	Date Time Period Format Qualifier	ID	2-3	S			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-3 must be "D8".	
X223.242.2300.HI10-4.010	HI10-4	Date Time Period	AN	1-35	S			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI10-4 must be a valid date in CCYYMMDD format.	
X223.242.2300.HI10-5.010	HI10-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-5 must not be present.	
X223.242.2300.HI10-6.010	HI10-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-6 must not be present.	
X223.242.2300.HI10-7.010	HI10-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-7 must not be present.	
X223.242.2300.HI10-8.010	HI10-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-8 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.242.2300.HI10-9.010	HI10-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-9 must not be present.	
X223.242.2300.HI11.010	HI11	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI10 is present then 2300.HI11 may be present.	
X223.242.2300.HI11-1.010	HI11-1	Code List Qualifier Code	ID	1-3	R			BBQ, BQ	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must be valid values.	
X223.242.2300.HI11-1.020	HI11-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must = "BQ".	ICD-9 Only period
X223.242.2300.HI11-1.030	HI11-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must = "BBQ" .	ICD-10 Only period - assumes no dual-use after mandated date.
X223.242.2300.HI11-2.010	HI11-2	Procedure Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI11-1 is "BQ" then 2300.HI11-2 must be a valid ICD-9-CM Other Procedure code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Other Procedure Code reference must be available for this edit.
X223.242.2300.HI11-2.020	HI11-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI11-1 is "BBQ" then 2300.HI11-2 must be a valid ICD-10-CM Other Procedure code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Other Procedure Code reference must be available for this edit.
X223.242.2300.HI11-2.030	HI11-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI11-2 must not contain a ".".	
X223.242.2300.HI11-2.040	HI11-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 490: "Other Procedure Code for Service(s) Rendered"		
X223.242.2300.HI11-3.010	HI11-3	Date Time Period Format Qualifier	ID	2-3	S			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-3 must be "D8".	
X223.242.2300.HI11-4.010	HI11-4	Date Time Period	AN	1-35	S			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI11-4 must be a valid date in CCYYMMDD format.	
X223.242.2300.HI11-5.010	HI11-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-5 must not be present.	
X223.242.2300.HI11-6.010	HI11-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-6 must not be present.	
X223.242.2300.HI11-7.010	HI11-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-7 must not be present.	
X223.242.2300.HI11-8.010	HI11-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-8 must not be present.	
X223.242.2300.HI11-9.010	HI11-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-9 must not be present.	
X223.242.2300.HI12.010	HI12	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI11 is present then 2300.HI12 may be present.	
X223.242.2300.HI12-1.010	HI12-1	Code List Qualifier Code	ID	1-3	R			BBQ, BQ	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must be valid values.	
X223.242.2300.HI12-1.020	HI12-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must = "BQ".	ICD-9 Only period
X223.242.2300.HI12-1.030	HI12-1								999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must = "BBQ" .	ICD-10 Only period - assumes no dual-use after mandated date.
X223.242.2300.HI12-2.010	HI12-2	Procedure Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI12-1 is "BQ" then 2300.HI12-2 must be a valid ICD-9-CM Other Procedure code.	ICD-9 Only period and Transition period. Valid ICD-9-CM Other Procedure Code reference must be available for this edit.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.242.2300.HI12-2.020	HI12-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 490: "Other Procedure Code for Service(s) Rendered"	If 2300.HI12-1 is "BBQ" then 2300.HI12-2 must be a valid ICD-10-CM Other Procedure code.	Transition period and ICD-10 Only period. Valid ICD-10-CM Other Procedure Code reference must be available for this edit
X223.242.2300.HI12-2.030	HI12-2								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HI12-2 must not contain a ".".	
X223.242.2300.HI12-2.040	HI12-2								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 490: "Other Procedure Code for Service(s) Rendered"		
X223.242.2300.HI12-3.010	HI12-3	Date Time Period Format Qualifier	ID	2-3	S			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-3 must be "D8".	
X223.242.2300.HI12-4.010	HI12-4	Date Time Period	AN	1-35	S			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI12-4 must be a valid date in CCYYMMDD format.	
X223.242.2300.HI12-5.010	HI12-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-5 must not be present.	
X223.242.2300.HI12-6.010	HI12-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-6 must not be present.	
X223.242.2300.HI12-7.010	HI12-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-7 must not be present.	
X223.242.2300.HI12-8.010	HI12-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-8 must not be present.	
X223.242.2300.HI12-9.010	HI12-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-9 must not be present.	
X223.258.2300.HI.010	HI	<b>OCCURRENCE SPAN INFORMATION</b>		2	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only two iterations of 2300.HI with HI01-1 = "BI" are allowed.</b>	
X223.258.2300.HI01.010	HI01	HEALTH CARE CODE INFORMATION			R								
X223.258.2300.HI01-1.010	HI01-1	Code List Qualifier Code	ID	1-3	R			BI	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be "BI".	
X223.258.2300.HI01-2.010	HI01-2	Occurrence Span Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 462: "NUBC Occurrence Span Code(s) and Date(s)"	If 2300.HI01-1 is "BI" then 2300.HI01-2 must be a valid Occurrence Span code.	Valid Occurrence Span Code reference must be available for this edit.
X223.258.2300.HI01-3.010	HI01-3	Date Time Period Format Qualifier	ID	2-3	R			RD8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-3 must be "RD8".	
X223.258.2300.HI01-4.010	HI01-4	Date Time Period	AN	1-35	R			CCYYMMDD-CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI01-4 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.258.2300.HI01-5.010	HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-5 must not be present.	
X223.258.2300.HI01-6.010	HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-6 must not be present.	
X223.258.2300.HI01-7.010	HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-7 must not be present.	
X223.258.2300.HI01-8.010	HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-8 must not be present.	
X223.258.2300.HI01-9.010	HI01-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-9 must not be present.	
X223.258.2300.HI02.010	HI02	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI01 is present then 2300.HI02 may be present.	
X223.258.2300.HI02-1.010	HI02-1	Code List Qualifier Code	ID	1-3	R			BI	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must be "BI".	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.258.2300.HI02-2.010	HI02-2	Occurrence Span Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 462: "NUBC Occurrence Span Code(s) and Date(s)"	If 2300.HI02-1 is "BI" then 2300.HI02-2 must be a valid Occurrence Span code.	Valid Occurrence Span Code reference must be available for this edit.
X223.258.2300.HI02-3.010	HI02-3	Date Time Period Format Qualifier	ID	2-3	R			RD8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-3 must be "RD8".	
X223.258.2300.HI02-4.010	HI02-4	Date Time Period	AN	1-35	R			CCYYMMDD-CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI02-4 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.258.2300.HI02-5.010	HI02-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-5 must not be present.	
X223.258.2300.HI02-6.010	HI02-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-6 must not be present.	
X223.258.2300.HI02-7.010	HI02-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-7 must not be present.	
X223.258.2300.HI02-8.010	HI02-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-8 must not be present.	
X223.258.2300.HI02-9.010	HI02-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-9 must not be present.	
X223.258.2300.HI03.010	HI03	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI02 is present then 2300.HI03 may be present.	
X223.258.2300.HI03-1.010	HI03-1	Code List Qualifier Code	ID	1-3	R			BI	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must be "BI".	
X223.258.2300.HI03-2.010	HI03-2	Occurrence Span Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 462: "NUBC Occurrence Span Code(s) and Date(s)"	If 2300.HI03-1 is "BI" then 2300.HI03-2 must be a valid Occurrence Span code.	Valid Occurrence Span Code reference must be available for this edit.
X223.258.2300.HI03-3.010	HI03-3	Date Time Period Format Qualifier	ID	2-3	R			RD8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-3 must be "RD8".	
X223.258.2300.HI03-4.010	HI03-4	Date Time Period	AN	1-35	R			CCYYMMDD-CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI03-4 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.258.2300.HI03-5.010	HI03-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-5 must not be present.	
X223.258.2300.HI03-6.010	HI03-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-6 must not be present.	
X223.258.2300.HI03-7.010	HI03-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-7 must not be present.	
X223.258.2300.HI03-8.010	HI03-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-8 must not be present.	
X223.258.2300.HI03-9.010	HI03-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-9 must not be present.	
X223.258.2300.HI04.010	HI04	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI03 is present then 2300.HI04 may be present.	
X223.258.2300.HI04-1.010	HI04-1	Code List Qualifier Code	ID	1-3	R			BI	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must be "BI".	
X223.258.2300.HI04-2.010	HI04-2	Occurrence Span Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 462: "NUBC Occurrence Span Code(s) and Date(s)"	If 2300.HI04-1 is "BI" then 2300.HI04-2 must be a valid Occurrence Span code.	Valid Occurrence Span Code reference must be available for this edit.
X223.258.2300.HI04-3.010	HI04-3	Date Time Period Format Qualifier	ID	2-3	R			RD8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-3 must be "RD8".	
X223.258.2300.HI04-4.010	HI04-4	Date Time Period	AN	1-35	R			CCYYMMDD-CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI04-4 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.258.2300.HI04-5.010	HI04-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-5 must not be present.	
X223.258.2300.HI04-6.010	HI04-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-6 must not be present.	
X223.258.2300.HI04-7.010	HI04-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-7 must not be present.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.258.2300.HI04-8.010	HI04-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-8 must not be present.	
X223.258.2300.HI04-9.010	HI04-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-9 must not be present.	
X223.258.2300.HI05.010	HI05	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI04 is present then 2300.HI05 may be present.	
X223.258.2300.HI05-1.010	HI05-1	Code List Qualifier Code	ID	1-3	R			BI	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must be "BI".	
X223.258.2300.HI05-2.010	HI05-2	Occurrence Span Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 462: "NUBC Occurrence Span Code(s) and Date(s)"	If 2300.HI05-1 is "BI" then 2300.HI05-2 must be a valid Occurrence Span code.	Valid Occurrence Span Code reference must be available for this edit.
X223.258.2300.HI05-3.010	HI05-3	Date Time Period Format Qualifier	ID	2-3	R			RD8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-3 must be "RD8".	
X223.258.2300.HI05-4.010	HI05-4	Date Time Period	AN	1-35	R			CCYYMMDD-CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI05-4 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.258.2300.HI05-5.010	HI05-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-5 must not be present.	
X223.258.2300.HI05-6.010	HI05-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-6 must not be present.	
X223.258.2300.HI05-7.010	HI05-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-7 must not be present.	
X223.258.2300.HI05-8.010	HI05-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-8 must not be present.	
X223.258.2300.HI05-9.010	HI05-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-9 must not be present.	
X223.258.2300.HI06.010	HI06	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI05 is present then 2300.HI06 may be present.	
X223.258.2300.HI06-1.010	HI06-1	Code List Qualifier Code	ID	1-3	R			BI	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must be "BI".	
X223.258.2300.HI06-2.010	HI06-2	Occurrence Span Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 462: "NUBC Occurrence Span Code(s) and Date(s)"	If 2300.HI06-1 is "BI" then 2300.HI06-2 must be a valid Occurrence Span code.	Valid Occurrence Span Code reference must be available for this edit.
X223.258.2300.HI06-3.010	HI06-3	Date Time Period Format Qualifier	ID	2-3	R			RD8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-3 must be "RD8".	
X223.258.2300.HI06-4.010	HI06-4	Date Time Period	AN	1-35	R			CCYYMMDD-CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI06-4 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.258.2300.HI06-5.010	HI06-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-5 must not be present.	
X223.258.2300.HI06-6.010	HI06-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-6 must not be present.	
X223.258.2300.HI06-7.010	HI06-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-7 must not be present.	
X223.258.2300.HI06-8.010	HI06-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-8 must not be present.	
X223.258.2300.HI06-9.010	HI06-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-9 must not be present.	
X223.258.2300.HI07.010	HI07	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI06 is present then 2300.HI07 may be present.	
X223.258.2300.HI07-1.010	HI07-1	Code List Qualifier Code	ID	1-3	R			BI	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must be "BI".	
X223.258.2300.HI07-2.010	HI07-2	Occurrence Span Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 462: "NUBC Occurrence Span Code(s) and Date(s)"	If 2300.HI07-1 is "BI" then 2300.HI07-2 must be a valid Occurrence Span code.	Valid Occurrence Span Code reference must be available for this edit.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.258.2300.HI07-3.010	HI07-3	Date Time Period Format Qualifier	ID	2-3	R			RD8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-3 must be "RD8".	
X223.258.2300.HI07-4.010	HI07-4	Date Time Period	AN	1-35	R			CCYYMMDD-CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI07-4 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.258.2300.HI07-5.010	HI07-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-5 must not be present.	
X223.258.2300.HI07-6.010	HI07-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-6 must not be present.	
X223.258.2300.HI07-7.010	HI07-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-7 must not be present.	
X223.258.2300.HI07-8.010	HI07-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-8 must not be present.	
X223.258.2300.HI07-9.010	HI07-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-9 must not be present.	
X223.258.2300.HI08.010	HI08	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI07 is present then 2300.HI08 may be present.	
X223.258.2300.HI08-1.010	HI08-1	Code List Qualifier Code	ID	1-3	R			BI	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must be "BI".	
X223.258.2300.HI08-2.010	HI08-2	Occurrence Span Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 462: "NUBC Occurrence Span Code(s) and Date(s)"	If 2300.HI08-1 is "BI" then 2300.HI08-2 must be a valid Occurrence Span code.	Valid Occurrence Span Code reference must be available for this edit.
X223.258.2300.HI08-3.010	HI08-3	Date Time Period Format Qualifier	ID	2-3	R			RD8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-3 must be "RD8".	
X223.258.2300.HI08-4.010	HI08-4	Date Time Period	AN	1-35	R			CCYYMMDD-CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI08-4 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.258.2300.HI08-5.010	HI08-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-5 must not be present.	
X223.258.2300.HI08-6.010	HI08-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-6 must not be present.	
X223.258.2300.HI08-7.010	HI08-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-7 must not be present.	
X223.258.2300.HI08-8.010	HI08-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-8 must not be present.	
X223.258.2300.HI08-9.010	HI08-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-9 must not be present.	
X223.258.2300.HI09.010	HI09	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI08 is present then 2300.HI09 may be present.	
X223.258.2300.HI09-1.010	HI09-1	Code List Qualifier Code	ID	1-3	R			BI	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must be "BI".	
X223.258.2300.HI09-2.010	HI09-2	Occurrence Span Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 462: "NUBC Occurrence Span Code(s) and Date(s)"	If 2300.HI09-1 is "BI" then 2300.HI09-2 must be a valid Occurrence Span code.	Valid Occurrence Span Code reference must be available for this edit.
X223.258.2300.HI09-3.010	HI09-3	Date Time Period Format Qualifier	ID	2-3	R			RD8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-3 must be "RD8".	
X223.258.2300.HI09-4.010	HI09-4	Date Time Period	AN	1-35	R			CCYYMMDD-CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI09-4 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.258.2300.HI09-5.010	HI09-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-5 must not be present.	
X223.258.2300.HI09-6.010	HI09-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-6 must not be present.	
X223.258.2300.HI09-7.010	HI09-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-7 must not be present.	
X223.258.2300.HI09-8.010	HI09-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-8 must not be present.	
X223.258.2300.HI09-9.010	HI09-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-9 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.258.2300.HI10.010	HI10	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI09 is present then 2300.HI10 may be present.	
X223.258.2300.HI10-1.010	HI10-1	Code List Qualifier Code	ID	1-3	R			BI	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must be "BI".	
X223.258.2300.HI10-2.010	HI10-2	Occurrence Span Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 462: "NUBC Occurrence Span Code(s) and Date(s)"	If 2300.HI10-1 is "BI" then 2300.HI10-2 must be a valid Occurrence Span code.	Valid Occurrence Span Code reference must be available for this edit.
X223.258.2300.HI10-3.010	HI10-3	Date Time Period Format Qualifier	ID	2-3	R			RD8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-3 must be "RD8".	
X223.258.2300.HI10-4.010	HI10-4	Date Time Period	AN	1-35	R			CCYYMMDD-CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI10-4 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.258.2300.HI10-5.010	HI10-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-5 must not be present.	
X223.258.2300.HI10-6.010	HI10-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-6 must not be present.	
X223.258.2300.HI10-7.010	HI10-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-7 must not be present.	
X223.258.2300.HI10-8.010	HI10-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-8 must not be present.	
X223.258.2300.HI10-9.010	HI10-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-9 must not be present.	
X223.258.2300.HI11.010	HI11	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI10 is present then 2300.HI11 may be present.	
X223.258.2300.HI11-1.010	HI11-1	Code List Qualifier Code	ID	1-3	R			BI	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must be "BI".	
X223.258.2300.HI11-2.010	HI11-2	Occurrence Span Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 462: "NUBC Occurrence Span Code(s) and Date(s)"	If 2300.HI11-1 is "BI" then 2300.HI11-2 must be a valid Occurrence Span code.	Valid Occurrence Span Code reference must be available for this edit.
X223.258.2300.HI11-3.010	HI11-3	Date Time Period Format Qualifier	ID	2-3	R			RD8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-3 must be "RD8".	
X223.258.2300.HI11-4.010	HI11-4	Date Time Period	AN	1-35	R			CCYYMMDD-CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI11-4 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.258.2300.HI11-5.010	HI11-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-5 must not be present.	
X223.258.2300.HI11-6.010	HI11-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-6 must not be present.	
X223.258.2300.HI11-7.010	HI11-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-7 must not be present.	
X223.258.2300.HI11-8.010	HI11-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-8 must not be present.	
X223.258.2300.HI11-9.010	HI11-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-9 must not be present.	
X223.258.2300.HI12.010	HI12	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI11 is present then 2300.HI12 may be present.	
X223.258.2300.HI12-1.010	HI12-1	Code List Qualifier Code	ID	1-3	R			BI	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must be "BI".	
X223.258.2300.HI12-2.010	HI12-2	Occurrence Span Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 462: "NUBC Occurrence Span Code(s) and Date(s)"	If 2300.HI12-1 is "BI" then 2300.HI12-2 must be a valid Occurrence Span code.	Valid Occurrence Span Code reference must be available for this edit.
X223.258.2300.HI12-3.010	HI12-3	Date Time Period Format Qualifier	ID	2-3	R			RD8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-3 must be "RD8".	
X223.258.2300.HI12-4.010	HI12-4	Date Time Period	AN	1-35	R			CCYYMMDD-CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI12-4 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.258.2300.HI12-5.010	HI12-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-5 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.258.2300.HI12-6.010	HI12-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-6 must not be present.	
X223.258.2300.HI12-7.010	HI12-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-7 must not be present.	
X223.258.2300.HI12-8.010	HI12-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-8 must not be present.	
X223.258.2300.HI12-9.010	HI12-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-9 must not be present.	
X223.271.2300.HI.010	HI	<b>OCCURRENCE INFORMATION</b>		2	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only two iterations of 2300.HI with HI01-1 = "BH" are allowed.</b>	
X223.271.2300.HI01.010	HI01	HEALTH CARE CODE INFORMATION			R								
X223.271.2300.HI01-1.010	HI01-1	Code List Qualifier Code	ID	1-3	R			BH	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be "BH".	
X223.271.2300.HI01-2.010	HI01-2	Occurrence Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 461: "NUBC Occurrence Code(s) and Date(s)"	If 2300.HI01-1 is "BH" then 2300.HI01-2 must be a valid Occurrence code.	Valid Occurrence Code reference must be available for this edit.
X223.271.2300.HI01-3.010	HI01-3	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-3 must be "D8".	
X223.271.2300.HI01-4.010	HI01-4	Date Time Period	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI01-4 must be a valid date in CCYYMMDD format.	
X223.271.2300.HI01-5.010	HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-5 must not be present.	
X223.271.2300.HI01-6.010	HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-6 must not be present.	
X223.271.2300.HI01-7.010	HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-7 must not be present.	
X223.271.2300.HI01-8.010	HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-8 must not be present.	
X223.271.2300.HI01-9.010	HI01-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-9 must not be present.	
X223.271.2300.HI02.010	HI02	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI01 is present then 2300.HI02 may be present.	
X223.271.2300.HI02-1.010	HI02-1	Code List Qualifier Code	ID	1-3	R			BH	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must be "BH".	
X223.271.2300.HI02-2.010	HI02-2	Occurrence Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 461: "NUBC Occurrence Code(s) and Date(s)"	If 2300.HI02-1 is "BH" then 2300.HI02-2 must be a valid Occurrence code.	Valid Occurrence Code reference must be available for this edit.
X223.271.2300.HI02-3.010	HI02-3	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-3 must be "D8".	
X223.271.2300.HI02-4.010	HI02-4	Date Time Period	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI02-4 must be a valid date in CCYYMMDD format.	
X223.271.2300.HI02-5.010	HI02-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-5 must not be present.	
X223.271.2300.HI02-6.010	HI02-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-6 must not be present.	
X223.271.2300.HI02-7.010	HI02-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-7 must not be present.	
X223.271.2300.HI02-8.010	HI02-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-8 must not be present.	
X223.271.2300.HI02-9.010	HI02-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-9 must not be present.	
X223.271.2300.HI03.010	HI03	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI02 is present then 2300.HI03 may be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.271.2300.HI03-1.010	HI03-1	Code List Qualifier Code	ID	1-3	R			BH	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must be "BH".	
X223.271.2300.HI03-2.010	HI03-2	Occurrence Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 461: "NUBC Occurrence Code(s) and Date(s)"	If 2300.HI03-1 is "BH" then 2300.HI03-2 must be a valid Occurrence code.	Valid Occurrence Code reference must be available for this edit.
X223.271.2300.HI03-3.010	HI03-3	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-3 must be "D8".	
X223.271.2300.HI03-4.010	HI03-4	Date Time Period	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI03-4 must be a valid date in CCYYMMDD format.	
X223.271.2300.HI03-5.010	HI03-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-5 must not be present.	
X223.271.2300.HI03-6.010	HI03-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-6 must not be present.	
X223.271.2300.HI03-7.010	HI03-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-7 must not be present.	
X223.271.2300.HI03-8.010	HI03-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-8 must not be present.	
X223.271.2300.HI03-9.010	HI03-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-9 must not be present.	
X223.271.2300.HI04.010	HI04	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI03 is present then 2300.HI04 may be present.	
X223.271.2300.HI04-1.010	HI04-1	Code List Qualifier Code	ID	1-3	R			BH	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must be "BH".	
X223.271.2300.HI04-2.010	HI04-2	Occurrence Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 461: "NUBC Occurrence Code(s) and Date(s)"	If 2300.HI04-1 is "BH" then 2300.HI04-2 must be a valid Occurrence code.	Valid Occurrence Code reference must be available for this edit.
X223.271.2300.HI04-3.010	HI04-3	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-3 must be "D8".	
X223.271.2300.HI04-4.010	HI04-4	Date Time Period	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI04-4 must be a valid date in CCYYMMDD format.	
X223.271.2300.HI04-5.010	HI04-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-5 must not be present.	
X223.271.2300.HI04-6.010	HI04-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-6 must not be present.	
X223.271.2300.HI04-7.010	HI04-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-7 must not be present.	
X223.271.2300.HI04-8.010	HI04-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-8 must not be present.	
X223.271.2300.HI04-9.010	HI04-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-9 must not be present.	
X223.271.2300.HI05.010	HI05	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI04 is present then 2300.HI05 may be present.	
X223.271.2300.HI05-1.010	HI05-1	Code List Qualifier Code	ID	1-3	R			BH	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must be "BH".	
X223.271.2300.HI05-2.010	HI05-2	Occurrence Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 461: "NUBC Occurrence Code(s) and Date(s)"	If 2300.HI05-1 is "BH" then 2300.HI05-2 must be a valid Occurrence code.	Valid Occurrence Code reference must be available for this edit.
X223.271.2300.HI05-3.010	HI05-3	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-3 must be "D8".	
X223.271.2300.HI05-4.010	HI05-4	Date Time Period	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI05-4 must be a valid date in CCYYMMDD format.	
X223.271.2300.HI05-5.010	HI05-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-5 must not be present.	
X223.271.2300.HI05-6.010	HI05-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-6 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.271.2300.HI05-7.010	HI05-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-7 must not be present.	
X223.271.2300.HI05-8.010	HI05-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-8 must not be present.	
X223.271.2300.HI05-9.010	HI05-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-9 must not be present.	
X223.271.2300.HI06.010	HI06	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI05 is present then 2300.HI06 may be present.	
X223.271.2300.HI06-1.010	HI06-1	Code List Qualifier Code	ID	1-3	R			BH	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must be "BH".	
X223.271.2300.HI06-2.010	HI06-2	Occurrence Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 461: "NUBC Occurrence Code(s) and Date(s)"	If 2300.HI06-1 is "BH" then 2300.HI06-2 must be a valid Occurrence code.	Valid Occurrence Code reference must be available for this edit.
X223.271.2300.HI06-3.010	HI06-3	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-3 must be "D8".	
X223.271.2300.HI06-4.010	HI06-4	Date Time Period	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI06-4 must be a valid date in CCYYMMDD format.	
X223.271.2300.HI06-5.010	HI06-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-5 must not be present.	
X223.271.2300.HI06-6.010	HI06-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-6 must not be present.	
X223.271.2300.HI06-7.010	HI06-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-7 must not be present.	
X223.271.2300.HI06-8.010	HI06-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-8 must not be present.	
X223.271.2300.HI06-9.010	HI06-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-9 must not be present.	
X223.271.2300.HI07.010	HI07	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI06 is present then 2300.HI07 may be present.	
X223.271.2300.HI07-1.010	HI07-1	Code List Qualifier Code	ID	1-3	R			BH	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must be "BH".	
X223.271.2300.HI07-2.010	HI07-2	Occurrence Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 461: "NUBC Occurrence Code(s) and Date(s)"	If 2300.HI07-1 is "BH" then 2300.HI07-2 must be a valid Occurrence code.	Valid Occurrence Code reference must be available for this edit.
X223.271.2300.HI07-3.010	HI07-3	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-3 must be "D8".	
X223.271.2300.HI07-4.010	HI07-4	Date Time Period	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI07-4 must be a valid date in CCYYMMDD format.	
X223.271.2300.HI07-5.010	HI07-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-5 must not be present.	
X223.271.2300.HI07-6.010	HI07-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-6 must not be present.	
X223.271.2300.HI07-7.010	HI07-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-7 must not be present.	
X223.271.2300.HI07-8.010	HI07-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-8 must not be present.	
X223.271.2300.HI07-9.010	HI07-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-9 must not be present.	
X223.271.2300.HI08.010	HI08	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI07 is present then 2300.HI08 may be present.	
X223.271.2300.HI08-1.010	HI08-1	Code List Qualifier Code	ID	1-3	R			BH	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must be "BH".	
X223.271.2300.HI08-2.010	HI08-2	Occurrence Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 461: "NUBC Occurrence Code(s) and Date(s)"	If 2300.HI08-1 is "BH" then 2300.HI08-2 must be a valid Occurrence code.	Valid Occurrence Code reference must be available for this edit.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.271.2300.HI08-3.010	HI08-3	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-3 must be "D8".	
X223.271.2300.HI08-4.010	HI08-4	Date Time Period	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI08-4 must be a valid date in CCYYMMDD format.	
X223.271.2300.HI08-5.010	HI08-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-5 must not be present.	
X223.271.2300.HI08-6.010	HI08-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-6 must not be present.	
X223.271.2300.HI08-7.010	HI08-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-7 must not be present.	
X223.271.2300.HI08-8.010	HI08-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-8 must not be present.	
X223.271.2300.HI08-9.010	HI08-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-9 must not be present.	
X223.271.2300.HI09.010	HI09	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI08 is present then 2300.HI09 may be present.	
X223.271.2300.HI09-1.010	HI09-1	Code List Qualifier Code	ID	1-3	R			BH	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must be "BH".	
X223.271.2300.HI09-2.010	HI09-2	Occurrence Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 461: "NUBC Occurrence Code(s) and Date(s)"	If 2300.HI09-1 is "BH" then 2300.HI09-2 must be a valid Occurrence code.	Valid Occurrence Code reference must be available for this edit.
X223.271.2300.HI09-3.010	HI09-3	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-3 must be "D8".	
X223.271.2300.HI09-4.010	HI09-4	Date Time Period	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI09-4 must be a valid date in CCYYMMDD format.	
X223.271.2300.HI09-5.010	HI09-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-5 must not be present.	
X223.271.2300.HI09-6.010	HI09-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-6 must not be present.	
X223.271.2300.HI09-7.010	HI09-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-7 must not be present.	
X223.271.2300.HI09-8.010	HI09-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-8 must not be present.	
X223.271.2300.HI09-9.010	HI09-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-9 must not be present.	
X223.271.2300.HI10.010	HI10	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI09 is present then 2300.HI10 may be present.	
X223.271.2300.HI10-1.010	HI10-1	Code List Qualifier Code	ID	1-3	R			BH	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must be "BH".	
X223.271.2300.HI10-2.010	HI10-2	Occurrence Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 461: "NUBC Occurrence Code(s) and Date(s)"	If 2300.HI10-1 is "BH" then 2300.HI10-2 must be a valid Occurrence code.	Valid Occurrence Code reference must be available for this edit.
X223.271.2300.HI10-3.010	HI10-3	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-3 must be "D8".	
X223.271.2300.HI10-4.010	HI10-4	Date Time Period	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI10-4 must be a valid date in CCYYMMDD format.	
X223.271.2300.HI10-5.010	HI10-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-5 must not be present.	
X223.271.2300.HI10-6.010	HI10-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-6 must not be present.	
X223.271.2300.HI10-7.010	HI10-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-7 must not be present.	
X223.271.2300.HI10-8.010	HI10-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-8 must not be present.	
X223.271.2300.HI10-9.010	HI10-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-9 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.271.2300.HI11.010	HI11	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI10 is present then 2300.HI11 may be present.	
X223.271.2300.HI11-1.010	HI11-1	Code List Qualifier Code	ID	1-3	R			BH	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must be "BH".	
X223.271.2300.HI11-2.010	HI11-2	Occurrence Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 461: "NUBC Occurrence Code(s) and Date(s)"	If 2300.HI11-1 is "BH" then 2300.HI11-2 must be a valid Occurrence code.	Valid Occurrence Code reference must be available for this edit.
X223.271.2300.HI11-3.010	HI11-3	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-3 must be "D8".	
X223.271.2300.HI11-4.010	HI11-4	Date Time Period	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI11-4 must be a valid date in CCYYMMDD format.	
X223.271.2300.HI11-5.010	HI11-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-5 must not be present.	
X223.271.2300.HI11-6.010	HI11-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-6 must not be present.	
X223.271.2300.HI11-7.010	HI11-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-7 must not be present.	
X223.271.2300.HI11-8.010	HI11-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-8 must not be present.	
X223.271.2300.HI11-9.010	HI11-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-9 must not be present.	
X223.271.2300.HI12.010	HI12	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI11 is present then 2300.HI12 may be present.	
X223.271.2300.HI12-1.010	HI12-1	Code List Qualifier Code	ID	1-3	R			BH	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must be "BH".	
X223.271.2300.HI12-2.010	HI12-2	Occurrence Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 461: "NUBC Occurrence Code(s) and Date(s)"	If 2300.HI12-1 is "BH" then 2300.HI12-2 must be a valid Occurrence code.	Valid Occurrence Code reference must be available for this edit.
X223.271.2300.HI12-3.010	HI12-3	Date Time Period Format Qualifier	ID	2-3	R			D8	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-3 must be "D8".	
X223.271.2300.HI12-4.010	HI12-4	Date Time Period	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2300.HI12-4 must be a valid date in CCYYMMDD format.	
X223.271.2300.HI12-5.010	HI12-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-5 must not be present.	
X223.271.2300.HI12-6.010	HI12-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-6 must not be present.	
X223.271.2300.HI12-7.010	HI12-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-7 must not be present.	
X223.271.2300.HI12-8.010	HI12-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-8 must not be present.	
X223.271.2300.HI12-9.010	HI12-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-9 must not be present.	
X223.284.2300.HI.010	HI	VALUE INFORMATION		2	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2300.HI with HI01-1 = "BE" are allowed.	
X223.284.2300.HI01.010	HI01	HEALTH CARE CODE INFORMATION			R								
X223.284.2300.HI01-1.010	HI01-1	Code List Qualifier Code	ID	1-3	R			BE	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be "BE".	
X223.284.2300.HI01-2.010	HI01-2	Value Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	If 2300.HI01-1 is "BE" then 2300.HI01-2 must be a valid Value code.	Valid Value Code reference must be available for this edit.
X223.284.2300.HI01-3.010	HI01-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-3 must not be present.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.284.2300.HI01-4.010	HI01-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-4 must not be present.	
X223.284.2300.HI01-5.010	HI01-5	Value Code Associated Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI01-5 must be numeric.	
X223.284.2300.HI01-5.020	HI01-5								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	2300.HI01-5 value must be >= 0.	
X223.284.2300.HI01-5.030	HI01-5								999	R	IK403 = 5: "Data Element Too Long"	2300.HI01-5 must be <= 99,999,999.99.	
X223.284.2300.HI01-6.010	HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-6 must not be present.	
X223.284.2300.HI01-7.010	HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-7 must not be present.	
X223.284.2300.HI01-8.010	HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-8 must not be present.	
X223.284.2300.HI01-9.010	HI01-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-9 must not be present.	
X223.284.2300.HI02.010	HI02	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI01 is present then 2300.HI02 may be present.	
X223.284.2300.HI02-1.010	HI02-1	Code List Qualifier Code	ID	1-3	R			BE	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must be "BE".	
X223.284.2300.HI02-2.010	HI02-2	Value Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	If 2300.HI02-1 is "BE" then 2300.HI02-2 must be a valid Value code.	Valid Value Code reference must be available for this edit.
X223.284.2300.HI02-3.010	HI02-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-3 must not be present.	
X223.284.2300.HI02-4.010	HI02-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-4 must not be present.	
X223.284.2300.HI02-5.010	HI02-5	Value Code Associated Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI02-5 must be numeric.	
X223.284.2300.HI02-5.020	HI02-5								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	2300.HI02-5 value must be >= 0.	
X223.284.2300.HI02-5.030	HI02-5								999	R	IK403 = 5: "Data Element Too Long"	2300.HI01-5 must be <= 99,999,999.99.	
X223.284.2300.HI02-6.010	HI02-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-6 must not be present.	
X223.284.2300.HI02-7.010	HI02-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-7 must not be present.	
X223.284.2300.HI02-8.010	HI02-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-8 must not be present.	
X223.284.2300.HI02-9.010	HI02-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-9 must not be present.	
X223.284.2300.HI03.010	HI03	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI02 is present then 2300.HI03 may be present.	
X223.284.2300.HI03-1.010	HI03-1	Code List Qualifier Code	ID	1-3	R			BE	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must be "BE".	
X223.284.2300.HI03-2.010	HI03-2	Value Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	If 2300.HI03-1 is "BE" then 2300.HI03-2 must be a valid Value code.	Valid Value Code reference must be available for this edit.
X223.284.2300.HI03-3.010	HI03-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-3 must not be present.	
X223.284.2300.HI03-4.010	HI03-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-4 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.284.2300.HI03-5.010	HI03-5	Value Code Associated Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI03-5 must be numeric.	
X223.284.2300.HI03-5.020	HI03-5								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	2300.HI03-5 value must be >= 0.	
X223.284.2300.HI03-5.030	HI03-5								999	R	IK403 = 5: "Data Element Too Long"	2300.HI03-5 must be <= 99,999,999.99.	
X223.284.2300.HI03-6.010	HI03-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-6 must not be present.	
X223.284.2300.HI03-7.010	HI03-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-7 must not be present.	
X223.284.2300.HI03-8.010	HI03-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-8 must not be present.	
X223.284.2300.HI03-9.010	HI03-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-9 must not be present.	
X223.284.2300.HI04.010	HI04	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI03 is present then 2300.HI04 may be present.	
X223.284.2300.HI04-1.010	HI04-1	Code List Qualifier Code	ID	1-3	R			BE	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must be "BE".	
X223.284.2300.HI04-2.010	HI04-2	Value Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	If 2300.HI04-1 is "BE" then 2300.HI04-2 must be a valid Value code.	Valid Value Code reference must be available for this edit.
X223.284.2300.HI04-3.010	HI04-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-3 must not be present.	
X223.284.2300.HI04-4.010	HI04-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-4 must not be present.	
X223.284.2300.HI04-5.010	HI04-5	Value Code Associated Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI04-5 must be numeric.	
X223.284.2300.HI04-5.020	HI04-5								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	2300.HI04-5 value must be >= 0.	
X223.284.2300.HI04-5.030	HI04-5								999	R	IK403 = 5: "Data Element Too Long"	2300.HI04-5 must be <= 99,999,999.99.	
X223.284.2300.HI04-6.010	HI04-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-6 must not be present.	
X223.284.2300.HI04-7.010	HI04-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-7 must not be present.	
X223.284.2300.HI04-8.010	HI04-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-8 must not be present.	
X223.284.2300.HI04-9.010	HI04-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-9 must not be present.	
X223.284.2300.HI05.010	HI05	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI04 is present then 2300.HI05 may be present.	
X223.284.2300.HI05-1.010	HI05-1	Code List Qualifier Code	ID	1-3	R			BE	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must be "BE".	
X223.284.2300.HI05-2.010	HI05-2	Value Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	If 2300.HI05-1 is "BE" then 2300.HI05-2 must be a valid Value code.	Valid Value Code reference must be available for this edit.
X223.284.2300.HI05-3.010	HI05-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-3 must not be present.	
X223.284.2300.HI05-4.010	HI05-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-4 must not be present.	
X223.284.2300.HI05-5.010	HI05-5	Value Code Associated Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI05-5 must be numeric.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.284.2300.HI05-5.020	HI05-5								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	2300.HI05-5 value must be >= 0.	
X223.284.2300.HI05-5.030	HI05-5								999	R	IK403 = 5: "Data Element Too Long"	2300.HI05-5 must be <= 99,999,999.99.	
X223.284.2300.HI05-6.010	HI05-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-6 must not be present.	
X223.284.2300.HI05-7.010	HI05-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-7 must not be present.	
X223.284.2300.HI05-8.010	HI05-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-8 must not be present.	
X223.284.2300.HI05-9.010	HI05-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-9 must not be present.	
X223.284.2300.HI06.010	HI06	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI05 is present then 2300.HI06 may be present.	
X223.284.2300.HI06-1.010	HI06-1	Code List Qualifier Code	ID	1-3	R			BE	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must be "BE".	
X223.284.2300.HI06-2.010	HI06-2	Value Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	If 2300.HI06-1 is "BE" then 2300.HI06-2 must be a valid Value code.	Valid Value Code reference must be available for this edit.
X223.284.2300.HI06-3.010	HI06-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-3 must not be present.	
X223.284.2300.HI06-4.010	HI06-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-4 must not be present.	
X223.284.2300.HI06-5.010	HI06-5	Value Code Associated Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI06-5 must be numeric.	
X223.284.2300.HI06-5.020	HI06-5								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	2300.HI06-5 value must be >= 0.	
X223.284.2300.HI06-5.030	HI06-5								999	R	IK403 = 5: "Data Element Too Long"	2300.HI06-5 must be <= 99,999,999.99.	
X223.284.2300.HI06-6.010	HI06-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-6 must not be present.	
X223.284.2300.HI06-7.010	HI06-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-7 must not be present.	
X223.284.2300.HI06-8.010	HI06-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-8 must not be present.	
X223.284.2300.HI06-9.010	HI06-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-9 must not be present.	
X223.284.2300.HI07.010	HI07	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI06 is present then 2300.HI07 may be present.	
X223.284.2300.HI07-1.010	HI07-1	Code List Qualifier Code	ID	1-3	R			BE	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must be "BE".	
X223.284.2300.HI07-2.010	HI07-2	Value Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	If 2300.HI07-1 is "BE" then 2300.HI07-2 must be a valid Value code.	Valid Value Code reference must be available for this edit.
X223.284.2300.HI07-3.010	HI07-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-3 must not be present.	
X223.284.2300.HI07-4.010	HI07-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-4 must not be present.	
X223.284.2300.HI07-5.010	HI07-5	Value Code Associated Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI07-5 must be numeric.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.284.2300.HI07-5.020	HI07-5								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	2300.HI07-5 value must be >= 0.	
X223.284.2300.HI07-5.030	HI07-5								999	R	IK403 = 5: "Data Element Too Long"	2300.HI07-5 must be <= 99,999,999.99.	
X223.284.2300.HI07-6.010	HI07-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-6 must not be present.	
X223.284.2300.HI07-7.010	HI07-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-7 must not be present.	
X223.284.2300.HI07-8.010	HI07-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-8 must not be present.	
X223.284.2300.HI07-9.010	HI07-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-9 must not be present.	
X223.284.2300.HI08.010	HI08	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI07 is present then 2300.HI08 may be present.	
X223.284.2300.HI08-1.010	HI08-1	Code List Qualifier Code	ID	1-3	R			BE	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must be "BE".	
X223.284.2300.HI08-2.010	HI08-2	Value Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	If 2300.HI08-1 is "BE" then 2300.HI08-2 must be a valid Value code.	Valid Value Code reference must be available for this edit.
X223.284.2300.HI08-3.010	HI08-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-3 must not be present.	
X223.284.2300.HI08-4.010	HI08-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-4 must not be present.	
X223.284.2300.HI08-5.010	HI08-5	Value Code Associated Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI08-5 must be numeric.	
X223.284.2300.HI08-5.020	HI08-5								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	2300.HI08-5 value must be >= 0.	
X223.284.2300.HI08-5.030	HI08-5								999	R	IK403 = 5: "Data Element Too Long"	2300.HI08-5 must be <= 99,999,999.99.	
X223.284.2300.HI08-6.010	HI08-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-6 must not be present.	
X223.284.2300.HI08-7.010	HI08-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-7 must not be present.	
X223.284.2300.HI08-8.010	HI08-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-8 must not be present.	
X223.284.2300.HI08-9.010	HI08-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-9 must not be present.	
X223.284.2300.HI09.010	HI09	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI08 is present then 2300.HI09 may be present.	
X223.284.2300.HI09-1.010	HI09-1	Code List Qualifier Code	ID	1-3	R			BE	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must be "BE".	
X223.284.2300.HI09-2.010	HI09-2	Value Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	If 2300.HI09-1 is "BE" then 2300.HI09-2 must be a valid Value code.	Valid Value Code reference must be available for this edit.
X223.284.2300.HI09-3.010	HI09-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-3 must not be present.	
X223.284.2300.HI09-4.010	HI09-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-4 must not be present.	
X223.284.2300.HI09-5.010	HI09-5	Value Code Associated Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI09-5 must be numeric.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.284.2300.HI09-5.020	HI09-5								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	2300.HI09-5 value must be >= 0.	
X223.284.2300.HI09-5.030	HI09-5								999	R	IK403 = 5: "Data Element Too Long"	2300.HI09-5 must be <= 99,999,999.99.	
X223.284.2300.HI09-6.010	HI09-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-6 must not be present.	
X223.284.2300.HI09-7.010	HI09-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-7 must not be present.	
X223.284.2300.HI09-8.010	HI09-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-8 must not be present.	
X223.284.2300.HI09-9.010	HI09-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-9 must not be present.	
X223.284.2300.HI10.010	HI10	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI09 is present then 2300.HI10 may be present.	
X223.284.2300.HI10-1.010	HI10-1	Code List Qualifier Code	ID	1-3	R			BE	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must be "BE".	
X223.284.2300.HI10-2.010	HI10-2	Value Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	If 2300.HI10-1 is "BE" then 2300.HI10-2 must be a valid Value code.	Valid Value Code reference must be available for this edit.
X223.284.2300.HI10-3.010	HI10-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-3 must not be present.	
X223.284.2300.HI10-4.010	HI10-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-4 must not be present.	
X223.284.2300.HI10-5.010	HI10-5	Value Code Associated Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI10-5 must be numeric.	
X223.284.2300.HI10-5.020	HI10-5								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	2300.HI10-5 value must be >= 0.	
X223.284.2300.HI10-5.030	HI10-5								999	R	IK403 = 5: "Data Element Too Long"	2300.HI10-5 must be <= 99,999,999.99.	
X223.284.2300.HI10-6.010	HI10-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-6 must not be present.	
X223.284.2300.HI10-7.010	HI10-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-7 must not be present.	
X223.284.2300.HI10-8.010	HI10-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-8 must not be present.	
X223.284.2300.HI10-9.010	HI10-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-9 must not be present.	
X223.284.2300.HI11.010	HI11	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI10 is present then 2300.HI11 may be present.	
X223.284.2300.HI11-1.010	HI11-1	Code List Qualifier Code	ID	1-3	R			BE	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must be "BE".	
X223.284.2300.HI11-2.010	HI11-2	Value Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	If 2300.HI11-1 is "BE" then 2300.HI11-2 must be a valid Value code.	Valid Value Code reference must be available for this edit.
X223.284.2300.HI11-3.010	HI11-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-3 must not be present.	
X223.284.2300.HI11-4.010	HI11-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-4 must not be present.	
X223.284.2300.HI11-5.010	HI11-5	Value Code Associated Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI11-5 must be numeric.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.284.2300.HI11-5.020	HI11-5								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	2300.HI11-5 value must be >= 0.	
X223.284.2300.HI11-5.030	HI11-5								999	R	IK403 = 5: "Data Element Too Long"	2300.HI11-5 must be <= 99,999,999.99.	
X223.284.2300.HI11-6.010	HI11-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-6 must not be present.	
X223.284.2300.HI11-7.010	HI11-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-7 must not be present.	
X223.284.2300.HI11-8.010	HI11-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-8 must not be present.	
X223.284.2300.HI11-9.010	HI11-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-9 must not be present.	
X223.284.2300.HI12.010	HI12	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI11 is present then 2300.HI12 may be present.	
X223.284.2300.HI12-1.010	HI12-1	Code List Qualifier Code	ID	1-3	R			BE	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must be "BE".	
X223.284.2300.HI12-2.010	HI12-2	Value Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	If 2300.HI12-1 is "BE" then 2300.HI12-2 must be a valid Value code.	Valid Value Code reference must be available for this edit.
X223.284.2300.HI12-3.010	HI12-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-3 must not be present.	
X223.284.2300.HI12-4.010	HI12-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-4 must not be present.	
X223.284.2300.HI12-5.010	HI12-5	Value Code Associated Amount	R	1-18	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI12-5 must be numeric.	
X223.284.2300.HI12-5.020	HI12-5								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 463: "NUBC Value Code(s) and/or Amount(s)"	2300.HI12-5 value must be >= 0.	
X223.284.2300.HI12-5.030	HI12-5								999	R	IK403 = 5: "Data Element Too Long"	2300.HI12-5 must be <= 99,999,999.99.	
X223.284.2300.HI12-6.010	HI12-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-6 must not be present.	
X223.284.2300.HI12-7.010	HI12-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-7 must not be present.	
X223.284.2300.HI12-8.010	HI12-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-8 must not be present.	
X223.284.2300.HI12-9.010	HI12-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-9 must not be present.	
X223.294.2300.HI.010	HI	<b>CONDITION INFORMATION</b>		2	S	2300			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only two iterations of 2300.HI with HI01-1 = "BG" are allowed.</b>	
X223.294.2300.HI01.010	HI01	HEALTH CARE CODE INFORMATION			R								
X223.294.2300.HI01-1.010	HI01-1	Code List Qualifier Code	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be "BG".	
X223.294.2300.HI01-2.010	HI01-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	If 2300.HI01-1 is "BG" then 2300.HI01-2 must be a valid Condition code.	Valid Condition Code reference must be available for this edit.
X223.294.2300.HI01-3.010	HI01-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-3 must not be present.	
X223.294.2300.HI01-4.010	HI01-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-4 must not be present.	
X223.294.2300.HI01-5.010	HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-5 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.294.2300.HI01-6.010	HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-6 must not be present.	
X223.304.2300.HI01-7.010	HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-7 must not be present.	
X223.294.2300.HI01-8.010	HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-8 must not be present.	
X223.294.2300.HI01-9.010	HI01-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-9 must not be present.	
X223.294.2300.HI02.010	HI02	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI01 is present then 2300.HI02 may be present.	
X223.294.2300.HI02-1.010	HI02-1	Code List Qualifier Code	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must be "BG".	
X223.294.2300.HI02-2.010	HI02-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	If 2300.HI02-1 is "BG" then 2300.HI02-2 must be a valid Condition code.	Valid Condition Code reference must be available for this edit.
X223.294.2300.HI02-3.010	HI02-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-3 must not be present.	
X223.294.2300.HI02-4.010	HI02-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-4 must not be present.	
X223.294.2300.HI02-5.010	HI02-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-5 must not be present.	
X223.294.2300.HI02-6.010	HI02-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-6 must not be present.	
X223.294.2300.HI02-7.010	HI02-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-7 must not be present.	
X223.294.2300.HI02-8.010	HI02-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-8 must not be present.	
X223.294.2300.HI02-9.010	HI02-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-9 must not be present.	
X223.294.2300.HI03.010	HI03	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI02 is present then 2300.HI03 may be present.	
X223.294.2300.HI03-1.010	HI03-1	Code List Qualifier Code	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must be "BG".	
X223.294.2300.HI03-2.010	HI03-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	If 2300.HI03-1 is "BG" then 2300.HI03-2 must be a valid Condition code.	Valid Condition Code reference must be available for this edit.
X223.294.2300.HI03-3.010	HI03-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-3 must not be present.	
X223.294.2300.HI03-4.010	HI03-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-4 must not be present.	
X223.294.2300.HI03-5.010	HI03-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-5 must not be present.	
X223.294.2300.HI03-6.010	HI03-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-6 must not be present.	
X223.294.2300.HI03-7.010	HI03-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-7 must not be present.	
X223.294.2300.HI03-8.010	HI03-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-8 must not be present.	
X223.294.2300.HI03-9.010	HI03-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-9 must not be present.	
X223.294.2300.HI04.010	HI04	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI03 is present then 2300.HI04 may be present.	
X223.294.2300.HI04-1.010	HI04-1	Code List Qualifier Code	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must be "BG".	

**837 - Institutional Edits**

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.294.2300.HI04-2.010	HI04-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	If 2300.HI04-1 is "BG" then 2300.HI04-2 must be a valid Condition code.	Valid Condition Code reference must be available for this edit.
X223.294.2300.HI04-3.010	HI04-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-3 must not be present.	
X223.294.2300.HI04-4.010	HI04-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-4 must not be present.	
X223.294.2300.HI04-5.010	HI04-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-5 must not be present.	
X223.294.2300.HI04-6.010	HI04-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-6 must not be present.	
X223.294.2300.HI04-7.010	HI04-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-7 must not be present.	
X223.294.2300.HI04-8.010	HI04-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-8 must not be present.	
X223.294.2300.HI04-9.010	HI04-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-9 must not be present.	
X223.294.2300.HI05.010	HI05	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = I10: "Exclusion Condition Violated"	If 2300.HI04 is present then 2300.HI05 may be present.	
X223.294.2300.HI05-1.010	HI05-1	Code List Qualifier Code	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must be "BG".	
X223.294.2300.HI05-2.010	HI05-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	If 2300.HI05-1 is "BG" then 2300.HI05-2 must be a valid Condition code.	Valid Condition Code reference must be available for this edit.
X223.294.2300.HI05-3.010	HI05-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-3 must not be present.	
X223.294.2300.HI05-4.010	HI05-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-4 must not be present.	
X223.294.2300.HI05-5.010	HI05-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-5 must not be present.	
X223.294.2300.HI05-6.010	HI05-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-6 must not be present.	
X223.294.2300.HI05-7.010	HI05-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-7 must not be present.	
X223.294.2300.HI05-8.010	HI05-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-8 must not be present.	
X223.294.2300.HI05-9.010	HI05-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-9 must not be present.	
X223.294.2300.HI06.010	HI06	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = I10: "Exclusion Condition Violated"	If 2300.HI05 is present then 2300.HI06 may be present.	
X223.294.2300.HI06-1.010	HI06-1	Code List Qualifier Code	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must be "BG".	
X223.294.2300.HI06-2.010	HI06-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	If 2300.HI06-1 is "BG" then 2300.HI06-2 must be a valid Condition code.	Valid Condition Code reference must be available for this edit.
X223.294.2300.HI06-3.010	HI06-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-3 must not be present.	
X223.294.2300.HI06-4.010	HI06-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-4 must not be present.	
X223.294.2300.HI06-5.010	HI06-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-5 must not be present.	
X223.294.2300.HI06-6.010	HI06-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-6 must not be present.	
X223.294.2300.HI06-7.010	HI06-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-7 must not be present.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.294.2300.HI06-8.010	HI06-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-8 must not be present.	
X223.294.2300.HI06-9.010	HI06-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-9 must not be present.	
X223.294.2300.HI07.010	HI07	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI06 is present then 2300.HI07 may be present.	
X223.294.2300.HI07-1.010	HI07-1	Code List Qualifier Code	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must be "BG".	
X223.294.2300.HI07-2.010	HI07-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	If 2300.HI07-1 is "BG" then 2300.HI07-2 must be a valid Condition code.	Valid Condition Code reference must be available for this edit.
X223.294.2300.HI07-3.010	HI07-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-3 must not be present.	
X223.294.2300.HI07-4.010	HI07-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-4 must not be present.	
X223.294.2300.HI07-5.010	HI07-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-5 must not be present.	
X223.294.2300.HI07-6.010	HI07-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-6 must not be present.	
X223.294.2300.HI07-7.010	HI07-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-7 must not be present.	
X223.294.2300.HI07-8.010	HI07-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-8 must not be present.	
X223.294.2300.HI07-9.010	HI07-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-9 must not be present.	
X223.294.2300.HI08.010	HI08	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI07 is present then 2300.HI08 may be present.	
X223.294.2300.HI08-1.010	HI08-1	Code List Qualifier Code	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must be "BG".	
X223.294.2300.HI08-2.010	HI08-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	If 2300.HI08-1 is "BG" then 2300.HI08-2 must be a valid Condition code.	Valid Condition Code reference must be available for this edit.
X223.294.2300.HI08-3.010	HI08-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-3 must not be present.	
X223.294.2300.HI08-4.010	HI08-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-4 must not be present.	
X223.294.2300.HI08-5.010	HI08-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-5 must not be present.	
X223.294.2300.HI08-6.010	HI08-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-6 must not be present.	
X223.294.2300.HI08-7.010	HI08-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-7 must not be present.	
X223.294.2300.HI08-8.010	HI08-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-8 must not be present.	
X223.294.2300.HI08-9.010	HI08-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-9 must not be present.	
X223.294.2300.HI09.010	HI09	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI08 is present then 2300.HI09 may be present.	
X223.294.2300.HI09-1.010	HI09-1	Code List Qualifier Code	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must be "BG".	
X223.294.2300.HI09-2.010	HI09-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	If 2300.HI09-1 is "BG" then 2300.HI09-2 must be a valid Condition code.	Valid Condition Code reference must be available for this edit.
X223.294.2300.HI09-3.010	HI09-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-3 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.294.2300.HI09-4.010	HI09-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-4 must not be present.	
X223.294.2300.HI09-5.010	HI09-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-5 must not be present.	
X223.294.2300.HI09-6.010	HI09-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-6 must not be present.	
X223.294.2300.HI09-7.010	HI09-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-7 must not be present.	
X223.294.2300.HI09-8.010	HI09-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-8 must not be present.	
X223.294.2300.HI09-9.010	HI09-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-9 must not be present.	
X223.294.2300.HI10.010	HI10	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI09 is present then 2300.HI10 may be present.	
X223.294.2300.HI10-1.010	HI10-1	Code List Qualifier Code	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must be "BG".	
X223.294.2300.HI10-2.010	HI10-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	If 2300.HI10-1 is "BG" then 2300.HI10-2 must be a valid Condition code.	Valid Condition Code reference must be available for this edit.
X223.294.2300.HI10-3.010	HI10-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-3 must not be present.	
X223.294.2300.HI10-4.010	HI10-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-4 must not be present.	
X223.294.2300.HI10-5.010	HI10-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-5 must not be present.	
X223.294.2300.HI10-6.010	HI10-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-6 must not be present.	
X223.294.2300.HI10-7.010	HI10-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-7 must not be present.	
X223.294.2300.HI10-8.010	HI10-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-8 must not be present.	
X223.294.2300.HI10-9.010	HI10-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-9 must not be present.	
X223.294.2300.HI11.010	HI11	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI10 is present then 2300.HI11 may be present.	
X223.294.2300.HI11-1.010	HI11-1	Code List Qualifier Code	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must be "BG".	
X223.294.2300.HI11-2.010	HI11-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	If 2300.HI11-1 is "BG" then 2300.HI11-2 must be a valid Condition code.	Valid Condition Code reference must be available for this edit.
X223.294.2300.HI11-3.010	HI11-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-3 must not be present.	
X223.294.2300.HI11-4.010	HI11-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-4 must not be present.	
X223.294.2300.HI11-5.010	HI11-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-5 must not be present.	
X223.294.2300.HI11-6.010	HI11-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-6 must not be present.	
X223.294.2300.HI11-7.010	HI11-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-7 must not be present.	
X223.294.2300.HI11-8.010	HI11-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-8 must not be present.	
X223.294.2300.HI11-9.010	HI11-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-9 must not be present.	
X223.294.2300.HI12.010	HI12	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI11 is present then 2300.HI12 may be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/999/277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.294.2300.HI12-1.010	HI12-1	Code List Qualifier Code	ID	1-3	R			BG	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must be "BG".	
X223.294.2300.HI12-2.010	HI12-2	Condition Code	AN	1-30	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 460: "NUBC Condition Code(s)"	If 2300.HI12-1 is "BG" then 2300.HI12-2 must be a valid Condition code.	Valid Condition Code reference must be available for this edit.
X223.294.2300.HI12-3.010	HI12-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-3 must not be present.	
X223.294.2300.HI12-4.010	HI12-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-4 must not be present.	
X223.294.2300.HI12-5.010	HI12-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-5 must not be present.	
X223.294.2300.HI12-6.010	HI12-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-6 must not be present.	
X223.294.2300.HI12-7.010	HI12-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-7 must not be present.	
X223.294.2300.HI12-8.010	HI12-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-8 must not be present.	
X223.294.2300.HI12-9.010	HI12-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-9 must not be present.	
X223.304.2300.HI.010	HI	TREATMENT CODE INFORMATION		2	S	2300			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	2300.HI with HI01-1 = "TC" must be included when Home Health Agencies need to report Plan of Treatment information under various payer contract.	Must not be present unless HH type of bill
X223.304.2300.HI.020	HI								999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2300.HI with HI01-1 = "TC" must not be included unless Home Health Agencies need to report Plan of Treatment information under various payer contract.	Must not be present unless HH type of bill
X223.304.2300.HI.030	HI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2300.HI with HI01-1 = "TC" are allowed.	pass through, syntax only.
X223.304.2300.HI01.010	HI01	HEALTH CARE CODE INFORMATION			R								
X223.304.2300.HI01-1.010	HI01-1	Code List Qualifier Code	ID	1-3	R			TC	999	R	IK403 = 7: "Invalid Code Value"	2300.HI01-1 must be "TC".	
X223.304.2300.HI01-2.010	HI01-2	Treatment Code	AN	1-30	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI01-2 must contain at least one non-space character.	
X223.304.2300.HI01-2.020	HI01-2								999	R	IK403 = 5: "Data Element Too Long"	2300.HI01-2 must be 1-30 characters.	
X223.304.2300.HI01-3.010	HI01-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-3 must not be present.	
X223.304.2300.HI01-4.010	HI01-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-4 must not be present.	
X223.304.2300.HI01-5.010	HI01-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-5 must not be present.	
X223.304.2300.HI01-6.010	HI01-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-6 must not be present.	
X223.304.2300.HI01-7.010	HI01-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-7 must not be present.	
X223.304.2300.HI01-8.010	HI01-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-8 must not be present.	
X223.304.2300.HI01-9.010	HI01-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI01-9 must not be present.	
X223.304.2300.HI02.010	HI02	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI01 is present then 2300.HI02 may be present.	
X223.304.2300.HI02-1.010	HI02-1	Code List Qualifier Code	ID	1-3	R			TC	999	R	IK403 = 7: "Invalid Code Value"	2300.HI02-1 must be "TC".	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.304.2300.HI02-2.010	HI02-2	Treatment Code	AN	1-30	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI02-2 must contain at least one non-space character.	
X223.304.2300.HI02-2.020	HI02-2								999	R	IK403 = 5: "Data Element Too Long"	2300.HI02-2 must be 1-30 characters.	
X223.304.2300.HI02-3.010	HI02-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-3 must not be present.	
X223.304.2300.HI02-4.010	HI02-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-4 must not be present.	
X223.304.2300.HI02-5.010	HI02-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-5 must not be present.	
X223.304.2300.HI02-6.010	HI02-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-6 must not be present.	
X223.304.2300.HI02-7.010	HI02-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-7 must not be present.	
X223.304.2300.HI02-8.010	HI02-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-8 must not be present.	
X223.304.2300.HI02-9.010	HI02-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI02-9 must not be present.	
X223.304.2300.HI03.010	HI03	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI02 is present then 2300.HI03 may be present.	
X223.304.2300.HI03-1.010	HI03-1	Code List Qualifier Code	ID	1-3	R			TC	999	R	IK403 = 7: "Invalid Code Value"	2300.HI03-1 must be "TC".	
X223.304.2300.HI03-2.010	HI03-2	Treatment Code	AN	1-30	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI03-2 must contain at least one non-space character.	
X223.304.2300.HI03-2.020	HI03-2								999	R	IK403 = 5: "Data Element Too Long"	2300.HI03-2 must be 1-30 characters.	
X223.304.2300.HI03-3.010	HI03-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-3 must not be present.	
X223.304.2300.HI03-4.010	HI03-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-4 must not be present.	
X223.304.2300.HI03-5.010	HI03-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-5 must not be present.	
X223.304.2300.HI03-6.010	HI03-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-6 must not be present.	
X223.304.2300.HI03-7.010	HI03-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-7 must not be present.	
X223.304.2300.HI03-8.010	HI03-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-8 must not be present.	
X223.304.2300.HI03-9.010	HI03-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI03-9 must not be present.	
X223.304.2300.HI04.010	HI04	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI03 is present then 2300.HI04 may be present.	
X223.304.2300.HI04-1.010	HI04-1	Code List Qualifier Code	ID	1-3	R			TC	999	R	IK403 = 7: "Invalid Code Value"	2300.HI04-1 must be "TC".	
X223.304.2300.HI04-2.010	HI04-2	Treatment Code	AN	1-30	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI04-2 must contain at least one non-space character.	
X223.304.2300.HI04-2.020	HI04-2								999	R	IK403 = 5: "Data Element Too Long"	2300.HI04-2 must be 1-30 characters.	
X223.304.2300.HI04-3.010	HI04-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-3 must not be present.	
X223.304.2300.HI04-4.010	HI04-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-4 must not be present.	
X223.304.2300.HI04-5.010	HI04-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-5 must not be present.	
X223.304.2300.HI04-6.010	HI04-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-6 must not be present.	
X223.304.2300.HI04-7.010	HI04-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-7 must not be present.	
X223.304.2300.HI04-8.010	HI04-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-8 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.304.2300.HI04-9.010	HI04-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI04-9 must not be present.	
X223.304.2300.HI05.010	HI05	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI04 is present then 2300.HI05 may be present.	
X223.304.2300.HI05-1.010	HI05-1	Code List Qualifier Code	ID	1-3	R			TC	999	R	IK403 = 7: "Invalid Code Value"	2300.HI05-1 must be "TC".	
X223.304.2300.HI05-2.010	HI05-2	Treatment Code	AN	1-30	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI05-2 must contain at least one non-space character.	
X223.304.2300.HI05-2.020	HI05-2								999	R	IK403 = 5: "Data Element Too Long"	2300.HI05-2 must be 1-30 characters.	
X223.304.2300.HI05-3.010	HI05-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-3 must not be present.	
X223.304.2300.HI05-4.010	HI05-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-4 must not be present.	
X223.304.2300.HI05-5.010	HI05-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-5 must not be present.	
X223.304.2300.HI05-6.010	HI05-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-6 must not be present.	
X223.304.2300.HI05-7.010	HI05-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-7 must not be present.	
X223.304.2300.HI05-8.010	HI05-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-8 must not be present.	
X223.304.2300.HI05-9.010	HI05-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI05-9 must not be present.	
X223.304.2300.HI06.010	HI06	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI05 is present then 2300.HI06 may be present.	
X223.304.2300.HI06-1.010	HI06-1	Code List Qualifier Code	ID	1-3	R			TC	999	R	IK403 = 7: "Invalid Code Value"	2300.HI06-1 must be "TC".	
X223.304.2300.HI06-2.010	HI06-2	Treatment Code	AN	1-30	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI06-2 must contain at least one non-space character.	
X223.304.2300.HI06-2.020	HI06-2								999	R	IK403 = 5: "Data Element Too Long"	2300.HI06-2 must be 1-30 characters.	
X223.304.2300.HI06-3.010	HI06-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-3 must not be present.	
X223.304.2300.HI06-4.010	HI06-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-4 must not be present.	
X223.304.2300.HI06-5.010	HI06-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-5 must not be present.	
X223.304.2300.HI06-6.010	HI06-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-6 must not be present.	
X223.304.2300.HI06-7.010	HI06-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-7 must not be present.	
X223.304.2300.HI06-8.010	HI06-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-8 must not be present.	
X223.304.2300.HI06-9.010	HI06-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI06-9 must not be present.	
X223.304.2300.HI07.010	HI07	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI06 is present then 2300.HI07 may be present.	
X223.304.2300.HI07-1.010	HI07-1	Code List Qualifier Code	ID	1-3	R			TC	999	R	IK403 = 7: "Invalid Code Value"	2300.HI07-1 must be "TC".	
X223.304.2300.HI07-2.010	HI07-2	Treatment Code	AN	1-30	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI07-2 must contain at least one non-space character.	
X223.304.2300.HI07-2.020	HI07-2								999	R	IK403 = 5: "Data Element Too Long"	2300.HI07-2 must be 1-30 characters.	
X223.304.2300.HI07-3.010	HI07-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-3 must not be present.	
X223.304.2300.HI07-4.010	HI07-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-4 must not be present.	
X223.304.2300.HI07-5.010	HI07-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-5 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.304.2300.HI07-6.010	HI07-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-6 must not be present.	
X223.304.2300.HI07-7.010	HI07-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-7 must not be present.	
X223.304.2300.HI07-8.010	HI07-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-8 must not be present.	
X223.304.2300.HI07-9.010	HI07-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI07-9 must not be present.	
X223.304.2300.HI08.010	HI08	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI07 is present then 2300.HI08 may be present.	
X223.304.2300.HI08-1.010	HI08-1	Code List Qualifier Code	ID	1-3	R			TC	999	R	IK403 = 7: "Invalid Code Value"	2300.HI08-1 must be "TC".	
X223.304.2300.HI08-2.010	HI08-2	Treatment Code	AN	1-30	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI08-2 must contain at least one non-space character.	
X223.304.2300.HI08-2.020	HI08-2								999	R	IK403 = 5: "Data Element Too Long"	2300.HI08-2 must be 1-30 characters.	
X223.304.2300.HI08-3.010	HI08-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-3 must not be present.	
X223.304.2300.HI08-4.010	HI08-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-4 must not be present.	
X223.304.2300.HI08-5.010	HI08-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-5 must not be present.	
X223.304.2300.HI08-6.010	HI08-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-6 must not be present.	
X223.304.2300.HI08-7.010	HI08-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-7 must not be present.	
X223.304.2300.HI08-8.010	HI08-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-8 must not be present.	
X223.304.2300.HI08-9.010	HI08-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI08-9 must not be present.	
X223.304.2300.HI09.010	HI09	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI08 is present then 2300.HI09 may be present.	
X223.304.2300.HI09-1.010	HI09-1	Code List Qualifier Code	ID	1-3	R			TC	999	R	IK403 = 7: "Invalid Code Value"	2300.HI09-1 must be "TC".	
X223.304.2300.HI09-2.010	HI09-2	Treatment Code	AN	1-30	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI09-2 must contain at least one non-space character.	
X223.304.2300.HI09-2.020	HI09-2								999	R	IK403 = 5: "Data Element Too Long"	2300.HI09-2 must be 1-30 characters.	
X223.304.2300.HI09-3.010	HI09-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-3 must not be present.	
X223.304.2300.HI09-4.010	HI09-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-4 must not be present.	
X223.304.2300.HI09-5.010	HI09-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-5 must not be present.	
X223.304.2300.HI09-6.010	HI09-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-6 must not be present.	
X223.304.2300.HI09-7.010	HI09-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-7 must not be present.	
X223.304.2300.HI09-8.010	HI09-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-8 must not be present.	
X223.304.2300.HI09-9.010	HI09-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI09-9 must not be present.	
X223.304.2300.HI10.010	HI10	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI09 is present then 2300.HI10 may be present.	
X223.304.2300.HI10-1.010	HI10-1	Code List Qualifier Code	ID	1-3	R			TC	999	R	IK403 = 7: "Invalid Code Value"	2300.HI10-1 must be "TC".	
X223.304.2300.HI10-2.010	HI10-2	Treatment Code	AN	1-30	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI10-2 must contain at least one non-space character.	
X223.304.2300.HI10-2.020	HI10-2								999	R	IK403 = 5: "Data Element Too Long"	2300.HI10-2 must be 1-30 characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.304.2300.HI10-3.010	HI10-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-3 must not be present.	
X223.304.2300.HI10-4.010	HI10-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-4 must not be present.	
X223.304.2300.HI10-5.010	HI10-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-5 must not be present.	
X223.304.2300.HI10-6.010	HI10-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-6 must not be present.	
X223.304.2300.HI10-7.010	HI10-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-7 must not be present.	
X223.304.2300.HI10-8.010	HI10-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-8 must not be present.	
X223.304.2300.HI10-9.010	HI10-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI10-9 must not be present.	
X223.304.2300.HI11.010	HI11	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI10 is present then 2300.HI11 may be present.	
X223.304.2300.HI11-1.010	HI11-1	Code List Qualifier Code	ID	1-3	R			TC	999	R	IK403 = 7: "Invalid Code Value"	2300.HI11-1 must be "TC".	
X223.304.2300.HI11-2.010	HI11-2	Treatment Code	AN	1-30	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI11-2 must contain at least one non-space character.	
X223.304.2300.HI11-2.020	HI11-2								999	R	IK403 = 5: "Data Element Too Long"	2300.HI11-2 must be 1-30 characters.	
X223.304.2300.HI11-3.010	HI11-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-3 must not be present.	
X223.304.2300.HI11-4.010	HI11-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-4 must not be present.	
X223.304.2300.HI11-5.010	HI11-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-5 must not be present.	
X223.304.2300.HI11-6.010	HI11-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-6 must not be present.	
X223.304.2300.HI11-7.010	HI11-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-7 must not be present.	
X223.304.2300.HI11-8.010	HI11-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-8 must not be present.	
X223.304.2300.HI11-9.010	HI11-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI11-9 must not be present.	
X223.304.2300.HI12.010	HI12	HEALTH CARE CODE INFORMATION			S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2300.HI11 is present then 2300.HI12 may be present.	
X223.304.2300.HI12-1.010	HI12-1	Code List Qualifier Code	ID	1-3	R			TC	999	R	IK403 = 7: "Invalid Code Value"	2300.HI12-1 must be "TC".	
X223.304.2300.HI12-2.010	HI12-2	Treatment Code	AN	1-30	R				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HI12-2 must contain at least one non-space character.	
X223.304.2300.HI12-2.020	HI12-2								999	R	IK403 = 5: "Data Element Too Long"	2300.HI12-2 must be 1-30 characters.	
X223.304.2300.HI12-3.010	HI12-3	Date Time Period Format Qualifier	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-3 must not be present.	
X223.304.2300.HI12-4.010	HI12-4	Date Time Period	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-4 must not be present.	
X223.304.2300.HI12-5.010	HI12-5	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-5 must not be present.	
X223.304.2300.HI12-6.010	HI12-6	Quantity	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-6 must not be present.	
X223.304.2300.HI12-7.010	HI12-7	Version Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-7 must not be present.	
X223.304.2300.HI12-8.010	HI12-8	Industry code	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-8 must not be present.	
X223.304.2300.HI12-9.010	HI12-9	Yes/No Condition or response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2300.HI12-9 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.313.2300.HCP.010	HCP	<b>CLAIM PRICING/REPRICING INFORMATION</b>		1	S	2300			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2300.HCP is allowed.	pass through, syntax only.
X223.313.2300.HCP01.010	HCP01	Pricing Methodology	ID	2-2	R			00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14	999	R	IK403 = 1: "Required Data Element Missing"	2300.HCP01 must be present.	
X223.313.2300.HCP01.020	HCP01								999	R	IK403 = 7: "Invalid Code Value"	2300.HCP01 must be valid values.	
X223.313.2300.HCP02.010	HCP02	Repriced Allowed Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2300.HCP02 must be present.	
X223.313.2300.HCP02.020	HCP02								999	E	IK403 = 5: "Data Element Too Long"	2300.HCP02 must be <= 99,999,999.99.	
X223.313.2300.HCP02.030	HCP02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD15: "Repriced Allowed Amount"		
X223.313.2300.HCP03.010	HCP03	Repriced Saving Amount	R	1-18	S				999	E	IK403 = 5: "Data Element Too Long"	2300.HCP03 must be <= 99,999,999.99.	
X223.313.2300.HCP03.020	HCP03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 637: "Repriced Saving Amount"		
X223.313.2300.HCP04.010	HCP04	Repricing Organization Identifier	AN	1-50	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HCP04 must contain at least one non-space character.	
X223.313.2300.HCP04.020	HCP04								999	E	IK403 = 5: "Data Element Too Long"	2300.HCP04 must be 1 - 50 characters.	
X223.313.2300.HCP04.030	HCP04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 153: "Entity's ID Number" EIC: TU Third Party Repricing Organization (TPO)		
X223.313.2300.HCP04.040	HCP04								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HCP04 must be populated with accepted AN characters.	
X223.313.2300.HCP04.050	HCP04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 153: "Entity's ID Number" EIC: TU Third Party Repricing Organization (TPO)		
X223.313.2300.HCP05.010	HCP05	Repricing Per Diem or Flat Rate Amount	R	1-9	S				999	E	IK403 = 5: "Data Element Too Long"	2300.HCP05 must be 1 - 9 characters.	
X223.313.2300.HCP05.020	HCP05								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 638: "Repricing Per Diem or Flat Rate Amount"		
X223.313.2300.HCP06.010	HCP06	Repriced Approved Ambulatory Patient Group Code	AN	1-50	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2300.HCP06 must contain at least one non-space character.	2400.HCP06 must contain at least one non-space character.
X223.313.2300.HCP06.020	HCP06								999	E	IK403 = 5: "Data Element Too Long"	2300.HCP06 must be 1 - 50 characters.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.313.2300.HCP06.030	HCP06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 635 "Repriced Approved Ambulatory Patient Group"		
X223.313.2300.HCP06.040	HCP06								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HCP06 must be populated with accepted AN characters.	
X223.313.2300.HCP06.050	HCP06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 635 "Repriced Approved Ambulatory Patient Group"		
X223.313.2300.HCP07.010	HCP07	Approved DRG Amount	R	1-18	S				999	E	IK403 = 5: "Data Element Too Long"	2300.HCP07 must be <= 99,999,999.99.	
X223.313.2300.HCP07.020	HCP07								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TDB17: "Approved DRG Amount"		
X223.313.2300.HCP08.010	HCP08	Product/Service ID	AN	1-48	S				999	E	IK403 = 5: "Data Element Too Long"	2300.HCP08 must be 1 - 48 characters.	
X223.313.2300.HCP08.020	HCP08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD19: "Repriced Approved Revenue Code"		
X223.313.2300.HCP08.030	HCP08								999	E	IK403 = 6: "Invalid Character in Data Element"	2300.HCP08 must be populated with accepted AN characters.	
X223.313.2300.HCP08.040	HCP08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" TBD19: "Repriced Approved Revenue Code"		
X223.313.2300.HCP09.010	HCP09	Product/Service ID Qualifier	ID	2-2	S				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	2300.HCP09 must not be present.	
X223.313.2300.HCP10.010	HCP10	Product/Service ID	AN	1-48	S				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	2300.HCP10 must not be present.	
X223.313.2300.HCP11.010	HCP11	Unit or Basis for Measurement Code	ID	2-2	S			DA, UN	999	R	IK403 = 7: "Invalid Code Value"	2300.HCP11 must be valid values.	
X223.313.2300.HCP11.020	HCP11								999	R	IK403 - 2: "Conditional Required Data Element Missing"	2300.HCP012 is present, 2300.HCP011 must be present.	
X223.313.2300.HCP12.010	HCP12	Repriced Approved Service Unit Count	R	1-15	S				999	R	IK403 - 2: "Conditional Required Data Element Missing"	2300.HCP011 is present, 2300.HCP012 must be present.	
X223.313.2300.HCP12.020	HCP12								999	E	IK403 = 5: "Data Element Too Long"	2300.HCP12 Must be <= 999,999.99.	
X223.313.2300.HCP12.030	HCP12								999	E	IK403 = 5: "Data Element Too Long"	When a decimal is used in 2300.HCP12, the maximum digits to the right of the decimal is 3.	
X223.313.2300.HCP12.050	HCP12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD21: "Repriced Approved Service Unit Count"		
X223.313.2300.HCP13.010	HCP13	Reject Reason Code	ID	2-2	S			T1, T2, T3, T4, T5, T6	999	R	IK403 = 7: "Invalid Code Value"	2300.HCP13 must be valid values.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.313.2300.HCP14.010	HCP14	Policy Compliance Code	ID	1-2	S			1, 2, 3, 4, 5	999	R	IK403 = 7: "Invalid Code Value"	2300.HCP14 must be valid values.	
X223.313.2300.HCP15.010	HCP15	Exception Code	ID	1-2	S			1, 2, 3, 4, 5, 6	999	R	IK403 = 7: "Invalid Code Value"	2300.HCP15 must be valid values.	
X223.319.2310A.NM1.010	NM1	ATTENDING PROVIDER NAME		1	S	2310A	1		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2310A.NM1 is allowed.	
X223.319.2310A.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			71	999	R	IK403 = 1: "Required Data Element Missing"	2310A.NM101 must be present.	
X223.319.2310A.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2310A.NM101 must be "71".	
X223.319.2310A.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2310A.NM102 must be present.	
X223.319.2310A.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2310A.NM102 must be "1".	
X223.319.2310A.NM103.010	NM103	Name Last	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2310A.NM103 must be present.	
X223.319.2310A.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2310A.NM103 must contain at least one non-space character.	
X223.319.2310A.NM103.030	NM103								999	E	IK403 = 5: "Data Element Too Long"	2310A.NM103 must be 1 - 60 characters.	
X223.319.2310A.NM103.040	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: 71 Attending Physician		
X223.319.2310A.NM103.050	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2310A.NM103 must be populated with accepted AN characters.	
X223.319.2310A.NM103.060	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: 71 Attending Physician		
X223.319.2310A.NM104.010	NM104	Name First	AN	1-35	S				999	E	IK403 = 5: "Data Element Too Long"	2310A.NM104 must be 1 - 35 characters.	
X223.319.2310A.NM104.020	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" EIC: 71 Attending Physician		
X223.319.2310A.NM104.030	NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2310A.NM104 must be populated with accepted AN characters.	
X223.319.2310A.NM104.040	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC: 71 Attending Physician		
X223.319.2310A.NM105.010	NM105	Name Middle	AN	1-25	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2310A.NM105 must contain at least one non-space character.	
X223.319.2310A.NM105.020 edit deactivated													
X223.319.2310A.NM105.030	NM105								999	E	IK403 = 5: "Data Element Too Long"	2310A.NM105 must be 1 - 25 characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.319.2310A.NM105.040	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: 71 Attending Physician		
X223.319.2310A.NM105.050	NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2310A.NM105 must be populated with accepted AN characters.	
X223.319.2310A.NM105.060	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: 71 Attending Physician		
X223.319.2310A.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	2310A.NM106 must not be present.	
X223.319.2310A.NM107.005	NM107	Name Suffix	AN	1-10	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2310A.NM107 must contain at least one non-space character.	
X223.319.2310A.NM107.010	NM107								999	E	IK403 = 5: "Data Element Too Long"	2310A.NM107 must be 1 - 10 characters.	
X223.319.2310A.NM107.015	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: 71 Attending Physician		
X223.319.2310A.NM107.020	NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2310A.NM107 must be populated with accepted AN characters.	
X223.319.2310A.NM107.030	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: 71 Attending Physician		
X223.319.2310A.NM108.010	NM108								277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" TBD01: "Situational segment/element required for adjudication." EIC: 71 Attending Physician	2310A.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier.	
X223.319.2310A.NM108.020	NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: 71 Attending Physician	2310A.NM108 must be present.	
X223.319.2310A.NM108.030	NM108	Identification Code Qualifier	ID	1-2	S			XX	999	R	IK403 = 7: "Invalid Code Value"	2310A.NM108 must be "XX".	
X223.319.2310A.NM109.010	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 71 Attending Physician	2310A.NM109 must be valid according to the NPI algorithm.	
X223.319.2310A.NM109.020	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 71 Attending Physician	The first position of 2310A.NM109 must be a "1".	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.319.2310A.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2310A.NM110 must not be present.	
X223.319.2310A.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2310A.NM111 must not be present.	
X223.319.2310A.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2310A.NM112 must not be present.	
X223.322.2310A.PRV.010	PRV	ATTENDING PROVIDER SPECIALTY INFORMATION		1	S	2310A			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2310A.NM1 is present, 2310A.PRV may be present.	
X223.322.2310A.PRV.020	PRV								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2310A.PRV is allowed.	
X223.322.2310A.PRV01.010	PRV01	Provider Code	ID	1-3	R			AT	999	R	IK403 = 1: "Required Data Element Missing"	2310A .PRV01 must be present.	
X223.322.2310A.PRV01.020	PRV01								999	R	IK403 = 7: "Invalid Code Value"	2310A .PRV01 must be "AT".	
X223.322.2310A.PRV02.010	PRV02	Reference Identification Qualifier	ID	2-3	R			PXC	999	R	IK403 = 1: "Required Data Element Missing"	2310A .PRV02 must be present.	
X223.322.2310A.PRV02.020	PRV02								999	R	IK403 = 7: "Invalid Code Value"	2310A .PRV02 must be "PXC".	
X223.322.2310A.PRV03.010	PRV03	Provider Taxonomy Code	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2310A .PRV03 must be present.	
X223.322.2310A.PRV03.020	PRV03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 145: "Entity's specialty/taxonomy code" EIC: 71 Attending Physician	2310A .PRV03 must be a valid Provider Taxonomy Code.	Valid Provider Taxonomy Code reference must be available for this edit.
X223.322.2310A.PRV04.010	PRV04	State or Province Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2310A.PRV04 must not be present.	
X223.322.2310A.PRV05.010	PRV05	PROVIDER SPECIALTY INFORMATION			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2310A.PRV05 must not be present.	
X223.322.2310A.PRV06.010	PRV06	Provider Organization Code	ID	3-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2310A.PRV06 must not be present.	
X223.324.2310A.REF.010	REF	ATTENDING PROVIDER SECONDARY IDENTIFICATION		4	S	2310A			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	2310A.REF with REF01 = "1G" may be present when 2310A.NM1 is present and 2310A.NM109 is not present.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.324.2310A.REF.020	REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions" EIC: 71 Attending Physician	Only 1 iteration of 2310A.REF with REF01 = "1G" is allowed.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.324.2310A.REF.030	REF								999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2310A.REF must be present if 2300.REF01 = P4 and 2300.REF02 = 31.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.324.2310A.REF.040	REF								999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2310A.REF must not be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
X223.324.2310A.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			0B, 1G, G2, LU	999	R	IK403 = 1: "Required Data Element Missing"	2310A .REF01 must be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.324.2310A.REF01.020	REF01								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD03: "This Line of Business does not support this qualifier."	2310A.REF01 must be "1G".	
X223.324.2310A.REF02.010	REF02	Attending Provider Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2310A .REF02 must be present.	
X223.324.2310A.REF02.020	REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN"	2310A.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).	
X223.324.2310A.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2310A.REF03 must not be present.	
X223.324.2310A.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	2310A.REF04 must not be present.	
X223.326.2310B.NM1.010	NM1	OPERATING PHYSICIAN NAME		1	S	2310B	1		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2310B.NM1 is allowed.	
X223.326.2310B.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			72	999	R	IK403 = 1: "Required Data Element Missing"	2310B.NM101 must be present.	
X223.326.2310B.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2310B.NM101 must be "72".	
X223.326.2310B.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2310B.NM102 must be present.	
X223.326.2310B.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2310B.NM102 must be "1".	
X223.326.2310B.NM103.010	NM103	Last or Organization Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2310B.NM103 must be present.	
X223.326.2310B.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2310B.NM103 must contain at least one non-space character.	
X223.326.2310B.NM103.030	NM103								999	E	IK403 = 5: "Data Element Too Long"	2310B.NM103 must be 1 - 60 characters.	
X223.326.2310B.NM103.040	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: 72 Operating Physician		
X223.326.2310B.NM103.050	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2310B.NM103 must be populated with accepted AN characters.	
X223.326.2310B.NM103.060	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: 72 Operating Physician		
X223.326.2310B.NM104.010	NM104	Name First							999	R	IK403 = 6: "Invalid Character in Data Element"	2310B.NM104 must contain at least one non-space character.	
X223.326.2310B.NM104.020	NM104		AN	1-35	S				999	E	IK403 = 5: "Data Element Too Long"	2310B.NM104 must be 1 - 35 characters.	
X223.326.2310B.NM104.030	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" EIC: 72 Operating Physician		
X223.326.2310B.NM104.040	NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2310B.NM104 must be populated with accepted AN characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.326.2310B.NM104.050	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC: 72 Operating Physician		
X223.326.2310B.NM105.010	NM105	Middle Name							999	R	IK403 = 6: "Invalid Character in Data Element"	2310B.NM105 must contain at least one non-space character.	
X223.326.2310B.NM105.020	NM105		AN	1-25	S				999	E	IK403 = 5: "Data Element Too Long"	2310B.NM105 must be 1 - 25 characters.	
X223.326.2310B.NM105.030	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: 72 Operating Physician		
X223.326.2310B.NM105.040	NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2310B.NM105 must be populated with accepted AN characters.	
X223.326.2310B.NM105.050	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: 72 Operating Physician		
X223.326.2310B.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.	
X223.326.2310B.NM107.010	NM107	Name Suffix							999	R	IK403 = 6: "Invalid Character in Data Element"	2310B.NM107 must contain at least one non-space character.	
X223.326.2310B.NM107.020	NM107		AN	1-10	S				999	E	IK403 = 5: "Data Element Too Long"	2310B.NM107 must be 1 - 10 characters.	
X223.326.2310B.NM107.030	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: 72 Operating Physician		
X223.326.2310B.NM107.040	NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2310B.NM107 must be populated with accepted AN characters.	
X223.326.2310B.NM107.050	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: 72 Operating Physician		
X223.326.2310B.NM108.010	NM108	Identification Code Qualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" TBD01: "Situational segment/element required for adjudication." EIC: 72 Operating Physician	2310B..NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.326.2310B.NM108.020	NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: 72 Operating Physician	2310B.NM108 must be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
X223.326.2310B.NM108.030	NM108								999	R	IK403 = 7: "Invalid Code Value"	2310B.NM108 must be "XX".	
X223.326.2310B.NM109.010	NM109	Identifier	AN	2-80	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	2310B.NM109 must be present if 2310B.NM108 is present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.326.2310B.NM109.020	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 72 Operating Physician	2310B.NM109 must be valid according to the NPI algorithm.	
X223.326.2310B.NM109.030	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 72 Operating Physician	The first position of 2310B.NM109 must be a "1".	
X223.326.2310B.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.326.2310B.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.326.2310B.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.329.2310B.REF.010	REF	<b>OPERATING PHYSICIAN SECONDARY IDENTIFICATION</b>		<b>4</b>	<b>S</b>	<b>2310B</b>			<b>999</b>	<b>R</b>	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>2310B.REF with REF01 = "1G" may be present when 2310B.NM1 is present and 2310B.NM109 is not present.</b>	Trailblazer Only 01/20: Companion Guide Note needed.
X223.329.2310B.REF.020	REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions" CSC 560: Entity's Additional/Secondary Identifier EIC: 72 Operating Physician	Only 1 iteration of 2310B.REF with REF01 = "1G" is allowed.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.329.2310B.REF.030	REF								999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2310B.REF must not be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
X223.329.2310B.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			0B, 1G, G2, LU	999	R	IK403 = 1: "Required Data Element Missing"	2310B.REF01 must be present.	
X223.329.2310B.REF01.020	REF01								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 21: Missing or invalid information CSC 560: Entity's Additional/Secondary Identifier EIC: 72 Operating Physician	2310B.REF01 must be "1G".	
X223.329.2310B.REF02.010	REF02	Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2310B.REF02 must be present.	
X223.329.2310B.REF02.020	REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN" EIC: 72 Operating Physician	2310B.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).	
X223.329.2310B.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.329.2310B.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.331.2310C.NM1.010	NM1	OTHER OPERATING PHYSICIAN NAME		1	S	2310C	1		999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	2310C.NM1 may be present when 2310B.NM1 is present.	
X223.331.2310C.NM1.020	NM1								999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2310C.NM1 is allowed.	
X223.331.2310C.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			ZZ	999	R	IK403 = 1: "Required Data Element Missing"	2310C.NM101 must be present.	
X223.331.2310C.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2310C.NM101 must be "ZZ".	
X223.331.2310C.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2310C.NM102 must be present.	
X223.331.2310C.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2310C.NM102 must be "1".	
X223.331.2310C.NM103.010	NM103	Other Operating Physician Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2310C.NM103 must be present.	
X223.331.2310C.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2310C.NM103 must contain at least one non-space character.	
X223.331.2310C.NM103.030	NM103								999	E	IK403 = 5: "Data Element Too Long"	2310C.NM103 must be 1 - 60 characters.	
X223.331.2310C.NM103.040	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: 72 Operating Physician		
X223.331.2310C.NM103.050	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2310C.NM103 must be populated with accepted AN characters.	
X223.331.2310C.NM103.060	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: 72 Operating Physician		
X223.331.2310C.NM104.010	NM104	Other Operating Physician First Name							999	R	IK403 = 6: "Invalid Character in Data Element"	2310C.NM104 must contain at least one non-space character.	
X223.331.2310C.NM104.020	NM104		AN	1-35	S				999	E	IK403 = 5: "Data Element Too Long"	2310C.NM104 must be 1 - 35 characters.	
X223.331.2310C.NM104.030	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" EIC: 72 Operating Physician		
X223.331.2310C.NM104.040	NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2310C.NM104 must be populated with accepted AN characters.	
X223.331.2310C.NM104.050	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC: 72 Operating Physician		
X223.331.2310C.NM105.010	NM105	Other Operating Physician Middle Name or Initial							999	R	IK403 = 6: "Invalid Character in Data Element"	2310C.NM105 must contain at least one non-space character.	
X223.331.2310C.NM105.020	NM105		AN	1-25	S				999	E	IK403 = 5: "Data Element Too Long"	2310C.NM105 must be 1 - 25 characters.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.331.2310C.NM105.030	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: 72 Operating Physician		
X223.331.2310C.NM105.040	NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2310C.NM105 must be populated with accepted AN characters.	
X223.331.2310C.NM105.050	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: 72 Operating Physician		
X223.331.2310C.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.	
X223.331.2310C.NM107.010	NM107	Other Operating Physician Name Suffix							999	R	IK403 = 6: "Invalid Character in Data Element"	2310C.NM107 must contain at least one non-space character.	
X223.331.2310C.NM107.020	NM107		AN	1-10	S				999	E	IK403 = 5: "Data Element Too Long"	2310C.NM107 must be 1 - 10 characters.	
X223.331.2310C.NM107.030	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: 72 Operating Physician		
X223.331.2310C.NM107.040	NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2310C.NM107 must be populated with accepted AN characters.	
X223.331.2310C.NM107.050	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: 72 Operating Physician		
X223.331.2310C.NM108.010	NM108	Identification Code Qualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" TBD01: "Situational segment/element required for adjudication." EIC: 72 Operating Physician	2010AA.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.331.2310C.NM108.020	NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: 72 Operating Physician	2310C.NM108 must be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
X223.331.2310C.NM108.030	NM108								999	R	IK403 = 7: "Invalid Code Value"	2310C.NM108 must be "XX".	
X223.331.2310C.NM109.010	NM109	Identifier	AN	2-80	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	2310C.NM109 must be present if 2310C.NM108 is present.	
X223.331.2310C.NM109.020	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 72 Operating Physician	2310C.NM109 must be valid according to the NPI algorithm.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.331.2310C.NM109.030	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 72 Operating Physician	The first position of 2310C.NM109 must be a "1".	
X223.331.2310C.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.331.2310C.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.331.2310C.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.334.2310C.REF.010	REF	<b>OTHER OPERATING PHYSICIAN SECONDARY IDENTIFICATION</b>		4	S	2310C			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	2310C.REF with REF01 = "1G" may be present when 2310C.NM1 is present and 2310C.NM109 is not present.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.334.2310C.REF.020	REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions" EIC: 72 Operating Physician	Only 1 iteration of 2310C.REF with REF01 = "1G" is allowed.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.334.2310C.REF.030	REF								999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2310C.REF must not be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
X223.334.2310C.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			0B, 1G, G2, LU	999	R	IK403 = 1: "Required Data Element Missing"	2310C.REF01 must be present.	
X223.334.2310C.REF01.020	REF01								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 21: Missing or invalid information CSC 560: Entity's Additional/Secondary Identifier EIC: 72 Operating Physician	2310C.REF01 must be "1G".	
X223.334.2310C.REF02.010	REF02	Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2310C.REF02 must be present.	
X223.334.2310C.REF02.020	REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN" EIC: 72 Operating Physician	2310C.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).	
X223.334.2310C.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.334.2310C.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.336.2310D.NM1.010	NM1	<b>RENDERING PROVIDER NAME</b>		1	S	2310D	1		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2310D.NM1 is allowed.	
X223.336.2310D.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			82	999	R	IK403 = 1: "Required Data Element Missing"	2310D.NM101 must be present.	
X223.336.2310D.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2310D.NM101 must be "82".	
X223.336.2310D.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2310D.NM102 must be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.336.2310D.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2310D.NM102 must be "1".	
X223.336.2310D.NM103.010	NM103	Rendering Provider Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2310D.NM103 must be present.	
X223.336.2310D.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2310D.NM103 must contain at least one non-space character.	
X223.336.2310D.NM103.030	NM103								999	E	IK403 = 5: "Data Element Too Long"	2310D.NM103 must be 1 - 60 characters.	
X223.336.2310D.NM103.040	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: 82 Rendering Provider		
X223.336.2310D.NM103.050	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2310D.NM103 must be populated with accepted AN characters.	
X223.336.2310D.NM103.060	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: 82 Rendering Provider		
X223.336.2310D.NM104.010	NM104	Rendering Provider First Name							999	R	IK403 = 6: "Invalid Character in Data Element"	2310D.NM104 must contain at least one non-space character.	
X223.336.2310D.NM104.020	NM104		AN	1-35	S				999	E	IK403 = 5: "Data Element Too Long"	2310D.NM104 must be 1 - 35 characters.	
X223.336.2310D.NM104.030	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" EIC: 82 Rendering Provider		
X223.336.2310D.NM104.040	NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2310D.NM104 must be populated with accepted AN characters.	
X223.336.2310D.NM104.050	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC: 82 Rendering Provider		
X223.336.2310D.NM105.010	NM105	Rendering Provider Middle Name or Initial							999	R	IK403 = 6: "Invalid Character in Data Element"	2310D.NM105 must contain at least one non-space character.	
X223.336.2310D.NM105.020	NM105		AN	1-25	S				999	E	IK403 = 5: "Data Element Too Long"	2310D.NM105 must be 1 - 25 characters.	
X223.336.2310D.NM105.030	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: 82 Rendering Provider		
X223.336.2310D.NM105.040	NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2310D.NM105 must be populated with accepted AN characters.	
X223.336.2310D.NM105.050	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: 82 Rendering Provider		
X223.336.2310D.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.336.2310D.NM107.010	NM107	Rendering Provider Name Suffix							999	R	IK403 = 6: "Invalid Character in Data Element"	2310D.NM107 must contain at least one non-space character.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.336.2310D.NM107.020	NM107		AN	1-10	S				999	E	IK403 = 5: "Data Element Too Long"	2310D.NM107 must be 1 - 10 characters.	
X223.336.2310D.NM107.030	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: 82 Rendering Provider		
X223.336.2310D.NM107.040	NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2310D.NM107 must be populated with accepted AN characters.	
X223.336.2310D.NM107.050	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: 82 Rendering Provider		
X223.336.2310D.NM108.010	NM108	Identification CodeQualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" TBD01: "Situational segment/element required for adjudication." EIC: 82 Rendering Provider	2310D.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.336.2310D.NM108.020	NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: 82 Rendering Provider	2310D.NM108 must be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
X223.336.2310D.NM108.030	NM108								999	R	IK403 = 7: "Invalid Code Value"	2310D.NM108 must be "XX".	
X223.336.2310D.NM109.010	NM109	Rendering Provider Identifier	AN	2-80	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	2310D.NM109 must be present if 2310D.NM108 is present.	
X223.336.2310D.NM109.020	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 82 Rendering Provider	2310D.NM109 must be valid according to the NPI algorithm.	
X223.336.2310D.NM109.030	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 82 Rendering Provider	The first position of 2310D.NM109 must be a "1".	
X223.336.2310D.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.336.2310D.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.336.2310D.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.339.2310D.REF.010	REF	RENDERING PROVIDER SECONDARY IDENTIFICATION		4	S	2310D			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	2310D.REF with REF01 = "1G" may be present when 2310D.NM1 is present and 2310D.NM109 is not present.	Trailblazer Only 01/20: Companion Guide Note needed.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.339.2310D.REF.020	REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions" EIC: 82 Rendering Provider	Only 1 iteration of 2310D.REF with REF01 = "1G" is allowed.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.339.2310D.REF.030	REF								999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2310D.REF must not be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
X223.339.2310D.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			0B, 1G, G2, LU	999	R	IK403 = 1: "Required Data Element Missing"	2310D.REF01 must be present.	
X223.339.2310D.REF01.020	REF01								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restriction on the number of repetitions" EIC: 82 Rendering Provider	2310D.REF01 must be "1G".	
X223.339.2310D.REF02.010	REF02	Rendering Provider Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2310D.REF02 must be present.	
X223.339.2310D.REF02.020	REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN" EIC: 82 Rendering Provider	2310D.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).	
X223.339.2310D.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.339.2310D.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.341.2310E.NM1.010	NM1	SERVICE FACILITY LOCATION NAME		1	S	2310E	1		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2310E.NM1 is allowed.	
X223.341.2310E.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			77	999	R	IK403 = 1: "Required Data Element Missing"	2310E.NM101 must be present.	
X223.341.2310E.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2310E.NM101 must be "77".	
X223.341.2310E.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	2310E.NM102 must be present.	
X223.341.2310E.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2310E.NM102 must be "2".	
X223.341.2310E.NM103.010	NM103	Laboratory or Facility Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2310E.NM103 must be present.	
X223.341.2310E.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2310E.NM103 must contain at least one non-space character.	
X223.341.2310E.NM103.030	NM103								999	E	IK403 = 5: "Data Element Too Long"	2310E.NM103 must be 1 - 60 characters.	
X223.341.2310E.NM103.040	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125 "Entity's name." EIC: 77 Service Location		
X223.341.2310E.NM103.050	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2310E.NM103 must be populated with accepted AN characters.	
X223.341.2310E.NM103.060	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: 77 Service Location		

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.341.2310E.NM104.010	NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.341.2310E.NM105.010	NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.341.2310E.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.341.2310E.NM107.010	NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.341.2310E.NM108.010	NM108	Identification CodeQualifier	ID	1-2	S			XX	999	R	IK403 = 7: "Invalid Code Value"	2310E.NM108 must be "XX".	
X223.341.2310E.NM109.010	NM109	Laboratory or Facility Primary Identifier	AN	2-80	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	2310E.NM109 must be present if 2310E.NM108 is present.	
X223.341.2310E.NM109.020	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 77 Service Location	2310E.NM109 must be valid according to the NPI algorithm.	
X223.341.2310E.NM109.030	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 77 Service Location	The first position of 2310E.NM109 must be a "1".	
X223.341.2310E.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.341.2310E.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.341.2310E.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.344.2310E.N3.010	N3	<b>SERVICE FACILITY LOCATION ADDRESS</b>		1	R	2310E			999	R	<b>IK304 = I6: "Implementation Dependent Segment Missing"</b>	<b>If 2310E.NM1 is present, 2310.N3 must be present.</b>	
X223.344.2310E.N3.020	N3								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2310E.N3 is allowed.</b>	
X223.344.2310E.N301.010	N301	Laboratory or Facility Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2310E.N301 must be present.	
X223.344.2310E.N301.020	N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2310E.N301 must contain at least one non-space character.	
X223.344.2310E.N301.030	N301								999	E	IK403 = 5: "Data Element Too Long"	2310E.N301 must be 1-55 characters.	
X223.344.2310E.N301.040	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" EIC: 77 Service Location		
X223.344.2310E.N301.050	N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2310E.N301 must be populated with accepted AN characters.	
X223.344.2310E.N301.060	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: 77 Service Location		
X223.344.2310E.N302.010 edit deactivated													
X223.344.2310E.N302.020	N302	Laboratory or Facility Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	If present, 2310E.N302 must contain at least one non-space character.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.344.2310E.N302.030	N302								999	E	IK403 = 5: "Data Element Too Long"	2310E.N302 must be 1-55 characters.	
X223.344.2310E.N302.040	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" EIC: 77 Service Location		
X223.344.2310E.N302.050	N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2310E.N302 must be populated with accepted AN characters.	
X223.344.2310E.N302.060	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: 77 Service Location		
X223.345.2310E.N4.010	N4	SERVICE FACILITY LOCATION CITY, STATE, ZIP CODE		1	R	2310E			999	R	IK304 = 16: "Implementation Dependent Segment Missing"	If 2310E.N3 is present, 2301E.N4 must be present.	
X223.345.2310E.N4.020	N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2310E.N4 is allowed.	
X223.345.2310E.N401.010	N401	Laboratory or Facility City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2310E.N401 must be present.	
X223.345.2310E.N401.020	N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2310E.N401 must contain at least two non-space characters.	
X223.345.2310E.N401.030	N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2310E.N401 must be 2-30 characters.	
X223.345.2310E.N401.040	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" EIC: 77 Service Location		
X223.345.2310E.N401.050	N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2310E.N401 must be populated with accepted AN characters.	
X223.345.2310E.N401.060	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" EIC: 77 Service Location		
X223.345.2310E.N402.010	N402	Laboratory or Facility State or Province Code	ID	2-2	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2310E.N404 is not present, 2310E.N402 must be present.	
X223.345.2310E.N402.020 edit deactivated													
X223.345.2310E.N402.030	N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" EIC: 77 Service Location	2310E.N402 must be a valid state code.	Valid State Code reference must be available for this edit.
X223.345.2310E.N403.010	N403	Laboratory or Facility Postal Zone or ZIP Code	ID	3-15	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2310E.N404 is not present, 2310E.N403 must be present.	
X223.345.2310E.N403.020 edit deactivated													

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.345.2310E.N403.030	N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC: 77 Service Location	2310E.N403 must be a valid 9 digit zip code.	Valid Zip Code reference must be available for this edit.
X223.345.2310E.N404.010	N404	Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.345.2310E.N405.010	N405	LocationQualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.345.2310E.N406.010	N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.345.2310E.N407.010	N407	Country Subdivision Code	ID	1-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.347.2310E.REF.010	REF	SERVICE FACILITY LOCATION SECONDARY IDENTIFICATION		5	S	2310E			277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions" EIC: 77 Service Location	2310E.REF must not be present.	Segment not valid for Part A. 02/04: Companion Guide Note needed.
X223.349.2310E.NM1.010	NM1	REFERRING PROVIDER NAME Loop							999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	One iteration of this loop is allowed.	
X223A1.12.2310F.NM1.020	NM1	REFERRING PROVIDER NAME		1	S	2310F	1		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2310F.NM1 with NM101 = "DN" is allowed.	Pass through only.
X223.349.2310F.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			DN	999	R	IK403 = 1: "Required Data Element Missing"	2310F.NM101 must be present.	
X223.349.2310F.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2310F.NM101 must be "DN".	
X223.349.2310F.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2310F.NM102 must be present.	
X223.349.2310F.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2310F.NM102 must be "1".	
X223.349.2310F.NM103.010	NM103	Referring Provider Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2310F.NM103 must be present.	
X223.349.2310F.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2310F.NM103 must contain at least one non-space character.	
X223.349.2310F.NM103.030	NM103								999	E	IK403 = 5: "Data Element Too Long"	2310F.NM103 must be 1 - 60 characters.	
X223.349.2310F.NM103.040	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: DN Referring Provider		
X223.349.2310F.NM103.050	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2310F.NM103 must be populated with accepted AN characters.	
X223.349.2310F.NM103.060	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: DN Referring Provider		
X223.349.2310F.NM104.010	NM104	Referring Provider First Name							999	R	IK403 = 6: "Invalid Character in Data Element"	2310F.NM104 must contain at least one non-space character.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.349.2310F.NM104.020	NM104		AN	1-35	S				999	E	IK403 = 5: "Data Element Too Long"	2310F.NM104 must be 1 - 35 characters.	
X223.349.2310F.NM104.030	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" EIC: DN Referring Provider		
X223.349.2310F.NM104.040	NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2310F.NM104 must be populated with accepted AN characters.	
X223.349.2310F.NM104.050	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC: DN Referring Provider		
X223.349.2310F.NM105.010	NM105	Referring Provider Middle Name							999	R	IK403 = 6: "Invalid Character in Data Element"	2310F.NM105 must contain at least one non-space character.	
X223.349.2310F.NM105.020	NM105		AN	1-25	S				999	E	IK403 = 5: "Data Element Too Long"	2310F.NM105 must be 1 - 25 characters.	
X223.349.2310F.NM105.030	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: DN Referring Provider		
X223.349.2310F.NM105.040	NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2310F.NM105 must be populated with accepted AN characters.	
X223.349.2310F.NM105.050	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: DN Referring Provider		
X223.349.2310F.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.	
X223.349.2310F.NM107.010	NM107	Referring Provider Name Suffix							999	R	IK403 = 6: "Invalid Character in Data Element"	2310F.NM107 must contain at least one non-space character.	
X223.349.2310F.NM107.020	NM107		AN	1-10	S				999	E	IK403 = 5: "Data Element Too Long"	2310F.NM107 must be 1 - 10 characters.	
X223.349.2310F.NM107.030	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: DN Referring Provider		
X223.349.2310F.NM107.040	NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2310F.NM107 must be populated with accepted AN characters.	
X223.349.2310F.NM107.050	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: DN Referring Provider		
X223.349.2310F.NM108.010	NM108	Identification CodeQualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" TBD01: "Situational segment/element required for adjudication." EIC: DN Referring Provider	2310F.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier.	Only Trailblazer. 01/20: Companion Guide Note needed.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.349.2310F.NM108.020	NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: DN Referring Provider	2310F.NM108 must be present.	Everyone but Trailblazer 01/20: Companion Guide Note needed.
X223.349.2310F.NM108.030	NM108								999	R	IK403 = 7: "Invalid Code Value"	2310F.NM108 must be "XX".	
X223.349.2310F.NM109.010	NM109	Referring Provider Identifier	AN	2-80	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	2310F.NM109 must be present if 2310F.NM108 is present.	
X223.349.2310F.NM109.020	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DN Referring Provider	2310F.NM109 must be valid according to the NPI algorithm.	
X223.349.2310F.NM109.030	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DN Referring Provider	The first position of 2310F.NM109 must be a "1".	
X223.349.2310F.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.349.2310F.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.349.2310F.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.352.2310F.REF.010	REF	REFERRING PROVIDER SECONDARY IDENTIFICATION		3	S	2310F			277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 560: Entity's Additional/Secondary Identifier EIC: DN Referring Provider	2310F.REF must not be present.	Segment not valid for Part A.
X223.354.2320..010		OTHER SUBSCRIBER LOOP				2320	10		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only ten iterations of the 2320 loop are allowed.	
X223.354.2320.SBR.010	SBR	OTHER SUBSCRIBER INFORMATION		1	S	2320	1		999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2320.SBR is allowed.	
X223.354.2320.SBR01.010	SBR01	Payer Responsibility Sequence Number Code	ID	1-1	R			A, B, C, D, E, F, G, H, P, S, T, U	999	R	IK403 = 1: "Required Data Element Missing"	2320.SBR01 must be present.	
X223.354.2320.SBR01.020	SBR01								999	R	IK403 = 7: "Invalid Code Value"	2320.SBR01 must be valid values.	
X223.354.2320.SBR01.030	SBR01								999	R	IK403 = 7: "Invalid Code Value"	Each iteration of 2320.SBR01 must contain a different code value (each code value may appear in one and only one SBR01 element).	
X223.354.2320.SBR01.040	SBR01								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." CSC 286: "Other payer's Explanation of Benefits/payment information"	If 2000B.SBR01 = "S", 2320.SBR01 = "P" must be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.354.2320.SBR02.010	SBR02	Individual Relationship Code	ID	2-2	R			01, 18, 19, 20, 21, 39, 40, 53, G8	999	R	IK403 = 1: "Required Data Element Missing"	2320.SBR02 must be present.	
X223.354.2320.SBR02.020	SBR02								999	R	IK403 = 7: "Invalid Code Value"	2320.SBR02 must be valid values.	
X223.354.2320.SBR03.010	SBR03	Insured Group or Policy Number							999	R	IK403 = 6: "Invalid Character in Data Element"	2320.SBR03 must contain at least one non-space character.	
X223.354.2320.SBR03.020	SBR03		AN	1-50	S				999	E	IK403 = 5: "Data Element Too Long"	2320.SBR03 must be 1-50 characters.	
X223.354.2320.SBR03.030	SBR03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 163: "Entity's policy number" FIC: GB Other Insured		
X223.354.2320.SBR03.040	SBR03								999	E	IK403 = 6: "Invalid Character in Data Element"	2320.SBR03 must be populated with accepted AN characters.	
X223.354.2320.SBR03.050	SBR03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 163: "Entity's policy number" FIC: GB Other Insured		
X223.354.2320.SBR04.010	SBR04	Other Insured Group Name	AN	1-60	S				999	R	IK403 = 10: "Exclusion Condition Violated"	2320.SBR04 may not be present when 2320.SBR03 is present.	
X223.354.2320.SBR04.020	SBR04								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.SBR04 must contain at least one non-space character.	
X223.354.2320.SBR04.030	SBR04								999	E	IK403 = 5: "Data Element Too Long"	2320.SBR04 must be 1-60 characters.	
X223.354.2320.SBR04.040	SBR04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 663: "Entity's Group Name" FIC: GB Other Insured		
X223.354.2320.SBR04.050	SBR04								999	E	IK403 = 6: "Invalid Character in Data Element"	2320.SBR04 must be populated with accepted AN characters.	
X223.354.2320.SBR04.060	SBR04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 663: "Entity's Group Name" FIC: GB Other Insured		
X223.354.2320.SBR05.010	SBR05	Insurance Type Code	ID	1-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.354.2320.SBR06.010	SBR06	Coordination of Benefits Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.354.2320.SBR07.010	SBR07	Yes/No Condition or Response Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.354.2320.SBR08.010	SBR08	Employment Status Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.354.2320.SBR09.010	SBR09	Claim Filing Indicator Code	ID	1-2	S			11, 12, 13, 14, 15, 16, 17, AM, BL, CH, CI, DS, FI, HM, LM, MA, MB, MC, OF, TV, VA, WC, ZZ	999	R	IK403 = 7: "Invalid Code Value"	2320.SBR09 must be valid values.	
X223.354.2320.SBR09.020	SBR09								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 480: Other Carrier Claim filing indicator is missing or invalid	2320.SBR09 must not be = "MA" or "MB".	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.358.2320.CAS.010	CAS	CLAIM LEVEL ADJUSTMENTS		5	S	2320			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2320.SBR is present, 2320.CAS may be present.	
X223.358.2320.CAS.020	CAS								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only 5 iterations of 2320.CAS are allowed.	
X223.358.2320.CAS01.010	CAS01	Claim Adjustment Group Code	ID	1-2	R			CO, CR, OA, PI, PR	999	R	IK403 = 1: "Required Data Element Missing"	2320.CAS01 must be present.	
X223.358.2320.CAS01.020	CAS01								999	R	IK403 = 7: "Invalid Code Value"	2320.CAS01 must be valid values.	
X223.358.2320.CAS01.030	CAS01								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 696: "Claim Adjustment Group Code" EIC: GB Other Insured	If 2320.CAS01 = "CR" then 2330B.DTP with DTP01 = "573" must be prior to 01/01/2012.	
X223.358.2320.CAS02.010	CAS02	Adjustment Reason Code	ID	1-5	R				999	R	IK403 = 1: "Required Data Element Missing"	2320.CAS02 must be present.	
X223.358.2320.CAS02.020	CAS02								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS02 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit. 01/08: Add clause to check for the 2330B.DTP.
X223.358.2320.CAS02.030	CAS02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS02 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS02 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573"
X223.358.2320.CAS03.010	CAS03	Adjustment Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2320.CAS03 must be present.	
X223.358.2320.CAS03.020	CAS03								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.CAS03 must be numeric.	
X223.358.2320.CAS03.030	CAS03								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2320.CAS03 must be >= -99,999,999.99. and <= 99,999,999.99.	
X223.358.2320.CAS03.040	CAS03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured		
X223.358.2320.CAS03.050	CAS03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS03 must not = 0.	
X223.358.2320.CAS03.060	CAS03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS03 is limited to 0, 1 or 2 decimal positions.	
X223.358.2320.CAS04.010	CAS04	Adjustment Quantity	R	1-15	S				999	E	IK403 = 5: "Data Element Too Long"	2320.CAS04 must be 1-15 digits.	01/08: Not brought into Core System, so no Medicare size limit is needed.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.358.2320.CAS04.020	CAS04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2320.CAS04 must not = 0.	
X223.358.2320.CAS05.010	CAS05	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS02 is present, 2320.CAS05 may be present.	
X223.358.2320.CAS05.020	CAS05								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS05 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit. 01/08: Add clause to check for the 2330B.DTP.
X223.358.2320.CAS05.030	CAS05								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS05 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".	
X223.358.2320.CAS06.010	CAS06	Adjustment Amount	R	1-18	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2320.CAS05 is present, 2320.CAS06 must be present.	
X223.358.2320.CAS06.020	CAS06								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.CAS06 must be numeric.	
X223.358.2320.CAS06.030	CAS06								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2320.CAS06 must be >= -99,999,999.99. and <= 99,999,999.99.	
X223.358.2320.CAS06.040	CAS06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured		
X223.358.2320.CAS06.050	CAS06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS06 must not = 0.	
X223.358.2320.CAS06.060	CAS06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS06 is limited to 0, 1 or 2 decimal positions.	
X223.358.2320.CAS07.010	CAS07	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS05 is present, 2320.CAS07 may be present.	
X223.358.2320.CAS07.020	CAS07								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS07 must be 1-15 digits.	01/08: Not brought into Core System, so no Medicare size limit is needed.
X223.358.2320.CAS07.030	CAS07								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2320.CAS07 must not = 0.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.358.2320.CAS08.010	CAS08	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS05 is present, 23200.CAS08 may be present.	
X223.358.2320.CAS08.020	CAS08								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS08 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
X223.358.2320.CAS08.030	CAS08								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS08 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".	
X223.358.2320.CAS09.010	CAS09	Adjustment Amount	R	1-18	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2320CAS08 is present, 2320.CAS09 must be present.	
X223.358.2320.CAS09.020	CAS09								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.CAS09 must be numeric.	
X223.358.2320.CAS09.030	CAS09								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2320.CAS09 must be >= -99,999,999.99. and <= 99,999,999.99.	
X223.358.2320.CAS09.040	CAS09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured		
X223.358.2320.CAS09.050	CAS09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS09 must not = 0.	
X223.358.2320.CAS09.060	CAS09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS09 is limited to 0, 1 or 2 decimal positions.	
X223.358.2320.CAS10.010	CAS10	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS08 is present, 2320.CAS10 may be present.	
X223.358.2320.CAS10.020	CAS10								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS10 must be 1-15 digits.	01/08: Not brought into Core System, so no Medicare size limit is needed.
X223.358.2320.CAS10.030	CAS10								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2320.CAS10 must not = 0.	
X223.358.2320.CAS11.010	CAS11	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS08 is present, 23200.CAS11 may be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.358.2320.CAS11.020	CAS11								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS11 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
X223.358.2320.CAS11.030	CAS11								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS11 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".	
X223.358.2320.CAS12.010	CAS12	Adjustment Amount	R	1-18	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2320.CAS11 is present, 2320.CAS12 must be present.	
X223.358.2320.CAS12.020	CAS12								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.CAS12 must be numeric.	
X223.358.2320.CAS12.030	CAS12								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2320.CAS12 must be >= -99,999,999.99. and <= 99,999,999.99.	
X223.358.2320.CAS12.040	CAS12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured		
X223.358.2320.CAS12.050	CAS12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS12 must not = 0.	
X223.358.2320.CAS12.060	CAS12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS12 is limited to 0, 1 or 2 decimal positions.	
X223.358.2320.CAS13.010	CAS13	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS11 is present, 2320.CAS13 may be present.	
X223.358.2320.CAS13.020	CAS13								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS13 must be 1-15 digits.	01/08: Not brought into Core System, so no Medicare size limit is needed.
X223.358.2320.CAS13.030	CAS13								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2320.CAS13 must not = 0.	
X223.358.2320.CAS14.010	CAS14	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS11 is present, 2320.CAS14 may be present.	
X223.358.2320.CAS14.020	CAS14								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS14 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.358.2320.CAS14.030	CAS14								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.CAS14 must be a valid Claim Adjustment Reason Code for the high/low date range of the 2430.DTP03s when DTP01 = "573".	
X223.358.2320.CAS15.010	CAS15	Adjustment Amount	R	1-18	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2320.CAS14 is present, 2320.CAS15 must be present.	
X223.358.2320.CAS15.020	CAS15								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.CAS15 must be numeric.	
X223.358.2320.CAS15.030	CAS15								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2320.CAS15 must be >= -99,999,999.99. and <= 99,999,999.99.	
X223.358.2320.CAS15.040	CAS15								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured		
X223.358.2320.CAS15.050	CAS15								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS15 must not = 0.	
X223.358.2320.CAS15.060	CAS15								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2320.CAS15 is limited to 0, 1 or 2 decimal positions.	
X223.358.2320.CAS16.010	CAS16	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS14 is present, 2320.CAS16 may be present.	
X223.358.2320.CAS16.020	CAS16								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS16 must be 1-15 digits.	01/08: Not brought into Core System, so no Medicare size limit is needed.
X223.358.2320.CAS16.030	CAS16								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2320.CAS16 must not = 0.	
X223.358.2320.CAS17.010	CAS17	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2320.CAS14 is present, 2320.CAS17 may be present.	
X223.358.2320.CAS17.020	CAS17								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	If 2330B.DTP03 with DTP01 = "573" is present, 2320.CAS17 must be a valid Claim Adjustment Reason Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
X223.358.2320.CAS18.010	CAS18	Adjustment Amount	R	1-18	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2320.CAS17 is present, 2320.CAS18 must be present.	
X223.358.2320.CAS18.020	CAS18								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.CAS18 must be numeric.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.358.2320.CAS18.030	CAS18								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2320.CAS18 must be >= -99,999,999.99. and <= 99,999,999.99.	
X223.358.2320.CAS18.040	CAS18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" FIC: GB Other Insured		
X223.358.2320.CAS18.050	CAS18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" FIC: GB Other Insured	2320.CAS18 must not = 0.	
X223.358.2320.CAS18.060	CAS18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" FIC: GB Other Insured	2320.CAS18 is limited to 0, 1 or 2 decimal positions.	
X223.358.2320.CAS19.010	CAS19	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	2If 2320.CAS17 is present, 2320.CAS19 may be present.	
X223.358.2320.CAS19.020	CAS19								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS19 must be 1-15 digits.	01/08: Not brought into Core System, so no Medicare size limit is needed.
X223.358.2320.CAS19.030	CAS19								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" FIC: GB Other Insured	2320.CAS19 must not = 0.	
X223.364.2320.AMT.010	AMT	COB PAYER PAID AMOUNT		1	S	2320			999	R	IK304 = 19: "Implementation Dependent 'not used' Segment Present"	If 2320.SBR is present, 2320.AMT with AMT01 = "D" may be present.	
X223.364.2320.AMT.020	AMT								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2320.AMT with AMT01 = "D" is allowed.	
X223.364.2320.AMT.030	AMT								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." CSC 286: "Other payer's Explanation of Benefits/payment information"	If 2000B.SBR01 = "S" then one 2320 loop with an AMT segment with AMT01 = "D" must be present.	
X223.364.2320.AMT01.010	AMT01	AmountQualifier Code	ID	1-3	R			D	999	R	IK403 = 1: "Required Data Element Missing"	2320.AMT01 must be present.	
X223.364.2320.AMT01.020	AMT01								999	R	IK403 = 7: "Invalid Code Value"	2320.AMT01 must be "D".	
X223.364.2320.AMT02.005	AMT02	Payer Paid Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2320.AMT02 must be present.	
X223.364.2320.AMT02.010	AMT02								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.AMT02 must be numeric.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.364.2320.AMT02.015	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 183: "Amount entity has paid" CSC 286: "Other payer's Explanation of Benefits/payment information"	2320.AMT02 must be >= 0.	
X223.364.2320.AMT02.020	AMT02								999	E	IK403 = 5: "Data Element Too Long"	2320.AMT02 must be <= 99,999,999.99.	
X223.364.2320.AMT02.030	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 183: "Amount entity has paid" CSC 286: "Other payer's Explanation of Benefits/payment information"		
X223.364.2320.AMT02.040 edit deactivated													
X223.364.2320.AMT02.050	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 183: "Amount entity has paid" CSC 286: "Other payer's Explanation of Benefits/payment information"	2320.AMT02 is limited to 0, 1 or 2 decimal positions.	
X223.364.2320.AMT02.060	AMT02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 672: "Other Payer's payment information is out of balance" CSC 286: "Other payer's Explanation of Benefits/payment information"	2320 AMT02 must = the sum of all 2430.SVD02 payer paid amounts (when the value in 2430.SVD01 is the same as the value in 2330B.NM109) minus the sum of all claim level adjustments (2320 CAS adjustment amounts) for the same payer.	
X223.364.2320.AMT03.010	AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.365.2320.AMT.010	AMT	REMAINING PATIENT LIABILITY		1	S	2320			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2320.SBR is present, 2320.AMT with AMT01 = "EAF" may be present.	pass-thru, syntax only.
X223.365.2320.AMT.020	AMT								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2320.AMT with AMT01 = "EAF" is allowed.	
X223.365.2320.AMT01.010	AMT01	AmountQualifier Code	ID	1-3	R			EAF	999	R	IK403 = 1: "Required Data Element Missing"	2320.AMT01 must be present.	
X223.365.2320.AMT01.020	AMT01								999	R	IK403 = 7: "Invalid Code Value"	2320.AMT01 must be "EAF".	
X223.365.2320.AMT02.005	AMT02	Remaining Patient Liability Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2320.AMT02 must be present.	
X223.365.2320.AMT02.010	AMT02								999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .AMT02 must be numeric.	
X223.365.2320.AMT02.015	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 6: "Balance due from the subscriber" EIC: GB Other Insured	2320.AMT02 must be >= 0.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.365.2320.AMT02.020	AMT02								999	E	IK403 = 5: "Data Element Too Long"	2320.AMT02 must be <= 99,999,999.99.	
X223.365.2320.AMT02.030	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 6: "Balance due from the subscriber" EIC: GB Other Insured		
X223.365.2320.AMT02.040	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 6: "Balance due from the subscriber" EIC: GB Other Insured	2320.AMT02 is limited to 0, 1 or 2 decimal positions.	
X223.365.2320.AMT03.010	AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.	
X223.366.2320.AMT.010	AMT	<b>COB TOTAL NON-COVERED AMOUNT</b>		1	S	2320			999	R	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2320.SBR is present, 2320.AMT with AMT01 = "A8" may be present.</b>	
X223.366.2320.AMT.020	AMT								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2320.AMT with AMT01 = "A8" is allowed.</b>	
X223.366.2320.AMT01.010	AMT01	AmountQualifier Code	ID	1-3	R			A8	999	R	IK403 = 1: "Required Data Element Missing"	2320.AMT01 must be present.	
X223.366.2320.AMT01.020	AMT01								999	R	IK403 = 7: "Invalid Code Value"	2320.AMT01 must be "A8".	
X223.366.2320.AMT02.005	AMT02	Non-Covered Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2320.AMT02 must be present.	
X223.366.2320.AMT02.010	AMT02								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.AMT02 must be numeric.	
X223.366.2320.AMT02.015	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 596: "Non-covered Charge Amount" EIC: GB Other Insured	2320.AMT02 must be >= 0.	
X223.366.2320.AMT02.020	AMT02								999	E	IK403 = 5: "Data Element Too Long"	2320.AMT02 must be <= 99,999,999.99.	
X223.366.2320.AMT02.030	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 596: "Non-covered Charge Amount" EIC: GB Other Insured		
X223.366.2320.AMT02.040 edit deactivated													
X223.366.2320.AMT02.050	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 596: "Non-covered Charge Amount" EIC: GB Other Insured	2320.AMT02 is limited to 0, 1 or 2 decimal positions.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.366.2320.AMT02.060	AMT02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 596: "Non-covered Charge Amount" EIC: GB Other Insured	The sum of all 2320.AMT02 (with AMT01 = "A8") elements must = 2300.CLM02.	
X223.366.2320.AMT03.010	AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.367.2320.OI.010	OI	<b>OTHER INSURANCE COVERAGE INFORMATION</b>		1	R	2320			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2320.SBR is present, 2320.OI must be present.	
X223.367.2320.OI.020	OI								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2320.OI is allowed.	
X223.367.2320.OI01.010	OI01	Claim Filing Indicator Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.367.2320.OI02.010	OI02	Claim Submission Reason Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.367.2320.OI03.010	OI03	Benefits Assignment Certification Indicator	ID	1-1	R			N, W, Y	999	R	IK403 = 1: "Required Data Element Missing"	2320.OI03 must be present.	
X223.367.2320.OI03.010	OI03								999	R	IK403 = 7: "Invalid Code Value"	2320.OI03 must be valid values.	
X223.367.2320.OI04.010	OI04	Patient Signature Source Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.367.2320.OI05.010	OI05	Provider Agreement Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.367.2320.OI06.010	OI06	Release of Information Code	ID	1-1	R			I, Y	999	R	IK403 = 1: "Required Data Element Missing"	2320.OI06 must be present.	
X223.367.2320.OI06.010	OI06								999	R	IK403 = 7: "Invalid Code Value"	2320.OI06 must be valid values.	
X223.369.2320.MIA.010	MIA	<b>INPATIENT ADJUDICATION INFORMATION</b>		1	S	2320			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2320.SBR is present, 2320.MIA may be present.	
X223.369.2320.MIA.020	MIA								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2320.MIA is allowed on inpatient claims.	use the NUBC manual's inpatient/outpatient bill type designations/exceptions
X223.369.2320.MIA01.010	MIA01	Covered Days or Visits Count	R	1-15	R				999	R	IK403 = 1: "Required Data Element Missing"	2320.MIA01 must be present.	
X223.369.2320.MIA01.020	MIA01								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.MIA01 must be numeric.	
X223.369.2320.MIA01.030	MIA01								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 456: "Covered Day(s)"	2320.MIA01 must be >= 0.	
X223.369.2320.MIA02.010	MIA02	Monetary Amount	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.369.2320.MIA03.010	MIA03	Lifetime Psychiatric Days	R	1-15	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA03 must be 1-15 characters.	
X223.369.2320.MIA03.020	MIA03								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.MIA03 must be numeric.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.369.2320.MIA03.030	MIA03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 582: "Lifetime Psychiatric Days Count"	2320.MIA03 must be >= 0.	
X223.369.2320.MIA04.010	MIA04	Claim DRG Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA04 must be <= 99,999,999.99.	
X223.369.2320.MIA04.020	MIA04								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.MIA04 must be numeric.	
X223.369.2320.MIA04.030	MIA04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 532: "Claim DRG Amount"	2320.MIA04 must be >= 0.	
X223.369.2320.MIA04.040	MIA04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 532: "Claim DRG Amount"	2320.MIA04 is limited to 0, 1 or 2 decimal positions.	
X223.369.2320.MIA05.010	MIA05	Claim Payment Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	2320.MIA05 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
X223.369.2320.MIA06.010	MIA06	Claim Disproportionate Share Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA06 must be <= 99,999,999.99.	
X223.369.2320.MIA06.020	MIA06								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.MIA06 must be numeric.	
X223.369.2320.MIA06.030	MIA06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 531: "Claim Disproportionate Share Amount"	2320.MIA06 must be >= 0.	
X223.369.2320.MIA06.040	MIA06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 531: "Claim Disproportionate Share Amount"	2320.MIA06 is limited to 0, 1 or 2 decimal positions.	
X223.369.2320.MIA07.010	MIA07	Claim MSP Pass-through Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA07 must be <= 99,999,999.99.	
X223.369.2320.MIA07.020	MIA07								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.MIA07 must be numeric.	
X223.369.2320.MIA07.030	MIA07								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 537: "Claim MSP Pass-through Amount"	2320.MIA07 must be >= 0.	
X223.369.2320.MIA07.040	MIA07								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 537: "Claim MSP Pass-through Amount"	2320.MIA07 is limited to 0, 1 or 2 decimal positions.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.369.2320.MIA08.010	MIA08	Claim PPS Capital Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA08 must be <= 99,999,999.99.	
X223.369.2320.MIA08.020	MIA08								999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .MIA08 must be numeric.	
X223.369.2320.MIA08.030	MIA08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 539: "Claim PPS Capital Amount"	2320.MIA08 must be >= 0.	
X223.369.2320.MIA08.040	MIA08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 539: "Claim PPS Capital Amount"	2320.MIA08 is limited to 0, 1 or 2 decimal positions.	
X223.369.2320.MIA09.010	MIA09	PPS-Capital FSP DRG Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA09 must be <= 99,999,999.99.	
X223.369.2320.MIA09.020	MIA09								999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .MIA09 must be numeric.	
X223.369.2320.MIA09.030	MIA09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 620: "PPS-Capital FSP DRG Amount"	2320.MIA09 must be >= 0.	
X223.369.2320.MIA09.040	MIA09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 620: "PPS-Capital FSP DRG Amount"	2320.MIA09 is limited to 0, 1 or 2 decimal positions.	
X223.369.2320.MIA10.010	MIA10	PPS-Capital HSP DRG Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA10 must be <= 99,999,999.99.	
X223.369.2320.MIA10.020	MIA10								999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .MIA10 must be numeric.	
X223.369.2320.MIA10.030	MIA10								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 621: "PPS-Capital HSP DRG Amount"	2320.MIA10 must be >= 0.	
X223.369.2320.MIA10.040	MIA10								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 621: "PPS-Capital HSP DRG Amount"	2320.MIA10 is limited to 0, 1 or 2 decimal positions.	
X223.369.2320.MIA11.010	MIA11	PPS-Capital DSH DRG Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA11 must be <= 99,999,999.99.	
X223.369.2320.MIA11.020	MIA11								999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .MIA11 must be numeric.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.369.2320.MIA11.030	MIA11								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 618: "PPS-Capital DSH DRG Amount"	2320.MIA11 must be >= 0.	
X223.369.2320.MIA11.040	MIA11								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 618: "PPS-Capital DSH DRG Amount"	2320.MIA11 is limited to 0, 1 or 2 decimal positions.	
X223.369.2320.MIA12.010	MIA12	Old Capital Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA12 must be <= 99,999,999.99.	
X223.369.2320.MIA12.020	MIA12								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.MIA12 must be numeric.	
X223.369.2320.MIA12.030	MIA12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 603: "Old Capital Amount"	2320.MIA12 must be >= 0.	
X223.369.2320.MIA12.040	MIA12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 603: "Old Capital Amount"	2320.MIA12 is limited to 0, 1 or 2 decimal positions.	
X223.369.2320.MIA13.010	MIA13	PPS-Capital IME Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA13 must be <= 99,999,999.99.	
X223.369.2320.MIA13.020	MIA13								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.MIA13 must be numeric.	
X223.369.2320.MIA13.030	MIA13								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 622: "PPS-Capital IME Amount"	2320.MIA13 must be >= 0.	
X223.369.2320.MIA13.040	MIA13								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 622: "PPS-Capital IME Amount"	2320.MIA13 is limited to 0, 1 or 2 decimal positions.	
X223.369.2320.MIA14.010	MIA14	PPS-Operating Hospital Specific DRG Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA14 must be <= 99,999,999.99.	
X223.369.2320.MIA14.020	MIA14								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.MIA14 must be numeric.	
X223.369.2320.MIA14.030	MIA14								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 624: "PPS-Operating Hospital Specific DRG Amount"	2320.MIA14 must be >= 0.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/999/277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.369.2320.MIA14.040	MIA14								277	X223.369.2320.MIA07.030	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 624: "PPS-Operating Hospital Specific DRG Amount"	2320.MIA14 is limited to 0, 1 or 2 decimal positions.	
X223.369.2320.MIA15.010	MIA15	Cost Report Day Count	R	1-15	S				999	X223.369.2320.MIA08.030	IK403 = 5: "Data Element Too Long"	2320.MIA15 must be 1-15 characters.	
X223.369.2320.MIA15.020	MIA15								999	X223.369.2320.MIA09.030	IK403 = 6: "Invalid Character in Data Element"	2320 .MIA15 must be numeric.	
X223.369.2320.MIA15.030	MIA15								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 552: "Cost Report Day Count"	2320.MIA15 must be >= 0.	
X223.369.2320.MIA16.010	MIA16	PPS-Operating Federal Specific DRG Amount	R	1-18	S				999	X223.369.2320.MIA11.030	IK403 = 5: "Data Element Too Long"	2320.MIA16 must be <= 99,999,999.99.	
X223.369.2320.MIA16.020	MIA16								999	X223.369.2320.MIA12.030	IK403 = 6: "Invalid Character in Data Element"	2320 .MIA16 must be numeric.	
X223.369.2320.MIA16.030	MIA16								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 623: "PPS-Operating Federal Specific DRG Amount"	2320.MIA16 must be >= 0.	
X223.369.2320.MIA16.040	MIA16								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 623: "PPS-Operating Federal Specific DRG Amount"	2320.MIA16 is limited to 0, 1 or 2 decimal positions.	
X223.369.2320.MIA17.010	MIA17	Claim PPS Capital Outlier Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA17 must be <= 99,999,999.99.	
X223.369.2320.MIA17.020	MIA17								999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .MIA17 must be numeric.	
X223.369.2320.MIA17.030	MIA17								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 540: "Claim PPS Capital Outlier Amount"	2320.MIA17 must be >= 0.	
X223.369.2320.MIA17.040	MIA17								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 540: "Claim PPS Capital Outlier Amount"	2320.MIA17 is limited to 0, 1 or 2 decimal positions.	
X223.369.2320.MIA18.010	MIA18	Claim Indirect Teaching Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA18 must be <= 99,999,999.99.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.369.2320.MIA18.020	MIA18								999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .MIA18 must be numeric.	
X223.369.2320.MIA18.030	MIA18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 536: "Claim Indirect Teaching Amount"	2320.MIA18 must be >= 0.	
X223.369.2320.MIA18.040	MIA18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 536: "Claim Indirect Teaching Amount"	2320.MIA18 is limited to 0, 1 or 2 decimal positions.	
X223.369.2320.MIA19.010	MIA19	Non-Payable Professional Component Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA19 must be <= 99,999,999.99.	
X223.369.2320.MIA19.020	MIA19								999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .MIA19 must be numeric.	
X223.369.2320.MIA19.030	MIA19								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 597: "Non-payable Professional Component Amount"	2320.MIA19 must be >= 0.	
X223.369.2320.MIA19.040	MIA19								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 597: "Non-payable Professional Component Amount"	2320.MIA19 is limited to 0, 1 or 2 decimal positions.	
X223.369.2320.MIA20.010	MIA20	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	2320.MIA20 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
X223.369.2320.MIA20.020	MIA20								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MIA23 must be a valid Remittance Advice Remark Code for the high/low date range of the 2300.DTP03s when DTP01 = "434".	
X223.369.2320.MIA21.010	MIA21	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	2320.MIA21 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
X223.369.2320.MIA21.020	MIA21								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MIA23 must be a valid Remittance Advice Remark Code for the high/low date range of the 2300.DTP03s when DTP01 = "434".	
X223.369.2320.MIA22.010	MIA22	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	2320.MIA22 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
X223.369.2320.MIA22.020	MIA22								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MIA23 must be a valid Remittance Advice Remark Code for the high/low date range of the 2300.DTP03s when DTP01 = "434".	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.369.2320.MIA23.010	MIA23	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	2320.MIA23 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
X223.369.2320.MIA23.020	MIA23								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MIA23 must be a valid Remittance Advice Remark Code for the high/low date range of the 2300.DTP03s when DTP01 = "434".	
X223.369.2320.MIA24.010	MIA24	PPS-Capital Exception Amount	R	1-18	S				999	R	IK403 = 5: "Data Element Too Long"	2320.MIA24 must be <= 99,999,999.99.	
X223.369.2320.MIA24.020	MIA24								999	R	IK403 = 6: "Invalid Character in Data Element"	2320.MIA24 must be numeric.	
X223.369.2320.MIA24.030	MIA24								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 619: "PPS-Capital Exception Amount"	2320.MIA24 must be >= 0.	
X223.369.2320.MIA24.040	MIA24								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 619: "PPS-Capital Exception Amount"	2320.MIA24 is limited to 0, 1 or 2 decimal positions.	
X223.374.2320.MOA.010	MOA	OUTPATIENT ADJUDICATION INFORMATION		1	S	2320			999	R	IK304 = 19: "Implementation Dependent 'not used' Segment Present"	If 2320.SBR is present, 2320.MOA may be present.	
X223.374.2320.MOA.020	MOA								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2320.MOA is allowed on outpatient claims.	
X223.374.2320.MOA01.010	MOA01	Reimbursement Rate	R	1-10	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2320.MOA01 must be numeric.	
X223.374.2320.MOA01.020	MOA01								999	R	IK403 = 112: "Implementation Pattern Match Failure"	2320.MOA01 must be >= 0.0 and <= 1.0.	2320.MOA01 must be a percentage expressed as a decimal.
X223.374.2320.MOA01.030	MOA01								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions"	2320.MOA01 is limited to 0, 1 or 2 decimal positions.	
X223.374.2320.MOA02.010	MOA02	Claim HCPCS Payable Amount	R	1-18	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2320.MOA02 must be numeric.	
X223.374.2320.MOA02.020	MOA02								999	E	IK403 = 5: "Data Element Too Long"	2320.MOA02 must be <= 99,999,999.99.	
X223.374.2320.MOA02.030	MOA02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 574: "HCPCS Payable Amount Home Health"		
X223.374.2320.MOA02.040	MOA02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 574: "HCPCS Payable Amount Home Health"	2320.MOA02 must be >= 0.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.374.2320.MOA02.050	MOA02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 574: "HCPCS Payable Amount Home Health"	2320.MOA02 is limited to 0, 1 or 2 decimal positions.	
X223.374.2320.MOA03.010	MOA03	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	2320.MOA03 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
X223.374.2320.MOA03.020	MOA03								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA03 must be a valid Remittance Advice Remark Code for the high/low date range of the 2300.DTP03s when DTP01 = "434".	
X223.374.2320.MOA04.010	MOA04	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	2320.MOA04 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit. 01/08: Add clause to check for the 2330B.DTP
X223.374.2320.MOA04.020	MOA04								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA04 must be a valid Remittance Advice Remark Code for the high/low date range of the 2300.DTP03s when DTP01 = "434".	
X223.374.2320.MOA05.010	MOA05	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	2320.MOA05 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
X223.374.2320.MOA05.020	MOA05								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA05 must be a valid Remittance Advice Remark Code for the high/low date range of the 2300.DTP03s when DTP01 = "434".	
X223.374.2320.MOA06.010	MOA06	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	2320.MOA06 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
X223.374.2320.MOA06.020	MOA06								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA06 must be a valid Remittance Advice Remark Code for the high/low date range of the 2300.DTP03s when DTP01 = "434".	
X223.374.2320.MOA07.010	MOA07	Remark Code	AN	1-50	S				277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	2320.MOA07 must be a valid Remittance Advice Remark Code on the date in 2330B.DTP03 when DTP01 = "573".	Valid Remittance Advice Remark Code reference must be available for this edit.
X223.374.2320.MOA07.020	MOA07								277	C	CSCC A8 "Acknowledgement / Rejected for relational field in error." CSC 634: "Remark Code" CSC 187: "Date(s) of service."	If 2330B.DTP03 with DTP01 = "573" is not present, 2320.MOA07 must be a valid Remittance Advice Remark Code for the high/low date range of the 2300.DTP03s when DTP01 = "434".	
X223.374.2320.MOA08.010	MOA08	Claim ESRD Payment Amount	R	1-18	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .MOA08 must be numeric.	
X223.374.2320.MOA08.020	MOA08								999	E	IK403 = 5: "Data Element Too Long"	2320.MOA08 must be <= 99,999,999.99.	
X223.374.2320.MOA08.030	MOA08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 534: "Claim ESRD Payment Amount"		

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.374.2320.MOA08.040	MOA08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 534: "Claim ESRD Payment Amount"	2320.MOA08 must be >= 0.	
X223.374.2320.MOA08.050	MOA08								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 534: "Claim ESRD Payment Amount"	2320.MOA08 is limited to 0, 1 or 2 decimal positions.	
X223.374.2320.MOA09.010	MOA09	Non-Payable Professional Component Amount	R	1-18	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2320 .MOA09 must be numeric.	
X223.374.2320.MOA09.020	MOA09								999	E	IK403 = 5: "Data Element Too Long"	2320.MOA09 must be <= 99,999,999.99.	
X223.374.2320.MOA09.030	MOA09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 598: "Non-payable Professional Component Billed Amount"		
X223.374.2320.MOA09.040	MOA09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 598: "Non-payable Professional Component Billed Amount"	2320.MOA09 must be >= 0.	
X223.374.2320.MOA09.050	MOA09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 598: "Non-payable Professional Component Billed Amount"	2320.MOA09 is limited to 0, 1 or 2 decimal positions.	
X223.377.2330A.NM1.010	NM1	OTHER SUBSCRIBER NAME		1	R	2330A	1		999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2320.SBR is present, 2330A.NM1 must be present.	
X223.377.2330A.NM1.020	NM1								999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2330A.NM1 is allowed.	
X223.377.2330A.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			IL	999	R	IK403 = 1: "Required Data Element Missing"	2330A.NM101 must be present.	
X223.377.2330A.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2330A.NM101 must be "IL".	
X223.377.2330A.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			1, 2	999	R	IK403 = 1: "Required Data Element Missing"	2330A.NM102 must be present.	
X223.377.2330A.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2330A.NM102 must be valid values.	
X223.377.2330A.NM103.010	NM103	Other Insured Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2330A.NM103 must be present.	
X223.377.2330A.NM103.020	NM103								999	E	IK403 = 5: "Data Element Too Long"	2330A.NM103 must be 1-60 characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.377.2330A.NM103.030	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" FIC: GB Other Insured		
X223.377.2330A.NM103.040	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.NM103 must be populated with accepted AN characters.	
X223.377.2330A.NM103.050	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" FIC: GB Other Insured		
X223.377.2330A.NM103.060	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.NM103 must contain at least one non-space character.	
X223.377.2330A.NM104.010	NM104	Other Insured First Name	AN	1-35	S				999	R	IK403 = I13: "Implementation Dependent 'not used' Data Element Present"	If 2330A.NM102 is "2", 2330A.NM104 must not be present.	
X223.377.2330A.NM104.020	NM104								999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.NM104 must contain at least one non-space character.	
X223.377.2330A.NM104.030	NM104								999	E	IK403 = 5: "Data Element Too Long"	2330A.NM104 must be 1 - 35 characters.	
X223.377.2330A.NM104.040	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's First Name" FIC: GB Other Insured		
X223.377.2330A.NM104.050	NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.NM104 must be populated with accepted AN characters.	
X223.377.2330A.NM104.060	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" FIC: GB Other Insured		
X223.377.2330A.NM105.010	NM105	Other Insured Middle Name	AN	1-25	S				999	R	IK403 = I13: "Implementation Dependent 'not used' Data Element Present"	If 2330A.NM102 is "2", 2330A.NM105 must not be present.	
X223.377.2330A.NM105.020	NM105								999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.NM105 must contain at least one non-space character.	
X223.377.2330A.NM105.030	NM105								999	E	IK403 = 5: "Data Element Too Long"	2330A.NM105 must be 1 - 25 characters.	
X223.377.2330A.NM105.040	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" FIC: GB Other Insured		
X223.377.2330A.NM105.050	NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.NM105 must be populated with accepted AN characters.	
X223.377.2330A.NM105.060	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" FIC: GB Other Insured		
X223.377.2330A.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.377.2330A.NM107.010	NM107	Other Insured Name Suffix	AN	1-10	S				999	R	IK403 = I13: "Implementation Dependent 'not used' Data Element Present"	If 2330A.NM102 is "2", 2330A.NM107 must not be present.	
X223.377.2330A.NM107.020	NM107								999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.NM107 must contain at least one non-space character.	
X223.377.2330A.NM107.030	NM107								999	E	IK403 = 5: "Data Element Too Long"	2330A.NM107 must be 1 - 10 characters.	
X223.377.2330A.NM107.040	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: GB Other Insured		
X223.377.2330A.NM107.050	NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.NM107 must be populated with accepted AN characters.	
X223.377.2330A.NM107.060	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: GB Other Insured		
X223.377.2330A.NM108.010	NM108	Identification CodeQualifier	ID	1-2	R			II, MI	999	R	IK403 = 1: "Required Data Element Missing"	2330A.NM108 must be present.	
X223.377.2330A.NM108.020	NM108								999	R	IK403 = 7: "Invalid Code Value"	2330A.NM108 must be valid values.	
X223.377.2330A.NM109.010	NM109	Other Insured Identifier	AN	2-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2330A.NM109 must be present.	
X223.377.2330A.NM109.020	NM109								999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.NM109 must contain at least two non-space characters.	
X223.377.2330A.NM109.030	NM109								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2330A.NM109 must be 2-80 characters.	
X223.377.2330A.NM109.040	NM109								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 153: "Entity's ID Number" EIC: GB Other Insured		
X223.377.2330A.NM109.050	NM109								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.NM109 must be populated with accepted AN characters.	
X223.377.2330A.NM109.060	NM109								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 153: "Entity's ID Number" EIC: GB Other Insured		
X223.377.2330A.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.	
X223.377.2330A.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.	
X223.377.2330A.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.	
X223.380.2330A.N3.010	N3	OTHER SUBSCRIBER ADDRESS		1	S	2330A			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2330A.NM1 is present, 2330A.N3 may be present.	
X223.380.2330A.N3.020	N3								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330A.N3 is allowed.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.380.2330A.N301.010	N301	Other Insured Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2330A.N301 must be present.	
X223.380.2330A.N301.020	N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2330AN301 must contain at least one non-space character.	
X223.380.2330A.N301.030	N301								999	E	IK403 = 5: "Data Element Too Long"	2330A.N301 must be 1-55 characters.	
X223.380.2330A.N301.040	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" EIC: GB Other Insured		
X223.380.2330A.N301.050	N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.N301 must be populated with accepted AN characters.	
X223.380.2330A.N301.060	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: GB Other Insured		
X223.380.2330A.N302.010													
X223.380.2330A.N302.020	N302	Other Insured Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	If present, 2330A.N302 must contain at least one non-space character.	
X223.380.2330A.N302.030	N302								999	E	IK403 = 5: "Data Element Too Long"	2330A.N302 must be 1-55 characters.	
X223.380.2330A.N302.040	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" EIC: GB Other Insured		
X223.380.2330A.N302.050	N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.N302 must be populated with accepted AN characters.	
X223.380.2330A.N302.060	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" EIC: GB Other Insured		
X223.381.2330A.N4.010	N4	OTHER SUBSCRIBER CITY/STATE/ZIP CODE		1	R	2330A			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2330A.NM1 is present, 2330A.N4 must be present.	
X223.381.2330A.N4.020	N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330A.N4 is allowed.	
X223.381.2330A.N401.010	N401	Other Insured City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2330A.N401 must be present.	
X223.381.2330A.N401.020	N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2330A.N401 must contain at least two non-space characters.	
X223.381.2330A.N401.030	N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2330A.N401 must be 2-30 characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.381.2330A.N401.040	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" EIC: GB Other Insured		
X223.381.2330A.N401.050	N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2330A.N401 must be populated with accepted AN characters.	
X223.381.2330A.N401.060	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" EIC: GB Other Insured		
X223.381.2330A.N402.010	N402	Other Insured State Code	ID	2-2	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2330A.N404 is not present, 2330A.N402 must be present.	
X223.381.2330A.N402.020 edit deactivated													
X223.381.2330A.N402.030	N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" EIC: GB Other Insured	2330A.N402 must be a valid state code.	Valid State Code reference must be available for this edit.
X223.381.2330A.N403.010	N403	Other Insured Postal Zone or ZIP Code	ID	3-15	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2330A.N404 is not present, 2330A.N403 must be present.	
X223.381.2330A.N403.020 edit deactivated													
X223.381.2330A.N403.030	N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" EIC: GB Other Insured	2330A.N403 must be a valid zip code.	Valid Zip Code reference must be available for this edit.
X223.381.2330A.N404.010	N404	Country Code	ID	2-3	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 680: "Entity's Country" EIC: IL Subscriber	2330A.N404 must be a valid 2 character Country Code.	Valid alpha-2 Country Code reference must be available for this edit. (from Part 1 of ISO 3166)
X223.381.2330A.N405.010	N405	LocationQualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.381.2330A.N406.010	N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.381.2330A.N407.010	N407	Location Identifier	AN	1-30	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 695: "Entity's Country Subdivision Code" EIC: IL Subscriber	2330A.N407 must be a valid Country Subdivision Code.	
X223.383.2330A.REF.010	REF	<b>OTHER SUBSCRIBER SECONDARY IDENTIFICATION</b>		2	S	2330A			999	R	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2330A.NM1 is present, 2330A.REF may be present.</b>	
X223.383.2330A.REF.020	REF								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2330A.REF is allowed.</b>	Guide says two iterations, but subscribers can't have two SSNs, so we used one here.
X223.383.2330A.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			SY	999	R	IK403 = 1: "Required Data Element Missing"	2330A.REF01 must be present.	
X223.383.2330A.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2330A.REF01 must be "SY".	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.383.2330A.REF02.010	REF02	Other Insured Additional Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2330A.REF02 must be present.	
X223.383.2330A.REF02.020	REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 148: "Entity's Social Security Number" EIC: GB Other Insured	2330A.REF02 must be 9 digits, with no punctuation. The first 3 digits cannot be higher than 772, and digits 1-3, 4-5, and 6-9 cannot be zeros.	
X223.383.2330A.REF03.010	REF03	Description			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.383.2330A.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.384.2330B.NM1.010	NM1	OTHER PAYER NAME		1	R	2330B	1		999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2320.SBR is present, 2330B.NM1 must be present.	
X223.384.2330B.NM1.020	NM1								999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2330.NM1 is allowed.	
X223.384.2330B.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			PR	999	R	IK403 = 1: "Required Data Element Missing"	2330B.NM101 must be present.	
X223.384.2330B.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2330B.NM101 must be "PR".	
X223.384.2330B.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			2	999	R	IK403 = 1: "Required Data Element Missing"	2330B.NM102 must be present.	
X223.384.2330B.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2330B.NM102 must be "2".	
X223.384.2330B.NM103.010	NM103	Other Payer Last or Organization Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.NM103 must be present.	
X223.384.2330B.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2330B.NM103 must contain at least one non-space character.	
X223.384.2330B.NM103.030	NM103								999	E	IK403 = 5: "Data Element Too Long"	2300B.NM103 must be 1-60 characters.	
X223.384.2330B.NM103.040	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" CSC 286: Other payer's Explanation of Benefits/payment information		
X223.384.2330B.NM103.050	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.NM103 must be populated with accepted AN characters.	
X223.384.2330B.NM103.060	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" CSC 286: Other payer's Explanation of Benefits/payment information		
X223.384.2330B.NM104.010	NM104	Name First	AN	1-35	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.384.2330B.NM105.010	NM105	Name Middle	AN	1-25	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.384.2330B.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.384.2330B.NM107.010	NM107	Name Suffix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.384.2330B.NM108.010	NM108	Identification CodeQualifier	ID	1-2	R			PI, XV	999	R	IK403 = 1: "Required Data Element Missing"	2330B.NM108 must be present.	
X223.384.2330B.NM108.020	NM108								999	R	IK403 = 7: "Invalid Code Value"	2330B.NM108 must be valid values.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.384.2330B.NM109.010	NM109	Other Payer Primary Identifier	AN	2-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.NM109 must be present.	
X223.384.2330B..010									999	R	IK403 = I12: "Implementation Pattern Match Failure"	2330B.NM109 must = 2430.SVD01.	
X223.384.2330B.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.384.2330B.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.384.2330B.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.386.2330B.N3.010	N3	OTHER PAYER ADDRESS		1	S	2330B			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2330B.NM1 is present, 2330B.N3 may be present.	
X223.386.2330B.N3.020	N3								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330B.N3 is allowed.	
X223.386.2330B.N301.010	N301	Other Payer Address Line	AN	1-55	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.N301 must be present.	
X223.386.2330B.N301.020	N301								999	R	IK403 = 6: "Invalid Character in Data Element"	2330B.N301 must contain at least one non-space character.	
X223.386.2330B.N301.030	N301								999	E	IK403 = 5: "Data Element Too Long"	2330B.N301 must be 1-55 characters.	
X223.386.2330B.N301.040	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" CSC 286: Other payer's Explanation of Benefits/payment information		
X223.386.2330B.N301.050	N301								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.N301 must be populated with accepted AN characters.	
X223.386.2330B.N301.060	N301								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" CSC 286: Other payer's Explanation of Benefits/payment information		
X223.386.2330B.N302.010 edit deactivated													
X223.386.2330B.N302.020	N302	Other Payer Address Line	AN	1-55	S				999	R	IK403 = 6: "Invalid Character in Data Element"	If present, 2330B.N302 must contain at least one non-space character.	
X223.386.2330B.N302.030	N302								999	E	IK403 = 5: "Data Element Too Long"	2330B.N302 must be 1-55 characters.	
X223.386.2330B.N302.040	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 503: "Entity's Street address" CSC 286: Other payer's Explanation of Benefits/payment information		
X223.386.2330B.N302.050	N302								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.N302 must be populated with accepted AN characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.386.2330B.N302.060	N302								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 503: "Entity's Street address" CSC 286: Other payer's Explanation of Benefits/payment information		
X223.387.2330B.N4.010	N4	OTHER PAYER CITY/STATE/ZIP CODE		1	R	2330B			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2330B.NM1 is present, 2330B.N4 must be present.	
X223.387.2330B.N4.020	N4								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330B.N4 is allowed.	
X223.387.2330B.N401.010	N401	Other Payer City Name	AN	2-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.N401 must be present.	
X223.387.2330B.N401.020	N401								999	R	IK403 = 6: "Invalid Character in Data Element"	2330B.N401 must contain at least two non-space characters.	
X223.387.2330B.N401.030	N401								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2330B.N401 must be 2-30 characters.	
X223.387.2330B.N401.040	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 502: "Entity's City" CSC 286: Other payer's Explanation of Benefits/payment information		
X223.387.2330B.N401.050	N401								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.N401 must be populated with accepted AN characters.	
X223.387.2330B.N401.060	N401								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 502: "Entity's City" CSC 286: Other payer's Explanation of Benefits/payment information		
X223.387.2330B.N402.010	N402	Other Payer State Code	ID	2-2	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2330B.N404 is not present, 2330B.N402 must be present.	
X223.387.2330B.N402.020													
X223.387.2330B.N402.030	N402								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 501: "Entity's State/Province" CSC 286: Other payer's Explanation of Benefits/payment information	2330B.N402 must be a valid state code.	Valid State Code reference must be available for this edit.
X223.387.2330B.N403.010	N403	Other Payer Postal Zone or ZIP Code	ID	3-15	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2330B.N404 is not present, 2330B.N403 must be present.	
X223.387.2330B.N403.020													
X223.387.2330B.N403.030	N403								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 500: "Entity's Postal/Zip Code" CSC 286: Other payer's Explanation of Benefits/payment information	2330B.N403 must be a valid zip code.	Valid Zip Code reference must be available for this edit.
X223.387.2330B.N404.010	N404	Country Code	ID	2-3	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.387.2330B.N405.010	N405	LocationQualifier	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.387.2330B.N406.010	N406	Location Identifier	AN	1-30	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.387.2330B.N407.010	N407	Location Identifier	AN	1-30	S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.389.2330B.DTP.010	DTP	CLAIM CHECK OR REMITTANCE DATE		1	S	2330B			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2330B.NM1 is present, 2330B.DTP may be present.	
X223.389.2330B.DTP.020	DTP								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330B.DTP is allowed.	
X223.389.2330B.DTP.030	DTP								999	R	IK304 = 2: "Unexpected Segment"	If 2330B.NM1 is present and 2430.DTP with DTP01 = "573" is not present, 2330B.DTP may be present.	
X223.389.2330B.DTP01.010	DTP01	Date TimeQualifier	ID	3-3	R			573	999	R	IK403 = 1: "Required Data Element Missing"	2330B.DTP01 must be present.	
X223.389.2330B.DTP01.020	DTP01								999	R	IK403 = 7: "Invalid Code Value"	2330B.DTP01 must be "573"	
X223.389.2330B.DTP02.010	DTP02	Date Time Period FormatQualifier	ID	2-3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2330B.DTP02 must be present.	
X223.389.2330B.DTP02.020	DTP02								999	R	IK403 = 7: "Invalid Code Value"	2330B.DTP02 must be "D8".	
X223.389.2330B.DTP03.010	DTP03	Adjudication or Payment Date	AN	1-35	R			CCYYMMDD	999	R	IK403 = 8: "Invalid Date"	2330B.DTP03 must a valid date in CCYYMMDD format.	
X223.389.2330B.DTP03.020	DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 516 "Adjudication or Payment Date"	2330B.DTP03 must not be a future date.	
X223.390.2330B.REF.010	REF	OTHER PAYER SECONDARY IDENTIFIER		2	S	2330B			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2330B.NM1 is present, 2330B.REF with REF01 = "2U", "EI", "FY" or "NF" may be present.	
X223.390.2330B.REF.020	REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only two iterations of 2330B.REF with REF01 = "2U", "EI", "FY" or "NF" are allowed.	
X223.390.2330B.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			2U, EI, FY, NF	999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF01 must be present.	
X223.390.2330B.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2330B.REF01 must be valid values.	
X223.390.2330B.REF02.010	REF02	Other Payer Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF02 must be present.	
X223.390.2330B.REF02.020	REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 128: "Entity's tax id" EIC: TBD for "Other Payer"	If 2330B.REF01 = "EI", 2330B.REF02 must be 9 digits with no punctuation.	
X223.390.2330B.REF02.030	REF02								999	R	IK403 = 5: "Data Element Too Long"	If 2330B.REF01 = "2U", "FY" or "NF", 2330B.REF02 must be must be 1-50 characters.	
X223.390.2330B.REF02.040	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	If 2330B.REF01 = "2U", "FY" or "NF", 2330B.REF02 must be populated with accepted AN characters.	
X223.390.2330B.REF02.050	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	If 2330B.REF01 = "2U", "FY" or "NF", 2330B.REF02 must contain at least one non-space character.	
X223.390.2330B.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.390.2330B.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.392.2330B.REF.010	REF	OTHER PAYER PRIOR AUTHORIZATION NUMBER		1	S	2330B			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2330B.NM1 is present, 2330B.REF with REF01 = "G1" may be present.	
X223.392.2330B.REF.020	REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330B.REF with REF01 = "G1" is allowed.	
X223.392.2330B.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			G1	999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF01 must be present.	
X223.392.2330B.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2330B.REF01 must be "G1".	
X223.392.2330B.REF02.010	REF02	Other Payer Prior Authorization or Referral Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF02 must be present.	
X223.392.2330B.REF02.020	REF02								999	R	IK403 = 5: "Data Element Too Long"	2330B.REF02 must be 1-50 characters.	
X223.392.2330B.REF02.030	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.REF02 must be populated with accepted AN characters.	
X223.392.2330B.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 48: "Referral/authorization" EIC: TBD for "Other Payer"		
X223.392.2330B.REF02.050	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2330B.REF02 must contain at least one non-space character.	
X223.392.2330B.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.392.2330B.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.393.2330B.REF.010	REF	OTHER PAYER REFERRAL NUMBER		1	S	2330B			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2330B.NM1 is present, 2330B.REF with REF01 = "9F" may be present.	
X223.393.2330B.REF.020	REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330B.REF with REF01 = "9F" is allowed.	
X223.393.2330B.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			9F	999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF01 must be present.	
X223.393.2330B.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2330B.REF01 must be "9F".	
X223.393.2330B.REF02.010	REF02	Other Payer Referral Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF02 must be present.	
X223.393.2330B.REF02.020	REF02								999	R	IK403 = 5: "Data Element Too Long"	2330B.REF02 must be 1-50 characters.	
X223.393.2330B.REF02.030	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.REF02 must be populated with accepted AN characters.	
X223.393.2330B.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 48: "Referral/authorization" EIC: TBD for "Other Payer"		
X223.393.2330B.REF02.050	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2330B.REF02 must contain at least one non-space character.	
X223.393.2330B.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.393.2330B.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.394.2330B.REF.010	REF	OTHER PAYER CLAIM ADJUSTMENT INDICATOR		1	S	2330B			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2330B.NM1 is present, 2330B.REF with REF01 = "T4" may be present.	
X223.394.2330B.REF.020	REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330B.REF with REF01 = "T4" is allowed.	
X223.394.2330B.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			T4	999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF01 must be present.	
X223.394.2330B.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2330B.REF01 must be "T4".	
X223.394.2330B.REF02.010	REF02	Other Payer Claim Adjustment Indicator	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF02 must be present.	
X223.394.2330B.REF02.020	REF02								999	R	IK403 = 7: "Invalid Code Value"	2330B.REF02 must be = "Y".	
X223.394.2330B.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.394.2330B.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.395.2330B.REF.010	REF	OTHER PAYER CLAIM CONTROL NUMBER		1	S	2330B			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2330B.NM1 is present, 2330B.REF with REF01 = "F8" may be present.	
X223.395.2330B.REF.020	REF								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2330B.REF with REF01 = "F8" is allowed.	
X223.395.2330B.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			F8	999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF01 must be present.	
X223.395.2330B.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2330B.REF01 must be "F8".	
X223.395.2330B.REF02.010	REF02	Other Payer Claim Control Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2330B.REF02 must be present.	
X223.395.2330B.REF02.020	REF02								999	R	IK403 = 5: "Data Element Too Long"	2330B.REF02 must be 1-50 characters.	
X223.395.2330B.REF02.030	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2330B.REF02 must be populated with accepted AN characters.	
X223.395.2330B.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 464: "Payer Assigned Claim Control Number" EIC: TBD for "Other Payer"		
X223.395.2330B.REF02.050	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2330B.REF02 must contain at least one non-space character.	
X223.395.2330B.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.395.2330B.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.396.2330C..010	NM1	Other Payer Attending Provider Loop				2330C	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330C Loop must not be present.	02/04: Companion Guide Note needed.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.396.2330C.NM1.010	NM1	OTHER PAYER ATTENDING PROVIDER		1	S	2330C			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330C.NM1 must not be present.	
X223.398.2330C.REF.010	REF	OTHER PAYER ATTENDING PROVIDER SECONDARY IDENTIFICATION		4	R	2330C			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330C.REF must not be present.	
X223.400.2330D..010		Other Payer Operating Physician Loop				2330D	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330D Loop must not be present.	02/04: Companion Guide Note needed.
X223.400.2330D.NM1.010	NM1	OTHER PAYER OPERATING PHYSICIAN		1	S	2330D	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330D.NM1 must not be present.	
X223.402.2330D.REF.010	REF	OTHER PAYER OPERATING PHYSICIAN SECONDARY IDENTIFICATION		4	R	2330D			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330D.REF must not be present.	
X223.404.2330E..010		Other Payer Other Operating Physician Loop				2330E	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330E Loop must not be present.	02/04: Companion Guide Note needed.
X223.404.2330E.NM1.010	NM1	OTHER PAYER OTHER OPERATING PHYSICIAN		1	S	2330E	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330E.NM1 must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.406.2330E.REF.010	REF	OTHER PAYER OTHER OPERATING PHYSICIAN SECONDARY IDENTIFICATION		4	R	2330E			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330E.REF must not be present.	
X223.408.2330F..010		Other Payer Service Facility Location Loop				2330F	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330F Loop must not be present.	02/04: Companion Guide Note needed.
X223.408.2330F.NM1.010	NM1	OTHER PAYER SERVICE FACILITY LOCATION		1	S	2330F	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330F.NM1 must not be present.	
X223.410.2330F.REF.010	REF	OTHER PAYER SERVICE FACILITY LOCATION SECONDARY IDENTIFICATION		3	R	2330F			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330F.REF must not be present.	
X223.412.2330G..010		Other Payer Rendering Provider Loop				2330G	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330G Loop must not be present.	02/04: Companion Guide Note needed.
X223.412.2330G.NM1.010	NM1	OTHER PAYER RENDERING PROVIDER NAME		1	S	2330G	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330G.NM1 must not be present.	
X223.414.2330G.REF.010	REF	OTHER PAYER RENDERING PROVIDER SECONDARY IDENTIFIER		4	R	2330G			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330G.REF must not be present.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.416.2330H..010		Other Payer Referring Provider Loop				2330H	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330H Loop must not be present.	02/04: Companion Guide Note needed.
X223.416.2330H.NM1.010	NM1	OTHER PAYER REFERRING PROVIDER		1	S	2330H	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330H.NM1 must not be present.	
X223.418.2330H.REF.010	REF	OTHER PAYER REFERRING PROVIDER SECONDARY IDENTIFIER		3	R	2330H			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330H.REF must not be present.	
X223.420.2330I..010		Other Payer Billing Provider Loop				2330I	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330I Loop must not be present.	02/04: Companion Guide Note needed.
X223.420.2330I.NM1.010	NM1	OTHER PAYER BILLING PROVIDER		1	S	2330I	1		277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330I.NM1 must not be present.	
X223.422.2330I.REF.010	REF	OTHER PAYER BILLING PROVIDER SECONDARY IDENTIFICATION		2	R	2330I			277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	2330I.REF must not be present.	
X223.423.2400..010		Service Line Loop				2400			277	T	CSCC A3: "Acknowledgement /Returned as unprocessable claim" CSC 121: "Service line number greater than maximum allowable for payer"	Only 449 iterations of the 2400 loop are allowed.	CMS policy limit is 449
X223.423.2400.LX.010	LX	SERVICE LINE NUMBER		1	R	2400	999		999	R	IK304 = 3: "Required Segment Missing"	2400.LX must be present.	
X223.423.2400.LX.020	LX								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.LX is allowed.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.423.2400.LX01.010	LX01	Assigned Number	N0	1-6	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.LX01 must be present.	
X223.423.2400.LX01.020	LX01								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.LX01 must be numeric.	
X223.423.2400.LX01.030	LX01								277	C	CSCC A3: "Acknowledgement /Returned as unprocessable claim" CSC 121: "Service line number greater than maximum allowable for payer"	2400.LX01 must be > 0 and <= 449.	
X223.423.2400.LX01.040	LX01								999	R	IK403 = I12: "Implementation Pattern Match Failure"	The first 2400.LX01 must be "1".	
X223.423.2400.LX01.050	LX01								999	R	IK403 = I12: "Implementation Pattern Match Failure"	Subsequent 2400.LX01 values must increment by 1.	
X223.424.2400.SV2.010	SV2	<b>INSTITUTIONAL SERVICE LINE</b>		1	R	2400			999	R	IK304 = 3: "Required Segment Missing"	2400.SV2 must be present.	
X223.424.2400.SV2.020	SV2								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.SV2 is allowed.	
X223.424.2400.SV201.010	SV201	Revenue Code	AN	1-48	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.SV201 must be present.	
X223.424.2400.SV201.020	SV201								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 455: "Revenue code for services rendered"	2400.SV201 must be a valid revenue code.	Valid Revenue Code reference must be available for this edit.
X223.424.2400.SV202.010	SV202	COMPOSITE			S								
X223.424.2400.SV202-1.010	SV202-1	Product or Service IDQualifier	ID	2-2	R			ER, HC, HP, IV, WK	999	R	IK403 = 1: "Required Data Element Missing"	2400.SV202-1 must be present.	
X223.424.2400.SV202-1.020	SV202-1								999	R	IK403 = 7: "Invalid Code Value"	2400.SV202-1 must be "HP" or "HC".	
X223.424.2400.SV202-2.010	SV202-2	Procedure Code	AN	1-48	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.SV202-2 must be present.	
X223.424.2400.SV202-2.020	SV202-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 507: "HCPCS"	When 2400.SV202-1 = "HC", 2400.SV202-2 must be a valid HCPCS Code on the date in 2400.DTP03 when DTP01 = "472".	Valid HCPCS reference must be available for this edit.
X223.424.2400.SV202-2.030	SV202-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 513: "HIPPS Rate Code for services Rendered"	When 2400.SV202-1 = "HP", 2400.SV202-2 must be a valid HIPPS Skilled Nursing Facility Rate Code.	Valid HIPPS Code reference must be available for this edit.
X223.424.2400.SV202-3.010	SV202-3	Procedure Modifier	AN	2-2	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered"	2400.SV202-3 must be valid procedure modifier.	Valid Procedure Code Modifier reference must be available for this edit.
X223.424.2400.SV202-4.010	SV202-4	Procedure Modifier	AN	2-2	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered"	2400.SV202-4 must be valid procedure modifier.	Valid Procedure Code Modifier reference must be available for this edit.
X223.424.2400.SV202-5.010	SV202-5	Procedure Modifier	AN	2-2	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered"	2400.SV202-5 must be valid procedure modifier.	Valid Procedure Code Modifier reference must be available for this edit.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.424.2400.SV202-6.010	SV202-6	Procedure Modifier	AN	2-2	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered"	2400.SV202-6 must be valid procedure modifier.	Valid Procedure Code Modifier reference must be available for this edit.
X223.424.2400.SV202-7.010	SV202-7	Description	AN	1-80	S				999	R	IK403 = 19: "Implementation Dependent Data Element Missing"	2400.SV202-7 must be present. when 2400.SV202-2 contains a non-specific procedure code.	Valid Non-Specific Procedure Code reference must be available for this edit.
X223.424.2400.SV202-7.020	SV202-7								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.SV202-7 must contain at least one non-space character.	
X223.424.2400.SV202-7.030	SV202-7								999	E	IK403 = 5: "Data Element Too Long"	2400.SV202-7 must be 1-80 characters.	
X223.424.2400.SV202-7.040	SV202-7								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 306: "Detailed description of service"		
X223.424.2400.SV202-7.050	SV202-7								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.SV202-7 must be populated with accepted AN characters.	
X223.424.2400.SV202-7.060	SV202-7								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 306: "Detailed description of service"		
X223.424.2400.SV202-8.010	SV202-8	Product/Service ID	AN	1-48	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.	
X223.424.2400.SV203.010	SV203	Line Item Charge Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.SV203 must be present.	
X223.424.2400.SV203.020	SV203								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.SV203 must be numeric.	
X223.424.2400.SV203.030	SV203								999	E	IK403 = 5: "Data Element Too Long"	2400.SV203 must be <= 99,999,999.99.	
X223.424.2400.SV203.040	SV203								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 583: "Line Item Charge Amount"	2400.SV203 must be >= 0.	
X223.424.2400.SV203.050	SV203								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 583: "Line Item Charge Amount"	2400.SV203 is limited to 0, 1 or 2 decimal positions.	
X223.424.2400.SV203.060	SV203								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 400: "Claim is out of balance: CSC 583:"Line Item Charge Amount" CSC 643: "Service Line Paid Amount"	SV203 must = the sum of all payer amounts paid found in 2430 SVD02 and the sum of all line adjustments found in 2430 CAS Adjustment Amounts.	Companion guide note needed.
X223.424.2400.SV204.010	SV204	Unit or Basis for Measurement Code	ID	2-2	R			DA, UN	999	R	IK403 = 1: "Required Data Element Missing"	2400.SV204 must be present.	
X223.424.2400.SV204.020	SV204								999	R	IK403 = 7: "Invalid Code Value"	2400.SV204 must be valid values.	
X223.424.2400.SV205.010	SV205	Service Unit Count	R	1-15	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.SV205 must be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.424.2400.SV205.020	SV205								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.SV205 must be numeric.	
X223.424.2400.SV205.030	SV205								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 402: "Amount must be greater than zero" CSC 476: "Missing or invalid units of service"	2400.SV205 must be > 0.	
X223.424.2400.SV205.040	SV205								999	E	IK403 = 5: "Data Element Too Long"	2400.SV205 must be 1 - 7 digits, excluding the decimal.	3/26: Companion Guide Note needed. 1-7 size only.
X223.424.2400.SV205.050	SV205								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 476: "Missing or invalid units of service"	2400.SV205 must be an integer (whole number).	Limited to integers, no decimals. 3/26: Companion Guide Note needed.
X223.424.2400.SV206.010	SV206	Unit Rate	ID	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.	
X223.424.2400.SV207.010													
X223.424.2400.SV207.020	SV207	Monetary Amount	R	1-18	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2400.SV207 must be numeric.	
X223.424.2400.SV207.030	SV207								999	E	IK403 = 5: "Data Element Too Long"	2400.SV207 must be <= 99,999,999.99.	
X223.424.2400.SV207.040	SV207								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 596: "Non-covered Charge Amount"	2400.SV207 must be >= 0	
X223.424.2400.SV207.050	SV207								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 596: "Non-covered Charge Amount"	2400.SV207 is limited to 0, 1 or 2 decimal positions.	
X223.429.2400.PWK.010	PWK	LINE SUPPLEMENTAL INFORMATION		10	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only ten iterations of 2400.PWK are allowed.	pass thru, syntax only
X223.429.2400.PWK01.010	PWK01	Attachment Report Type Code	ID	2-2	R			03, 04, 05, 06, 07, 08, 09, 10, 11, 13, 15, 21, A3, A4, AM, AS, B2, B3, B4, BR, BS, BT, CB, CK, CT, D2, DA, DB, DG, DJ, DS, EB, HC, HR, I5, IR, LA, M1, MT, NN, OB, OC, OD, OE, OX, OZ, P4, P5, PE, PN, PO, PQ, PY, PZ, RB, RR, RT, RX, SC, V5, XR	999	R	IK403 = 1: "Required Data Element Missing"	2400.PWK01 must be present.	
X223.429.2400.PWK01.020	PWK01								999	R	IK403 = 7: "Invalid Code Value"	2400.PWK01 must be valid values.	
X223.429.2400.PWK02.010	PWK02	Attachment Transmission Code	ID	1-2	R			AA, BM, EL, EM, FT, FX	999	R	IK403 = 1: "Required Data Element Missing"	2400.PWK02 must be present.	
X223.429.2400.PWK02.020	PWK02								999	R	IK403 = 7: "Invalid Code Value"	2400.PWK02 must be valid values.	
X223.429.2400.PWK03.010	PWK03	Report Copies Needed	N0	1-2	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.429.2400.PWK04.010	PWK04	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.429.2400.PWK05.010	PWK05	Identification CodeQualifier	ID	1-2	S			AC	999	R	IK403 = 2 "Conditional Required Data Element Missing"	When 2400.PWK05 is present, 2400.PWK02 must be "BM", "EL", "EM", "FX" or "FT".	
X223.429.2400.PWK05.020	PWK05								999	R	IK403 = 7: "Invalid Code Value"	2400.PWK05 must be "AC".	
X223.429.2400.PWK06.010	PWK06	Identification Code	AN	2-80	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	When 2400.PWK06 is present, 2400.PWK02 must be "BM", "EL", "EM", "FX" or "FT".	
X223.429.2400.PWK06.020	PWK06								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.PWK06 must contain at least two non-space characters.	
X223.429.2400.PWK06.030	PWK06								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2400.PWK06 must be 2-50 characters.	
X223.429.2400.PWK06.040	PWK06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 489: "Attachment Control Number"		
X223.429.2400.PWK06.050	PWK06								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.PWK06 must be populated with accepted AN characters.	
X223.429.2400.PWK06.060	PWK06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 489: "Attachment Control Number"		
X223.429.2400.PWK07.010	PWK07	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.429.2400.PWK08.010	PWK08	ACTIONS INDICATED			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.429.2400.PWK09.010	PWK09	Request Category Code	ID	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.433.2400.DTP.010	DTP	SERVICE LINE DATE		1	S	2400			999	R	IK304 = 3: "Required Segment Missing"	2400.DTP with DTP01 = "472" must be present.	
X223.433.2400.DTP.020	DTP								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.DTP with DTP01 = "472" is allowed.	
X223.433.2400.DTP01.010	DTP01	Date TimeQualifier	ID	3-3	R			472	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP01 must be "472".	
X223.433.2400.DTP02.010	DTP02	Date Time Period FormatQualifier	ID	2-3	R			D8, RD8	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP02 must be present.	
X223.433.2400.DTP02.020	DTP02								999	R	IK403 = 7: "Invalid Code Value"	2400.DTP02 must be valid values.	
X223.433.2400.DTP03.010	DTP03	Service Date	AN	1-35	R			CYYMMDD, CCYYMMDD-CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2400.DTP03 must be present.	
X223.433.2400.DTP03.020	DTP03								999	R	IK403 = 8: "Invalid Date"	If 2400.DTP02 = "D8" then 2400.DTP03 must be a valid date in CCYYMMDD format.	
X223.433.2400.DTP03.030	DTP03								999	R	IK403 = 8: "Invalid Date"	If 2400.DTP02 = "RD8" then 2400.DTP03 must be a valid date in CCYYMMDD-CCYYMMDD format.	
X223.433.2400.DTP03.040	DTP03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 510: "Future date" CSC 187: "Date(s) of service"	2400.DTP03 may not be a future date.	CMS business edit. 02/04: Companion Guide Note needed

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.435.2400.REF.010	REF	LINE ITEM CONTROL NUMBER		1	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.REF with REF01 = "6R" is allowed.	
X223.435.2400.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			6R	999	R	IK403 = 1: "Required Data Element Missing"	2400.REF01 must be present.	
X223.435.2400.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2400.REF01 must be "6R".	
X223.435.2400.REF02.010	REF02	Line Item Control Number	AN	1-30	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.REF02 must be present.	
X223.435.2400.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must contain at least one non-space character.	
X223.435.2400.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2400.REF02 must be 1-30 characters.	
X223.435.2400.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 584: "Line Item Control Number"		
X223.435.2400.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must be populated with accepted AN characters.	
X223.435.2400.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 584: "Line Item Control Number"		
X223.435.2400.REF02.070	REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 584: "Line Item Control Number"	2400.REF02 must be unique within a single iteration of 2300.CLM01.	
X223.435.2400.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.435.2400.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.437.2400.REF.010	REF	REPRICED LINE ITEM REFERENCE NUMBER		1	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.REF with REF01 = "9B" is allowed.	pass through, syntax only
X223.437.2400.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			9B	999	R	IK403 = 1: "Required Data Element Missing"	2400.REF01 must be present.	
X223.437.2400.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2400.REF01 must be "9B".	
X223.437.2400.REF02.010	REF02	Repriced Line Item Reference Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.REF02 must be present.	
X223.437.2400.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must contain at least one non-space character.	
X223.437.2400.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2400.REF02 must be 1-50 characters.	
X223.437.2400.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 636: "Repriced Line Item Reference Number"		
X223.437.2400.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must be populated with accepted AN characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.437.2400.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 636: "Repriced Line Item Reference Number"		
X223.437.2400.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.437.2400.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.438.2400.REF.010	REF	<b>ADJUSTED REPRICED LINE ITEM REFERENCE NUMBER</b>		1	S	2400			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.REF with REF01 = "9D" is allowed.</b>	pass through, syntax only
X223.438.2400.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			9D	999	R	IK403 = 1: "Required Data Element Missing"	2400.REF01 must be present.	
X223.438.2400.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2400.REF01 must be "9D".	
X223.438.2400.REF02.010	REF02	Adjusted Repriced Line Item Reference Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.REF02 must be present.	
X223.438.2400.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must contain at least one non-space character.	
X223.438.2400.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2400.REF02 must be 1-50 characters.	
X223.438.2400.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 518: "Adjusted Repriced Line item Reference Number"		
X223.438.2400.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.REF02 must be populated with accepted AN characters.	
X223.438.2400.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 518: "Adjusted Repriced Line item Reference Number"		
X223.438.2400.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.438.2400.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.439.2400.AMT.010	AMT	<b>SERVICE TAX AMOUNT</b>		1	S	2400			999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2400.AMT with AMT01 = "GT" is allowed.</b>	pass through, syntax only
X223.439.2400.AMT01.010	AMT01	AmountQualifier Code	ID	1-3	R			GT	999	R	IK403 = 1: "Required Data Element Missing"	2400.AMT01 must be present.	
X223.439.2400.AMT01.020	AMT01								999	R	IK403 = 7: "Invalid Code Value"	2400.AMT01 must be "GT".	
X223.439.2400.AMT02.010	AMT02	Service Tax Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.AMT02 must be present.	
X223.439.2400.AMT02.020	AMT02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.AMT02 must be numeric.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.439.2400.AMT02.025	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 645: "Service Tax Amount"	2400.AMT02 must be >= 0.	
X223.439.2400.AMT02.030	AMT02								999	E	IK403 = 5: "Data Element Too Long"	2400.AMT02 Must be <= 99,999,999.99.	
X223.439.2400.AMT02.040	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 645: "Service Tax Amount"		
X223.439.2400.AMT02.050	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 645: "Service Tax Amount"	2400.AMT02 is limited to 0, 1 or 2 decimal positions.	2400.AMT02 is limited to 0, 1 or 2 decimal positions.
X223.439.2400.AMT03.010	AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.	
X223.440.2400.AMT.010	AMT	FACILITY TAX AMOUNT		1	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.AMT with AMT01 = "N8" is allowed.	pass through, syntax only
X223.440.2400.AMT01.010	AMT01	AmountQualifier Code	ID	1-3	R			N8	999	R	IK403 = 1: "Required Data Element Missing"	2400.AMT01 must be present.	
X223.440.2400.AMT01.020	AMT01								999	R	IK403 = 7: "Invalid Code Value"	2400.AMT01 must be "N8".	
X223.440.2400.AMT02.010	AMT02	Facility Tax Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.AMT02 must be present.	
X223.440.2400.AMT02.020	AMT02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.AMT02 must be numeric.	
X223.440.2400.AMT02.025	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 563: "Entity's Tax Amount" EIC: FA Facility	2400.AMT02 must be >= 0.	
X223.440.2400.AMT02.030	AMT02								999	E	IK403 = 5: "Data Element Too Long"	2400.AMT02 must be <= 99,999,999.99.	
X223.440.2400.AMT02.040	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 563: "Entity's Tax Amount" EIC: FA Facility		
X223.440.2400.AMT02.045	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 563: "Entity's Tax Amount" EIC: FA Facility	2400.AMT02 is limited to 0, 1 or 2 decimal positions.	
X223.440.2400.AMT03.010	AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.441.2400.NTE.010	NTE	THIRD PARTY ORGANIZATION NOTES		1	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.NTE is allowed.	pass through, syntax only
X223.441.2400.NTE01.010	NTE01	Note Reference Code	ID	3-3	R			TPO	999	R	IK403 = 1: "Required Data Element Missing"	2400.NTE01 must be present.	
X223.441.2400.NTE01.020	NTE01								999	R	IK403 = 7: "Invalid Code Value"	2400.NTE01 must be "TPO".	
X223.441.2400.NTE02.010	NTE02	Line Note Text	AN	1-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.NTE02 must be present.	
X223.441.2400.NTE02.020	NTE02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.NTE02 must contain at least one non-space character.	
X223.441.2400.NTE02.030	NTE02								999	E	IK403 = 5: "Data Element Too Long"	2400.NTE02 must be 1-80 characters.	
X223.441.2400.NTE02.040	NTE02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 586: "Line Note Text"		
X223.441.2400.NTE02.050	NTE02								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.NTE02 must be populated with accepted AN characters.	
X223.441.2400.NTE02.060	NTE02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 586: "Line Note Text"		
X223.442.2400.HCP.010	HCP	LINE PRICING/REPRICING INFORMATION		1	S	2400			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2400.HCP is allowed.	pass through, syntax only
X223.442.2400.HCP01.010	HCP01	Pricing Methodology	ID	2-2	R			00, 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 13, 14	999	R	IK403 = 1: "Required Data Element Missing"	2400.HCP01 must be present.	
X223.442.2400.HCP01.020	HCP01								999	R	IK403 = 7: "Invalid Code Value"	2400.HCP01 must be valid values.	
X223.442.2400.HCP02.010	HCP02	Repriced Allowed Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2400.HCP02 must be present.	
X223.442.2400.HCP02.020	HCP02								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.HCP02 must be numeric.	
X223.442.2400.HCP02.030	HCP02								999	E	IK403 = 5: "Data Element Too Long"	2400.HCP02 Must be <= 99,999,999.99.	
X223.442.2400.HCP02.030	HCP02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD15: "Repriced Allowed Amount"		
X223.442.2400.HCP03.010	HCP03	Repriced Saving Amount	R	1-18	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2400.HCP03 must be numeric.	
X223.442.2400.HCP03.020	HCP03								999	E	IK403 = 5: "Data Element Too Long"	2400.HCP03 Must be <= 99,999,999.99.	
X223.442.2400.HCP03.030	HCP03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 637: "Repriced Saving Amount"		
X223.442.2400.HCP04.010	HCP04	Repricing Organization Identifier	AN	1-50	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2400.HCP04 must contain at least one non-space character.	
X223.442.2400.HCP04.020	HCP04								999	E	IK403 = 5: "Data Element Too Long"	2400.HCP04 must be 1-50 characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.442.2400.HCP04.030	HCP04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD16: "Repricing Organization Identifier" EIC: TU Third Party Repricing Organization (TPO)		
X223.442.2400.HCP04.040	HCP04								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.HCP04 must be populated with accepted AN characters.	
X223.442.2400.HCP04.050	HCP04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" TBD16: "Repricing Organization Identifier" EIC: TU Third Party Repricing Organization (TPO)		
X223.442.2400.HCP05.010	HCP05	Repricing Per Diem or Flat Rate Amount	R	1-9	S				999	E	IK403 = 5: "Data Element Too Long"	2400.HCP05 must be 1 - 9 characters.	
X223.442.2400.HCP05.020	HCP05								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 638: "Repricing Per Diem or Flat Rate Amount"		
X223.442.2400.HCP06.010	HCP06	Repriced Approved Ambulatory Patient Group Code	AN	1-50	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2400.HCP06 must contain at least one non-space character.	
X223.442.2400.HCP06.020	HCP06								999	E	IK403 = 5: "Data Element Too Long"	2400.HCP06 must be 1-50 characters.	
X223.442.2400.HCP06.030	HCP06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 635: "Repriced Approved Ambulatory Patient Group"		
X223.442.2400.HCP06.040	HCP06								999	E	IK403 = 6: "Invalid Character in Data Element"	2400.HCP06 must be populated with accepted AN characters.	
X223.442.2400.HCP06.050	HCP06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 635: "Repriced Approved Ambulatory Patient Group"		
X223.442.2400.HCP07.010	HCP07	Approved DRG Amount	R	1-18	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2400.HCP07 must be numeric.	
X223.442.2400.HCP07.020	HCP07								999	E	IK403 = 5: "Data Element Too Long"	2400.HCP07 Must be <= 99,999,999.99.	
X223.442.2400.HCP07.030	HCP07								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD17: "Approved DRG Amount"		
X223.442.2400.HCP08.010	HCP08	Product/Service ID	AN	1-48	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD19: "Repriced Approved Revenue Code"	2400.HCP08 must be a valid revenue code.	Valid Revenue Code reference must be available for this edit.
X223.442.2400.HCP09.010	HCP09	Product or Service IDQualifier	ID	2-2	S			ER,HC, HP,IV, WK	999	R	IK403 = 7: "Invalid Code Value"	2400.HPC09 must be "HP" or "HC".	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.442.2400.HCP09.020	HCP09								999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2400.HPC10 is present, 2400.HPC09 must be present.	
X223.442.2400.HCP10.010	HCP10	Procedure Code	AN	1-48	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2400.HPC09 is present, 2400.HPC10 must be present.	
X223.442.2400.HCP10.020	HCP10								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 507: "HCPCS"	When 2400.HCP09 = "HC", 2400.HCP10 must be a valid HCPCS Code on the date in 2400.DTP03 when DTP01 = "472".	Valid HCPCS reference must be available for this edit.
X223.442.2400.HCP10.030	HCP10								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 513: "HIPPS Rate Code for services Rendered"	When 2400.HCP10 = "HP", 2400.HCP10 must be a valid HIPPS Skilled Nursing Facility Rate Code.	Valid HIPPS Code reference must be available for this edit.
X223.442.2400.HCP11.010	HCP11	Unit or Basis for Measurement Code	ID	2-2	S			DA, UN	999	R	IK403 = 7: "Invalid Code Value"	2400.HCP11 must be valid values.	
X223.442.2400.HCP11.020	HCP11								999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2400.HPC12 is present, 2400.HPC11 must be present.	
X223.442.2400.HCP12.010	HCP12	Repriced Approved Service Unit Count	R	1-15	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2400.HPC11 is present, 2400.HPC12 must be present.	
X223.442.2400.HCP12.020	HCP12								999	R	IK403 = 6: "Invalid Character in Data Element"	2400.HCP12 must be numeric.	
X223.442.2400.HCP12.030	HCP12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" TBD21: "Repriced Approved Service Unit Count"		
X223.442.2400.HCP12.040	HCP12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" TBD21: "Repriced Approved Service Unit Count"	2400.HCP12 is limited to 0, 1, 2, or 3 decimal positions.	
X223.442.2400.HCP13.010	HCP13	Reject Reason Code	ID	2-2	S			T1, T2, T3, T4, T5, T6	999	R	IK403 = 7: "Invalid Code Value"	2400.HCP13 must be valid values.	
X223.442.2400.HCP14.010	HCP14	Policy Compliance Code	ID	1-2	S			1, 2, 3, 4, 5	999	R	IK403 = 7: "Invalid Code Value"	2400.HCP14 must be valid values.	
X223.442.2400.HCP15.010	HCP15	Exception Code	ID	1-2	S			1, 2, 3, 4, 5, 6	999	R	IK403 = 7: "Invalid Code Value"	2400.HCP15 must be valid values.	
X223.449.2410.LIN.010	LIN	<b>DRUG IDENTIFICATION</b>		<b>1</b>	<b>S</b>	<b>2410</b>	<b>1</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2410.LIN is allowed.</b>	
X223.449.2410.LIN01.010	LIN01	Assigned Identification	AN	1-20	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN02.010	LIN02	Product or Service IDQualifier	ID	2-2	R			N4	999	R	IK403 = 1: "Required Data Element Missing"	2410.LIN02 must be present.	
X223.449.2410.LIN02.020	LIN02								999	R	IK403 = 7: "Invalid Code Value"	2410.LIN02 must be "N4".	
X223.449.2410.LIN03.010	LIN03	National Drug Code	AN	1-48	R				999	R	IK403 = 1: "Required Data Element Missing"	2410.LIN03 must be present.	
X223.449.2410.LIN03.020	LIN03								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 218: "NDC Number"	2410.LIN03 must be a valid NDC code.	Valid NDC code reference must be available for this edit.
X223.449.2410.LIN04.010	LIN04	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN05.010	LIN05	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN06.010	LIN06	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.449.2410.LIN07.010	LIN07	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN08.010	LIN08	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN09.010	LIN09	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN10.010	LIN10	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN11.010	LIN11	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN12.010	LIN12	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN13.010	LIN13	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN14.010	LIN14	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN15.010	LIN15	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN16.010	LIN16	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN17.010	LIN17	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN18.010	LIN18	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN19.010	LIN19	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN20.010	LIN20	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN21.010	LIN21	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN22.010	LIN22	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN23.010	LIN23	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN24.010	LIN24	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN25.010	LIN25	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN26.010	LIN26	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN27.010	LIN27	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN28.010	LIN28	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN29.010	LIN29	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN30.010	LIN30	Product/Service IDQualifier	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.449.2410.LIN31.010	LIN31	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP.010	CTP	DRUG QUANTITY		1	R	2410			999	R	IK304 = I6: "Implementation Dependent Segment Missing"	If 2410.LIN is present, 2410.CTP must be present.	
X223.452.2410.CTP.020	CTP								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2410.CTP is allowed.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.452.2410.CTP01.010	CTP01	Class of Trade Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP02.010	CTP02	Price Identifier Code	ID	3-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP03.010	CTP03	Unit Price	R	1-17	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP04.010	CTP04	National Drug Unit Count	R	1-15	R				999	R	IK403 = 1: "Required Data Element Missing"	2410.CTP04 must be present.	
X223.452.2410.CTP04.030	CTP04								999	E	IK403 = 5: "Data Element Too Long"	2410.CTP04 must be > 0 and <= 9,999,999.999.	03/27: format is 9(7)V999 (per CR 6330). Companion Guide Note needed.
X223.452.2410.CTP04.040	CTP04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 216: "Drug information"	2410.CTP04 is limited to 3 decimal positions.	Companion Guide Note needed.
X223.452.2410.CTP05.010	CTP05	COMPOSITE UNIT OF MEASURE			R								
X223.452.2410.CTP05-1.010	CTP05-1	Unit or Basis For Measurement Code	ID	2-2	R			F2, GR, ME, ML, UN	999	R	IK403 = 1: "Required Data Element Missing"	2410.CTP05-1 must be present.	
X223.452.2410.CTP05-1.020	CTP05-1								999	R	IK403 = 7: "Invalid Code Value"	2410.CTP05-1 must be valid values.	
X223.452.2410.CTP05-2.010	CTP05-2	Exponent	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP05-3.010	CTP05-3	Multiplier	R	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP05-4.010	CTP05-4	Unit or Basis For Measurement Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP05-5.010	CTP05-5	Exponent	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP05-6.010	CTP05-6	Multiplier	R	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP05-7.010	CTP05-7	Unit or Basis For Measurement Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP05-8.010	CTP05-8	Exponent	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP05-9.010	CTP05-9	Multiplier	R	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP05-10.010	CTP05-10	Unit or Basis For Measurement Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP05-11.010	CTP05-11	Exponent	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP05-12.010	CTP05-12	Multiplier	R	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP05-13.010	CTP05-13	Unit or Basis For Measurement Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP05-14.010	CTP05-14	Exponent	R	1-15	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP05-15.010	CTP05-15	Multiplier	R	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP06.010	CTP06	Price MultiplierQualifier	ID	3-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP07.010	CTP07	Multiplier	R	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP08.010	CTP08	Monetary Amount	R	1-18	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.452.2410.CTP09.010	CTP09	Basis of Unit Price Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP10.010	CTP10	Condition Value	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.452.2410.CTP11.010	CTP11	Multiple Price Quantity	N0	1-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.454.2410.REF.010	REF	<b>PRESCRIPTION OR COMPOUND DRUG ASSOCIATION NUMBER</b>		1	S	2410			999	R	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>If 2410.LIN is present, 2410.REF may be present.</b>	06/04: Pass-through, syntax only.
X223.454.2410.REF.020	REF								999	R	<b>IK304 = 5: "Segment Exceeds Maximum Use"</b>	<b>Only one iteration of 2410.REF is allowed.</b>	
X223.454.2410.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			VY, XZ	999	R	IK403 = 1: "Required Data Element Missing"	2410.REF01 must be present.	
X223.454.2410.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2410.REF01 must be valid values.	
X223.454.2410.REF02.010	REF02	Prescription Number	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2410.REF02 must be present.	
X223.454.2410.REF02.020	REF02								999	R	IK403 = 6: "Invalid Character in Data Element"	2410.REF02 must contain at least one non-space character.	
X223.454.2410.REF02.030	REF02								999	E	IK403 = 5: "Data Element Too Long"	2410.REF02 must be 1-50 characters.	
X223.454.2410.REF02.040	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 219: "Prescription number"		
X223.454.2410.REF02.050	REF02								999	E	IK403 = 6: "Invalid Character in Data Element"	2410.REF02 must be populated with accepted AN characters.	
X223.454.2410.REF02.060	REF02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 219: "Prescription number"		
X223.454.2410.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.454.2410.REF04.010	REF04	REFERENCE IDENTIFIER			N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.456.2420A.NM1.010	NM1	<b>OPERATING PHYSICIAN NAME</b>		1	S	2420A	1		999	R	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2420A.NM1 is allowed.</b>	pass through, syntax only
X223.456.2420A.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			72	999	R	IK403 = 1: "Required Data Element Missing"	2420A.NM101 must be present.	
X223.456.2420A.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2420A.NM101 must be "72".	
X223.456.2420A.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2420A.NM102 must be present.	
X223.456.2420A.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2420A.NM102 must be "1".	
X223.456.2420A.NM103.010	NM103	Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2420A.NM103 must be present.	
X223.456.2420A.NM103.020	NM103								999	E	IK403 = 5: "Data Element Too Long"	2420A.NM103 must be 1-60 characters.	
X223.456.2420A.NM103.030	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: 72 Operating Physician		

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.456.2420A.NM103.040	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2420A.NM103 must be populated with accepted AN characters.	
X223.456.2420A.NM103.050	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: 72 Operating Physician		
X223.456.2420A.NM103.060	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2420A.NM103 must contain at least one non-space character.	
X223.456.2420A.NM104.010	NM104	First Name	AN	1-35	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420A.NM104 must contain at least one non-space character.	
X223.456.2420A.NM104.020	NM104								999	E	IK403 = 5: "Data Element Too Long"	2420A.NM104 must be 1-35 characters.	
X223.456.2420A.NM104.030	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" EIC: 72 Operating Physician		
X223.456.2420A.NM104.040	NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2420A.NM104 must be populated with accepted AN characters.	
X223.456.2420A.NM104.050	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC: 72 Operating Physician		
X223.456.2420A.NM105.010	NM105	Middle Name	AN	1-25	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420A.NM105 must contain at least one non-space character.	
X223.456.2420A.NM105.020	NM105								999	E	IK403 = 5: "Data Element Too Long"	2420A.NM105 must be 1-25 characters.	
X223.456.2420A.NM105.030	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: 72 Operating Physician		
X223.456.2420A.NM105.040	NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2420A.NM105 must be populated with accepted AN characters.	
X223.456.2420A.NM105.050	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: 72 Operating Physician		
X223.456.2420A.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = 110: "Implementation 'Not Used' Element Present"	Must not be present.	
X223.456.2420A.NM107.010	NM107	Name Suffix	AN	1-10	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420A.NM107 must contain at least one non-space character.	
X223.456.2420A.NM107.020	NM107								999	E	IK403 = 5: "Data Element Too Long"	2420A.NM107 must be 1-10 characters.	
X223.456.2420A.NM107.030	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: 72 Operating Physician		
X223.456.2420A.NM107.040	NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2420A.NM107 must be populated with accepted AN characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.456.2420A.NM107.050	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: 72 Operating Physician		
X223.456.2420A.NM108.010	NM108	Identification CodeQualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" TBD01: "Situational segment/element required for adjudication." EIC: 72 Operating Physician	2420A.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.456.2420A.NM108.020	NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: 72 Operating Physician	2420A.NM108 must be present.	Everyone butTrailblazer. 01/20: Companion Guide Note needed.
X223.456.2420A.NM108.030	NM108								999	R	IK403 = 7: "Invalid Code Value"	2420A.NM108 must be "XX".	
X223.456.2420A.NM109.010	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 72 Operating Physician	2420A.NM109 must be valid according to the NPI algorithm.	
X223.456.2420A.NM109.020	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 72 Operating Physician	The first position of 2420A.NM109 must be a "1".	
X223.456.2420A.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.456.2420A.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.456.2420A.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.459.2420A.REF.010	REF	OPERATING PHYSICIAN SECONDARY IDENTIFICATION		20	S	2420A			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	2420A.REF with REF01 = "1G" may be present when 2420A.NM1 is present and 2420A.NM109 is not present.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.459.2420A.REF.020	REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Only 1 iteration of 2420A.REF with REF01 = "1G" is allowed.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.459.2420A.REF.030	REF								999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2420A.REF must not be present.	Everyone butTrailblazer. 01/20: Companion Guide Note needed.
X223.459.2420A.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			0B, 1G, G2, LU	999	R	IK403 = 1: "Required Data Element Missing"	2420A.REF01 must be present.	
X223.459.2420A.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2420A.REF01 must be "1G".	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.459.2420A.REF02.010	REF02	Reference Identifier	AN	1-50	R				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN"	2420A.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).	
X223.459.2420A.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.459.2420A.REF04.010	REF04	COMPOSITE UNIT OF MEASURE			S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.461.2420B.NM1.010	NM1	OTHER OPERATING PHYSICIAN NAME		1	S	2420B	1		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2420B.NM1 is allowed.	
X223.461.2420B.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			ZZ	999	R	IK403 = 1: "Required Data Element Missing"	2420B.NM101 must be present.	
X223.461.2420B.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2420B.NM101 must be "ZZ".	
X223.461.2420B.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2420B.NM102 must be present.	
X223.461.2420B.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2420B.NM102 must be "1".	
X223.461.2420B.NM103.010	NM103	Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2420B.NM103 must be present.	
X223.461.2420B.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2420B.NM103 must contain at least one non-space character.	
X223.461.2420B.NM103.030	NM103								999	E	IK403 = 5: "Data Element Too Long"	2420B.NM103 must be 1-60 characters.	
X223.461.2420B.NM103.040	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" FIC: 72 Operating Physician		
X223.461.2420B.NM103.050	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2420B.NM103 must be populated with accepted AN characters.	
X223.461.2420B.NM103.060	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" FIC: 72 Operating Physician		
X223.461.2420B.NM104.010	NM104	First Name	AN	1-35	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420B.NM104 must contain at least one non-space character.	
X223.461.2420B.NM104.020	NM104								999	E	IK403 = 5: "Data Element Too Long"	2420B.NM104 must be 1-35 characters.	
X223.461.2420B.NM104.030	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" FIC: 72 Operating Physician		
X223.461.2420B.NM104.040	NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2420B.NM104 must be populated with accepted AN characters.	
X223.461.2420B.NM104.050	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" FIC: 72 Operating Physician		
X223.461.2420B.NM105.010	NM105	Middle Name	AN	1-25	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420B.NM105 must contain at least one non-space character.	
X223.461.2420B.NM105.020	NM105								999	E	IK403 = 5: "Data Element Too Long"	2420B.NM105 must be 1-25 characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.461.2420B.NM105.030	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: 72 Operating Physician		
X223.461.2420B.NM105.040	NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2420B.NM105 must be populated with accepted AN characters.	
X223.461.2420B.NM105.050	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: 72 Operating Physician		
X223.461.2420B.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.	
X223.461.2420B.NM107.010	NM107	Name Suffix	AN	1-10	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420B.NM107 must contain at least one non-space character.	
X223.461.2420B.NM107.020	NM107								999	E	IK403 = 5: "Data Element Too Long"	2420B.NM107 must be 1-10 characters.	
X223.461.2420B.NM107.030	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: 72 Operating Physician		
X223.461.2420B.NM107.040	NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2420B.NM107 must be populated with accepted AN characters.	
X223.461.2420B.NM107.050	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: 72 Operating Physician		
X223.461.2420B.NM108.010	NM108	Identification CodeQualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" TBD01: "Situational segment/element required for adjudication." EIC: 72 Operating Physician	2420B.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.461.2420B.NM108.020	NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: 72 Operating Physician	2420B.NM108 must be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
X223.461.2420B.NM108.030	NM108								999	R	IK403 = 7: "Invalid Code Value"	2420B.NM108 must be "XX".	
X223.461.2420B.NM109.010	NM109	Identifier	AN	2-80	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	2420B.NM109 must be present when 2420B.NM108 is present.	
X223.461.2420B.NM109.020	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 72 Operating Physician	2420B.NM109 must be valid according to the NPI algorithm.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.461.2420B.NM109.030	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 72 Operating Physician	The first position of 2420B.NM109 must be a "1".	
X223.461.2420B.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.461.2420B.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.461.2420B.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.464.2420B.REF.010	REF	<b>OTHER OPERATING PHYSICIAN SECONDARY IDENTIFICATION</b>		<b>20</b>	<b>S</b>	<b>2420B</b>			<b>999</b>	<b>R</b>	<b>IK304 = I9: "Implementation Dependent 'not used' Segment Present"</b>	<b>2420B.REF with REF01 = "1G" may be present when 2420B.NM1 is present and 2420B.NM109 is not present.</b>	Trailblazer Only 01/20: Companion Guide Note needed.
X223.464.2420B.REF.020	REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Only 1 iteration of 2420B.REF with REF01 = "1G" is allowed.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.464.2420B.REF.030	REF								999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2420B.REF must not be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
X223.464.2420B.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			0B, 1G, G2, LU	999	R	IK403 = 1: "Required Data Element Missing"	2420B.REF01 must be present.	
X223.464.2420B.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2420B.REF01 must be "1G".	Trailblazer Only
X223.464.2420B.REF02.010	REF02	Reference Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2420B.REF02 must be present.	
X223.464.2420B.REF02.020	REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN" EIC: 72 Operating Physician	2420B.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).	
X223.464.2420B.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.464.2420B.REF04.010	REF04	REFERENCE IDENTIFIER			S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.466.2420C.NM1.010	NM1	<b>RENDERING PROVIDER NAME</b>		<b>1</b>	<b>S</b>	<b>2420C</b>	<b>1</b>		<b>999</b>	<b>R</b>	<b>IK304 = 4: "Loop Occurs Over Maximum Times"</b>	<b>Only one iteration of 2420C.NM1 is allowed.</b>	03/27: CR 6289 is analysis only (no changes) - no revisit needed until implementation CR
X223.466.2420C.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			82	999	R	IK403 = 1: "Required Data Element Missing"	2420C.NM101 must be present.	
X223.466.2420C.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2420C.NM101 must be "82".	
X223.466.2420C.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2420C.NM102 must be present.	
X223.466.2420C.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2420C.NM102 must be "1".	
X223.466.2420C.NM103.010	NM103	Rendering Provider Last or Organization Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2420C.NM103 must be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.466.2420C.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2420C.NM103 must contain at least one non-space character.	
X223.466.2420C.NM103.030	NM103								999	E	IK403 = 5: "Data Element Too Long"	2420C.NM103 must be 1-60 characters.	
X223.466.2420C.NM103.040	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" FIC: 82 Rendering Provider		
X223.466.2420C.NM103.050	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2420C.NM103 must be populated with accepted AN characters.	
X223.466.2420C.NM103.060	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" FIC: 82 Rendering Provider		
X223.466.2420C.NM104.010	NM104	Rendering Provider First Name	AN	1-35	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420C.NM104 must contain at least one non-space character.	
X223.466.2420C.NM104.020	NM104								999	E	IK403 = 5: "Data Element Too Long"	2420C.NM104 must be 1-35 characters.	
X223.466.2420C.NM104.030	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" FIC: 82 Rendering Provider		
X223.466.2420C.NM104.040	NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2420C.NM104 must be populated with accepted AN characters.	
X223.466.2420C.NM104.050	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" FIC: 82 Rendering Provider		
X223.466.2420C.NM105.010	NM105	Rendering Provider Middle Name	AN	1-25	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420C.NM105 must contain at least one non-space character.	
X223.466.2420C.NM105.020	NM105								999	E	IK403 = 5: "Data Element Too Long"	2420C.NM105 must be 1-25 characters.	
X223.466.2420C.NM105.030	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" FIC: 82 Rendering Provider		
X223.466.2420C.NM105.040	NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2420C.NM105 must be populated with accepted AN characters.	
X223.466.2420C.NM105.050	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" FIC: 82 Rendering Provider		
X223.466.2420C.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.466.2420C.NM107.005	NM107	Rendering Provider Name Suffix	AN	1-10	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420C.NM107 must contain at least one non-space character.	
X223.466.2420C.NM107.010									999	E	IK403 = 5: "Data Element Too Long"	2420C.NM107 must be 1-10 characters.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.466.2420C.NM107.020	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: 82 Rendering Provider		
X223.466.2420C.NM107.030	NM107								999	R	IK403 = 6: "Invalid Character in Data Element"	2420C.NM107 must be populated with accepted AN characters.	
X223.466.2420C.NM107.040	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: 82 Rendering Provider		
X223.466.2420C.NM108.010	NM108	Identification CodeQualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" TBD01: "Situational segment/element required for adjudication." EIC: 82 Rendering Provider	2420C.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.466.2420C.NM108.020	NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: 82 Rendering Provider	2420C.NM108 must be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
X223.466.2420C.NM108.030	NM108								999	R	IK403 = 7: "Invalid Code Value"	2420C.NM108 must be "XX".	
X223.466.2420C.NM109.010	NM109	Rendering Provider Identifier	AN	2-80	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	2420C.NM109 must be present when 2420C.NM108 is present.	
X223.466.2420C.NM109.020	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 82 Rendering Provider	2420C.NM109 must be valid according to the NPI algorithm.	
X223.466.2420C.NM109.030	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: 82 Rendering Provider	The first position of 2420C.NM109 must be a "1".	
X223.466.2420C.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.466.2420C.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.466.2420C.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.469.2420C.REF.010	REF	RENDERING PROVIDER SECONDARY IDENTIFICATION		20	S	2420C			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	2420C.REF with REF01 = "1G" may be present when 2420C.NM1 is present and 2420C.NM109 is not present.	Trailblazer Only 01/20: Companion Guide Note needed.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.469.2420C.REF.020	REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Only 1 iteration of 2420C.REF with REF01 = "1G" is allowed.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.469.2420C.REF.030	REF								999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2420C.REF must not be present.	Everyone but Trailblazer. 01/20: Companion Guide Note needed.
X223.469.2420C.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			OB, 1G, G2, LU	999	R	IK403 = 1: "Required Data Element Missing"	2420C.REF01 must be present.	
X223.469.2420C.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2420C.REF01 must be "1G".	
X223.469.2420C.REF02.010	REF02	Rendering Provider Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2420C.REF02 must be present.	
X223.469.2420C.REF02.020	REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN" CSC 560: "Entity's Additional/Secondary Identifier" EIC: 82 Rendering Provider	2420C.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).	
X223.469.2420C.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.469.2420C.REF04.010	REF04	REFERENCE IDENTIFIER			S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.471.2420D.NM1.010	NM1	REFERRING PROVIDER NAME		1	S	2420D	1		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only one iteration of 2420D.NM1 is allowed.	
X223.471.2420D.NM1.020	NM1								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2420D.NM1 is allowed.	
X223.471.2420D.NM101.010	NM101	Entity Identifier Code	ID	2-3	R			DN	999	R	IK403 = 1: "Required Data Element Missing"	2420D.NM101 must be present.	
X223.471.2420D.NM101.020	NM101								999	R	IK403 = 7: "Invalid Code Value"	2420D.NM101 must be "DN".	
X223.471.2420D.NM102.010	NM102	Entity Type Qualifier	ID	1-1	R			1	999	R	IK403 = 1: "Required Data Element Missing"	2420D.NM102 must be present.	
X223.471.2420D.NM102.020	NM102								999	R	IK403 = 7: "Invalid Code Value"	2420D.NM102 must be "1".	
X223.471.2420D.NM103.010	NM103	Referring Provider Last Name	AN	1-60	R				999	R	IK403 = 1: "Required Data Element Missing"	2420D.NM103 must be present.	
X223.471.2420D.NM103.020	NM103								999	R	IK403 = 6: "Invalid Character in Data Element"	2420D.NM103 must contain at least one non-space character.	
X223.471.2420D.NM103.030	NM103								999	E	IK403 = 5: "Data Element Too Long"	2420D.NM103 must be 1-60 characters.	
X223.471.2420D.NM103.040	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 504: "Entity's Last Name" EIC: DN Referring Provider		
X223.471.2420D.NM103.050	NM103								999	E	IK403 = 6: "Invalid Character in Data Element"	2420D.NM103 must be populated with accepted AN characters.	
X223.471.2420D.NM103.060	NM103								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 504: "Entity's Last Name" EIC: DN Referring Provider		

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.471.2420D.NM104.010	NM104	Referring Provider First Name	AN	1-35	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420D.NM104 must contain at least one non-space character.	
X223.471.2420D.NM104.020	NM104								999	E	IK403 = 5: "Data Element Too Long"	2420D.NM104 must be 1-35 characters.	
X223.471.2420D.NM104.030	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 505: "Entity's First Name" EIC: DN Referring Provider		
X223.471.2420D.NM104.040	NM104								999	E	IK403 = 6: "Invalid Character in Data Element"	2420D.NM104 must be populated with accepted AN characters.	
X223.471.2420D.NM104.050	NM104								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 505: "Entity's First Name" EIC: DN Referring Provider		
X223.471.2420D.NM105.010	NM105	Referring Provider Middle Name or Initial	AN	1-25	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420D.NM105 must contain at least one non-space character.	
X223.471.2420D.NM105.020	NM105								999	E	IK403 = 5: "Data Element Too Long"	2420D.NM105 must be 1-25 characters.	
X223.471.2420D.NM105.030	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 514: "Entity's Middle Name" EIC: DN Referring Provider		
X223.471.2420D.NM105.040	NM105								999	E	IK403 = 6: "Invalid Character in Data Element"	2420D.NM105 must be populated with accepted AN characters.	
X223.471.2420D.NM105.050	NM105								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 514: "Entity's Middle Name" EIC: DN Referring Provider		
X223.471.2420D.NM106.010	NM106	Name Prefix	AN	1-10	N/U				999	E	IK403 = 110: "Implementation "Not Used" Element Present"	Must not be present.	
X223.471.2420D.NM107.010	NM107	Referring Provider Name Suffix	AN	1-10	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2420D.NM107 must contain at least one non-space character.	
X223.471.2420D.NM107.020	NM107								999	E	IK403 = 5: "Data Element Too Long"	2420D.NM107 must be 1-10 characters.	
X223.471.2420D.NM107.030	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 125: "Entity's Name" EIC: DN Referring Provider		
X223.471.2420D.NM107.040	NM107								999	E	IK403 = 6: "Invalid Character in Data Element"	2420D.NM107 must be populated with accepted AN characters.	
X223.471.2420D.NM107.050	NM107								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 125: "Entity's Name" EIC: DN Referring Provider		

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.471.2420D.NM108.010	NM108	Identification CodeQualifier	ID	1-2	S			XX	277	C	CSCC A8: "Acknowledgement / Rejected for relational field in error" TBD01: "Situational segment/element required for adjudication." EIC: DN Referring Provider	2420D.NM108 must be present unless 2300.REF with REF01 = "P4" and REF02 is a valid VA identifier.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.471.2420D.NM108.020	NM108								277	C	CSCC A6: "Acknowledgement/Rejected for Missing Information..." TBD01: "Situational segment/element required for adjudication." EIC: DN Referring Provider	2420D.NM108 must be present.	Everyone butTrailblazer. 01/20: Companion Guide Note needed.
X223.471.2420D.NM108.030	NM108								999	R	IK403 = 7: "Invalid Code Value"	2420D.NM108 must be "XX".	
X223.471.2420D.NM109.010	NM109	Referring Provider Identifier	AN	2-80	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	2420D.NM109 must be present when 2420D.NM108 is present.	
X223.471.2420D.NM109.020	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DN Referring Provider	2420D.NM109 must be valid according to the NPI algorithm.	
X223.471.2420D.NM109.030	NM109								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 562: "Entity's National Provider Identifier (NPI)" EIC: DN Referring Provider	The first position of 2420D.NM109 must be a "1".	
X223.471.2420D.NM109.050	NM109								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2420D.NM109 must not = 2310A.NM109.	
X223.471.2420D.NM109.060	NM109								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2420D.NM109 must not = 2310F.NM109.	
X223.471.2420D.NM110.010	NM110	Entity Relationship Code	ID	2-2	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.471.2420D.NM111.010	NM111	Entity Identifier Code	ID	2-3	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.471.2420D.NM112.010	NM112	Name Last or Organization Name	AN	1-60	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.474.2420D.REF.010	REF	REFERRING PROVIDER SECONDARY IDENTIFICATION		20	S	2420D			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	2420D.REF with REF01 = "1G" may be present when 2420D.NM1 is present and 2420D.NM109 is not present.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.474.2420D.REF.020	REF								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." TBD02: "Payer specific restrictions on the number of repetitions"	Only 1 iteration of 2420D.REF with REF01 = "1G" is allowed.	Trailblazer Only 01/20: Companion Guide Note needed.
X223.474.2420D.REF.030	REF								999	R	IK304 = I9: "Implementation Dependent "Not Used" Segment Present"	2420D.REF must not be present.	Everyone butTrailblazer. 01/20: Companion Guide Note needed.
X223.474.2420D.REF01.010	REF01	Reference Identification Qualifier	ID	2-3	R			OB, 1G, G2	999	R	IK403 = 1: "Required Data Element Missing"	2420D.REF01 must be present.	
X223.474.2420D.REF01.020	REF01								999	R	IK403 = 7: "Invalid Code Value"	2420D.REF01 must be "1G".	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.474.2420D.REF02.010	REF02	Referring Provider Secondary Identifier	AN	1-50	R				999	R	IK403 = 1: "Required Data Element Missing"	2420D.REF02 must be present.	
X223.474.2420D.REF02.020	REF02								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 133: "Entity's UPIN" CSC 560: "Entity's Additional/Secondary Identifier" EIC: DN Referring Provider	2420D.REF02 must be in format ANNNNN or AAANNN (where A is an alpha character and N is a numeric digit).	
X223.474.2420D.REF03.010	REF03	Description	AN	1-80	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.474.2420D.REF04.010	REF04	REFERENCE IDENTIFIER			S				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.476.2430..010		LINE ADJUDICATION LOOP				2430	15		999	R	IK304 = 4: "Loop Occurs Over Maximum Times"	Only 15 iterations of the 2430 loop are allowed.	
X223.476.2430.SVD.010	SVD	LINE ADJUDICATION INFORMATION		1	S	2430			999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2430.SVD is allowed.	
X223.476.2430.SVD01.010	SVD01	Payer Identifier	AN	2-80	R				999	R	IK403 = 1: "Required Data Element Missing"	2430.SVD01 must be present.	
X223.476.2430.SVD01.020	SVD01								999	R	IK403 = I12: "Implementation Pattern Match Failure"	2430.SVD01 must = 2330B.NM109 (for the same payer).	
X223.476.2430.SVD02.010	SVD02	Service Line Paid Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2430.SVD02 must be present.	
X223.476.2430.SVD02.020	SVD02								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.SVD02 must be numeric.	
X223.476.2430.SVD02.030	SVD02								999	E	IK403 = 5: "Data Element Too Long"	2430.SVD02 must be <= 99,999,999.99.	
X223.476.2430.SVD02.040	SVD02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system"	2430.SVD02 must be <= 99,999,999.99.	2430.SVD02 must be <= 99,999,999.99.
X223.476.2430.SVD02.050	SVD02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 643: "Service Line Paid Amount"	2430.SVD02 must be >= 0.	
X223.476.2430.SVD02.060	SVD02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 643: "Service Line Paid Amount" CSC 697: "Too many decimal positions"	2430.SVD02 is limited to 0, 1 or 2 decimal positions.	
X223.476.2430.SVD03.010	SVD03	COMPOSITE MEDICAL PROCEDURE IDENTIFIER			R								
X223.476.2430.SVD03-1.010	SVD03-1	Product or Service IDQualifier	ID	2-2	R			ER, HC, HP, IV, WK	999	R	IK403 = 1: "Required Data Element Missing"	2430.SVD03-1 must be present.	
X223.476.2430.SVD03-1.020	SVD03-1								999	R	IK403 = 7: "Invalid Code Value"	2400.SVD03-1 must be "HP" or "HC".	
X223.476.2430.SVD03-2.010	SVD03-2	Procedure Code	AN	1-48	R				999	R	IK403 = 1: "Required Data Element Missing"	2430.SVD03-2 must be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.476.2430.SVD03-2.020	SVD03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 507: "HCPCS" TBD22: "Line Adjudication Information"	When 2430.SVD03-1 = "HC", 2430.SVD03-2 must be a valid HCPCS Code on the date in 2400.DTP03 when DTP01 = "472".	Valid HCPCS reference must be available for this edit. 11/21: Revised edit
X223.476.2430.SVD03-2.030	SVD03-2								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 513: "HIPPS Rate Code for services Rendered" TBD22: "Line Adjudication Information"	When 2430.SVD03-1 = "HP", 2430.SVD03-2 must be a valid HIPPS Skilled Nursing Facility Rate Code on the date in 2400.DTP03 when DTP01 = "472".	Valid HIPPS Code reference must be available for this edit.
X223.476.2430.SVD03-3.010	SVD03-3	Procedure Modifier	AN	2-2	S				277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered" TBD22: "Line Adjudication Information"	2430.SVD03-3 must be valid procedure modifier.	Valid Procedure Code Modifier reference must be available for this edit.
X223.476.2430.SVD03-4.010	SVD03-4	Procedure Modifier	AN	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2430.SVD03-4 is present, 2430.SVD03-3 must be present.	
X223.476.2430.SVD03-4.020	SVD03-4								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered" TBD22: "Line Adjudication Information"	2430.SVD03-4 must be valid procedure modifier.	Valid Procedure Code Modifier reference must be available for this edit.
X223.476.2430.SVD03-5.010	SVD03-5	Procedure Modifier	AN	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2430.SVD03-5 is present, 2430.SVD03-4 must be present.	
X223.476.2430.SVD03-5.020	SVD03-5								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered" TBD22: "Line Adjudication Information"	2430.SVD03-5 must be valid procedure modifier.	Valid Procedure Code Modifier reference must be available for this edit.
X223.476.2430.SVD03-6.010	SVD03-6	Procedure Modifier	AN	2-2	S				999	R	IK403 = 2 "Conditional Required Data Element Missing"	2430.SVD03-6 is present, 2430.SVD03-5 must be present.	
X223.476.2430.SVD03-6.020	SVD03-6								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 453: "Procedure Code Modifier(s) for Service(s) Rendered" TBD22: "Line Adjudication Information"	2430.SVD03-6 must be valid procedure modifier.	Valid Procedure Code Modifier reference must be available for this edit.
X223.476.2430.SVD03-7.010	SVD03-7	Procedure Code Description	AN	1-80	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2430.SVD03-7 must contain at least one non-space character.	
X223.476.2430.SVD03-7.020	SVD03-7								999	E	IK403 = 5: "Data Element Too Long"	2430.SVD03-7 must be 1-80 characters.	
X223.476.2430.SVD03-7.030	SVD03-7								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 306: "Detailed description of service" TBD22: "Line Adjudication Information"		

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.476.2430.SVD03-7.040	SVD03-7								999	E	IK403 = 6: "Invalid Character in Data Element"	2430.SVD03-7 must be populated with accepted AN characters.	
X223.476.2430.SVD03-7.050	SVD03-7								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 511: "Invalid character" CSC 306: "Detailed description of service" TBD22: "Line Adjudication Information"		
X223.476.2430.SVD03-8.010	SVD03-8	Product/Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.476.2430.SVD04.010	SVD04	Product or Service ID	AN	1-48	N/U				999	E	IK403 = I10: "Implementation "Not Used" Element Present"	Must not be present.	
X223.476.2430.SVD05.010	SVD05	Paid Service Unit Count	R	1-15	R				999	R	IK403 = 1: "Required Data Element Missing"	2430.SVD05 must be present.	
X223.476.2430.SVD05.020	SVD05								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.SVD05 must be numeric.	
X223.476.2430.SVD05.030	SVD05								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 608: "Paid Service Unit Count" TBD22: "Line Adjudication Information"	2430.SVD05 must be >= 0.	
X223.476.2430.SVD05.040	SVD05								999	R	IK403 = 5: "Data Element Too Long"	2430.SVD05 must be 1 - 8 digits, excluding the decimal.	
X223.476.2430.SVD05.050	SVD05								999	R	IK403 = 5: "Data Element Too Long"	2430.SVD05 must be an integer (whole number).	Companion Guide Note needed.
X223.476.2430.SVD06.010	SVD06	Bundled or Unbundled Line Number	N0	1-6	S				999	R	IK403 = 6: "Invalid Character in Data Element"	2430.SVD06 must be numeric.	
X223.476.2430.SVD06.020	SVD06								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.SVD06 must be a integer (no decimals).	Companion Guide Note needed.
X223.476.2430.SVD06.030 edit deactivated													
X223.476.2430.SVD06.040	SVD06								999	R	IK403 = 5: "Data Element Too Long"	2430.SVD06 must 1 - 6 digits.	
X223.476.2430.SVD06.050	SVD06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system"		
X223.480.2430.CAS.010	CAS	LINE ADJUSTMENT		5	S	2430			999	R	IK304 = I9: "Implementation Dependent 'not used' Segment Present"	If 2430.SVD is present, 2430.CAS may be present.	
X223.480.2430.CAS.020	CAS								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only 5 iterations of 2320.CAS are allowed.	
X223.480.2430.CAS01.010	CAS01	Claim Adjustment Group Code	ID	1-2	R			CO, CR, OA, PI, PR	999	R	IK403 = 1: "Required Data Element Missing"	2430.CAS01 must be present.	
X223.480.2430.CAS01.020	CAS01								999	R	IK403 = 7: "Invalid Code Value"	2430.CAS01 must be valid values.	
X223.480.2430.CAS01.030	CAS01								277	C	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 696: "Claim Adjustment Group Code" EIC: GB Other Insured	If 2430.CAS01 = "CR" then 2430B.DTP with DTP01 = "573" must be prior to 01/01/2012.	
X223.480.2430.CAS02.010	CAS02	Adjustment Reason Code	ID	1-5	R				999	R	IK403 = 1: "Required Data Element Missing"	2430.CAS02 must be present.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.480.2430.CAS02.020	CAS02								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	2430.CAS02 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
X223.480.2430.CAS03.010	CAS03	Adjustment Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2430.CAS03 must be present.	
X223.480.2430.CAS03.020	CAS03								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.CAS03 must be numeric.	
X223.480.2430.CAS03.030	CAS03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS03 must not = 0.	
X223.480.2430.CAS03.040	CAS03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS03 is limited to 0, 1 or 2 decimal positions.	
X223.480.2430.CAS03.050	CAS03								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2430.CAS03 must be >= -99,999,999.99 and <= 99,999,999.99.	
X223.480.2430.CAS03.060	CAS03								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" EIC: GB Other Insured		
X223.480.2430.CAS04.010	CAS04	Adjustment Quantity	R	1-15	S				999	E	IK403 = 5: "Data Element Too Long"	2430.CAS04 must be 1-15 digits.	01/08: Not brought into Core System, so no Medicare size limit is needed.
X223.480.2430.CAS04.020	CAS04								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2430.CAS04 must not = 0.	
X223.480.2430.CAS05.010	CAS05	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS02 is present, 2430.CAS05 may be present.	
X223.480.2430.CAS05.020	CAS05								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	2430.CAS05 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
X223.480.2430.CAS06.010	CAS06	Adjustment Amount	R	1-18	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2430.CAS05 is present, 2430.CAS06 must be present.	
X223.480.2430.CAS06.020	CAS06								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.CAS06 must be numeric.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/999/277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.480.2430.CAS06.030	CAS06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" FIC: GB Other Insured	2430.CAS06 must not = 0.	
X223.480.2430.CAS06.040	CAS06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" FIC: GB Other Insured	2320.CAS06 is limited to 0, 1 or 2 decimal positions.	
X223.480.2430.CAS06.050	CAS06								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2430.CAS06 must be >= -99,999,999.99. and <= 99,999,999.99.	
X223.480.2430.CAS06.060	CAS06								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" FIC: GB Other Insured		
X223.480.2430.CAS07.010	CAS07	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS05 is present, 2430.CAS07 may be present.	
X223.480.2430.CAS07.020	CAS07								999	E	IK403 = 5: "Data Element Too Long"	2320.CAS07 must be 1-15 digits.	
X223.480.2430.CAS07.030	CAS07								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" FIC: GB Other Insured	2430.CAS07 must not = 0.	01/08: Not brought into Core System, so no Medicare size limit is needed.
X223.480.2430.CAS08.010	CAS08	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS05 is present, 2430.CAS08 may be present.	
X223.480.2430.CAS08.020	CAS08								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date FIC: GB Other Insured	2430.CAS08 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
X223.480.2430.CAS09.010	CAS09	Adjustment Amount	R	1-18	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2430.CAS08 is present, 2430.CAS09 must be present.	
X223.480.2430.CAS09.020	CAS09								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.CAS09 must be numeric.	
X223.480.2430.CAS09.030	CAS09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" FIC: GB Other Insured	2430.CAS09 must not = 0.	
X223.480.2430.CAS09.040	CAS09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" FIC: GB Other Insured	2430.CAS09 is limited to 0, 1 or 2 decimal positions.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.480.2430.CAS09.050	CAS09								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2430.CAS09 must be >= -99,999,999.99. and <= 99,999,999.99.	
X223.480.2430.CAS09.060	CAS09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured		
X223.480.2430.CAS09.070	CAS09								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS09 is limited to 0, 1 or 2 decimal positions.	
X223.480.2430.CAS10.010	CAS10	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS08 is present, 2430.CAS10 may be present.	
X223.480.2430.CAS10.020	CAS10								999	E	IK403 = 5: "Data Element Too Long"	2430.CAS10 must be 1-15 digits.	01/08: Not brought into Core System, so no Medicare size limit is needed.
X223.480.2430.CAS10.030	CAS10								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" EIC: GB Other Insured	2430.CAS10 must not = 0.	
X223.480.2430.CAS011.010	CAS011	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS08 is present, 2430.CAS11 may be present.	
X223.480.2430.CAS11.010	CAS11								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date EIC: GB Other Insured	2430.CAS11 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
X223.480.2430.CAS12.010	CAS12	Adjustment Amount	R	1-18	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2430.CAS1 is present, 2430.CAS12 must be present.	
X223.480.2430.CAS12.020	CAS12								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.CAS12 must be numeric.	
X223.480.2430.CAS12.030	CAS12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS12 must not = 0.	
X223.480.2430.CAS12.040	CAS12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" EIC: GB Other Insured	2430.CAS12 is limited to 0, 1 or 2 decimal positions.	
X223.480.2430.CAS12.050	CAS12								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2430.CAS12 must be >= -99,999,999.99. and <= 99,999,999.99.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/999/277CA	Accept/Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.480.2430.CAS12.060	CAS12								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" FIC: GB Other Insured		
X223.480.2430.CAS13.010	CAS13	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS11 is present, 2430.CAS13 may be present.	
X223.480.2430.CAS13.020	CAS13								999	E	IK403 = 5: "Data Element Too Long"	2430.CAS13 must be 1-15 digits.	01/08: Not brought into Core System, so no Medicare size limit is needed.
X223.480.2430.CAS13.030	CAS13								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" FIC: GB Other Insured	2430.CAS13 must not = 0.	
X223.480.2430.CAS14.010	CAS14	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS11 is present, 2430.CAS14 may be present.	
X223.480.2430.CAS14.020	CAS14								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date FIC: GB Other Insured	2430.CAS14 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
X223.480.2430.CAS15.010	CAS15	Adjustment Amount	R	1-18	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2430.CAS14 is present, 2430.CAS15 must be present.	
X223.480.2430.CAS15.020	CAS15								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.CAS15 must be numeric.	
X223.480.2430.CAS15.030	CAS15								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" FIC: GB Other Insured	2430.CAS15 must not = 0.	
X223.480.2430.CAS15.040	CAS15								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" FIC: GB Other Insured	2430.CAS15 is limited to 0, 1 or 2 decimal positions.	
X223.480.2430.CAS15.050	CAS15								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2430.CAS15 must be >= -99,999,999.99. and <= 99,999,999.99.	
X223.480.2430.CAS15.060	CAS15								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" FIC: GB Other Insured		
X223.480.2430.CAS16.010	CAS16	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS14 is present, 2430.CAS16 may be present.	
X223.480.2430.CAS16.020	CAS16								999	E	IK403 = 5: "Data Element Too Long"	2430.CAS16 must be 1-15 digits.	01/08: Not brought into Core System, so no Medicare size limit is needed.

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.480.2430.CAS16.030	CAS16								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" FIC: GB Other Insured	2430.CAS16 must not = 0.	
X223.480.2430.CAS17.010	CAS17	Adjustment Reason Code	ID	1-5	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS14 is present, 2430.CAS17 may be present.	
X223.480.2430.CAS17.020	CAS17								277	C	CSCC A8 Acknowledgement / Rejected for relational field in error. CSC 521: Adjustment Reason Code CSC 516: Adjudication or Payment Date FIC: GB Other Insured	2430.CAS17 must be a valid Claim Adjustment Reason Code on the date in 2430.DTP03 when DTP01 = "573".	Valid Claim Adjustment Reason Code reference must be available for this edit.
X223.480.2430.CAS18.010	CAS18	Adjustment Amount	R	1-18	S				999	R	IK403 = 2: "Conditional Required Data Element Missing"	If 2430.CAS17 is present, 2430.CAS18 must be present.	
X223.480.2430.CAS18.020	CAS18								999	R	IK403 = 6: "Invalid Character in Data Element"	2430.CAS18 must be numeric.	
X223.480.2430.CAS18.030	CAS18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 519: "Adjustment Amount" FIC: GB Other Insured	2430.CAS18 must not = 0.	
X223.480.2430.CAS18.040	CAS18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 697: "Too many decimal positions" CSC 519: "Adjustment Amount" FIC: GB Other Insured	2430.CAS18 is limited to 0, 1 or 2 decimal positions.	
X223.480.2430.CAS18.050	CAS18								999	E	IK403 = 4: "Data Element Too Short" IK403 = 5: "Data Element Too Long"	2430.CAS15 must be >= -99,999,999.99. and <= 99,999,999.99.	
X223.480.2430.CAS18.060	CAS18								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 519: "Adjustment Amount" FIC: GB Other Insured		
X223.480.2430.CAS19.010	CAS19	Adjustment Quantity	R	1-15	S				999	R	IK403 = 10: "Exclusion Condition Violated"	If 2430.CAS17 is present, 2430.CAS19 may be present.	
X223.480.2430.CAS19.020	CAS19								999	E	IK403 = 5: "Data Element Too Long"	2430.CAS19 must be 1-15 digits.	01/08: Not brought into Core System, so no Medicare size limit is needed.
X223.480.2430.CAS19.030	CAS19								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 694: "Amount must not be equal to zero" CSC 520: "Adjustment Quantity" FIC: GB Other Insured	2430.CAS19 must not = 0.	
X223.486.2430.DTP.010	DTP	LINE CHECK OR REMITTANCE DATE		1	R	2430			999	R	IK304 = 16: "Implementation Dependent Segment Missing"	If 2430.SVD is present, 2430.DTP must be present.	
X223.486.2430.DTP.020	DTP								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2430.DTP is allowed.	



837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.486.2430.DTP01.010	DTP01	Date /TimeQualifier	ID	3/3	R			573	999	R	IK403 = 1: "Required Data Element Missing"	2430.DTP01 must be present.	
X223.486.2430.DTP01.020	DTP01								999	R	IK403 = 7: "Invalid Code Value"	2430.DTP01 must be "573".	
X223.486.2430.DTP02.010	DTP02	Date /Time FormatQualifier	ID	2/3	R			D8	999	R	IK403 = 1: "Required Data Element Missing"	2430.DTP02 must be present.	
X223.486.2430.DTP02.020	DTP02								999	R	IK403 = 7: "Invalid Code Value"	2430.DTP02 must be "D8".	
X223.486.2430.DTP03.010	DTP03	Adjudication or Payment Date	AN	1/35	R			CCYYMMDD	999	R	IK403 = 1: "Required Data Element Missing"	2430.DTP03 must be present.	
X223.486.2430.DTP03.020	DTP03								999	R	IK403 = 8: "Invalid Date"	2430.DTP03 must be a valid date in CCYYMMDD format.	
X223.487.2430.AMT.010	AMT	REMAINING PATIENT LIABILITY		1	S	2430			999	R	IK304 = 19: "Implementation Dependent 'not used' Segment Present"	If 2430.SVD is present, 2430.AMT may be present.	pass-through, syntax only
X223.487.2430.AMT.020	AMT								999	R	IK304 = 5: "Segment Exceeds Maximum Use"	Only one iteration of 2430.AMT is allowed	
X223.487.2430.AMT01.010	AMT01	AmountQualifier Code	ID	1-3	R			EAF	999	R	IK403 = 1: "Required Data Element Missing"	2430.AMT01 must be present.	
X223.487.2430.AMT01.020	AMT01								999	R	IK403 = 7: "Invalid Code Value"	2430.AMT01 must be "EAF".	
X223.487.2430.AMT02.005	AMT02	Non-Covered Amount	R	1-18	R				999	R	IK403 = 1: "Required Data Element Missing"	2430.AMT02 must be present.	
X223.487.2430.AMT02.010	AMT02								999	R	IK403 = 6: "Invalid Character in Data Element"	2430 .AMT02 must be numeric.	
X223.487.2430.AMT02.015	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 693: "Amount must be greater than or equal to zero" CSC 596: "Non-covered Charge Amount"	2430.AMT02 must be >= 0.	
X223.487.2430.AMT02.020	AMT02								999	E	IK403 = 5: "Data Element Too Long"	2430.AMT02 must be <= 99,999,999.99.	
X223.487.2430.AMT02.025	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 596: "Non-covered Charge Amount"		
X223.487.2430.AMT02.030	AMT02								277	T	CSCC A7: "Acknowledgement /Rejected for Invalid Information..." CSC 512: "Length invalid for receiver's application system" CSC 596: "Non-covered Charge Amount"	2430.AMT02 is limited to 0, 1 or 2 decimal positions.	
X223.487.2430.AMT03.010	AMT03	Credit/Debit Flag Code	ID	1-1	N/U				999	E	IK403 = I10: "Implementation 'Not Used' Element Present"	Must not be present.	
X223.488..SE.010	SE	TRANSACTION SET TRAILER		1	R				999	R	IK502: 2 "Transaction Set Trailer Missing".	SE must be present.	
X223.488..SE.020 deactivated	SE												

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.488..SE01.010	SE01	Ttansaction Segment Count	N0	1/10	R				999	R	IK502: 4 "Number of Included Segments Does Not Match Actual Count".	SE01 must be present.	
X223.488..SE01.020	SE01								999	R	IK502: 4 "Number of Included Segments Does Not Match Actual Count".	SE01 must be numeric.	
X223.488..SE01.030	SE01								999	R	IK502: 4 "Number of Included Segments Does Not Match Actual Count".	SE01 must equal the transaction segment count.	
X223.488..SE01.040	SE01								999	R	IK502: 4 "Number of Included Segments Does Not Match Actual Count".	SE01 must be > 0.	
X223.488..SE02.010	SE02	Transaction Set Control Number	AN	4/9	R				999	R	IK502: 3 "Transaction Set Control Number in Header and Trailer Do Not Match".	SE02 must be present.	
X223.488..SE02.020	SE02								999	R	IK502: 3 "Transaction Set Control Number in Header and Trailer Do Not Match".	SE02 must = ST02.	
X223.C9..GE.010	GE	Functional Group Trailer		1	R	—			999	R	AK905: 3 "Functional Group Trailer Missing"	GE must be present.	
X223.C9..GE.020 deactivated	GE												
X223.C9..GE01.010	GE01	Number of Transaction Sets Included	N0	1-6	R				999	R	AK905: 5 "Number of Included Transaction Sets Does Not Match Actual Count".	GE01 must be present.	
X223.C9..GE01.020	GE01								999	R	AK905: 5 "Number of Included Transaction Sets Does Not Match Actual Count".	GE01 must be numeric.	
X223.C9..GE01.030	GE01								999	R	AK905: 5 "Number of Included Transaction Sets Does Not Match Actual Count".	GE01 must equal the number of transaction sets included in the functional group.	
X223.C9..GE01.040	GE01								999	R	AK905: 5 "Number of Included Transaction Sets Does Not Match Actual Count".	GE01 must be > 0.	
X223.C9..GE02.010	GE02	Group Control Number	AN	4-9	R				999	R	AK905: 4 "Group Control Number in the Functional Group Header and Trailer Do Not Agree".	GE02 must be present.	
X223.C9..GE02.020	GE02								999	R	AK905: 4 "Group Control Number in the Functional Group Header and Trailer Do Not Agree".	GE02 must = GS06.	
X223.C10..IEA.010	IEA	Interchange Control Header		1	R				TA1	R	TA105: "023 Improper (Premature) End-of-File (Transmission)"	IEA must be present.	
X223.C10..IEA.020	IEA								TA1	R	TA105: 024 "Invalid Interchange Content".	Only one iteration of IEA is allowed.	This error means there can't be more than one IEA segment in this set, not that there can't be more than 1 in a physical file.
X223.C10..IEA01.010	IEA01	Number of Included Functional Groups	N0	1-6	R				TA1	R	TA105: 021 "Invalid Number of Included Groups Value".	IEA01 must be present.	
X223.C10..IEA01.020	IEA01								TA1	R	TA105: 021 "Invalid Number of Included Groups Value".	IEA01 must be numeric.	
X223.C10..IEA01.030	IEA01								TA1	R	TA105: 021 "Invalid Number of Included Groups Value".	IEA01 must equal the number of functional groups included in the interchange.	

837 - Institutional Edits

8371 Edit Reference	Segment or Element	Description	ID	Min. Max.	Usage Req.	Loop	Loop Repeat	5010 Values	TA1/ 999/ 277CA	Accept/ Reject	Disposition / Error Code	Proposed 5010 Edits	Misc. Notes
X223.C10..IEA01.040	IEA01								TA1	R	TA105: 021 "Invalid Number of Included Groups Value".	IEA01 must be > 0.	
X223.C10..IEA02.010	IEA02	Interchange Control Number	AN	4-9	R				TA1	R	TA105: 001 "The Interchange Control Number in the Header and Trailer Do Not Match".	IEA02 must be present.	
X223.C10..IEA02.020	IEA02								TA1	R	TA105: 001 "The Interchange Control Number in the Header and Trailer Do Not Match".	IEA02 must = ISA13	

Change Log  
Changes to the version included for POC Review

Location	Change	Date
All N/U Elements	Added a new row for a 277 instruction for each N/U element in the spreadsheet (946 rows).	07/19/09
ISA05	Added explicit values.	06/09/09
ISA07	Added explicit values.	06/09/09
GS	Changed the error code to an AK905 error code.	05/03/09
GS	Removed the miscellaneous note.	06/09/09
GS01	Changed the error codes to AK905 error codes.	05/03/09
GS01	Added explicit value and added 5010 value in column I.	06/09/09
GS02	Changed the error codes to AK905 error codes.	05/03/09
GS02	Added a new row for a 277 instruction.	07/19/09
GS02	Removed 277 edit since this is before loop 2000	08/11/09
GS03	Changed the error codes to AK905 error codes.	05/03/09
GS03	Added a new row for a 277 instruction.	07/19/09
GS03	Removed 277 edit since this is before loop 2000	08/11/09
GS04	Corrected typo.	04/21/09
GS04	Removed the IK403 error code, no replacement defined.	05/03/09
GS04	Added a new row for a 277 instruction.	07/19/09
GS04	Removed 277 edit since this is before loop 2000	08/11/09
GS05	Removed the IK403 error code, no replacement defined.	05/03/09
GS06	Added triad separators.	04/22/09
GS06	Changed the error codes to AK905 error codes.	05/03/09
GS07	Removed the IK403 error code, no replacement defined.	05/03/09
GS08	Changed the error codes to AK905 error codes.	05/03/09
ST	Corrected the typo.	04/21/09
ST	Changed the error codes to AK502 error codes.	05/03/09
ST	Removed the miscellaneous note.	06/09/09
ST01	Changed the error codes to AK502 error codes.	05/03/09
ST02	Changed the error codes to AK502 error codes.	05/03/09
ST02	Added a new row for a 277 instruction.	07/19/09
ST02	Removed 277 edit since this is before loop 2000	08/11/09
ST03	Corrected the typo.	04/21/09
ST03	Changed the error codes to AK502 error codes.	05/03/09
BHT	Added "999" in column J.	04/21/09
BHT01	Added explicit value.	04/23/09
BHT03	Added new rows for 277 instructions.	07/19/09
BHT03	Removed 277 edits since this is before loop 2000	08/11/09
BHT04	Added CSCC.	07/21/09
BHT04	Removed 277 edit since this is before loop 2000	08/11/09
BHT06	Added CSCC.	07/21/09
BHT06	Changed from 277 edit to 999 for invalid code value	08/11/09
1000A.NM103	Added new row for a 277 instruction.	07/19/09
1000A.NM104	Deleted 'If 1000A.NM102 is "1", 1000A.NM104 must be present' edit.	07/16/09
1000A.NM104	Added new rows for 277 instructions.	07/19/09
1000A.NM105	Added new rows for 277 instructions.	07/19/09

Change Log  
Changes to the version included for POC Review

1000A.NM108	Added explicit value.	04/23/09
1000A.NM109	Added new row for a 277 instructions, added CSCC to existing 277.	07/19/09
1000A.PER01	Added explicit value.	04/23/09
1000A.PER02	Changed IK403 edit from 7 to 112	07/16/09
1000A.PER02	Added new rows for 277 instructions.	07/19/09
1000A.PER04	Added a new row for 277 instructions.	07/19/09
1000A.PER06	Added a new row for 277 instructions.	07/19/09
1000B.NM1	Added "999" in column J.	04/21/09
1000B.NM103	Removed 277 edits since 277 does not contain an STC for the information source	08/11/09
1000B.NM104	Added new row for a 277 instruction.	07/19/09
1000B.NM104	Removed 277 edits since 277 does not contain an STC for the information source	08/11/09
1000B.NM105	Added new row for a 277 instruction.	07/19/09
1000B.NM105	Removed 277 edits since 277 does not contain an STC for the information source	08/11/09
1000B.NM106	Removed 277 edits since 277 does not contain an STC for the information source	08/11/09
1000B.NM107	Removed 277 edits since 277 does not contain an STC for the information source	08/11/09
1000B.NM108	Added explicit value.	04/21/09
1000B.NM109	Added CSCC to existing 277.	04/21/09
1000B.NM109	Removed 277 edits since 277 does not contain an STC for the information source	08/11/09
1000B.NM110	Removed 277 edits since 277 does not contain an STC for the information source	08/11/09
1000B.NM111	Removed 277 edits since 277 does not contain an STC for the information source	08/11/09
1000B.NM112	Removed 277 edits since 277 does not contain an STC for the information source	08/11/09
2000A.HL	Removed the miscellaneous note.	06/09/09
2000A.HL03	Added explicit value.	04/23/09
2000A.HL04	Added explicit value.	04/23/09
2000A.PRV01	Added explicit value.	04/23/09
2000A.PRV02	Added explicit value.	04/23/09
2000A.PRV03	Added CSCC.	07/21/09
2000A.CUR	Changed to the standard wording "must not be present."	04/26/09
2000A.CUR	Added CSCC.	07/21/09
2010AA.NM103	Added new row for a 277 instruction.	07/19/09
2010AA.NM104	Added new row for a 277 instruction.	07/19/09
2010AA.NM105	Added new row for a 277 instruction.	07/19/09
2010AA.NM108	Changed all to 277/situational data required.	04/27/09
2010AA.NM108	Changed "= 31" to "is a valid VA identifier".	05/04/09
2010AA.NM109	Corrected location typo.	04/27/09
2010AA.NM109	Added CSCCs.	07/21/09
2010AA.N301	Corrected the location reference loop name.	06/09/09
2010AA.N302	Corrected the location reference loop and element names in edits and notes.	06/09/09
2010AA.N302	Deleted 'If 2010AA.N302 is present, 2010AA.N301 must be present' edit.	07/16/09
2010AA.N401	Added new row for a 277 instruction.	07/19/09
2010AA.N407	Added the element info in column B,C,D and E.	06/09/09
2010AA.N407	Added 2nd edit row.	06/09/09
2010AA.N301	Added a new row for 277 instructions.	07/19/09
2010AA.N301	Added CSCC.	07/21/09
2010AA.N302	Added a new row for 277 instructions.	07/19/09
2010AA.N302	Added CSCC.	07/21/09
2010AA.N402	Added CSCC.	07/21/09
2010AA.N403	Added CSCC.	07/21/09
2010AA.N404	Added CSCC.	07/21/09

Change Log  
Changes to the version included for POC Review

2010AA.N407	Added CSCC.	07/21/09
2010AA.REF (EI)	Added explicit value.	04/23/09
2010AA.REF (EI)	Copied new edit from the Professional.	04/23/09
2010AA.REF02 (EI)	Added CSCCs.	07/21/09
2010AA.PER	Changed error code to I9.	05/03/09
2010AA.PER01	Added explicit value.	04/23/09
2010AA.PER02	Added a new row for 277 instructions.	07/19/09
2010AA.PER04	Added a new row for 277 instructions.	07/19/09
2010AA.PER06	Added a new row for 277 instructions.	07/19/09
2010AA.PER08	Added a new row for 277 instructions.	07/19/09
2010AB.NM103	Added new row for a 277 instruction.	07/19/09
2010AB.NM104	Added new row for a 277 instruction.	07/19/09
2010AB.NM105	Added new row for a 277 instruction.	07/19/09
2010AB.N301	Added a new row for 277 instructions.	07/19/09
2010AB.N302	Added a new row for 277 instructions.	07/19/09
2010AB.N302	Deleted 'If 2010AB.N302 is present, 2010AB.N301 must be present' edit.	07/16/09
2010AB.N401	Added new row for a 277 instruction.	07/19/09
2010AB.N402	Added CSCCs.	07/21/09
2010AB.N403	Added CSCCs.	07/21/09
2010AB.N404	Added CSCCs.	07/21/09
2010AC Loop	Added CSCCs.	07/21/09
2000B.HL01	Changed the edit.	04/21/09
2000B.SBR01	Changed the edit, corrected location information and copied a new edit from the Professional.	04/21/09
2000B.SBR01	Added CSCCs.	07/21/09
2000B.SBR03	Added new row for a 277 instruction.	07/19/09
2000B.SBR04	Added new row for a 277 instruction.	07/19/09
2000B.SBR09	Added CSCC.	07/21/09
2010BA.NM102	Added CSCC.	07/21/09
2010BA.NM103	Added new row for a 277 instruction.	07/19/09
2010BA.NM103	Added new row for a 277 instruction.	07/19/09
2010BA.NM104	Added new row for a 277 instruction.	07/19/09
2010BA.NM104	Added CSCC.	07/21/09
2010BA.NM105	Added new row for a 277 instruction.	07/19/09
2010BA.NM108	Changed to match the Professional edit.	04/21/09
2010BA.NM108	Changed to 277/situational data required.	04/27/09
2010BA.NM108	Added CSCC.	07/21/09
2010BA.NM109	Changed to 277/situational data required.	04/27/09
2010BA.N301	Added a new row for 277 instructions.	07/19/09
2010BA.N302	Added a new row for 277 instructions.	07/19/09
2010BA.N401	Added new row for a 277 instruction.	07/19/09
2010BA.N402	Added CSCCs.	07/21/09
2010BA.N403	Added CSCCs.	07/21/09
2010BA.N404	Added CSCCs.	07/21/09
2010BA.DMG01	Added explicit value.	04/23/09
2010BA.DMG02	Added CSCC.	07/21/09
2010BA.REF (SY)	Changed to match the Professional edit.	04/21/09
2010BA.REF (SY)	Added CSCCs.	07/21/09
2010BA.REF01 (SY)	Added explicit value.	04/23/09
2010BA.REF02 (Y4)	Added a new row for 277 instructions.	07/19/09

Change Log  
Changes to the version included for POC Review

2010BB.NM103	Added new row for a 277 instruction.	07/19/09
2010BB.NM104	Added new row for a 277 instruction.	07/19/09
2010BB.NM105	Added new row for a 277 instruction.	07/19/09
2010BB.NM109	Added new row for a 277 instruction.	07/19/09
2010BB.N301	Added a new row for 277 instructions.	07/19/09
2010BB.N302	Added a new row for 277 instructions.	07/19/09
2010BB.N401	Added new row for a 277 instruction.	07/19/09
2010BB.N402	Added CSCCs.	07/21/09
2010BB.N403	Added CSCCs.	07/21/09
2010BB.N404	Added CSCCs.	07/21/09
2010BB.REF (2U/EI/FY/NF)	Changed to match the Professional edit.	04/26/09
2010BB.REF (2U/EI/FY/NF)	Added CSCCs.	07/21/09
2010BB.REF (G2)	Consolidated the rows.	04/27/09
2010BB.REF02 (G2)	Added a new row for 277 instructions.	07/19/09
2000C Loop	Added CSCCs.	07/21/09
2000C.HL	Changed to match the Professional edit.	04/26/09
2000C.PAT	Changed to match the Professional edit.	04/26/09
2010CA.NM1	Changed to match the Professional edit.	04/26/09
2010CA.N3	Changed to match the Professional edit.	04/26/09
2010CA.N4	Changed to match the Professional edit.	04/26/09
2010CA.DMG	Changed to match the Professional edit.	04/26/09
2010CA.REF	Changed to match the Professional edit.	04/26/09
2300.CLM01	Added a new row for 277 instructions.	07/19/09
2300.CLM02	Added triad separators.	04/22/09
2300.CLM02	Changed the CSC code to the code approved by the committee (697)	06/07/09
2300.CLM02	Added CSCCs.	07/21/09
2300.CLM05-1	Added CSCCs.	07/21/09
2300.CLM05-2	Added explicit value.	04/23/09
2300.CLM05-3	Added CSCCs.	07/21/09
2300.DTP02 (096)	Added explicit values.	04/23/09
2300.DTP01 (434)	Added explicit values.	04/23/09
2300.DTP01 (435)	Added explicit values.	04/23/09
2300.DTP03 (435)	Changed the CSC code to the code approved by the committee (697)	06/07/09
2300.DTP03 (435)	Added CSCCs.	07/21/09
2300.DTP01 (050)	Added explicit values.	04/23/09
2300.CL101	Added CSCCs.	07/21/09
2300.CL102	Added CSCCs.	07/21/09
2300.CL103	Added CSCCs.	07/21/09
2300.PWK05	Switched the edit to "If 05 is present, 02 must be =...." and copied the error code from the Professional.	04/21/09
2300.PWK05	Added a new row with an explicit valid value.	04/23/09
2300.PWK06	Switched the edit to "If 06 is present, 02 must be =....", copied the error code from the Professional, and corrected the location.	04/21/09
2300.PWK06	Added new row for a 277 instruction.	07/19/09
2300.CN1	Removed the CN1 detail edits and copied the segment level info from the Professional.	04/21/09
2300.AMT01 (F3)	Added explicit value.	04/23/09
2300.AMT02 (F3)	Added explicit value.	04/22/09
2300.AMT02 (F3)	Added CSCCs.	07/21/09
2300.AMT03 (F3)	Copied the error code from the Professional, added triad separators.	04/22/09

Change Log  
Changes to the version included for POC Review

2300.AMT03 (F3)	Changed the CSC code to the code approved by the committee (697)	06/07/09
2300.REF01 (4N)	Added explicit value.	04/23/09
2300.REF01 (9F)	Added explicit value.	04/23/09
2300.REF02 (9F)	Added new row for a 277 instruction.	07/19/09
2300.REF01 (G1)	Added explicit value.	04/23/09
2300.REF02 (G1)	Added new row for a 277 instruction.	07/19/09
2300.REF01 (9A)	Added explicit value.	04/23/09
2300.REF02 (9A)	Added new row for a 277 instruction.	07/19/09
2300.REF01 (9C)	Added explicit value.	04/23/09
2300.REF02 (9C)	Added new row for a 277 instruction.	07/19/09
2300.REF01 (LX)	Added explicit value.	04/23/09
2300.REF02 (LX)	Added new row for a 277 instruction.	07/19/09
2300.REF02 (LX)	Added CSCCs.	07/21/09
2300.REF01 (D9)	Added explicit value.	04/23/09
2300.REF02 (D9)	Added new row for a 277 instruction.	07/19/09
2300.REF02 (D9)	Added CSCCs.	07/21/09
2300.REF01 (LU)	Added explicit value.	04/23/09
2300.REF02 (LU)	Added CSCCs.	07/21/09
2300.REF01 (EA)	Added explicit value.	04/23/09
2300.REF02 (EA)	Added new row for a 277 instruction.	07/19/09
2300.REF01 (P4)	Removed one edit row.	04/22/09
2300.REF01 (G4)	Added explicit value.	04/23/09
2300.REF02 (G4)	Added new row for a 277 instruction.	07/19/09
2300.K301	Added new row for a 277 instruction.	07/19/09
2300.NTE	Added new rows for 277 instructions.	07/19/09
2300.NTE01 (ADD)	Added explicit value.	04/23/09
2300.CRC01 (ZZ)	Added explicit value.	04/23/09
2300.HI	Added new rows for 277 instructions to all the HI segments.	07/19/09
2300.HI (BK)	Added CSCCs.	07/21/09
2300.HI (BJ)	Added CSCCs.	07/21/09
2300.HI (PR)	Added CSCCs.	07/21/09
2300.HI (BN)	Added CSCCs.	07/21/09
2300.HI (DR)	Added CSCCs.	07/21/09
2300.HI (BF)	Added CSCCs.	07/21/09
2300.HI (BR)	Added CSCCs.	07/21/09
2300.HI01-3 (BR)	Added explicit value.	04/23/09
2300.HI01-3 (BR)	Added explicit value.	04/23/09
2300.HI (BQ)	Added CSCCs.	07/21/09
2300.HI01-3 (BQ)	Added explicit value.	04/23/09
2300.HI02-3 (BQ)	Added explicit value.	04/23/09
2300.HI03-3 (BQ)	Added explicit value.	04/23/09
2300.HI04-3 (BQ)	Added explicit value.	04/23/09
2300.HI05-3 (BQ)	Added explicit value.	04/23/09
2300.HI06-3 (BQ)	Added explicit value.	04/23/09
2300.HI07-3 (BQ)	Added explicit value.	04/23/09
2300.HI08-3 (BQ)	Added explicit value.	04/23/09
2300.HI09-3 (BQ)	Added explicit value.	04/23/09
2300.HI10-3 (BQ)	Added explicit value.	04/23/09
2300.HI11-3 (BQ)	Added explicit value.	04/23/09



Change Log  
Changes to the version included for POC Review

2300.HI12-3 (BQ)	Added explicit value.	04/23/09
2300.HI (BI)	Added CSCCs.	07/21/09
2300.HI01-1 (BI)	Added explicit value.	04/23/09
2300.HI01-3 (BI)	Added explicit value.	04/23/09
2300.HI02-1 (BI)	Added explicit value.	04/23/09
2300.HI02-3 (BI)	Added explicit value.	04/23/09
2300.HI03-1 (BI)	Added explicit value.	04/23/09
2300.HI03-3 (BI)	Added explicit value.	04/23/09
2300.HI04-1 (BI)	Added explicit value.	04/23/09
2300.HI04-3 (BI)	Added explicit value.	04/23/09
2300.HI05-1 (BI)	Added explicit value.	04/23/09
2300.HI05-3 (BI)	Added explicit value.	04/23/09
2300.HI06-1 (BI)	Added explicit value.	04/23/09
2300.HI06-3 (BI)	Added explicit value.	04/23/09
2300.HI07-1 (BI)	Added explicit value.	04/23/09
2300.HI07-3 (BI)	Added explicit value.	04/23/09
2300.HI08-1 (BI)	Added explicit value.	04/23/09
2300.HI08-3 (BI)	Added explicit value.	04/23/09
2300.HI09-1 (BI)	Added explicit value.	04/23/09
2300.HI09-3 (BI)	Added explicit value.	04/23/09
2300.HI10-1 (BI)	Added explicit value.	04/23/09
2300.HI10-3 (BI)	Added explicit value.	04/23/09
2300.HI11-1 (BI)	Added explicit value.	04/23/09
2300.HI11-3 (BI)	Added explicit value.	04/23/09
2300.HI12-1 (BI)	Added explicit value.	04/23/09
2300.HI12-3 (BI)	Added explicit value.	04/23/09
2300.HI (BH)	Added CSCCs.	07/21/09
2300.HI01-1 (BH)	Added explicit value.	04/23/09
2300.HI01-3 (BH)	Added explicit value.	04/23/09
2300.HI02-1 (BH)	Added explicit value.	04/23/09
2300.HI02-3 (BH)	Added explicit value.	04/23/09
2300.HI03-1 (BH)	Added explicit value.	04/23/09
2300.HI03-3 (BH)	Added explicit value.	04/23/09
2300.HI04-1 (BH)	Added explicit value.	04/23/09
2300.HI04-3 (BH)	Added explicit value.	04/23/09
2300.HI05-1 (BH)	Added explicit value.	04/23/09
2300.HI05-3 (BH)	Added explicit value.	04/23/09
2300.HI06-1 (BH)	Added explicit value.	04/23/09
2300.HI06-3 (BH)	Added explicit value.	04/23/09
2300.HI07-1 (BH)	Added explicit value.	04/23/09
2300.HI07-3 (BH)	Added explicit value.	04/23/09
2300.HI08-1 (BH)	Added explicit value.	04/23/09
2300.HI08-3 (BH)	Added explicit value.	04/23/09
2300.HI09-1 (BH)	Added explicit value.	04/23/09
2300.HI09-3 (BH)	Added explicit value.	04/23/09
2300.HI10-1 (BH)	Added explicit value.	04/23/09
2300.HI10-3 (BH)	Added explicit value.	04/23/09
2300.HI11-1 (BH)	Added explicit value.	04/23/09
2300.HI11-3 (BH)	Added explicit value.	04/23/09

Change Log  
Changes to the version included for POC Review

2300.HI12-1 (BH)	Added explicit value.	04/23/09
2300.HI12-3 (BH)	Added explicit value.	04/23/09
2300.HI (BE)	Added CSCCs.	07/21/09
2300.HI01-1 (BE)	Added explicit value.	04/23/09
2300.HI01-5 (BE)	Added triad separators.	04/22/09
2300.HI02-1 (BE)	Added explicit value.	04/23/09
2300.HI02-5 (BE)	Added triad separators.	04/22/09
2300.HI03-1 (BE)	Added explicit value.	04/23/09
2300.HI03-5 (BE)	Added triad separators.	04/22/09
2300.HI04-1 (BE)	Added explicit value.	04/23/09
2300.HI04-5 (BE)	Added triad separators.	04/22/09
2300.HI05-1 (BE)	Added explicit value.	04/23/09
2300.HI05-5 (BE)	Added triad separators.	04/22/09
2300.HI06-1 (BE)	Added explicit value.	04/23/09
2300.HI06-5 (BE)	Added triad separators.	04/22/09
2300.HI07-1 (BE)	Added explicit value.	04/23/09
2300.HI07-5 (BE)	Added triad separators.	04/22/09
2300.HI08-1 (BE)	Added explicit value.	04/23/09
2300.HI08-5 (BE)	Added triad separators.	04/22/09
2300.HI09-1 (BE)	Added explicit value.	04/23/09
2300.HI09-5 (BE)	Added triad separators.	04/22/09
2300.HI10-1 (BE)	Added explicit value.	04/23/09
2300.HI10-5 (BE)	Added triad separators.	04/22/09
2300.HI11-1 (BE)	Added explicit value.	04/23/09
2300.HI11-5 (BE)	Added triad separators.	04/22/09
2300.HI12-1 (BE)	Added explicit value.	04/23/09
2300.HI12-5 (BE)	Added triad separators.	04/22/09
2300.HI (BG)	Added CSCCs.	07/21/09
2300.HI01-1 (BG)	Added explicit value.	04/23/09
2300.HI02-1 (BG)	Added explicit value.	04/23/09
2300.HI03-1 (BG)	Added explicit value.	04/23/09
2300.HI04-1 (BG)	Added explicit value.	04/23/09
2300.HI05-1 (BG)	Added explicit value.	04/23/09
2300.HI06-1 (BG)	Added explicit value.	04/23/09
2300.HI07-1 (BG)	Added explicit value.	04/23/09
2300.HI08-1 (BG)	Added explicit value.	04/23/09
2300.HI09-1 (BG)	Added explicit value.	04/23/09
2300.HI10-1 (BG)	Added explicit value.	04/23/09
2300.HI11-1 (BG)	Added explicit value.	04/23/09
2300.HI12-1 (BG)	Added explicit value.	04/23/09
2300.HI (TC)	Changed the usage from R to S	06/07/09
2300.HI (TC)	Added CSCCs.	07/21/09
2300.HI01-1 (TC)	Added explicit value.	04/23/09
2300.HI02-1 (TC)	Added explicit value.	04/23/09
2300.HI03-1 (TC)	Added explicit value.	04/23/09
2300.HI04-1 (TC)	Added explicit value.	04/23/09
2300.HI05-1 (TC)	Added explicit value.	04/23/09
2300.HI06-1 (TC)	Added explicit value.	04/23/09
2300.HI07-1 (TC)	Added explicit value.	04/23/09

Change Log  
Changes to the version included for POC Review

2300.HI08-1 (TC)	Added explicit value.	04/23/09
2300.HI09-1 (TC)	Added explicit value.	04/23/09
2300.HI10-1 (TC)	Added explicit value.	04/23/09
2300.HI11-1 (TC)	Added explicit value.	04/23/09
2300.HI12-1 (TC)	Added explicit value.	04/23/09
2300.HCP02	Added triad separators.	04/22/09
2300.HCP03	Added triad separators.	04/22/09
2300.HCP04	Changed to match the Professional edit.	04/26/09
2300.HCP06	Changed to match the Professional edit.	04/26/09
2300.HCP07	Added triad separators.	04/22/09
2300.HCP08	Added standard "non-space" edit.	04/26/09
2300.HCP08	Corrected maximum length.	06/09/09
2310A.NM103	Added new row for a 277 instruction.	07/19/09
2310A.NM104	Added new row for a 277 instruction.	07/19/09
2310A.NM105	Added new row for a 277 instruction.	07/19/09
2310A.NM107	Added new row for a 277 instruction.	07/19/09
2310A.NM108	Changed to 277/situational data required.	04/27/09
2310A.NM108	Added CSCC.	07/21/09
2310A.NM109	Added CSCCs.	07/21/09
2310A.PRV	Corrected segment name.	06/09/09
2310A.PRV01	Added explicit value.	04/23/09
2310A.PRV02	Added explicit value.	04/23/09
2310A.PRV03	Added CSCC.	07/21/09
2310A.REF (1G)	Corrected segment name. Corrected location references in the edit.	06/09/09
2310A.REF (1G)	Added CSCC.	07/21/09
2310A.REF01 (1G)	Added CSCC.	07/21/09
2310B.NM103	Added new row for a 277 instruction.	07/19/09
2310B.NM104	Added new row for a 277 instruction.	07/19/09
2310B.NM105	Added new row for a 277 instruction.	07/19/09
2310B.NM107	Added new row for a 277 instruction.	07/19/09
2310B.NM108	Changed to 277/situational data required.	04/27/09
2310B.NM108	Changed "= 31" to "is a valid VA identifier".	05/04/09
2310B.NM108	Added CSCC.	07/21/09
2310B.NM109	Added CSCCs.	07/21/09
2310B.REF (1G)	Added CSCC.	07/21/09
2310B.REF01 (1G)	Added CSCC.	07/21/09
2310B.REF02 (1G)	Added CSCC.	07/21/09
2310C.NM103	Added new row for a 277 instruction.	07/19/09
2310C.NM104	Added new row for a 277 instruction.	07/19/09
2310C.NM105	Added new row for a 277 instruction.	07/19/09
2310C.NM107	Added new row for a 277 instruction.	07/19/09
2310C.NM108	Added explicit value.	04/23/09
2310C.NM108	Changed to 277/situational data required.	04/27/09
2310C.NM108	Changed "= 31" to "is a valid VA identifier".	05/04/09
2310C.NM108	Added CSCC.	07/21/09
2310C.NM109	Added CSCCs.	07/21/09
2310C.REF (1G)	Added CSCC.	07/21/09
2310C.REF01 (1G)	Added CSCC.	07/21/09
2310C.REF02 (1G)	Added CSCC.	07/21/09

Change Log  
Changes to the version included for POC Review

2310D.NM103	Added new row for a 277 instruction.	07/19/09
2310D.NM104	Added new row for a 277 instruction.	07/19/09
2310D.NM105	Added new row for a 277 instruction.	07/19/09
2310D.NM107	Added new row for a 277 instruction.	07/19/09
2310D.NM108	Added explicit value.	04/23/09
2310D.NM108	Changed to 277/situational data required.	04/27/09
2310D.NM108	Changed "= 31" to "is a valid VA identifier".	05/04/09
2310D.NM108	Added CSCCs, corrected the location reference.	07/21/09
2310D.NM109	Added CSCCs.	07/21/09
2310D.REF (1G)	Added CCCC.	07/21/09
2310D.REF01 (1G)	Added CCCC.	07/21/09
2310D.REF02 (1G)	Added CCCC.	07/21/09
2310E.NM103	Added new row for a 277 instruction.	07/19/09
2310E.NM104	Added new row for a 277 instruction.	07/19/09
2310E.NM105	Added new row for a 277 instruction.	07/19/09
2310E.NM108	Added explicit value.	04/23/09
2310E.NM109	Deleted edit "2310E.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109".	04/26/09
2310E.NM109	Added CSCCs.	07/21/09
2310E.N301	Added a new row for 277 instructions.	07/19/09
2310E.N302	Added a new row for 277 instructions.	07/19/09
2310E.N401	Added new row for a 277 instruction.	07/19/09
2310E.N402	Added CSCCs.	07/21/09
2310E.N403	Added CSCCs.	07/21/09
2310E.N404	Added CSCCs.	07/21/09
2310E.REF (1G)	Added CCCC.	07/21/09
2310E.REF01 (1G)	Added CCCC.	07/21/09
2310E.REF02 (1G)	Added CCCC.	07/21/09
2310F.NM1	Changed iteration number to match 837 errata.	04/22/09
2310F.NM103	Changed to match the Professional edits.	04/22/09
2310F.NM103	Added new row for a 277 instruction.	07/19/09
2310F.NM104	Changed to match the Professional edits.	04/22/09
2310F.NM104	Added new row for a 277 instruction.	07/19/09
2310F.NM105	Changed to match the Professional edits.	04/22/09
2310F.NM105	Added new row for a 277 instruction.	07/19/09
2310F.NM107	Changed to match the Professional edits.	04/22/09
2310F.NM107	Added new row for a 277 instruction.	07/19/09
2310F.NM108	Changed to match the Professional edits.	04/22/09
2310F.NM108	Added explicit value.	04/23/09
2310F.NM108	Changed to 277/situational data required.	04/27/09
2310F.NM108	Changed "= 31" to "is a valid VA identifier".	05/04/09
2310F.NM108	Added CSCCs, corrected the location reference.	07/21/09
2310F.NM109	Changed to match the Professional edits.	04/22/09
2310F.NM109	Added CSCCs.	07/21/09
2310F.REF (1G)	Added CCCC.	07/21/09
2310F.REF01 (1G)	Added CCCC.	07/21/09
2310F.REF02 (1G)	Added CCCC.	07/21/09
2320.SBR01	Deleted the T-H edits	04/22/09
2320.SBR01	Added CCCC.	07/21/09
2320.SBR03	Corrected the maximum length.	06/09/09

Change Log  
Changes to the version included for POC Review

2320.SBR03	Added new row for a 277 instruction.	07/19/09
2320.SBR04	Added new row for a 277 instruction.	07/19/09
2320.SBR09	Changed to match the Professional edits.	04/22/09
2320.SBR09	Added CSCC.	07/21/09
2320.CAS01	Added CSCC.	07/21/09
2320.CAS02	Added CSCC.	07/21/09
2320.CAS03	Added 2nd CSC code (519).	04/26/09
2320.CAS03	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.CAS03	Added CSCC.	07/21/09
2320.CAS04	Added CSCC.	07/21/09
2320.CAS05	Added CSCCs.	07/21/09
2320.CAS06	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.CAS06	Added CSCC.	07/21/09
2320.CAS07	Added CSCCs.	07/21/09
2320.CAS08	Added CSCCs.	07/21/09
2320.CAS09	Added 2nd CSC code (519).	04/26/09
2320.CAS09	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.CAS09	Added CSCCs.	07/21/09
2320.CAS10	Added CSCCs.	07/21/09
2320.CAS11	Added CSCCs.	07/21/09
2320.CAS12	Added 2nd CSC code (519).	04/26/09
2320.CAS12	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.CAS12	Added CSCCs.	07/21/09
2320.CAS13	Added CSCCs.	07/21/09
2320.CAS14	Added CSCCs.	07/21/09
2320.CAS15	Added 2nd CSC code (519).	04/26/09
2320.CAS15	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.CAS15	Added CSCCs.	07/21/09
2320.CAS16	Added CSCCs.	07/21/09
2320.CAS17	Added CSCCs.	07/21/09
2320.CAS18	Added 2nd CSC code (519).	04/26/09
2320.CAS18	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.CAS18	Added CSCCs.	07/21/09
2320.CAS19	Added CSCCs.	07/21/09
2320.AMT (D)	Deleted the T-H edits	05/03/09
2320.AMT (D)	Added CSCCs.	07/21/09
2320.AMT01 (D)	Added explicit value.	04/23/09
2320.AMT02 (D)	Changed to match the Professional error code.	04/23/09
2320.AMT02 (D)	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.AMT02 (D)	Added CSCCs.	07/21/09
2320.AMT (EAF)	Added explicit value.	04/23/09
2320.AMT01 (A8)	Added explicit value.	04/23/09
2320.AMT01 (A8)	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.AMT02 (A8)	Added CSCCs.	07/21/09
2320.MIA01	Added CSCCs.	07/21/09
2320.MIA03	Added CSCCs.	07/21/09
2320.MIA04	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MIA04	Added CSCCs.	07/21/09
2320.MIA05	Corrected the maximum length.	06/09/09

Change Log  
Changes to the version included for POC Review

2320.MIA05	Added CSCCs.	07/21/09
2320.MIA06	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MIA06	Added CSCCs.	07/21/09
2320.MIA07	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MIA07	Added CSCCs.	07/21/09
2320.MIA08	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MIA08	Added CSCCs.	07/21/09
2320.MIA09	Added CSCCs.	07/21/09
2320.MIA10	Corrected the maximum length.	06/09/09
2320.MIA10	Added CSCCs.	07/21/09
2320.MIA11	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MIA11	Added CSCCs.	07/21/09
2320.MIA12	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MIA12	Added CSCCs.	07/21/09
2320.MIA13	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MIA13	Added CSCCs.	07/21/09
2320.MIA14	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MIA14	Added CSCCs.	07/21/09
2320.MIA15	Added CSCCs.	07/21/09
2320.MIA16	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MIA16	Added CSCCs.	07/21/09
2320.MIA17	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MIA17	Added CSCCs.	07/21/09
2320.MIA18	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MIA18	Added CSCCs.	07/21/09
2320.MIA19	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MIA19	Added CSCCs.	07/21/09
2320.MIA20	Added CSCCs.	07/21/09
2320.MIA22	Added CSCCs.	07/21/09
2320.MIA23	Added CSCCs.	07/21/09
2320.MIA21	Added CSCCs.	07/21/09
2320.MIA24	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MIA24	Added CSCCs.	07/21/09
2320.MOA	Corrected segment name.	06/09/09
2320.MOA01	Changed to match the Professional edits.	04/22/09
2320.MOA01	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MOA01	Added CSCCs.	07/21/09
2320.MOA02	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MOA02	Added CSCCs.	07/21/09
2320.MOA03	Added CSCCs.	07/21/09
2320.MOA04	Added CSCCs.	07/21/09
2320.MOA05	Added CSCCs.	07/21/09
2320.MOA06	Added CSCCs.	07/21/09
2320.MOA07	Added CSCCs.	07/21/09
2320.MOA08	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MOA08	Added CSCCs.	07/21/09
2320.MOA09	Changed the CSC code to the code approved by the committee (697)	06/07/09
2320.MOA09	Added CSCCs.	07/21/09
2330A.NM103	Added new row for a 277 instruction.	07/19/09

Change Log  
Changes to the version included for POC Review

2330A.NM104	Added new row for a 277 instruction.	07/19/09
2330A.NM105	Added new row for a 277 instruction.	07/19/09
2330A.NM106	Changed to match the Professional edits.	04/22/09
2330A.NM107	Added new row for a 277 instruction.	07/19/09
2330A.NM109	Added new row for a 277 instruction.	07/19/09
2330A.N301	Added a new row for 277 instructions.	07/19/09
2330A.N302	Added a new row for 277 instructions.	07/19/09
2330A.N401	Added new row for a 277 instruction.	07/19/09
2330A.N402	Added CSCCs.	07/21/09
2330A.N403	Added CSCCs.	07/21/09
2330A.N404	Added CSCCs.	07/21/09
2330A.REF02	Added CSCCs.	07/21/09
2330B.NM103	Added new row for a 277 instruction.	07/19/09
2330B.NM104	Added new row for a 277 instruction.	07/19/09
2330B.NM105	Added new row for a 277 instruction.	07/19/09
2330B.N301	Added a new row for 277 instructions.	07/19/09
2330B.N302	Added a new row for 277 instructions.	07/19/09
2330B.N401	Added new row for a 277 instruction.	07/19/09
2330B.N402	Added CSCCs.	07/21/09
2330B.N403	Added CSCCs.	07/21/09
2330B.N404	Added CSCCs.	07/21/09
2330B.DTP (573)	Changed to match the Professional edits.	04/22/09
2330B.DTP01 (573)	Added explicit value.	04/23/09
2330B.DTP02 (573)	Added explicit value.	04/23/09
2330B.DTP03 (573)	Changed to match the Professional edits.	04/23/09
2330B.DTP03 (573)	Added CSCCs.	07/21/09
2330B.REF01 (2U, EI, FY, NF)	Added CSCCs.	07/21/09
2330B.REF01 (G1)	Added explicit value.	04/23/09
2330B.REF01 (9F)	Added explicit value.	04/23/09
2330B.REF01 (T4)	Added explicit value.	04/23/09
2330B.REF01 (F8)	Added explicit value.	04/23/09
2330C Loop	Added CSCCs.	07/21/09
2330D Loop	Added CSCCs.	07/21/09
2330E Loop	Added CSCCs.	07/21/09
2330F Loop	Added CSCCs.	07/21/09
2330G Loop	Added CSCCs.	07/21/09
2330H Loop	Added CSCCs.	07/21/09
2330I Loop	Added CSCCs.	07/21/09
2400 Loop	Added CSCCs.	07/21/09
2400.LX01	Added CSCCs.	07/21/09
2400.SV203	Added triad separators.	04/22/09
2400.SV203	Changed the CSC code to the code approved by the committee (697)	06/07/09
2400.SV205	Changed the CSC code to the code approved by the committee (697)	06/07/09
2400.SV207	Added triad separators.	04/22/09
2400.SV207	Changed the CSC code to the code approved by the committee (697)	06/07/09
2400.PWK	Corrected segment repetitions.	06/09/09
2400.PWK05	Copied the error code from P to I	04/21/09
2400.PWK05	Added explicit value.	04/23/09

Change Log  
Changes to the version included for POC Review

2400.PWK06	Copied the error code from P to I	04/21/09
2400.PWK06	Added new row for a 277 instruction.	07/19/09
2400.DTP (472)	Changed to match the Professional edits.	05/04/09
2400.DTP01 (472)	Added explicit value.	04/23/09
2400.DTP03 (573)	Added CSCCs.	07/21/09
2400.REF01 (6R)	Added explicit value.	04/23/09
2400.REF01 (9B)	Added explicit value.	04/23/09
2400.REF01 (9D)	Added explicit value.	04/23/09
2400.AMT01 (GT)	Added explicit value.	04/23/09
2400.AMT02 (GT)	Added triad separators.	04/22/09
2400.AMT01 (N8)	Added explicit value.	04/23/09
2400.AMT02 (N8)	Added triad separators.	04/22/09
2400.NTE01 (TPO)	Added explicit value.	04/23/09
2400.HCP	Changed to match the Professional edits.	04/26/09
2400.HCP02	Added triad separators.	04/22/09
2400.HCP03	Added triad separators.	04/22/09
2400.HCP04	Changed to match the Professional edits.	04/26/09
2400.HCP05	Added triad separators.	04/22/09
2400.HCP05	Changed to match the Professional edits.	04/26/09
2400.HCP06	Changed to match the Professional edits.	04/26/09
2400.HCP07	Added triad separators.	04/22/09
2400.HCP12	Added triad separators.	04/22/09
2410.LIN02	Added explicit value.	04/23/09
2410.CTP04	Changed to match the Professional edits. Added triad separators.	04/27/09
2410.CTP04	Changed the CSC code to the code approved by the committee (697)	06/07/09
2410.CTP04	Added CSCCs.	07/21/09
2410.REF (VY/XZ)	Added "pass-thru" note.	06/04/09
2420A.NM103	Added new row for a 277 instruction.	07/19/09
2420A.NM104	Added new row for a 277 instruction.	07/19/09
2420A.NM105	Added new row for a 277 instruction.	07/19/09
2420A.NM108	Changed to 277/situational data required.	04/27/09
2420A.NM108	Changed "= 31" to "is a valid VA identifier".	05/04/09
2420A.NM108	Added CSCCs, corrected the location reference.	07/21/09
2420A.NM109	Added CSCCs.	07/21/09
2420A.REF (1G)	Added CCCC.	07/21/09
2420A.REF02 (1G)	Added CCCC.	07/21/09
2420B.NM103	Added new row for a 277 instruction.	07/19/09
2420B.NM104	Added new row for a 277 instruction.	07/19/09
2420B.NM105	Added new row for a 277 instruction.	07/19/09
2420B.NM108	Changed to 277/situational data required.	04/27/09
2420B.NM108	Changed "= 31" to "is a valid VA identifier".	05/04/09
2420B.NM108	Added CSCCs, corrected the location reference.	07/21/09
2420B.NM109	Added CSCCs.	07/21/09
2420B.REF (1G)	Added CCCC.	07/21/09
2420B.REF02 (1G)	Added CCCC.	07/21/09
2420C.NM103	Added new row for a 277 instruction.	07/19/09
2420C.NM104	Changed to match the Professional edits.	04/26/09
2420C.NM104	Added new row for a 277 instruction.	07/19/09
2420C.NM105	Changed to match the Professional edits.	04/26/09



Change Log  
Changes to the version included for POC Review

2420C.NM105	Added new row for a 277 instruction.	07/19/09
2420C.NM108	Added explicit value.	04/23/09
2420C.NM108	Changed to 277/situational data required.	04/27/09
2420C.NM108	Changed "= 31" to "is a valid VA identifier".	05/04/09
2420C.NM108	Added CSCCs, corrected the location reference.	07/21/09
2420C.NM109	Added CSCCs.	07/21/09
2420C.REF (1G)	Changed error code.	05/03/09
2420C.REF (1G)	Added CSCC.	07/21/09
2420C.REF02 (1G)	Added CSCC.	07/21/09
2420D.NM1	Changed to match the Professional edits.	04/26/09
2420D.NM103	Added new row for a 277 instruction.	07/19/09
2420D.NM104	Added new row for a 277 instruction.	07/19/09
2420D.NM105	Added new row for a 277 instruction.	07/19/09
2420D.NM108	Added explicit value.	04/23/09
2420D.NM108	Changed to 277/situational data required.	04/27/09
2420D.NM108	Added CSCCs, corrected the location reference.	07/21/09
2420D.NM109	Added CSCCs.	07/21/09
2420D.REF (1G)	Added CSCC.	07/21/09
2420D.REF02 (1G)	Added CSCC.	07/21/09
2430.SVD01	Changed to match the Professional edits.	04/26/09
2430.SVD02	Changed the CSC code to the code approved by the committee (697)	06/07/09
2430.SVD03-2	Corrected spelling of "modifier".	06/04/09
2430.SVD03-3	Corrected spelling of "modifier".	06/04/09
2430.SVD03-4	Changed to match the Professional edits.	04/26/09
2430.SVD03-4	Corrected spelling of "modifier".	06/04/09
2430.SVD03-5	Changed to match the Professional edits.	04/26/09
2430.SVD03-5	Corrected spelling of "modifier".	06/04/09
2430.SVD03-6	Changed to match the Professional edits.	04/26/09
2430.SVD03-6	Corrected spelling of "modifier".	06/04/09
2430.CAS	Changed to match the Professional edits.	04/26/09
2430.CAS02	Changed to match the Professional error code.	04/26/09
2430.CAS02	Added CSCC.	07/21/09
2430.CAS03	Added 2nd CSC code (519).	04/26/09
2430.CAS03	Changed the CSC code to the code approved by the committee (697)	06/07/09
2430.CAS05	Changed to match the Professional error code.	04/26/09
2430.CAS05	Added CSCC.	07/21/09
2430.CAS06	Added 2nd CSC code (519).	04/26/09
2430.CAS06	Changed the CSC code to the code approved by the committee (697)	06/07/09
2430.CAS08	Changed to match the Professional error code.	04/26/09
2430.CAS08	Added CSCC.	07/21/09
2430.CAS09	Added 2nd CSC code (519).	04/26/09
2430.CAS09	Changed the CSC code to the code approved by the committee (697)	06/07/09
2430.CAS11	Changed to match the Professional error code.	04/26/09
2430.CAS11	Added CSCC.	07/21/09
2430.CAS12	Added 2nd CSC code (519).	04/26/09
2430.CAS12	Changed the CSC code to the code approved by the committee (697)	06/07/09
2430.CAS14	Changed to match the Professional error code.	04/26/09
2430.CAS14	Added CSCC.	07/21/09
2430.CAS15	Added 2nd CSC code (519).	04/26/09

Change Log  
Changes to the version included for POC Review

2430.CAS15	Changed the CSC code to the code approved by the committee (697)	06/07/09
2430.CAS17	Changed to match the Professional error code.	04/26/09
2430.CAS17	Added CSCC.	07/21/09
2430.CAS18	Added 2nd CSC code (519).	04/26/09
2430.CAS18	Changed the CSC code to the code approved by the committee (697)	06/07/09
2430.DTP01 (573)	Added explicit value.	04/23/09
2430.DTP02 (573)	Added explicit value.	04/23/09
2430.DTP02 (573)	Changed to match the Professional error code.	04/26/09
2430.AMT (EAF)	Changed to match the Professional edits.	04/26/09
2430.AMT01 (EAF)	Added explicit value.	04/23/09
2430.AMT01 (EAF)	Deleted edit.	04/23/09
SE	Corrected location typo.	04/26/09
SE	Changed the error code to an AK502 error.	05/03/09
SE01	Changed the error code to an AK502 error.	05/03/09
SE02	Changed the error code to an AK502 error.	05/03/09
GE	Changed the error code to an AK905 error.	05/03/09
GE01	Changed the error code to an AK905 error.	05/03/09
GE02	Changed the error code to an AK905 error.	05/03/09
IEA	Changed to match the Professional error code.	04/26/09
IEA	Changed error code from 024 to 023	07/16/09
IEA01	Changed to match the Professional error code.	04/26/09
IEA02	Changed to match the Professional error code.	04/26/09
Amount Elements	Updated all monetary amounts to reflect flat file pictures of S9(8)V99	09/01/09
X223.364.2320.AMT02.060	Added the inclusion of the CAS amounts for balancing	10/06/09
X223.349.2310F.NM109.040	Removed edit for "2310A.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109."	10/06/09
X223.319.2310A.NM109.030	Removed edit for "2310A.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109."	10/06/09
X223.326.2310B.NM109.040	Removed edit for "2310B.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109."	10/06/09
X223.331.2310C.NM109.040	Removed edit for "2310C.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109."	10/06/09
X223.336.2310D.NM109.040	Removed edit for "2310D.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109."	10/06/09
X223.349.2310F.NM109.040	Removed edit for "2310F.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109."	10/06/09
X223.456.2420A.NM109.040	Removed edit for "2420A.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109."	10/06/09
X223.461.2420B.NM109.040	Removed edit for "2420B.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109."	10/06/09
X223.466.2420C.NM109.040	Removed edit for "2420C.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109."	10/06/09
X223.471.2420D.NM109.040	Removed edit for "2420D.NM109 must be a valid NPI on the Crosswalk when evaluated with 1000B.NM109."	10/06/09
X223.383.2330A.REF02.020	Added MCS logic for editing SSNs	10/06/09
X223.080.2000A.PR02.010	corrected incorrect reference to 2000B	10/06/09
X223.080.2000A.PR02.020	corrected incorrect reference to 2000B	10/06/09
X223.080.2000A.PR03.010	corrected incorrect reference to 2000B	10/06/09
X223.080.2000A.PR03.020	corrected incorrect reference to 2000B	10/06/09
X223.084.2010AA.NM109.040	Removed \$ from edit description	10/06/09
X223.383.2330A.REF01.020	Corrected reference to 2330A rather than 2310A	10/06/09
X223.387.2330B.N402.010	Corrected reference to 2330B	10/06/09
X223.392.2330B.REF02	Corrected typos.	10/06/09
X223.435.2400.REF02	Corrected typos.	10/06/09
X223.341.2310E.NM103.060	Changed CSC 504 to 125	10/06/09
X223.090.2010AA.REF02.050	Remvoe Misc. Note for NPI	10/06/09
X223.071.1000A.NM109.030	Added entity identifier code	10/06/09
X223.084.2010AA.NM108.010	Changed usage from R to S	10/06/09
X223.087.2010AA.N301.070	Added "P O BOX" to valid values list	10/06/09

Change Log  
Changes to the version included for POC Review

X223.087.2010AA.N302.010	Added data type, min/max, and usage	10/06/09
X223.087.2010AA.N302.060	Added "P O BOX" to valid values list	10/06/09
X223.143.2300.CLM02.070	Changed CSC from 178 to 400 "Claim is out of balance"	10/06/09
X223.149.2300.DTP.010	Final impatient claims are ones with a TOB Freq equal to '1' or '4'.	10/06/09
X223.151.2300.DTP03.040	Change CSC from 394 to 189	10/06/09
X223.153.2300.CL102.030	Added "Source"	10/06/09
X223.175.2300.REF02	Added the min/max edits and must contain one char for consistency with other REF edits.	10/06/09
X223.369.2320.MIA05	Changed from 2330B.DTP03 when DTP01="573" to 2300.DTP03 when DTP01="434"	10/06/09
X223.387.2330B.N403.010	Changed the references from 2330A to 2330B	10/06/09
X223.393.2330B.REF01.020	Change edit reference from SF to 9F	10/06/09
X223.433.2400.DTP01.010	Added data type, min/max, and usage	10/06/09
X223.471.2420D.NM1.020	Removed " on a combined (facility and professional components) claim. "	10/06/09
X223.476.2430.SVD03-2.030	Added "on the date in 2400.DTP03 when DTP01 = "472"." for date checking for HIPPS codes.	10/06/09
X223.088.2010AA.N402.030	Added edit for valid state code	10/06/09
X223.088.2010AA.N403.030	Added edit for valid zip code	10/06/09
X223.097.2010AB.N402.030	Added edit for valid state code	10/06/09
X223.176.2300.K301.050	Corrected reference to K301 instead of REF02	10/06/09
X223A1.12.2310F.NM1.020	Changed reference X223.349.2310E.NM1.010 to X223A1.12.2310F.NM1.020 due to change in repeat for referring providers in the type 1 errata.	10/20/09
X223A1.23..GS08.010	Changed 5010 value from 005010X223 to 005010X223A1	10/20/09
X223A1.11..ST03.010	Changed 5010 value from 005010X223 to 005010X223A1	10/20/09
X223.068..BHT06.020	Added edit requiring value of "HC"	10/20/09
X223.424.2400.SV207.010	Removed edit requiring SV207 which cannot be determined if the provider had non-covered charges.	10/20/09
X223.313.2300.HCP12.030	Change reference in 5010 edit from 2400 to 2300	10/20/09
X223.313.2300.HCP12.040	Change reference in 5010 edit from 2400 to 2300	10/20/09
X223.313.2300.HCP12.050	Change reference in 5010 edit from 2400 to 2300	10/20/09
Topic Parking Lot	Removed. Issue tracked provide no guidance or benefit for the implementation of the CR	10/20/09
X223.C7..GS.020	Changed added disposition of "TA105: 024 Invalid GS Segment"	10/20/09
X223.C7..GS04 and GS05	Changed to TA1 rather than 999.	10/20/09
X223.358.2320.CAS06.050	Changed Accept/Reject to E	10/20/09
X223.358.2320.CAS09.050	Changed Accept/Reject to E	10/20/09
X223.358.2320.CAS15.050	Changed Accept/Reject to E	10/20/09
X223.364.2320.AMT02.020	Removed 5010 edit language	10/20/09
X223.365.2320.AMT02.020	Removed 5010 edit language	10/20/09
X223.365.2320.AMT02.040	Removed 5010 edit language	10/20/09
X223.366.2320.AMT02.030	Removed 5010 edit language	10/20/09
X223.366.2320.AMT02.040	Removed 5010 edit language	10/20/09
X223.366.2320.AMT02	Moved edit for invalid character (277CA) after 999E for must be numeric (renumbered edits for AMT02)	10/20/09
X223.364.2320.AMT02.030	Changed from 999R to 999E and added new 277CA edit for invalid character. Also renumbered remaining edits due to insert of new X223.364.2320.AMT02.040 edit.	10/20/09
X223.459.2420A.REF02.010	changed X12 min/max from 1-30 to 1-50	10/20/09
X223.081.2000A.CUR.010	Added new 999E edit for CUR segment as a not used for implementation error. This caused the current X223.081.2000A.CUR.010 edit to be pushed down to the second edit (.020) for the CUR segment.	10/20/09
X223.122.2010BB.NM107.020	Removed edit as 2010BB.NM107 is not used.	10/20/09
X223.476.2430.SVD06.030	Edit deactivated (replaced all data with spaces except for column A)	10/20/09
X223.109.2000B.SBR01.020	Changed R to E and swapped 030 and 040 edit to get corresponding 277 under 999E	10/20/09
All 277 rows	Added T & C to indicate errors which identified in the translator ( T ) and which errors are identified in the CEM ( C )	10/20/09

Change Log  
Changes to the version included for POC Review

X223.088.2010AA.N403.030	Added check if N404 is not present then validate zip code	10/20/09
X223.097.2010AB.N403.030		
X223.464.2420B.REF01.020	Added note "Trailblazer Only"	10/20/09
X223.239.2300.HI.010	Added (not outpatient) per 6676 comment and Matts agreement	10/20/09
X223.242.2300.HI.010	Added (not outpatient) per 6676 comment and Matts agreement	10/20/09
X223.067..ST.020	changed edit to IK502: 1 "Transaction Set Not Supported".	10/27/09
X223.078.2000A.HL.020	changed edit to IK304 = 5: "Segment Exceeds Maximum Use"	10/27/09
X223.097.2010AB.N402.010	changed to 999R	10/27/09
all appropriate 2310A NM1 elements	changed Attendee to Attending	10/27/09
n/a	EIC - Entity Identifier Code added to #113 in the style sheet	10/28/09
global	replaced all Entity Identifier Code occurrences to EIC	10/28/09
all appropriate 2300 HI elements	updated treatment code edits	10/28/09
X223.364.2320.AMT02.030	changed to 999R and deleted corresponding 277 (X223.364.2320.AMT02.040)	10/28/09
X223.365.2320.AMT02.030	changed to 999R and deleted corresponding 277 (X223.365.2320.AMT02.040)	10/28/09
X223.366.2320.AMT02.010	changed to 999R and deleted corresponding 277 (X223.366.2320.AMT02.040)	10/28/09
X223.367.2320.OI03.010	corrected Col F to OI03	10/28/09
X223.367.2320.OI03.010	corrected to X223.367.2320.OI03.010	10/28/09
X223.383.2330A.REF02.020	changed to CSC 148: "Entity's Social Security Number"	10/28/09
X223.433.2400.DTP01.020	deleted	10/28/09
X223.452.2410.CTP04.020	deleted	10/28/09
X223.471.2420D.NM1.020	changed to IK304 = 5: "Segment Exceeds Maximum Use"	10/28/09
X223.476.2430.SVD05.050	changed to 999R and deleted corresponding 277 (X223.476.2430.SVD05.060)	10/28/09
X223.476.2430.SVD06.060	deleted	10/28/09
X223.C10..IEA.010	added "R" to column P	10/28/09
X223.C10..IEA.020	added "R" to column P	10/28/09
X223.C10..IEA01.010	added "R" to column P	10/28/09
X223.C10..IEA01.020	added "R" to column P	10/28/09
X223.C10..IEA01.030	added "R" to column P	10/28/09
X223.C10..IEA01.040	added "R" to column P	10/28/09
X223.C10..IEA02.010	added "R" to column P	10/28/09
X223.C10..IEA02.020	added "R" to column P	10/28/09
X223.169.2300.REF.010	changed to 999R IK304 = 5: "Segment Exceeds Maximum Use"	10/29/09
X223.354.2320.SBR.010	added loop repeat of 10	10/29/09
X223.358.2320.CAS02.030	added CSC 516: Adjudication or Payment Date	10/29/09
X223.358.2320.CAS03.060	added CSC 519: "Adjustment Amount"	10/29/09
X223.374.2320.MOA02.020	changed to 999E	10/29/09
X223.358.2320.CAS03.030	moved the 999E edit to follow the 999R editing	10/30/09
X223.358.2320.CAS06.030	moved the 999E edit to follow the 999R editing	10/30/09
X223.358.2320.CAS09.030	moved the 999E edit to follow the 999R editing	10/30/09
X223.358.2320.CAS12.030	moved the 999E edit to follow the 999R editing	10/30/09
X223.358.2320.CAS15.030	moved the 999E edit to follow the 999R editing	10/30/09
X223.358.2320.CAS18.030	moved the 999E edit to follow the 999R editing	10/30/09
X223.364.2320.AMT02.010	moved the 999R edit to be before the 999E editing	10/30/09
X223.365.2320.AMT02.010	moved the 999R edit to be before the 999E editing	10/30/09
X223.366.2320.AMT02.	Corrected the edit numbering	10/30/09
X223.380.2330A.N301.020	moved the 999R edit to be before the 999E editing	10/30/09
X223.442.2400.HCP02.020	Added 999R edit for Must be numeric	10/30/09

Change Log  
Changes to the version included for POC Review

X223.442.2400.HCP03.010	Added 999R edit for Must be numeric	10/30/09
X223.442.2400.HCP07.010	Added 999R edit for Must be numeric	10/30/09
X223.442.2400.HCP12.030	Added 999R edit for Must be numeric	10/30/09
X223.442.2400.HCP12	Added 277CA T edit for greater then 0 and number of decimal positions	10/30/09
X223.476.2430.SVD02.050	Moved the 277CA edit to follow the 999E edit	10/30/09
X223.109.2000B.SBR04	fixed all edits	11/02/09
2330C - 2330I	changed to CSCC A7: "Acknowledgement /Rejected for Invalid Information..."	11/02/09
X223.441.2400.NTE02.040	removed EIC	11/02/09
X223.441.2400.NTE02.060	removed EIC	11/02/09
X223.476.2430.SVD05.040	changed to 999R	11/03/09
X223.442.2400.HCP10.030	changed to When 2400.HCP10 = "HP", 2400.HCP10 must be a valid HIPPS Skilled Nursing Facility Rate Code.	11/03/09
global	Changed all TBD10 to CSC 127: "Entity's Phone Number"	11/03/09
global	Changed all TBD011 to CSC 53: "Entity ID Number" EIC: "PR"	11/03/09
global	Changed all TBD013 to CSC 702: "Repriced Claim Reference Number"	11/03/09
global	Changed all TBD016 to CSC 153: "Entity's ID Number"	11/03/09
global	Changed all TBD020 to CSC 153: "Entity's ID Number"	11/03/09
X223.476.2430.SVD05.030	Changed TBD023 to CSC 608: "Paid Service Unit Count"	11/03/09
X223.078.2000A..010	added IK304 = 17: "Implementation Loop Occurs Under Minimum Times"	11/03/09
X223.078.2000A..020	IK304 = 4: "Loop Occurs Over Maximum Times"	11/03/09
X223.078.2000B..010	added IK304 = 17: "Implementation Loop Occurs Under Minimum Times"	11/03/09
X223.084.2010AA.NM108.010	changed to 277C	11/03/09
X223.084.2010AA.NM108.020	changed to 277C	11/04/09
X223.326.2310B.NM108.010	changed to TBD01	11/04/09
X223.326.2310B.NM108.020	Changed to 277C	11/04/09
X223.331.2310C.NM108.010	changed to TBD01	11/04/09
X223.331.2310C.NM108.020	Changed to 277C	11/04/09
X223.336.2310D.NM108.010	changed to TBD01	11/04/09
X223.336.2310D.NM108.020	Changed to 277C	11/04/09
X223.349.2310F.NM108.010	changed to TBD01	11/04/09
X223.349.2310F.NM108.020	Changed to 277C	11/04/09
X223.456.2420A.NM108.010	Changed to CSCC A8	11/04/09
X223.461.2420B.NM108.010	Changed to CSCC A8	11/04/09
X223.466.2420C.NM108.010	Changed to CSCC A8	11/04/09
X223.471.2420D.NM108.010	Changed to CSCC A8	11/04/09
X223.480.2430.CAS.020	Changed to IK304 = 5: "Segment Exceeds Maximum Use"	11/05/09
X223.480.2430.CAS18.060	added CSC 519: "Adjustment Amount"	11/05/09
X223.480.2430.CAS01.030	added EIC: GB Other Insured	11/05/09
global	sync'd up claim and line level CAS segments	11/05/09
X223.097.2010AB.N403.020	Changed to 277C	11/16/09
X223.364.2320.AMT02.030	changed "EIC: TBD Need COB payer Entity" to CSC 286: "Other payer's Explanation of Benefits/payment information"	12/22/09
X223.364.2320.AMT02.040	changed "EIC: TBD Need COB payer Entity" to CSC 286: "Other payer's Explanation of Benefits/payment information"	12/22/09
X223.364.2320.AMT02.050	changed "EIC: TBD Need COB payer Entity" to CSC 286: "Other payer's Explanation of Benefits/payment information"	12/22/09
X223.364.2320.AMT02.060	changed "EIC: TBD Need COB payer Entity" to CSC 286: "Other payer's Explanation of Benefits/payment information"	12/22/09
X223.143.2300.CLM01.040	deleted "Suggest use CSCC A6"	12/22/09
X223.071.1000A.NM109.050	changed to 999R	12/22/09
X223.071.1000A.NM109.060	Edit deactivated (replaced all data with spaces except for column A)	12/22/09
X223.071.1000A.NM109.070	changed to 999R	12/22/09
X223.242.2300.HI.010	changed to IK403 = I12: "Implementation Pattern Match Failure"	12/22/09

Change Log  
Changes to the version included for POC Review

X223.071.1000A.NM109.030	changed to 999R	12/22/09
X223.071.1000A.NM109.040	Edit deactivated (replaced all data with spaces except for column A)	12/22/09
X223.071.1000A.NM103.040	Edit deactivated (replaced all data with spaces except for column A)	12/22/09
X223.071.1000A.NM103.030	changed to 999R	12/22/09
X223.071.1000A.NM103.050	changed to 999R	12/22/09
X223.071.1000A.NM103.060	Edit deactivated (replaced all data with spaces except for column A)	12/22/09
X223.071.1000A.NM104.010	changed to 999R	12/22/09
X223.071.1000A.NM104.030	changed to 999R	12/22/09
X223.071.1000A.NM104.020	Edit deactivated (replaced all data with spaces except for column A)	12/22/09
X223.071.1000A.NM104.040	Edit deactivated (replaced all data with spaces except for column A)	12/22/09
X223.071.1000A.NM104.050	changed to 999R	12/22/09
X223.071.1000A.NM104.060	changed to 999R	12/22/09
X223.071.1000A.NM104.070	Edit deactivated (replaced all data with spaces except for column A)	12/22/09
X223.071.1000A.NM105.030	Edit deactivated (replaced all data with spaces except for column A)	12/22/09
X223.071.1000A.NM105.050	Edit deactivated (replaced all data with spaces except for column A)	12/22/09
X223.071.1000A.NM105.070	Edit deactivated (replaced all data with spaces except for column A)	12/22/09
X223.073.1000A.PER02.030	Edit deactivated (replaced all data with spaces except for column A)	12/22/09

## **Spreadsheet Details**

- An Edit Identifier is used to uniquely identify each row in an Edit Spreadsheet. It consists of the following
  - \* TR3 Identifier.
  - \* TR3 Page reference for the segment identified.
  - \* TR3 Loop ID (if there is no loop ID there will be two periods together).
  - \* Segment ID and Element Position.
  - \* Edit Number (within the Segment ID / Element Position).
- The "Accept/Reject" Column will be populated with one of the following values as indicated below:
  - \* R - The transaction set (ST-SE) is rejected back to the submitter.
  - \* E - The transaction set (ST-SE) is passed to the CEM where additional validation occurs. Rejections for both
  - \* T - The error is identified in the translator and an STC record is added to the 837 flat file following the
  - \* C - The error is identified in the CEM, a 277CA flat file, including the business error information, will be
- Acronyms:
  - \* CSC - Claim Status Code.
  - \* CSCC - Claim Status Category Code.
  - \* EIC - Entity Identifier Code.
- Edit inclusion methodology:
  - \* If a segment/element/composite is required, based on either guide usage or by situational rule interpretation,
  - \* If a segment/element/composite is not used, based on either guide usage or by situational rule interpretation,
  - \* If a segment/element/composite does not have either of those explicit notations, the edits listed will apply
- Assumptions:
  - \* The edits included in the spreadsheet are intended to clarify the X12N Implementation Guide instructions or add Medicare specific requirements. Unless otherwise explicitly specified in the EDITS worksheet, all X12 IG
  - \* Segments noted as "Pass through, syntax only" will not include CMS specific edits based on system constraints or business rules. This notation indicates that the information is stored on the repository but not used in any
  - \* Front End processing will determine billing criteria (inpatient, outpatient, POA, etc.) based on the NUBC
  - \* Conditional statements regarding inclusion or exclusion of segment/element/composites will be included when they can be consistently enforced by a transaction receiver. In the absence of consistently enforceable
  - Example: 2320 COB Payer Amt Paid - there is no way for the receiver to determine whether the claim has been adjudicated by the payer in Loop 2330B, so no edit will be included for that criteria.
  - \* Format definitions, rules, restrictions, guidance, or instructions published by the code set owner of an external code set must be met for a code from an external code set to be noted as "valid".
  - \* If a segment is repeated at the same location with different qualifiers, the segment edit will include a qualifier clause (Only one iteration of 2300.HI with HI01-1 = "DR" is allowed), otherwise the segment edit will just include
- Valid dates - dates must be valid according to the calendar for the specific year.
  - \* Only 01 - 12 are valid for the month positions of the date field.
  - \* If month is "01", the day positions may be populated with 01 - 31.
  - \* If month is "02", the day positions may be populated with 01 - 28, except during leap years (2008 was a leap year, leap years occur every 4 years) when the day positions may be populated with 01 - 29.
  - \* If month is "03", the day positions may be populated with 01 - 31.
  - \* If month is "04", the day positions may be populated with 01 - 30.
  - \* If month is "05", the day positions may be populated with 01 - 31.
  - \* If month is "06", the day positions may be populated with 01 - 30.
  - \* If month is "07", the day positions may be populated with 01 - 31.
  - \* If month is "08", the day positions may be populated with 01 - 31.
  - \* If month is "09", the day positions may be populated with 01 - 30.

- \* If month is "10", the day positions may be populated with 01 - 31.
- \* If month is "11", the day positions may be populated with 01 - 30.
- \* If month is "12", the day positions may be populated with 01 - 31.
- Future Date edits:
  - \* Edits restricting a date field from being a "future date" should be evaluated against the date the file was
- ICD Codes:
  - \* Edits that are specific to the period when ICD-9 is allowed are highlighted in pink.
  - \* Edits that are specific to the period when ICD-10 is allowed are highlighted in turquoise.
- Numeric edits:
  - \* Positive/Negative/Zero:
    - Any numeric value with an edit that indicates it must be  $\geq 0$  means that negative numbers are not allowed.
    - Any numeric value with an edit that indicates it must be  $> 0$  means that neither zero nor negative numbers
    - If neither of these explicit edit are present, negative, zero, and positive numbers are allowed.
  - \* If an edit references a numeric value (must be  $\geq$ ,  $\leq$  or  $=$  with a numeric limitation) implies a numeric content
  - \* The words "digit" or "digits" in an edit implies numeric content.
- Alphanumeric edits:
  - \* The words "character" or "characters" in an edit implies alphanumeric content.
  - \* If the data of an AN element or composite is from an external code list, the standard AN edits will not be

## **Terms and Definitions**

- The flow of the transactions is:
  - \* **Front end processing** – commercial translator edits, specific to each contractor.
    - EDI syntax integrity validation
  - Valid Segments (e.g. valid segment identifier, number of elements, delimiters)
  - Segment order (as defined by the X12 / NCPDP standard)
  - Element Attributes (e.g. X12 usage, repetitions, data type, and min/max size)
  - Numeric element validation (e.g. leading minus signs, decimal points for R data types)
  - X12 / NCPDP syntactical rules
    - HIPAA syntax integrity validation based upon adopted specifications (X12 / NCPDP)
  - Repeat maximums for segments, loops, elements (when repeating element are used)
  - Used and un-used qualifiers, (internal) codes, elements, and segments
  - Intra-segment situational data elements (e.g. DTP for auto accident becomes required when CLM011-1 or
  - \* **Common edit module** – identical processing across contractors
    - External code source validation
    - All CMS business rule validation that is evaluated post-translation
    - Balancing edits
    - Situation based edits
    - Code Set edits
    - Product Type/Type of Service edits
  - \* **Shared system** – CMS claims processing system.
    - 277 – Denotes that a 277 acknowledgement will be returned to the submitter.
    - \* 277T – This designation is used when an error is identified in front end processing (before the common edit module is invoked). When this type of error is identified an STC record is added to the 837 flat file following the
    - \* 277C – This designation is used when an error is identified in the common edit module. When this type of error is identified an STC record is added to the 277 flat file following the segment with the identified error.



- 999 – Denotes that a 999 acknowledgement will be returned to the submitter.
- \* 999R – This designation is used when an identified error causes the transaction set (ST-SE) to be rejected back to the submitter. If multiple transaction sets are included in one functional group, only the transaction set with
- \* 999E – This designation is used when processing continues after an error is identified; the transaction set (ST-SE) will continue to be evaluated against the translator errors before being passed to the CEM for additional
  - Exception: If the 999E is based on usage of a "Not Used" element only a 999E will be generated and sent back to the submitter. No corresponding 277 will be created in the flat file for this type of error.

## **Assumptions**

- 277 acknowledgements and 999 acknowledgements are not mutually exclusive.

## **General Edit Rules:**

**These are the priority rules. They supersede the secondary rules whenever there is a conflict between the**

- 999R edits stand alone. They are not associated with a corresponding 277 error.
- 999E edits are always followed by a 277T edit.
- \* Exception: a 999E based on usage of a "Not Used" element stands alone.
- 277C edits stand alone. They are not associated with a corresponding 999 error.
- 277T edits are usually preceded by a 999E edit but can stand alone.
- \* Special Case: When an element has more than one error that can be identified in the translator, there can be
- All Table 1 edits result in a 999R or TA1 rejection.
- \* Exception: "Not Used" elements will be associated with stand-alone 999E edits.
- All Table 2 edits related to CMS business constraints will be associated with a 277 edit.
- \* EDI Syntax Integrity Validation (WEDI Level 1) or HIPAA Syntax Integrity Validation (WEDI Level 2) edits will be
- \* Common Edit Module validation (WEDI Levels 3 through 6) edits will be associated with a 277C edit.
- All Table 2 edits related to CMS technical constraints will be associated with a 999E followed by a 277T edit.
- \* Examples: amounts or quantities for which CMS's internal system size is smaller than the IG allowed

## **Specific Edit Rules:**

**These are the secondary rules. They apply only when they do not violate the priority rules.**

- Loops that are not accepted based on Medicare business rules will be associated with a stand-alone 277T
  - Segments that are not accepted based on Medicare business rules will be associated with a stand-alone
  - All "... must be populated with accepted AN characters" edits will be associated with a 999E (IK403=6)/277T
  - All "...must be # - ## characters" edits will be associated with a 999E (IK403=4 or IK403=5)/277T edit
  - All "...must be {<, >, =, <=, >=}" edits that establish element length will be associated with a 999E (IK403=4 or
  - All "...must contain at least ## non-space characters" edits will be associated with a 999R edit (IK403=6).
  - All "...must be present" edits at the segment level will be associated with a 999R edit (IK304=3).
- Exception: if the edit reflects Medicare business rules instead of X12 syntax rules, the edit will be associated with
- All "...must be present" edits at the element level will be associated with a 999R edit (IK403=1).
- Exception: if the edit reflects Medicare business rules instead of X12 syntax rules, the edit will be associated with
- All "If ... is not present, ... must be present" edits at the segment level will be associated with a 999R edit
  - All "If ... is present, ... must be present" edits referring to a relationship between two elements within the
  - All "If ... is present, ... must be present" edits referring to a relationship between two different segments will
  - All "If ...is present, ....may be present" edits referring to a relationship between two elements within the
  - All "If ... is present, ... may be present" edits referring to a relationship between two different segments will

- All “...must be valid values” edits will be associated with a 999R edit (IK304=7).
- All “...must be {explicit value}” edits will be associated with a 999R edit (IK403=7).
- All “...must be numeric” edits will be associated with a 999R edit (IK403=6).
- All external code source edits will be associated with a 277C edit.
- All “must be an integer” edits will be associated with a 999R edit (IK403=6).
- All “must be a valid date” edits will be associated with a 999R edit (IK403=8).
- All “must be a valid time” edits will be associated with a 999R edit (IK403=8).
- All “must not be present” edits at the segment level will be associated with a 277T edit.
- All “must not be present” edits at the element level will be associated with a 999E edit (IK403=110).
- All “If ...NM102 is “2”, ... must not be present” edits will be associated with a 999R edit (IK403=113).
- All dollar amounts or numeric elements that use <, >, =, <=, or >= to establish value limits will be associated
- All edits limiting the number of iterations of a segment will be associated with a 999R (IK304=5).
- \* Exception: All edits limiting the number of iterations of the first segment of a loop will be associated with a

**Segment or Element Specific Edit Rules:**

**These are the tertiary rules. They apply only when they do not violate the priority or secondary rules.**

- In Loops 1000A and 2010AA, NM109 edits referring to “approved electronic submitter” (trading partner management edits) will be associated with a 999R edit (trading partner management edits).