

CMS Manual System	Department of Health & Human Services (DHHS)
Pub 100-04 Medicare Claims Processing	Centers for Medicare & Medicaid Services (CMS)
Transmittal 990	Date: JUNE 23, 2006
	Change Request 5142

Subject: Medicare Contractor Annual Update of the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)

I. SUMMARY OF CHANGES: This instruction is CMS' annual reminder to the contractors of the ICD-9-CM update that is effective for the dates of service on and after October 1, 2006, as well as discharges on or after October 1, 2006 for institutional providers.

New / Revised Material

Effective Date: October 1, 2006

Implementation Date: October 2, 2006

Disclaimer for manual changes only: The revision date and transmittal number apply only to red italicized material. Any other material was previously published and remains unchanged. However, if this revision contains a table of contents, you will receive the new/revised information only, and not the entire table of contents.

II. CHANGES IN MANUAL INSTRUCTIONS: (N/A if manual is not updated)

R=REVISED, N=NEW, D=DELETED-*Only One Per Row.*

R/N/D	Chapter / Section / Subsection / Title
N/A	

III. FUNDING:

No additional funding will be provided by CMS; Contractor activities are to be carried out within their FY 2006 operating budgets.

IV. ATTACHMENTS:

Recurring Update Notification

**Unless otherwise specified, the effective date is the date of service.*

Attachment – Recurring Update Notification

Pub. 100-04	Transmittal: 990	Date: June 23, 2006	Change Request 5142
-------------	------------------	---------------------	---------------------

SUBJECT: Medicare Contractor Annual Update of the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)

I. GENERAL INFORMATION

A. Background: In 1979, use of ICD-9-CM codes became mandatory for reporting provider services on Form CMS-1450. On April 1, 1989, use of ICD-9-CM codes became mandatory for all physician services submitted on Form CMS-1500. Effective October 1, 2003 an ICD-9-CM code is required on all paper and electronic claims billed to Medicare carriers with the exception of ambulance claims (specialty type 59).

Effective for dates of service on and after October 1, 2004, CMS no longer provides a 90-day grace period for providers (billing carriers/DMERCs) to use in billing discontinued ICD-9-CM diagnosis codes on Medicare claims. Institutional providers did not have a grace period, they were always required to bill the new ICD-9-CM codes for discharges on or after October 1.

The ICD-9-CM codes are updated annually as stated in Pub. 100-04, Chapter 23, Section 10.2. The CMS sends the ICD-9-CM Addendum out to the regional offices and Medicare contractors annually.

B. Policy: This instruction serves as a reminder to contractors regarding the annual ICD-9-CM coding update to be effective for dates of service on or after October 1, 2006 (effective for discharges on or after October 1, 2006 for institutional providers).

An ICD-9-CM code is required for all professional claims, e.g., physicians, non-physician practitioners, independent clinical diagnostic laboratories, occupational and physical therapists, independent diagnostic testing facilities, audiologist, ambulatory surgical centers (ASCs), and for all institutional claims. However, an ICD-9-CM code is not required for ambulance supplier claims.

The CMS posts the new, revised, and discontinued ICD-9-CM diagnosis codes on the CMS Web site at http://www.cms.hhs.gov/ICD9ProviderDiagnosticCodes/07_summarytables.asp#TopOfPage on an annual basis. The updated diagnosis codes are effective for dates of service on and after October 1. Providers can view the new updated codes at this site in June. Providers can also visit the National Center for Health Statistics (NCHS) Web site at www.cdc.gov/nchs/icd9.htm. The NCHS will post the new ICD-9-CM Addendum on their web in June. Providers are also encouraged to purchase a new ICD-9-CM book or CD-ROM on an annual basis.

II. BUSINESS REQUIREMENTS

"Shall" denotes a mandatory requirement

"Should" denotes an optional requirement

Requirement Number	Requirements	Responsibility ("X" indicates the columns that apply)								
		F I	R H I	C a r r i e r	D M E R C	Shared System Maintainers				Other
F I S S	M C S					V M S	C W F			
5142.1	Carriers/DMERCs/FIs shall install and accept the new and revised 2006 ICD-9-CM update in order to process claims with dates of service on or after October 1, 2006.	X	X	X	X					
5142.1.1	For institutional providers, FIs shall accept the new and revised codes for claims with discharges on or after October 1, 2006.	X								
5142.2	FISS/FIs shall review reason code and local edits that contain ICD-9-CM codes and update if necessary.	X				X				
5142.2.1	Carriers shall review local edits that contain ICD-9-CM codes and update if necessary.			X	X					

III. PROVIDER EDUCATION

Requirement Number	Requirements	Responsibility ("X" indicates the columns that apply)								
		F I	R H I	C a r r i e r	D M E R C	Shared System Maintainers				Other
F I S S	M C S					V M S	C W F			
5142.3	A provider education article related to this instruction will be available at www.cms.hhs.gov/MLNMattersArticles shortly after the CR is released. You will receive notification of the article release via the established "MLN Matters" listserv.	X	X	X	X					

Requirement Number	Requirements	Responsibility (“X” indicates the columns that apply)							
		F I	R H I	C a r r i e r	D M E R C	Shared System Maintainers			
F I S S	M C S					V M S	C W F		
	Contractors shall post this article, or a direct link to this article, on their Web site and include information about it in a listserv message within 1 week of the availability of the provider education article. In addition, the provider education article shall be included in your next regularly scheduled bulletin and incorporated into any educational events on this topic. Contractors are free to supplement MLN Matters articles with localized information that would benefit their provider community in billing and administering the Medicare program correctly.								

IV. SUPPORTING INFORMATION AND POSSIBLE DESIGN CONSIDERATIONS

A. Other Instructions: N/A

X-Ref Requirement #	Instructions

B. Design Considerations: N/A

X-Ref Requirement #	Recommendation for Medicare System Requirements

C. Interfaces: MCE version 23, Grouper version 24, OCE version 7.3, non-OPPS OCE version 22, IPF PPS Pricer version 071, and IPPS Pricer 060

D. Contractor Financial Reporting /Workload Impact: N/A

E. Dependencies: Two attachments: the table and the Addendum.

F. Testing Considerations: N/A

V. SCHEDULE, CONTACTS, AND FUNDING

<p>Effective Date*: October 1, 2006</p> <p>Implementation Date: October 2, 2006</p> <p>Pre-Implementation Contact(s): April Billingsley, april.billingsley@cms.hhs.gov or 410-786-0140 (carriers), and Sarah Shirey-Losso, sarah.shirey-losso@cms.hhs.gov or 410-786-0187 (FIs)</p> <p>Post-Implementation Contact(s): Appropriate regional office</p>	<p>No additional funding will be provided by CMS; contractor activities are to be carried out within their FY 2006 operating budgets.</p>
---	--

***Unless otherwise specified, the effective date is the date of service.**

Attachments

**Invalid Diagnosis Codes
Effective October 1, 2006**

(Rev.990, Issued: 06-23-06, Effective: 10-01-06, Implementation: 10-02-06)

Note: The final addendum providing complete information on changes to the diagnosis part of ICD-9-CM is posted on CDC's webpage at: www.cdc.gov/nchs/icd9.htm

Diagnosis Code	Description
238.7	Other lymphatic and hematopoietic tissues
277.3	Amyloidosis
284.0	Constitutional aplastic anemia
288.0	Agranulocytosis
323.0	Encephalitis in viral diseases classified elsewhere
323.4	Other encephalitis due to infection classified elsewhere
323.5	Encephalitis following immunization procedures
323.6	Postinfectious encephalitis
323.7	Toxic encephalitis
323.8	Other causes of encephalitis
333.7	Symptomatic torsion dystonia
478.1	Other diseases of nasal cavity and sinuses
519.1	Other diseases of trachea and bronchus, not elsewhere classified
521.8	Other specific diseases of hard tissues of teeth
523.0	Acute gingivitis
523.1	Chronic gingivitis
523.3	Acute periodontitis
523.4	Chronic periodontitis
528.0	Stomatitis
608.2	Torsion of testis
616.8	Other specified inflammatory diseases of cervix, vagina, and vulva
629.8	Other specified disorders of female genital organs
775.8*	Other transitory neonatal endocrine and metabolic disturbances

Diagnosis Code	Description
784.9	Other symptoms involving head and neck
793.9	Other nonspecific abnormal findings on radiological and other examinations of body structure
995.2	Unspecified adverse effect of drug, medicinal and biological substance
V18.5	Family history, Digestive disorders
V58.3	Attention to surgical dressings and sutures
V72.1	Examination of ears and hearing

*This diagnosis code was discussed at the March 23-24, 2006 ICD-9-CM Coordination and Maintenance Committee meeting and was not finalized in time to include in the proposed rule. It will be deleted on October 1, 2006.

**Invalid Procedure Codes
Effective October 1, 2006**

(Rev.990, Issued: 06-23-06, Effective: 10-01-06, Implementation: 10-02-06)

Note: The final addendum which describes all changes to the procedure part of ICD-9-CM is posted on CMS' webpage at: www.cms.hhs.gov/ICD9ProviderDiagnosticCodes

Procedure Code	Description
13.9*	Other operations on lens
68.4	Total abdominal hysterectomy
68.6	Radical abdominal hysterectomy
68.7	Radical vaginal hysterectomy

*This procedure code was discussed at the March 23-24, 2006 ICD-9-CM Coordination and Maintenance Committee meeting and was not finalized in time to include in the proposed rule. It will be deleted on October 1, 2006.

**New Diagnosis Codes
Effective October 1, 2006**

(Rev.990, Issued: 06-23-06, Effective: 10-01-06, Implementation: 10-02-06)

Note: The final addendum providing complete information on changes to the diagnosis part of ICD-9-CM is posted on CDC's webpage at: www.cdc.gov/nchs/icd9.htm

Diagnosis Code	Description
052.2	Postvaricella myelitis
053.14	Herpes zoster myelitis
054.74	Herpes simplex myelitis
238.71	Essential thrombocythemia
238.72	Low grade myelodysplastic syndrome lesions
238.73	High grade myelodysplastic syndrome lesions
238.74	Myelodysplastic syndrome with 5q deletion
238.75	Myelodysplastic syndrome, unspecified
238.76	Myelofibrosis with myeloid metaplasia
238.79	Other lymphatic and hematopoietic tissues
277.30	Amyloidosis, unspecified
277.31	Familial Mediterranean fever
277.39	Other amyloidosis
284.01	Constitutional red blood cell aplasia
284.09	Other constitutional aplastic anemia
284.1	Pancytopenia
284.2	Myelophthisis
288.00	Neutropenia, unspecified
288.01	Congenital neutropenia
288.02	Cyclic neutropenia
288.03	Drug induced neutropenia
288.04	Neutropenia due to infection
288.09	Other neutropenia
288.4	Hemophagocytic syndromes
288.50	Leukocytopenia, unspecified

Diagnosis Code	Description
288.51	Lymphocytopenia
288.59	Other decreased white blood cell count
288.60	Leukocytosis, unspecified
288.61	Lymphocytosis (symptomatic)
288.62	Leukemoid reaction
288.63	Monocytosis (symptomatic)
288.64	Plasmacytosis
288.65	Basophilia
288.69	Other elevated white blood cell count
289.53	Neutropenic splenomegaly
289.83	Myelofibrosis
323.01	Encephalitis and encephalomyelitis in viral diseases classified elsewhere
323.02	Myelitis in viral diseases classified elsewhere
323.41	Other encephalitis and encephalomyelitis due to infection classified elsewhere
323.42	Other myelitis due to infection classified elsewhere
323.51	Encephalitis and encephalomyelitis following immunization procedures
323.52	Myelitis following immunization procedures
323.61	Infectious acute disseminated encephalomyelitis (ADEM)
323.62	Other postinfectious encephalitis and encephalomyelitis
323.63	Postinfectious myelitis
323.71	Toxic encephalitis and encephalomyelitis
323.72	Toxic myelitis
323.81	Other causes of encephalitis and encephalomyelitis
323.82	Other causes of myelitis
331.83	Mild cognitive impairment, so stated
333.71	Athetoid cerebral palsy
333.72	Acute dystonia due to drugs
333.79	Other acquired torsion dystonia

Diagnosis Code	Description
333.85	Subacute dyskinesia due to drugs
333.94*	Restless Legs Syndrome
338.0	Central pain syndrome
338.11	Acute pain due to trauma
338.12	Acute post-thoracotomy pain
338.18	Other acute postoperative pain
338.19	Other acute pain
338.21	Chronic pain due to trauma
338.22	Chronic post-thoracotomy pain
338.28	Other chronic postoperative pain
338.29	Other chronic pain
338.3	Neoplasm related pain (acute) (chronic)
338.4	Chronic pain syndrome
341.20	Acute (transverse) myelitis NOS
341.21	Acute (transverse) myelitis in conditions classified elsewhere
341.22	Idiopathic transverse myelitis
377.43	Optic nerve hypoplasia
379.60	Inflammation (infection) of postprocedural bleb, unspecified
379.61	Inflammation (infection) of postprocedural bleb, stage 1
379.62	Inflammation (infection) of postprocedural bleb, stage 2
379.63	Inflammation (infection) of postprocedural bleb, stage 3
389.15	Sensorineural hearing loss, unilateral
389.16	Sensorineural hearing loss, asymmetrical
429.83	Takotsubo syndrome
478.11	Nasal mucositis (ulcerative)
478.19	Other disease of nasal cavity and sinuses
518.7	Transfusion related acute lung injury (TRALI)
519.11	Acute bronchospasm
519.19	Other diseases of trachea and bronchus
521.81	Cracked tooth
521.89	Other specific diseases of hard tissues of teeth

Diagnosis Code	Description
523.00	Acute gingivitis, plaque induced
523.01	Acute gingivitis, non-plaque induced
523.10	Chronic gingivitis, plaque induced
523.11	Chronic gingivitis, non-plaque induced
523.30	Aggressive periodontitis, unspecified
523.31	Aggressive periodontitis, localized
523.32	Aggressive periodontitis, generalized
523.33	Acute periodontitis
523.40	Chronic periodontitis, unspecified
523.41	Chronic periodontitis, localized
523.42	Chronic periodontitis, generalized
525.60	Unspecified unsatisfactory restoration of tooth
525.61	Open restoration margins
525.62	Unrepairable overhanging of dental restorative materials
525.63	Fractured dental restorative material without loss of material
525.64	Fractured dental restorative material with loss of material
525.65	Contour of existing restoration of tooth biologically incompatible with oral health
525.66	Allergy to existing dental restorative material
525.67	Poor aesthetics of existing restoration
525.69	Other unsatisfactory restoration of existing tooth
526.61	Perforation of root canal space
526.62	Endodontic overfill
526.63	Endodontic underfill
526.69	Other periradicular pathology associated with previous endodontic treatment
528.00	Stomatitis and mucositis, unspecified
528.01	Mucositis (ulcerative) due to antineoplastic therapy

Diagnosis Code	Description
528.02	Mucositis (ulcerative) due to other drugs
528.09	Other stomatitis and mucositis (ulcerative)
538	Gastrointestinal mucositis (ulcerative)
608.20	Torsion of testis, unspecified
608.21	Extravaginal torsion of spermatic cord
608.22	Intravaginal torsion of spermatic cord
608.23	Torsion of appendix testis
608.24	Torsion of appendix epididymis
616.81	Mucositis (ulcerative) of cervix, vagina, and vulva
616.89	Other inflammatory disease of cervix, vagina and vulva
618.84	Cervical stump prolapse
629.29	Other female genital mutilation status
629.81	Habitual aborter without current pregnancy
629.89	Other specified disorders of female genital organs
649.00	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care or not applicable
649.01	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition
649.02	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication
649.03	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, antepartum condition or complication
649.04	Tobacco use disorder complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication
649.10	Obesity complicating pregnancy,

Diagnosis Code	Description
	childbirth, or the puerperium, unspecified as to episode of care or not applicable
649.11	Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition
649.12	Obesity complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication
649.13	Obesity complicating pregnancy, childbirth, or the puerperium, antepartum condition or complication
649.14	Obesity complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication
649.20	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care or not applicable
649.21	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition
649.22	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication
649.23	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, antepartum condition or complication
649.24	Bariatric surgery status complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication
649.30	Coagulation defects complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care or not applicable
649.31	Coagulation defects complicating

Diagnosis Code	Description
	pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition
649.32	Coagulation defects complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication
649.33	Coagulation defects complicating pregnancy, childbirth, or the puerperium, antepartum condition or complication
649.34	Coagulation defects complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication
649.40	Epilepsy complicating pregnancy, childbirth, or the puerperium, unspecified as to episode of care or not applicable
649.41	Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with or without mention of antepartum condition
649.42	Epilepsy complicating pregnancy, childbirth, or the puerperium, delivered, with mention of postpartum complication
649.43	Epilepsy complicating pregnancy, childbirth, or the puerperium, antepartum condition or complication
649.44	Epilepsy complicating pregnancy, childbirth, or the puerperium, postpartum condition or complication
649.50	Spotting complicating pregnancy, unspecified as to episode of care or not applicable
649.51	Spotting complicating pregnancy, delivered, with or without mention of antepartum condition
649.53	Spotting complicating pregnancy, antepartum condition or complication
649.60	Uterine size date discrepancy, unspecified as to episode of care or not applicable

Diagnosis Code	Description
649.61	Uterine size date discrepancy, delivered, with or without mention of antepartum condition
649.62	Uterine size date discrepancy, delivered, with mention of postpartum complication
649.63	Uterine size date discrepancy, antepartum condition or complication
649.64	Uterine size date discrepancy, postpartum condition or complication
729.71	Nontraumatic compartment syndrome of upper extremity
729.72	Nontraumatic compartment syndrome of lower extremity
729.73	Nontraumatic compartment syndrome of abdomen
729.79	Nontraumatic compartment syndrome of other sites
731.3	Major osseous defects
768.7*	Hypoxic-ischemic encephalopathy (HIE)
770.87*	Respiratory arrest of newborn
770.88*	Hypoxemia of newborn
775.81*	Other acidosis of newborn
775.89*	Other neonatal endocrine and metabolic disturbances
779.85*	Cardiac arrest of newborn
780.32	Complex febrile convulsions
780.96	Generalized pain
780.97	Altered mental status
784.91	Postnasal drip
784.99	Other symptoms involving head and neck
788.64	Urinary hesitancy
788.65	Straining on urination
793.91	Image test inconclusive due to excess body fat
793.99	Other nonspecific abnormal findings on radiological and other examinations of body structure
795.06	Papanicolaou smear of cervix with cytologic evidence of malignancy

Diagnosis Code	Description
795.81	Elevated carcinoembryonic antigen [CEA]
795.82	Elevated cancer antigen 125 [CA 125]
795.89	Other abnormal tumor markers
958.90	Compartment syndrome, unspecified
958.91	Traumatic compartment syndrome of upper extremity
958.92	Traumatic compartment syndrome of lower extremity
958.93	Traumatic compartment syndrome of abdomen
958.99	Traumatic compartment syndrome of other sites
995.20	Unspecified adverse effect of unspecified drug, medicinal and biological substance
995.21	Arthus phenomenon
995.22	Unspecified adverse effect of anesthesia
995.23	Unspecified adverse effect of insulin
995.27	Other drug allergy
995.29	Unspecified adverse effect of other drug, medicinal and biological substance
V18.51	Family history, Colonic polyps
V18.59	Family history, Other digestive disorders
V26.34	Testing of male for genetic disease carrier status
V26.35	Encounter for testing of male partner of habitual aborter
V26.39	Other genetic testing of male
V45.86	Bariatric surgery status
V58.30	Encounter for change or removal of nonsurgical wound dressing
V58.31	Encounter for change or removal of surgical wound dressing
V58.32	Encounter for removal of sutures
V72.11	Encounter for hearing examination following failed hearing screening
V72.19	Other examination of ears and hearing
V82.71	Screening for genetic disease

Diagnosis Code	Description
	carrier status
V82.79	Other genetic screening
V85.51	Body Mass Index, pediatric, less than 5 th percentile for age
V85.52	Body Mass Index, pediatric, 5 th percentile to less than 85 th percentile for age
V85.53	Body Mass Index, pediatric, 85 th percentile to less than 95 th percentile for age
V85.54	Body Mass Index, pediatric, greater than or equal to 95 th percentile for age
V86.0	Estrogen receptor positive status [ER+]
V86.1	Estrogen receptor negative status [ER-]

*These diagnosis codes were discussed at the March 23-24, 2006 ICD-9-CM Coordination and Maintenance Committee meeting and were not finalized in time to include in the proposed rule. They will be implemented on October 1, 2006.

Table 6B - New Procedure Codes**(Rev.990, Issued: 06-23-06, Effective: 10-01-06, Implementation: 10-02-06)**

Note: The final addendum which describes all changes to the procedure part of ICD-9-CM is posted on CMS' webpage at: www.cms.hhs.gov/ICD9ProviderDiagnosticCodes

Procedure Code	Description
00.44	Procedure on vessel bifurcation
00.56	Insertion or replacement of implantable pressure sensor (lead) for intracardiac hemodynamic monitoring
00.57	Implantation or replacement of subcutaneous device for intracardiac hemodynamic monitoring
00.77*	Hip replacement bearing surface, ceramic-on-polyethylene
00.85*	Resurfacing hip, total, acetabulum and femoral head
00.86*	Resurfacing hip, partial, femoral head
00.87*	Resurfacing hip, partial, acetabulum
01.28*	Placement of intracerebral catheter(s) via burr hole(s)
13.90*	Operation on lens, Not Elsewhere Classified
13.91*	Implantation of intraocular telescope prosthesis
32.23*	Open ablation of lung lesion or tissue
32.24*	Percutaneous ablation of lung lesion or tissue
32.25*	Thoracoscopic ablation of lung lesion or tissue
32.26*	Other and unspecified ablation of lung lesion or tissue
33.71*	Endoscopic insertion or replacement of bronchial valve(s)
33.78*	Endoscopic removal of bronchial device(s) or substances
33.79*	Endoscopic insertion of other bronchial device or substances
35.55*	Repair of ventricular septal defect with prosthesis, closed technique
36.33*	Endoscopic transmyocardial revascularization
36.34*	Percutaneous transmyocardial revascularization
37.20	Noninvasive programmed electrical stimulation [NIPS]
39.74	Endovascular removal of obstruction from head and neck vessel(s)
50.23*	Open ablation of liver lesion or tissue
50.24*	Percutaneous ablation of liver lesion or tissue
50.25*	Laparoscopic ablation of liver lesion or tissue

Procedure Code	Description
50.26*	Other and unspecified ablation of liver lesion or tissue
55.32*	Open ablation of renal lesion or tissue
55.33*	Percutaneous ablation of renal lesion or tissue
55.34*	Laparoscopic ablation of renal lesion or tissue
55.35*	Other and unspecified ablation of renal lesion or tissue
68.41	Laparoscopic total abdominal hysterectomy
68.49	Other and unspecified total abdominal hysterectomy
68.61	Laparoscopic radical abdominal hysterectomy
68.69	Other and unspecified radical abdominal hysterectomy
68.71	Laparoscopic radical vaginal hysterectomy [LRVH]
68.79	Other and unspecified radical vaginal hysterectomy

*These procedure codes were discussed at the March 23-24, 2006 ICD-9-CM Coordination and Maintenance Committee meeting and were not finalized in time to include in the proposed rule. They will be implemented on October 1, 2006.

**Revised Diagnosis Codes
Effective October 1, 2006**

(Rev.990, Issued: 06-23-06, Effective: 10-01-06, Implementation: 10-02-06)

Note: The final addendum providing complete information on changes to the diagnosis part of ICD-9-CM is posted on CDC's webpage at: www.cdc.gov/nchs/icd9.htm

Diagnosis Code	Description
255.10	Hyperaldosteronism, unspecified
285.29	Anemia of other chronic disease
323.1	Encephalitis, myelitis, and encephalomyelitis in rickettsial diseases classified elsewhere
323.2	Encephalitis, myelitis, and encephalomyelitis in protozoal diseases classified elsewhere
323.9	Unspecified causes of encephalitis, myelitis, and encephalomyelitis
333.6	Genetic torsion dystonia
345.40	Localization-related (focal) (partial) epilepsy and epileptic syndromes with complex partial seizures, without mention of intractable epilepsy
345.41	Localization-related (focal) (partial) epilepsy and epileptic syndromes with complex partial seizures, with intractable epilepsy
345.50	Localization-related (focal) (partial) epilepsy and epileptic syndromes with simple partial seizures, without mention of intractable epilepsy
345.51	Localization-related (focal) (partial) epilepsy and epileptic syndromes with simple partial seizures, with intractable epilepsy
345.80	Other forms of epilepsy and recurrent seizures, without mention of intractable epilepsy
345.81	Other forms of epilepsy and recurrent seizures, with intractable epilepsy
389.11	Sensory hearing loss, bilateral
389.12	Neural hearing loss, bilateral
389.14	Central hearing loss, bilateral

Diagnosis Code	Description
389.18	Sensorineural hearing loss of combined types, bilateral
403.00	Hypertensive chronic kidney disease, malignant, with chronic kidney disease stage I through stage IV, or unspecified
403.01	Hypertensive chronic kidney disease, malignant, with chronic kidney disease stage V or end stage renal disease
403.10	Hypertensive chronic kidney disease, benign, with chronic kidney disease stage I through stage IV, or unspecified
403.11	Hypertensive chronic kidney disease, benign, with chronic kidney disease stage V or end stage renal disease
403.90	Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage I through stage IV, or unspecified
403.91	Hypertensive chronic kidney disease, unspecified, with chronic kidney disease stage V or end stage renal disease
404.00	Hypertensive heart and chronic kidney disease, malignant, without heart failure and with chronic kidney disease stage I through stage IV, or unspecified
404.01	Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease stage I through stage IV, or unspecified
404.02	Hypertensive heart and chronic kidney disease, malignant, without heart failure and with chronic kidney disease stage V or end stage renal disease
404.03	Hypertensive heart and chronic kidney disease, malignant, with heart failure and with chronic kidney disease stage V or end stage renal disease
404.10	Hypertensive heart and chronic kidney disease, benign, without heart failure and with chronic kidney disease stage I through stage

Diagnosis Code	Description
	IV, or unspecified
404.11	Hypertensive heart and chronic kidney disease, benign, with heart failure and with chronic kidney disease stage I through stage IV, or unspecified
404.12	Hypertensive heart and chronic kidney disease, benign, without heart failure and with chronic kidney disease stage V or end stage renal disease
404.13	Hypertensive heart and chronic kidney disease, benign, with heart failure and chronic kidney disease stage V or end stage renal disease
404.90	Hypertensive heart and chronic kidney disease, unspecified, without heart failure and with chronic kidney disease stage I through stage IV, or unspecified
404.91	Hypertensive heart and chronic kidney disease, unspecified, with heart failure and with chronic kidney disease stage I through stage IV, or unspecified
404.92	Hypertensive heart and chronic kidney disease, unspecified, without heart failure and with chronic kidney disease stage V or end stage renal disease
404.93	Hypertensive heart and chronic kidney disease, unspecified, with heart failure and chronic kidney disease stage V or end stage renal disease
524.21	Malocclusion, Angle's class I
524.22	Malocclusion, Angle's class II
524.23	Malocclusion, Angle's class III
524.35	Rotation of tooth/teeth
600.00	Hypertrophy (benign) of prostate without urinary obstruction and other lower urinary tract (LUTS)
600.01	Hypertrophy (benign) of prostate with urinary obstruction and other lower urinary tract symptoms (LUTS)
600.20	Benign localized hyperplasia of prostate without urinary obstruction and other lower urinary tract

Diagnosis Code	Description
	symptoms (LUTS)
600.21	Benign localized hyperplasia of prostate with urinary obstruction and other lower urinary tract symptoms (LUTS)
600.90	Hyperplasia of prostate, unspecified, without urinary obstruction and other lower urinary symptoms (LUTS)
600.91	Hyperplasia of prostate, unspecified, with urinary obstruction and other lower urinary symptoms (LUTS)
780.31	Febrile convulsions (simple), unspecified
780.95	Excessive crying of child, adolescent, or adult
790.93	Elevated prostate specific antigen [PSA]
873.63	Tooth (broken) (fractured) (due to trauma), without mention of complication
873.73	Tooth (broken) (fractured) (due to trauma), complicated
995.91	Sepsis
995.92	Severe sepsis
995.93	Systemic inflammatory response syndrome due to noninfectious process without acute organ dysfunction
995.94	Systemic inflammatory response syndrome due to noninfectious process with acute organ dysfunction
V26.31	Testing of female for genetic disease carrier status
V26.32	Other genetic testing of female

Table 6F - Revised Procedure Codes
(Rev.990, Issued: 06-23-06, Effective: 10-01-06, Implementation: 10-02-06)

Note: The final addendum which describes all changes to the procedure part of ICD-9-CM is posted on CMS' webpage at: www.cms.hhs.gov/ICD9ProviderDiagnosticCodes

Procedure Code	Description
01.26*	Insertion of catheter(s) into cranial cavity or tissue
01.27*	Removal of catheter(s) from cranial cavity or tissue
35.53*	Repair of ventricular septal defect with prosthesis, open technique
37.26	Catheter based invasive electrophysiologic testing
68.39*	Other and unspecified subtotal abdominal hysterectomy
68.59*	Other and unspecified vaginal hysterectomy

*These procedure codes were discussed at the March 23-24, 2006 ICD-9-CM Coordination and Maintenance Committee meeting and were not finalized in time to include in the proposed rule. They will be implemented on October 1, 2006.

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

(Rev.990, Issued: 06-23-06, Effective: 10-01-06, Implementation: 10-02-06)

Abdominalgia 789.0
 periodic **277.31**
Abercrombie's syndrome (amyloid degeneration) **277.39**
Abnormal, abnormality, abnormalities - see also Anomaly
 blood level (of)
 lead 790.6
 mammogram 793.80
 calcification 793.89
 calculus 793.89
 Papanicolaou (smear)
 cervix 795.00
 with
 cytologic evidence of malignancy 795.06
 radiological examination **793.99**
 breast 793.89
 mammographic-~~microcalcification 793.81~~
 calcification 793.89
 calculus 793.89
 microcalcification 793.81
 image test inconclusive due to excess body fat 793.91
 skin and subcutaneous tissue **793.99**
Aborter, habitual or recurrent NEC
 without current pregnancy **629.81**
Abortion (complete) (incomplete) (inevitable) (with retained products of conception) 637.9
 habitual or recurrent (care during pregnancy) 646.3
 without current pregnancy **629.81**
Abscess (acute) (chronic) (infectional) (lymphangitic) (metastatic) (multiple) (pyogenic) (septic)
 (with lymphangitis) (see also Cellulitis) 682.9
 bronchus **519.19**
 gingival **523.30**
 gum **523.30**
 nasal (fossa) (septum) **478.19**
 nose (septum) **478.19**
 paradental **523.30**
 parodontal **523.30**
 pericemental **523.30**
 pericoronar **523.30**
 peridental **523.30**
 periodontal (parietal) **523.31**
 postnasal **478.19**
 retroperitoneal 567.38
 postprocedural 998.59
 septum (nasal) **478.19**
 teeth, tooth (root) 522.5
 supporting structures NEC **523.30**
 tooth, teeth (root) 522.5
 supporting structure NEC **523.30**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Absence (organ or part) (complete or partial)
bone (congenital) NEC 756.9
marrow 284.9
congenital **284.09**
hereditary **284.09**
erythropoiesis 284.9
congenital **284.01**
neutrophil **288.00**
red cell 284.9
congenital **284.01**
hereditary **284.01**
Acidemia 276.2
fetal
during labor **and delivery**, in liveborn infant 768.3
newborn 775.81
pipecolic 270.7
Acidocytopenia **288.59**
Acidopenia **288.59**
Acidosis 276.2
fetal, affecting newborn **775.81**
metabolic NEC 276.2
with respiratory acidosis 276.4
of newborn 775.81
newborn 775.81
respiratory 276.2
complicated by
metabolic acidosis 276.4
of newborn 775.81
ADEM (acute disseminated encephalomyelitis) (postinfectious) 136.9 **[323.61]**
infectious **136.9 323.61**
noninfectious **323.81**
Adenitis (see also Lymphadenitis) 289.3
Bartholin's gland **616.89**
Adenofibroma (M9013/0)
prostate 600.20
with ~~urinary retention 600.21~~
other lower urinary tract symptoms (LUTS) 600.21
urinary
obstruction 600.21
retention 600.21
Adenoma (sessile) (M8140/0) - see also Neoplasm, by site, benign
prostate (benign) 600.20
with ~~urinary retention 600.21~~
other lower urinary tract symptoms (LUTS) 600.21
urinary
obstruction 600.21
retention 600.21
Adenomyoma (M8932/0) - see also Neoplasm, by site, benign
prostate 600.20
with ~~urinary retention 600.21~~
other lower urinary tract symptoms (LUTS) 600.21
urinary
obstruction 600.21
retention 600.21

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Adhesion(s), adhesive (postinfectious) (postoperative)
nasal (septum) (to turbinates) **478.19**
trachea **519.19**

Admission (encounter)
for

blood typing V72.86

Rh typing V72.86

change of

drains V58.49

~~dressings V58.3~~

wound V58.30

nonsurgical V58.30

surgical V58.31

nonsurgical wound dressing V58.30

surgical **wound** dressing **V58.31**

wound packing V58.30

nonsurgical V58.30

surgical V58.31

examination (see also Examination) V70.9

ear **V72.19**

hearing **V72.19**

following failed hearing screening V72.11

infant, routine V20.2

removal of

drains V58.49

~~dressings V58.3~~

wound V58.30

nonsurgical V58.30

surgical V58.31

nonsurgical wound dressing V58.30

staples V58.32

surgical **wound** dressing **V58.31**

sutures **V58.32**

wound packing V58.30

nonsurgical V58.30

surgical V58.31

Rh typing V72.86

Aftercare V58.9

amputation stump V54.89

involving

removal of

drains V58.49

~~dressings V58.3~~

wound V58.30

nonsurgical V58.30

surgical V58.31

nonsurgical wound dressing V58.30

staples V58.32

surgical **wound** dressings **V58.31**

sutures **V58.32**

wound packing V58.30

nonsurgical V58.30

surgical V58.31

stump, amputation V54.89

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Agranulocytopenia (**see also Agranulocytosis 288.09**)
Agranulocytosis (angina)-(~~chronic~~)-(~~cyclical~~)-(~~genetic~~)-(~~infantile~~)-(~~periodic~~)-(~~pernicious~~)
288.09
chronic 288.09
cyclical 288.02
genetic 288.01
infantile 288.01
periodic 288.02
pernicious 288.09

Aleukia
congenital **288.09**
hemorrhagica 284.9
congenital **284.09**

Allergy, allergic (reaction) 995.3
existing dental restorative material 525.66
drug, medicinal substance, and biological (any) (correct medicinal substance properly administered) (external) (internal) **995.27**

Alteration (of), altered
mental status **780.97**

Amyloid disease or degeneration **277.30**
heart **277.39** [425.7]

Amyloidosis (familial) (general) (generalized) (genetic) (primary) (~~secondary~~)-**277.39**
with lung involvement **277.39** [517.8]
cardiac, hereditary 277.39
heart **277.39** [425.7]
nephropathic **277.39** [583.81]
neuropathic (Portuguese) (Swiss) **277.39** [357.4]
pulmonary **277.39** [517.8]
secondary 277.39
systemic, inherited **277.39**

Anaeriosis of newborn **770.88**

Anemia 285.9
agranulocytic **288.09**
aplastic 284.9
congenital **284.01**
constitutional **284.01**
red cell (acquired)-(~~pure~~) (with thymoma) 284.8
congenital **284.01**
pure 284.01
aregenerative 284.9
congenital **284.01**
chronica congenita aregenerativa **284.01**
congenital (following fetal blood loss) 776.5
aplastic **284.01**
Diamond-Blackfan (congenital hypoplastic) **284.01**
Fanconi's (congenital pancytopenia) **284.09**
granulocytic **288.09**
hypoplasia, red blood cells 284.8
congenital or familial **284.01**
hypoplastic (idiopathic) 284.9
congenital **284.01**
familial **284.01**
of childhood **284.09**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Anemia ... (continued)
Joseph-Diamond-Blackfan (congenital hypoplastic) **284.01**
leukoerythroblastic **284.2**
myelophthitic (normocytic) **284.2**
normocytic (infectional) (not due to blood loss) 285.9
myelophthitic **284.2**
of chronic ~~illness NEC 285.29~~
disease NEC 285.29
illness NEC 285.29
pure red cell 284.8
congenital **284.01**
refractoria sideroblastica **238.72**
refractory (primary) **238.72**
with ~~hemochromatosis 238.7~~
excess
blasts-1 (RAEB-1) 238.73
blasts-2 (RAEB-2) 238.73
hemochromatosis 238.72
ringed sideroblasts (RARS) 238.72
sideroblastic **238.72**
sideroblastic (acquired) (any type) (congenital) (drug-induced) (due to disease) (hereditary)
(primary) (secondary) (sex-linked hypochromic) (vitamin B₆ responsive) 285.0
refractory **238.72**
Anesthesia, anesthetic 782.0
complication or reaction NEC **995.22**
due to
correct substance properly administered **995.22**
hyperesthetic, thalamic **338.0**
Aneurysm (anastomotic) (artery) (cirroid) (diffuse) (false) (fusiform) (multiple) (ruptured)
(saccular) (varicose) 442.9
mycotic, any site 421.0
without endocarditis - see Aneurysm, by site
Angina (attack) (cardiac) (chest) (effort) (heart) (pectoris) (syndrome) (vasomotor) 413.9
agranulocytic **288.03**
Anomaly, anomalous (congenital) (unspecified type) 759.9
dental arch 524.20
specified NEC 524.29
Anoxemia 799.02
newborn **770.88**
Anoxia 799.02
cerebral 348.1
newborn (see also Distress, fetal, liveborn infant) **770.88**
fetal, affecting newborn **770.88**
Antenatal
screening **of mother** (for) V28.9
Anteversion
cervix { **- see** Anteversion, uterus) **621.6**
Aphthae, aphthous - see also condition
ulcer (oral) (recurrent) 528.2
genital organ(s) NEC
female **629.89**
Apical ballooning syndrome **429.83**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Aplasia - see also Agenesis
bone marrow (myeloid) 284.9
congenital **284.01**
congenital (pure) red cell **284.01**
erythrocyte 284.8
congenital **284.01**
red cell (pure) (with thymoma) 284.8
congenital **284.01**
hereditary **284.01**
of infants **284.01**
primary **284.01**
pure 284.01

Armenian disease **277.31**

Arrest, arrested
cardiac 427.5
fetus or newborn **779.85**
granulopoiesis **288.09**
respiratory 799.1
newborn **770.87**

Arthritis, arthritic (acute) (chronic) (subacute) 716.9
due to or associated with
amyloidosis **277.39** [713.7]
Mediterranean fever, familial **277.31** [713.7]

Arthus^t phenomenon **995.21**
due to
correct substance properly administered **995.21**

Athetosis (acquired) 781.0
bilateral **333.79**
congenital (bilateral) **333.6**
double **333.71**

Atonia, atony, atonic
uterus **666.4**
with hemorrhage 666.1
without hemorrhage 669.8

Atrophy, atrophic
trachea **519.19**

Attention to
dressing
wound V58.30
nonsurgical V58.30
surgical V58.31
surgical dressings **V58.31**
sutures **V58.32**

Bad
breath **784.99**

Bar
prostate 600.90
with ~~urinary retention~~ **600.91**
other lower urinary tract symptoms (LUTS) 600.91
urinary
obstruction 600.91
retention 600.91

Bartholin's
adenitis (see also Bartholinitis) **616.89**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Bartholinitis (suppurating) **616.89**
Basopenia **288.59**
Basophilia **288.65**
Benign - see also condition
prostate
with ~~urinary retention 600.21~~
other lower urinary tract symptoms (LUTS) 600.21
urinary
obstruction 600.21
retention 600.21

Bite(s)
open
anterior 524.24
posterior 524.25

Black
heel 924.20
palm 923.20

Blackfan-Diamond anemia or syndrome (congenital hypoplastic anemia) **284.01**
Blennorrhoea (acute) 098.0
alveolaris **523.40**
Blepharospasm 333.81
due to drugs 333.85

BMI (body mass index)
pediatric
5th percentile to less than 85th percentile for age V85.52
85th percentile to less than 95th percentile for age V85.53
greater than or equal to 95th percentile for age V85.54
less than 5th percentile for age V85.51

Body, bodies
mass index (BMI)
pediatric
5th percentile to less than 85th percentile for age V85.52
85th percentile to less than 95th percentile for age V85.53
greater than or equal to 95th percentile for age V85.54
less than 5th percentile for age V85.51

Bomford-Rhoads anemia (refractory) **238.72**
Botulism 005.1
wound - see Wound, open, by site, complicated

Breath
foul **784.99**

Breathing
mouth **784.99**

Broken
heart syndrome 429.83

Bronchocele
meaning
dilatation of bronchus **519.19**

Bronchospasm **519.11**
acute 519.11

Bronchostenosis **519.19**

Cachexia 799.4
cancerous (~~M8000/3~~) ~~199.1~~ **see also Neoplasm, by site, malignant 799.4**
due to malnutrition **799.4**
malignant (~~M8000/3~~) ~~199.1~~ **see also Neoplasm, by site, malignant 799.4**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Calcification
 bronchus **519.19**
 mammographic 793.89
 trachea **519.19**
Calciphylaxis (see also Calcification, by site) 275.49
Calculus, calculi, calculous 592.9
 mammographic 793.89
 nose **478.19**
Cardiomyopathy (congestive) (constrictive) (familial) (infiltrative) (obstructive) (restrictive)
 (sporadic) 425.4
 amyloid **277.39** [425.7]
 due to
 amyloidosis **277.39** [425.7]
 metabolic NEC 277.9 [425.7]
 amyloid **277.39** [425.7]
 takotsubo **429.83**
 stress induced 429.83
Caries (bone) (see also Tuberculosis, bone) 015.9 [730.8]
 dental (acute) (chronic) (incipient) (infected) 521.00
 primary
 pit and fissure origin 521.06
 root surface 521.08
 smooth surface origin 521.07
Caruncle (inflamed)
 labium (majus) (minus) **616.89**
 vagina (wall) **616.89**
Catarrh, catarrhal (inflammation) (see also condition) 460
 gingivitis **523.00**
 mouth **528.00**
Cellulitis (diffuse) (with lymphangitis) (see also Abscess) 682.9
 nose **478.19**
 pelvis, pelvic
 male (~~see also Abscess, peritoneum~~) 567.21
Cementoperiostitis **523.40**
Cervical - see also condition
 intraepithelial glandular neoplasia 233.1
CGF (congenital generalized fibromatosis) 759.89
Change(s) (of) - see also Removal of
 drains V58.49
 dressing **V58.3**
 wound V58.30
 nonsurgical V58.30
 surgical V58.31
 mental (status) NEC **780.97**
 suture **V58.32**
 wound packing V58.30
 nonsurgical V58.30
 surgical V58.31
Checkup
 newborn, routine
 initial V20.2
 subsequent V20.2
Choking sensation **784.99**
Cholestasis 576.8
 due to total parenteral nutrition (TPN) 573.8

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Clot (blood)

atrial appendage 429.89

heart

without myocardial infarction 429.89

Collapse 780.2

cardiorespiratory 785.51

fetus or newborn **779.85**

cardiovascular (see also Disease, heart) 785.51

fetus or newborn **779.85**

circulatory (peripheral) 785.59

fetus or newborn **779.85**

trachea **519.19**

Compartment syndrome - see Syndrome, compartment

Complications

anesthesia, anesthetic NEC (see also Anesthesia, complication) **995.22**

injection (procedure) 999.9

drug reaction (see also Reaction, drug) **995.27**

transfusion (blood) (lymphocytes) (plasma) NEC 999.8

acute lung injury (TRALI) 518.7

vaccination 999.9

encephalitis or encephalomyelitis **323.51**

myelitis **323.52**

Compression

bronchus **519.19**

trachea **519.19**

Congenital - see also condition

generalized fibromatosis (CGF) 759.89

Congestion, congestive (chronic) (passive)

bronchi **519.19**

bronchial tube **519.19**

nasal **478.19**

Constriction

bronchus **519.19**

Contraction, contracture, contracted

bronchus **519.19**

Convulsions (idiopathic) 780.39

febrile (**simple**) 780.31

complex 780.32

Cracked ~~nipple 611.2~~

nipple 611.2

puerperal, postpartum 676.1

tooth 521.81

Cross

bite, anterior or posterior **524.27**

Crying

constant, continuous

adolescent 780.95

adult 780.95

baby 780.92

child 780.95

infant 780.92

newborn 780.92

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Crying ... (continued)

excessive

adolescent 780.95

adult 780.95

baby 780.92

child 780.95

infant 780.92

newborn 780.92

Cyst (mucus) (retention) (serous) (simple)

antrum **478.19**

ethmoid sinus **478.19**

female genital organs NEC **629.89**

frontal sinus **478.19**

nasal sinus **478.19**

nose **478.19**

sebaceous (duct) (gland) 706.2

genital organ NEC

female **629.89**

sinus (antral) (ethmoidal) (frontal) (maxillary) (nasal) (sphenoidal) **478.19**

skin (epidermal) (epidermoid, inclusion) (epithelial) (inclusion) (retention) (sebaceous) 706.2

genital organ NEC

female **629.89**

sphenoid sinus **478.19**

Cytopenia 289.9

refractory

with

multilineage dysplasia (RCMD) 238.72

and ringed sideroblasts (RCMD-RS) 238.72

Dactylitis-~~686.9~~

sickle-cell **282.62**

Hb-C 282.64

Hb-SS 282.62

specified NEC 282.69

Damage

brain 348.9

anoxic, hypoxic 348.1

ischemic, in newborn 768.7

Deafness (acquired) (~~bilateral~~) (~~both ears~~) (complete) (congenital) (hereditary) (middle ear)

(partial) (~~unilateral~~)-389.9

central, **bilateral** 389.14

nerve, **bilateral** 389.12

neural, **bilateral** 389.12

perceptive 389.10

central, **bilateral** 389.14

combined types, **bilateral** 389.18

multiple types, **bilateral** 389.18

neural, **bilateral** 389.12

sensorineural 389.10

asymmetrical 389.16

bilateral 389.18

unilateral 389.15

sensory, **bilateral** 389.11

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Deafness ... (continued)
 sensorineural (see also Deafness, perceptive) 389.10
 asymmetrical 389.16
 bilateral 389.18
 unilateral 389.15
 sensory, **bilateral** 389.11

Decalcification
 teeth **521.89**

Decrease, decreased
 blood
 white cell count 288.50
 specified NEC 288.59
 leukocytes 288.50
 lymphocytes 288.51
 white blood cell count 288.50

Defect, defective 759.9
 bridge 525.60
 coagulation (factor) (see also Deficiency, coagulation factor) 286.9
 complicating pregnancy, childbirth, or puerperium 649.3
 crown 525.60
 dental restoration 525.60
 filling
 dental 525.60
 major osseous 731.3
 osseous, major 731.3

Deficiency, deficient
 coagulation factor NEC 286.9
 complicating pregnancy, childbirth, or puerperium 649.3

Deformity 738.9
 bronchus (congenital) 748.3
 acquired **519.19**
 epididymis (congenital) 752.9
 torsion **608.24**
 genitalia, genital organ(s) or system NEC
 female (congenital) 752.9
 acquired **629.89**
 spermatic cord (congenital) 752.9
 acquired 608.89
 torsion **608.22**
 extravaginal 608.21
 intravaginal 608.22
 testis (congenital) 752.9
 acquired 608.89
 torsion **608.20**
 trachea (rings) (congenital) 748.3
 acquired **519.19**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Degeneration, degenerative
adrenal (capsule) (gland) 255.8
lardaceous **277.39**
amyloid (any site) (general) **277.39**
artery, arterial (atheromatous) (calcareous) - see also Arteriosclerosis
amyloid **277.39**
lardaceous **277.39**
bacony (any site) **277.39**
capillaries 448.9
amyloid **277.39**
lardaceous **277.39**
chitinous **277.39**
conjunctiva 372.50
amyloid **277.39** [372.50]
cutis 709.3
amyloid **277.39**
heart (brown) (calcareous) (fatty) (fibrous) (hyaline) (mural) (muscular) (pigmentary) (senile)
(with arteriosclerosis) (see also Degeneration, myocardial) 429.1
amyloid **277.39** [425.7]
intestine 569.89
amyloid **277.39**
lardaceous **277.39**
kidney (see also Sclerosis, renal) 587
amyloid **277.39** [583.81]
lardaceous **277.39** [583.81]
waxy **277.39** [583.81]
lardaceous (any site) **277.39**
liver (diffuse) 572.8
amyloid **277.39**
lardaceous **277.39**
waxy **277.39**
lymph gland 289.3
lardaceous **277.39**
myocardium, myocardial (brown) (calcareous) (fatty) (fibrous) (hyaline) (mural) (muscular)
(pigmentary) (senile) (with arteriosclerosis) 429.1
amyloid **277.39** [425.7]
nervous system 349.89
amyloid **277.39** [357.4]
nose **478.19**
skin 709.3
amyloid **277.39**
spinal (cord) 336.8
amyloid **277.39**
spleen 289.59
amyloid **277.39**
lardaceous **277.39**
stomach 537.89
lardaceous **277.39**
thymus (gland) 254.8
lardaceous **277.39**
waxy (any site) **277.39**
Deglutition
paralysis **784.99**
D ej erine-Roussy syndrome **338.0**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Deletion syndrome
constitutional 5q deletion 758.39

Delivery
cesarean (for) 669.7
atony, uterus, **with hemorrhage 666.1**
complicated (by) NEC 669.9
atony, uterus **with hemorrhage (hypotonic) (inertia) 666.1**
coagulation defect 649.3

Dentin
sensitive **521.89**

Dermatosis 709.9
linear IgA 694.8

Destruction
septum (nasal) **478.19**

Deviation
trachea **519.19**

Diamond-Blackfan anemia or syndrome (congenital hypoplastic anemia) **284.01**

Dieulafoy lesion (hemorrhagic)
of
esophagus 530.82

Discharge
nasal **478.19**

Discrepancy
centric occlusion-~~maximum intercuspation 524.55~~
maximum intercuspation 524.55
of teeth 524.55
uterine size-date **649.6**

Disease, diseased - see also Syndrome
amyloid (any site) **277.30**
Armenian **277.31**
bronchi **519.19**
bronchopulmonary **519.19**
cervix (uteri)
inflammatory 616.9
specified NEC **616.89**
familial periodic **277.31**
Fanconi's (congenital pancytopenia) **284.09**
Fauchard's (periodontitis) **523.40**
gastrointestinal (tract) 569.9
amyloid **277.39**
genital organs NEC
female 629.9
specified NEC **629.89**
gynecological 629.9
specified NEC **629.89**
heart (organic) 429.9
amyloid **277.39**[425.7]
due to
amyloidosis **277.39**[425.7]
intestine 569.9
lardaceous **277.39**
Jourdain's (acute gingivitis) **523.00**
kidney (functional) (pelvis) (see also Disease, renal) 593.9
chronic 585.9
requiring chronic dialysis 585.6

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Disease, diseased ... (continued)

Kostmann's (infantile genetic agranulocytosis) **288.01**

labia

inflammatory 616.9

specified NEC **616.89**

lardaceous (any site) **277.39**

lung NEC 518.89

in

amyloidosis **277.39** [517.8]

obstructive (chronic) (COPD) 496

with

decompensated 491.21

with exacerbation 491.21

lymphoproliferative (chronic) (M9970/1) **238.79**

microvascular - **code to condition**

myeloproliferative (chronic) (M9960/1) **238.79**

nasal **478.19**

cavity NEC **478.19**

nose **478.19**

pelvis, pelvic

female NEC 629.9

specified NEC **629.89**

organ, female NEC 629.9

specified NEC **629.89**

peritoneum, female NEC 629.9

specified NEC **629.89**

perineum

female

inflammatory 616.9

specified NEC **616.89**

periodic (familial) (Reimann's) NEC **277.31**

peritoneum 568.9

pelvic, female 629.9

specified NEC **629.89**

pulmonary - see also Disease, lung

amyloid **277.39** [517.8]

obstructive diffuse (chronic) 496

decompensated 491.21

with exacerbation 491.21

Reimann's (periodic) **277.31**

renal (functional) (pelvis) (see also Disease, kidney) 593.9

due to

amyloidosis **277.39** [583.81]

Riggs' (compound periodontitis) **523.40**

Schultz's (agranulocytosis) **288.09**

Siegal-Cattan-Mamou (periodic) **277.31**

sinus - see also Sinusitis

specified NEC **478.19**

spleen (organic) (postinfectious) 289.50

amyloid **277.39**

lardaceous **277.39**

stomach NEC (organic) 537.9

lardaceous **277.39**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

- Disease, diseased ... (continued)
- teeth, tooth 525.9
 - hard tissues ~~NEC~~-521.9
 - specified NEC 521.89**
 - thyroid (gland) NEC 246.9
 - lardaceous **277.39**
 - tooth, teeth 525.9
 - hard tissues ~~NEC~~-521.9
 - specified NEC 521.89**
 - trachea **519.19**
 - vagina, vaginal
 - inflammatory 616.9
 - specified NEC **616.89**
 - Vogt's (Cecile) **333.71**
 - vulva
 - inflammatory 616.9**
 - specified NEC 616.89**
 - waxy (any site) **277.39**
 - Werner-Schultz (agranulocytosis) **288.09**
- Dislocation (articulation) (closed) (displacement) (simple) (subluxation) 839.8
- vertebra (articular process) (body) (closed) (**traumatic**) 839.40
 - non-traumatic - see Displacement, intervertebral disc**
- Disorder - see also Disease
- amino acid (metabolic) (see also Disturbance, metabolism, amino acid) 270.9
 - neonatal, transitory **775.89**
 - hearing - see also Deafness
 - nerve, **bilateral** 389.12
 - sensorineural type NEC (see also Deafness, **sensorineural**) 389.10
 - lymphoproliferative (chronic) NEC (M9970/1) **238.79**
 - myeloproliferative (chronic) NEC (M9960/1) **238.79**
 - nerve 349.9
 - optic 377.49
 - hypoplasia 377.43**
 - post-traumatic stress (PTSD) 309.81**
 - seizure **345.9**
 - recurrent **345.9**
 - social, of childhood and adolescence 313.22
 - specified NEC 780.59**
- Displacement, displaced
- cervix - **see Displacement, uterus -621.6**
 - intervertebral disc (with neuritis, radiculitis, sciatica, or other pain) 722.2
 - due to ~~major~~-trauma - see Dislocation, vertebra
- Distress
- fetal (syndrome) 768.4
 - liveborn infant 768.4
 - first noted
 - during labor **and** delivery 768.3

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

- Disturbance - see also Disease
 endocrine (gland) 259.9
 neonatal, transitory 775.9
 specified NEC **775.89**
 keratinization NEC
 gingiva **523.10**
 metabolism (acquired) (congenital) (see also Disorder, metabolism) 277.9
 neonatal, transitory 775.9
 specified type NEC **775.89**
- Diverticula, diverticulosis, diverticulum (acute) (multiple) (perforated) (ruptured) 562.10
 trachea (congenital) 748.3
 acquired **519.19**
- Doan-Wiseman syndrome (primary splenic neutropenia) **289.53**
- Drip, postnasal (chronic) - ~~see Sinusitis~~ **784.91**
 due to:
 allergic rhinitis - see Rhinitis, allergic
 common cold 460
 gastroesophageal reflux - see Reflux, gastroesophageal
 nasopharyngitis - see Nasopharyngitis
 other known condition - code to condition
 sinusitis - see Sinusitis
- Drug - see also condition
 adverse effect NEC, correct substance properly administered **995.20**
 allergy 995.27
 hypersensitivity 995.27
- Dry, dryness - see also condition
 nose **478.19**
- Dysfunction
 hemoglobin **289.89**
 ventricular 429.9
 left, reversible following sudden emotional stress 429.83
- Dyskinesia 781.3
 neuroleptic-induced tardive **333.85**
 orofacial 333.82
 due to drugs 333.85
 subacute, due to drugs 333.85
 tardive (oral) **333.85**
- Dysplasia - see also Anomaly
 vulva 624.8
 intraepithelial neoplasia I [VIN I] **624.0**
 intraepithelial neoplasia II [VIN II] **624.0**
 VIN I **624.0**
 VIN II **624.0**
- Dystonia
 acute
 due to drugs 333.72
 neuroleptic-induced acute 333.72
 due to drugs 333.7
 neuroleptic-induced acute 333.7
 torsion (idiopathic) 333.6
 acquired 333.79
 genetic 333.6
 symptomatic **333.79**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Edema, edematous 782.3
 genital organs
 female **629.89**

Effect, adverse NEC
 biological, correct substance properly administered (see also Effect, adverse, drug) **995.20**
 drugs and medicinals **NEC 995.20**
 correct substance properly administered **995.20**
 medicinal substance, correct, properly administered (see also Effect, adverse, drugs) **995.20**
 other drug, medicinal and biological substance 995.29

Ekbom syndrome (restless legs) **333.94**

Elevation
 cancer antigen 125 [CA 125] 795.82
 carcinoembryonic antigen [CEA] 795.81
 leukocytes 288.60
 liver function test (LFT) 790.6
 alkaline phosphatase 790.5
 aminotransferase 790.4
 bilirubin 782.4
 hepatic enzyme NEC 790.5
 lactate dehydrogenase 790.4
 lymphocytes 288.61
 white blood cell count 288.60
 specified NEC 288.69

Encephalitis (bacterial) (chronic) (hemorrhagic) (idiopathic) (nonepidemic) (spurious) (subacute)
 323.9
 acute - see also Encephalitis, viral
 disseminated (postinfectious) NEC 136.9 **[323.61]**
 postimmunization or postvaccination **323.51**

 due to
 actinomycosis 039.8 **[323.41]**
 cat-scratch disease 078.3 **[323.01]**
 infection classified elsewhere 136.9 [323.41]
 infectious mononucleosis 075 **[323.01]**
 ornithosis 073.7 **[323.01]**
 prophylactic inoculation against smallpox **323.51**
 toxoplasmosis (acquired) 130.0
 congenital (active) 771.2 **[323.41]**
 vaccination (smallpox) **323.51**
 following vaccination or other immunization procedure **323.51**
 influenzal 487.8 **[323.41]**
 lead 984.9 **[323.71]**
 lupus 710.0 **[323.81]**
 otitic NEC 382.4 **[323.41]**
 parasitic NEC 123.9 **[323.41]**
 postexanthematous NEC 057.9 **[323.62]**
 postimmunization **323.51**
 postinfectious NEC 136.9 **[323.62]**
 posttraumatic **323.81**
 postvaccinal (smallpox) **323.51**
 postviral NEC 079.99 **[323.62]**
 postexanthematous 057.9 **[323.62]**
 specified NEC 057.8 **[323.62]**

Rasmussen 323.81
 saturnine 984.9 **[323.71]**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

- Encephalitis ... (continued)
specified cause NEC **323.81**
torula, torular 117.5 [**323.41**]
toxic NEC 989.9 [**323.71**]
toxoplasmic (acquired) 130.0
congenital (active) 771.2 [**323.41**]
trichinosis 124 [**323.41**]
- Encephalomyelitis (chronic) (granulomatous) (hemorrhagic necrotizing, acute) (myalgic, benign)
(see also Encephalitis) 323.9
acute disseminated (ADEM) (postinfectious) 136.9 [**323.61**]
infectious **136.9 [323.61]**
noninfectious **323.81**
postimmunization **323.51**
due to ~~or resulting from vaccination (any)~~ **323.5**
cat-scratch disease 078.3 [323.01]
infectious mononucleosis 075 [323.01]
ornithosis 073.7 [323.01]
vaccination (any) 323.51
postimmunization **323.51**
postvaccinal (smallpox) **323.51**
specified cause NEC **323.81**
- Encephalopathy (acute) 348.30
due to
vaccination **323.51**
hypoxic - see **also** Damage, brain, anoxic
ischemic (HIE) 768.7
lead 984.9 [**323.71**]
necrotizing, ~~subacute~~ **330.8**
hemorrhagic 323.61
subacute 330.8
saturnine 984.9 [**323.71**]
toxic 349.82
metabolic **349.82**
- Endophthalmitis (globe) (infective) (metastatic) (purulent) (subacute) 360.00
bleb associated 379.63
- Endotoxemia - code to condition**
- Enlargement, enlarged - see also Hypertrophy
prostate (simple) (soft) 600.00
with ~~urinary retention~~ **600.01**
other lower urinary tract symptoms (LUTS) 600.01
urinary
obstruction 600.01
retention 600.01
- Eosinopenia **288.59**
- Epilepsy, epileptic (idiopathic) 345.9
complicating pregnancy, childbirth, or the puerperium 649.4
localization related (focal) (partial) and epileptic syndromes
with
complex partial seizures 345.4
simple partial seizures 345.5
partial (focalized) 345.5
without impairment of consciousness 345.5
- Erosion
bronchus **519.19**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Eruption
teeth, tooth
prenatal 520.6
Erythroblastopenia (acquired) 284.8
congenital **284.01**
Erythroblastophthisis **284.01**
Erythrogenesis imperfecta **284.09**
Evidence
of malignancy
cytologic
without histologic confirmation **795.06**
Examination (general) (routine) (of) (for) V70.9
ear **V72.19**
hearing **V72.19**
following failed hearing screening V72.11
Excess, excessive, excessively
crying 780.95
of ~~infant (baby) 780.92~~
adolescent 780.95
adult 780.95
baby 780.92
child 780.95
infant (baby) 780.92
newborn 780.92
horizontal ~~overlap 524.26~~
overjet 524.26
overlap 524.26
intermaxillary vertical dimension 524.37
Extruded tooth 524.34
Failure, failed
bone marrow (anemia) 284.9
congenital **284.09**
dental restoration
marginal integrity 525.61
periodontal anatomical integrity 525.65
Family, familial - see also condition
hemophagocytic
lymphohistiocytosis 288.4
reticulosis 288.4
Fanconi's anemia (congenital pancytopenia) **284.09**
Fauchard's disease (periodontitis) **523.40**
Febrile (see also Pyrexia) 780.6
convulsion (**simple**) 780.31
complex 780.32
seizure (**simple**) 780.31
atypical 780.32
complex 780.32
complicated 780.32
Fetid
breath **784.99**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Fever 780.6
 etiocolanolone **277.31**
 Mediterranean (see also Brucellosis) 023.9
 familial **277.31**
 neutropenic **288.00**
 periodic **277.31**
Fibroadenoma (M9010/0)
 prostate 600.20
 with ~~urinary retention 600.21~~
 other lower urinary tract symptoms (LUTS) 600.21
 urinary
 obstruction 600.21
 retention 600.21
Fibroma (M8810/0) - see also Neoplasm, connective tissue, benign
 prostate 600.20
 with ~~urinary retention 600.21~~
 other lower urinary tract symptoms (LUTS) 600.21
 urinary
 obstruction 600.21
 retention 600.21
Fibromatosis **728.79**
 congenital generalized (CGF) 759.89
Fibrosis, fibrotic
 median bar 600.90
 with ~~urinary retention 600.91~~
 other lower urinary tract symptoms (LUTS) 600.91
 urinary
 obstruction 600.91
 retention 600.91
 prostate (chronic) 600.90
 with ~~urinary retention 600.91~~
 other lower urinary tract symptoms (LUTS) 600.91
 urinary
 obstruction 600.91
 retention 600.91
Findings, abnormal, without diagnosis (examination) (laboratory test) 796.4
 cancer antigen 125 [CA 125] 795.82
 carcinoembryonic antigen [CEA] 795.81
 lead 790.6
 mammogram 793.80
 calcification 793.89
 calculus 793.89
 Papanicolaou (smear) 795.1
 cervix 795.00
 with
 cytologic evidence of malignancy 795.06

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Findings, abnormal, without diagnosis ... (continued)
radiologic (x-ray) 793.99
breast 793.89
mammographic ~~microcalcification 793.84~~
calcification 793.89
calculus 793.89
microcalcification 793.81
image test inconclusive due to excess body fat 793.91
placenta 793.99
skin 793.99
subcutaneous tissue 793.99
structure, body (echogram) (thermogram) (ultrasound) (x-ray) NEC 793.99
breast 793.89
mammographic ~~microcalcification 793.84~~
calcification 793.89
calculus 793.89
microcalcification 793.81
placenta 793.99
skin 793.99
subcutaneous tissue NEC 793.99
tumor markers NEC 795.89
white blood cell 288.9
count 288.9
elevated 288.60
low 288.50
Fistula (sinus) 686.9
nasal 478.19
nose 478.19
Flatus 787.3
vaginalis 629.89
Flexion
cervix (~~see also Malposition - see Flexion, uterus~~) 621.6
deformity, joint (see also Contraction, joint) 736.9
Foul breath 784.99
Fracture (abduction) (adduction) (avulsion) (compression) (crush) (dislocation) (oblique)
(separation) (closed) 829.0
dental restorative material
with loss of material 525.64
without loss of material 525.63
Gammaloidosis 277.39
Gastropathy 537.9
erythematous 535.5
Gingivitis 523.10
acute 523.00
non-plaque induced 523.01
plaque induced 523.00
catarrhal 523.00
chronic 523.10
non-plaque induced 523.11
desquamative 523.10
expulsiva 523.40
hyperplastic 523.10
marginal, simple 523.10
non-plaque induced 523.11
plaque induced 523.10
ulcerative 523.10

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Gingivopericementitis **523.40**
Gingivosis **523.10**
Gingivostomatitis **523.10**
Glomerulonephritis (see also Nephritis) 583.9
 due to or associated with
 amyloidosis **277.39** [583.81]
 with nephrotic syndrome **277.39** [581.81]
 chronic **277.39** [582.81]
Granulocytopenia, granulocytopenic (primary) **288.00**
 malignant **288.09**
Granuloma NEC 686.1
 tracheostomy 519.09
Halitosis **784.99**
Hard firm prostate 600.10
 with **urinary retention 600.11**
 urinary
 obstruction 600.11
 retention 600.11
Hearing examination **V72.19**
 following failed hearing screening V72.11
Hematoma (skin surface intact) (traumatic) - see also Contusion
 genital organ (nontraumatic)
 female NEC **629.89**
 pelvis (female) (nontraumatic) **629.89**
Hematopoiesis, cyclic 288.02
Hemochromatosis (acquired) (diabetic) (hereditary) (liver) (myocardium) (primary idiopathic)
 (secondary) 275.0
 with refractory anemia **238.72**
Hemophagocytic syndrome 288.4
 infection-associated 288.4
Hemorrhage, hemorrhagic (nontraumatic) 459.0
 intrapelvic
 female **629.89**
 thrombocythemia **238.71**
Hepatitis 573.3
 autoimmune 571.49
 viral (acute) (anicteric) (cholangiolitic) (cholestatic) (chronic) (subacute) 070.9
 type C
 in remission 070.54
Herpes, herpetic 054.9
 simplex 054.9
 myelitis 054.74
 zoster 053.9
 myelitis 053.14
Hesitancy, urinary 788.64
HIE (hypoxic-ischemic encephalopathy) 768.7
Histiocytic syndromes 288.4
History (personal) of
 family
 colonic polyps V18.51
 digestive disorders **V18.59**
 disease or disorder (of)
 colonic polyps V18.51
 digestive **V18.59**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Hydrocele (calcified) (chylous) (idiopathic) (infantile) (inguinal canal) (recurrent) (senile)
(spermatic cord) (testis) (tunica vaginalis) 603.9
female NEC **629.89**
round ligament **629.89**
Hydrocephalus (acquired) (external) (internal) (malignant) (noncommunicating) (obstructive)
(recurrent) 331.4
otitic **348.2**
Hydrorrhea (nasal) **478.19**
Hyperactive, hyperactivity
nasal mucous membrane **478.19**
Hyperglycemia **790.29**
Hyperplasia, hyperplastic
genital
female **629.89**
granulocytic **288.69**
nose (lymphoid) (polypoid) **478.19**
prostate 600.90
with ~~urinary retention 600.91~~
other lower urinary tract symptoms (LUTS) 600.91
urinary
obstruction 600.91
retention 600.91
adenofibromatous 600.20
with ~~urinary retention 600.21~~
other lower urinary tract symptoms (LUTS) 600.21
urinary
obstruction 600.21
retention 600.21
nodular 600.10
with ~~urinary retention 600.11~~
urinary
obstruction 600.11
retention 600.11
Hypersensitive, hypersensitiveness, hypersensitivity - see also Allergy
drug (see also Allergy, drug) **995.27**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Hypertension Table

Hypertension, hypertensive (arterial)-----	Malignant -----	Benign -----	Unspecified
(arteriolar) (crisis) (degeneration)			
(disease) (essential) (fluctuating)			
(idiopathic) (intermittent) (labile)			
(low renin) (orthostatic) (paroxysmal)			
(primary) (systemic) (uncontrolled)			
(vascular) -----	401.0-----	401.1 -----	401.9
with			
chronic kidney disease -----	403.01 -----	403.11 -----	403.91
<u>stage I through stage IV, or unspecified</u> --	403.00 -----	403.10 -----	403.90
<u>stage V or end stage renal disease</u> -----	403.01 -----	403.11 -----	403.91
cardiorenal (disease) -----	404.00-----	404.10-----	404.90
with			
chronic kidney disease -----	403.01 -----	403.11 -----	403.91
<u>stage I through stage IV, or unspecified</u> --	404.00 -----	404.10 -----	404.90
<u>and heart failure</u> -----	404.01 -----	404.11 -----	404.91
<u>stage V or end stage renal disease</u> -----	404.02 -----	404.12 -----	404.92
<u>and heart failure</u> -----	404.03-----	404.13-----	404.93
heart failure -----	404.01-----	404.11-----	404.91
and chronic kidney disease -----	404.02 -----	404.12 -----	404.92
<u>stage I through stage IV or unspecified</u> -	404.02 -----	404.12 -----	404.92
<u>stage V or end stage renal disease</u> -----	404.03 -----	404.13 -----	404.93
<u>and renal failure</u> -----	404.03 -----	404.13 -----	404.93
<u>renal failure</u> -----	404.02 -----	404.12 -----	404.92
<u>and heart failure</u> -----	404.03 -----	404.13 -----	404.93
complicating pregnancy, childbirth,			
with			
<u>chronic kidney disease</u> -----	642.2 -----	642.2 -----	642.2
<u>and heart disease</u> -----	642.2 -----	642.2 -----	642.2
heart disease -----	642.2-----	642.2-----	642.2
and <i>chronic kidney</i> disease -----	642.2-----	642.2-----	642.2
<u>encephalopathy</u> -----	437.2-----	437.2-----	437.2
<u>gestational (transient) NEC</u> -----			642.3
<u>Goldblatt's</u> -----	440.1-----	440.1-----	440.1
<u>heart (disease) (conditions classifiable to</u>			
<u>classifiable to 429.0-429.3,</u>			
<u>429.8, 429.9 due to hypertension)</u> -----	402.00-----	402.10-----	402.90
kidney -----	403.00-----	403.10-----	403.90
with			
chronic kidney disease -----	403.01 -----	403.11 -----	403.91
<u>stage I through stage IV, or unspecified</u> --	403.00 -----	403.10 -----	403.90
<u>stage V or end stage renal disease</u> -----	403.01 -----	403.11 -----	403.91

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Hypertrophy, hypertrophic
median bar 600.90
with ~~urinary retention 600.91~~
other lower urinary tract symptoms (LUTS) 600.91
urinary
obstruction 600.91
retention 600.91
mucous membrane
nose **478.19**
nasal **478.19**
alae **478.19**
cartilage **478.19**
mucous membrane (septum) **478.19**
nose (see also Hypertrophy, nasal) **478.19**
prostate (asymptomatic) (early) (recurrent) 600.90
with ~~urinary retention 600.91~~
other lower urinary tract symptoms (LUTS) 600.91
urinary
obstruction 600.91
retention 600.91
adenofibromatous 600.20
with ~~urinary retention 600.21~~
other lower urinary tract symptoms (LUTS) 600.21
urinary
obstruction 600.21
retention 600.21
benign 600.00
with ~~urinary retention 600.01~~
other lower urinary tract symptoms (LUTS) 600.01
urinary
obstruction 600.01
retention 600.01
Hypoaldosteronism 255.4
Hypoeosinophilia **288.59**
Hypoleukocytosis **288.50**
Hypoplasia, hypoplasia 759.89
bone NEC 756.9
marrow 284.9
congenital **284.09**
erythroid, congenital **284.01**
optic nerve 377.43
Hyposomnia, unspecified (see also Insomnia) 780.52
with sleep apnea, unspecified **780.51**
Hypoxia (see also Anoxia) 799.02
cerebral 348.1
newborn **770.88**
fetal, affecting newborn **770.88**
newborn **770.88**
Hypoxic-ischemic encephalopathy (HIE) 768.7
Impaired, impairment (function)
cognitive, mild, so stated 331.83
mild cognitive, so stated 331.83
Inadequate, inadequacy
aesthetics of dental resoration 525.67

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Incompatibility

**contour of existing restoration of tooth
with oral health 525.65**

Infection, infected, infective (opportunistic) 136.9

Bartholin's gland **616.89**

bleb

postprocedural 379.60

stage 1 379.61

stage 2 379.62

stage 3 379.63

gingival (chronic) **523.10**

acute **523.00**

gum (see also Infection, gingival) **523.10**

nose **478.19**

nostril **478.19**

peridental **523.30**

periodontal **523.31**

tooth, teeth 522.4

peridental **523.30**

periodontal **523.31**

Infiltrate, infiltration

amyloid (any site) (generalized) **277.39**

Inflammation, inflamed, inflammatory (with exudation)

Bartholin's gland **616.89**

bleb

postprocedural 379.60

stage 1 379.61

stage 2 379.62

stage 3 379.63

gum **523.10**

mouth **528.00**

nose **478.19**

Injury 959.9

internal 869.0

lung 861.20

transfusion related, acute (TRALI) 518.7

post-cardiac surgery (syndrome) 429.4

Insufficiency, insufficient

anterior (**occlusal**) guidance 524.54

renal **593.9**

Interference

balancing side 524.56

non-working side 524.56

Intolerance

drug

correct substance properly administered **995.27**

Intoxication

drug 292.89

correct substance properly administered (see also Allergy, drug) **995.27**

Intruded tooth 524.34

Irradiated enamel (tooth, teeth) **521.89**

Irritation

nose **478.19**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Ischemia, ischemic 459.9
cerebral (chronic) (generalized) 437.1
newborn 779.2
Josephs-Diamond-Blackfan anemia (congenital hypoplastic) **284.01**
Kaznelson's syndrome (congenital hypoplastic anemia) **284.01**
Keratinization NEC
alveolar ridge mucosa
excessive 528.72
minimal 528.71
Keratosis 701.1
female genital (external) **629.89**
Kostmann's disease or syndrome (infantile genetic agranulocytosis) **288.01**
Lack of
adequate intermaxillary vertical dimension 524.36
Lardaceous
degeneration (any site) **277.39**
disease **277.39**
kidney **277.39** [583.81]
liver **277.39**
Large
waxy liver **277.39**
Lazy leukocyte syndrome **288.09**
Leiomyoma (M8890/0) - see also Neoplasm, connective tissue, benign
prostate (polypoid) 600.20
with ~~urinary retention 600.21~~
other lower urinary tract symptoms (LUTS) 600.21
urinary
obstruction 600.21
retention 600.21
Lesion(s)
high grade myelodysplastic syndrome 238.73
low grade myelodysplastic syndrome 238.72
nose (internal) **478.19**
Leukemoid reaction (**basophilic**) (lymphocytic) (monocytic) (myelocytic)(**neutrophilic**) **288.62**
Leukocytopenia 288.50
Leukocytosis **288.60**
Leukoencephalitis
acute hemorrhagic (postinfectious) NEC 136.9 [**323.61**]
postimmunization or postvaccinal **323.51**
Leukoencephalopathy (see also Encephalitis) 323.9
acute necrotizing hemorrhagic (postinfectious) 136.9 [**323.61**]
postimmunization or postvaccinal **323.51**
Leukoerythroblastosis **289.9**
Leukopenia **288.50**
basophilic 288.59
cyclic **288.02**
eosinophilic 288.59
familial **288.59**
malignant (**see also Agranulocytosis**) **288.09**
periodic **288.02**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Loss

hearing - see also Deafness
central, **bilateral** 389.14
nerve, **bilateral** 389.12
neural, **bilateral** 389.12
sensorineural 389.10
asymmetrical 389.16
central, **bilateral** 389.14
combined types, **bilateral** 389.18
multiple types, **bilateral** 389.18
neural, **bilateral** 389.12
sensory, **bilateral** 389.11
unilateral 389.15
sensory, **bilateral** 389.11

Lupus 710.0

erythematosus (discoid) (local) 695.4
systemic 710.0
with
encephalitis 710.0 [**323.81**]

Lymphocythemia **288.51**

Lymphocytopenia **288.51**

Lymphocytosis (symptomatic) **288.61**

Lymphohistiocytosis, familial hemophagocytic 288.4

Lymphopenia **288.51**

Macrophage activation syndrome 288.4

Malfunction - see also Dysfunction

colostomy 569.62

valve 569.62

ileostomy

valve 569.62

valve

colostomy 569.62

ileostomy 569.62

Malocclusion (teeth) 524.4

angle's class I 524.21

angle's class II 524.22

angle's class III 524.23

Malposition

uterus ~~or cervix~~-(acquired) (acute) (adherent) (any degree) (asymptomatic) (postinfectional)
(postpartal, old) 621.6

Mammographic ~~microcalcification 793.84~~

calcification 793.89

calculus 793.89

microcalcification 793.81

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Median - see also condition
bar (prostate) 600.90
with ~~urinary retention 600.91~~
other lower urinary tract symptoms (LUTS) 600.91
urinary
obstruction 600.91
retention 600.91
vesical orifice 600.90
with ~~urinary retention 600.91~~
other lower urinary tract symptoms (LUTS) 600.91
urinary
obstruction 600.91
retention 600.91
Mediterranean
fever (see also Brucellosis) 023.9
familial **277.31**
Meningoencephalitis (see also Encephalitis) 323.9
due to
blastomycosis NEC (see also Blastomycosis) 116.0 **[323.41]**
toxoplasmosis (acquired) 130.0
congenital (active) 771.2 **[323.41]**
parasitic NEC 123.9 **[323.41]**
toxic NEC 989.9 **[323.71]**
due to
carbon tetrachloride 987.8 **[323.71]**
hydroxyquinoline derivatives poisoning 961.3 **[323.71]**
lead 984.9 **[323.71]**
mercury 985.0 **[323.71]**
thallium 985.8 **[323.71]**
Meningoencephalomyelitis (see also Meningoencephalitis) 323.9
acute NEC 048
disseminated (postinfectious) 136.9 **[323.61]**
postimmunization or postvaccination **323.51**
due to
torula 117.5 **[323.41]**
toxoplasma or toxoplasmosis (acquired) 130.0
congenital (active) 771.2 **[323.41]**
Meningomyelitis (see also Meningoencephalitis) 323.9
blastomycotic NEC (see also Blastomycosis) 116.0 **[323.41]**
due to
blastomycosis (see also Blastomycosis) 116.0 **[323.41]**
sporotrichosis 117.1 **[323.41]**
torula 117.5 **[323.41]**
Metaplasia
myeloid (~~agnogenic~~) (~~megakaryocytic~~) 289.89
agnogenic 238.76
megakaryocytic 238.76
squamous cell
trachea 519.19
tracheobronchial tree **519.19**
Monocytopenia 288.59
Monocytosis (symptomatic) **288.63**
Mounier-Kuhn syndrome 748.3
acquired **519.19**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Mucocele

sinus (accessory) (nasal) **478.19**
turbinate (bone) (middle) (nasal) **478.19**

Mucositis - see also Inflammation, by site **528.00**

cervix (ulcerative) 616.81

due to

antineoplastic therapy (ulcerative) 528.01

other drugs (ulcerative) 528.02

specified NEC 528.09

gastrointestinal (ulcerative) 538

nasal (ulcerative) 478.11

ulcerative 528.00

vagina (ulcerative) 616.81

vulva (ulcerative) 616.81

necroticans agranulocytica **(see also Agranulocytosis) 288.09**

Mucus

plug (see also Asphyxia, mucus) 933.1

tracheobronchial **519.19**

Multinodular prostate 600.10

with ~~urinary retention~~ **600.11**

urinary

obstruction 600.11

retention 600.11

Myelinoclasia, perivascular, acute (postinfectious) NEC 136.9 **[323.61]**

postimmunization or postvaccinal **323.51**

Myelitis (~~acute~~) (ascending) (cerebellar) (childhood) (chronic) (descending) (diffuse)
(disseminated) (pressure) (progressive) (spinal cord) (subacute) (~~transverse~~) (see
also Encephalitis) 323.9

acute (transverse) 341.20

idiopathic 341.22

in conditions classified elsewhere 341.21

due to

infection classified elsewhere 136.9 323.42

specified cause NEC 323.82

vaccination (any) 323.52

viral diseases classified elsewhere 323.02

herpes simplex 054.74

herpes zoster 053.14

postchickenpox **052.2**

postimmunization 323.52

postinfectious 136.9 323.63

postvaccinal **323.52**

postvaricella 052.2

toxic 989.9 323.72

transverse 323.82

acute 341.20

idiopathic 341.22

in conditions classified elsewhere 341.21

idiopathic 341.22

Myelofibrosis (~~osteosclerosis~~) **289.83**

with myeloid metaplasia 238.76

idiopathic (chronic) 238.76

megakaryocytic 238.79

primary 238.76

secondary 289.83

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Myelokathexis **288.09**
Myelopathy (spinal cord) 336.9
 due to or with
 carbon tetrachloride 987.8 [**323.72**]
 hydroxyquinoline derivatives 961.3 [**323.72**]
 lead 984.9 [**323.72**]
 mercury 985.0 [**323.72**]
 thallium 985.8 [**323.72**]
 toxic NEC 989.9 [**323.72**]
 transverse (see also **Myelitis**) **323.82**
Myelophthisis 284.2
Myeloproliferative disease (M9960/1) **238.79**
Myelosclerosis 289.89
 with myeloid metaplasia (M9961/1) **238.76**
 megakaryocytic (M9961/1) **238.79**
Myoadenoma, prostate 600.20
 with ~~urinary retention 600.21~~
 other lower urinary tract symptoms (LUTS) 600.21
 urinary
 obstruction 600.21
 retention 600.21
Myocardopathy (congestive) (constrictive) (familial) (hypertrophic nonobstructive) (idiopathic)
 (infiltrative) (obstructive) (primary) (restrictive) (sporadic) 425.4
 amyloid **277.39** [425.7]
 due to
 amyloidosis **277.39** [425.7]
Myofibromatosis
 infantile 759.89
Myoma (M8895/0) - see also Neoplasm, connective tissue, benign
 prostate 600.20
 with ~~urinary retention 600.21~~
 other lower urinary tract symptoms (LUTS) 600.21
 urinary
 obstruction 600.21
 retention 600.21
Myopathy 359.9
 amyloid **277.39** [359.6]
 in
 amyloidosis **277.39** [359.6]
Necrosis, necrotic
 antrum, nasal sinus **478.19**
 bone (see also Osteomyelitis) 730.1
 ethmoid **478.19**
 bronchus, bronchi **519.19**
 ethmoid (bone) **478.19**
 nose (septum) **478.19**
 perineum 624.8
 pharynx 462
 in granulocytopenia **288.09**
 trachea **519.19**
 vulva 624.8

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Neoplasm, neoplastic

	Malignant Primary	Malignant Secondary	Malignant Carcinoma in situ	Benign	Uncertain Behavior	Unspecified
bone (periosteum)	170.9	198.5	-	213.9	238.0	239.2
marrow NEC	202.9	198.5	-	-	-	<u>238.79</u>
hematopoietic, hemopoietic tissue NEC	202.8	198.89	-	-	-	<u>238.79</u>
marrow (bone) NEC	202.9	198.5	-	-	-	<u>238.79</u>

Nephritis, nephritic (albuminuric) (azotemic) (congenital) (degenerative) (diffuse) (disseminated) (epithelial) (familial) (focal) (granulomatous) (hemorrhagic) (infantile) (nonsuppurative, excretory) (uremic) 583.9

amyloid **277.39** [583.81]

chronic **277.39** [582.81]

due to

amyloidosis **277.39** [583.81]

chronic **277.39** [582.81]

Nephropathy (see also Nephritis) 583.9

hereditary amyloid 277.31

Nephrosis, nephrotic (Epstein's) (syndrome) 581.9

in

amyloidosis **277.39** [581.81]

Neuritis (see also Neuralgia) 729.2

amyloid, any site **277.39** [357.4]

Neuropathy, neuropathic (see also Disorder, nerve) 355.9

peripheral (nerve) (see also Polyneuropathy) 356.9

autonomic 337.9

amyloid **277.39** [337.1]

in

amyloidosis **277.39** [337.1]

Neutropenia, neutropenic (~~chronic~~) (~~cyclic~~) (~~drug-induced~~) (~~genetic~~) (idiopathic) (~~immune~~) (~~infantile~~) (~~malignant~~) (~~periodic~~) (pernicious) (primary) (~~splenic~~) (~~splenomegaly~~) (~~toxic~~) **288.00**

chronic ~~hypoplastic~~ **288.09**

hypoplastic 288.09

congenital (nontransient) **288.01**

cyclic 288.02

drug induced 288.03

due to infection 288.04

fever **288.00**

genetic 288.01

immune 288.09

infantile 288.01

malignant 288.09

periodic 288.02

splenic 289.53

splenomegaly 289.53

toxic 288.09

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Nodule(s), nodular
prostate 600.10
with ~~urinary retention 600.11~~
urinary
obstruction 600.11
retention 600.11

Obesity (constitutional) (exogenous) (familial) (nutritional) (simple) 278.00
complicating pregnancy, childbirth, or puerperium 649.1
of pregnancy **649.1**

Obstruction, obstructed, obstructive
airway NEC 519.8
due to
bronchospasm **519.11**
bronchus **519.19**
nasal **478.19**
nose **478.19**
prostate 600.90
with ~~urinary retention 600.91~~
other lower urinary tract symptoms (LUTS) 600.91
urinary
obstruction 600.91
retention 600.91
trachea **519.19**
nose **478.19**

Open, opening
margin on tooth restoration 525.61
restoration margins 525.61

Operculitis (chronic) **523.40**
acute **523.30**

Ossification
bronchus **519.19**
trachea **519.19**

Osteosclerosis 756.52
~~myelofibrosis 289.89~~

Overfill, endodontic 526.62
Overhanging
tooth restoration 525.62
unrepairable, dental restorative materials 525.62

Overjet 524.29
excessive horizontal 524.26

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Pain(s) 780.96

acute 338.19

due to trauma 338.11

postoperative 338.18

post-thoracotomy 338.12

axillary 729.5

cancer associated 338.3

chronic 338.29

associated with significant psychosocial dysfunction 338.4

due to trauma 338.21

postoperative 338.28

post-thoracotomy 338.22

syndrome 338.4

due to (presence of) any device, implant, or graft classifiable to 996.0-996.5 - see

Complications, due to (presence of) any device, implant, or graft classified to 996.0-996.5 NEC

malignancy (primary) (secondary) 338.3

generalized **780.96**

musculoskeletal (see also Pain, by site) 729.1

nasal **478.19**

neoplasm related (acute) (chronic) 338.3

nose **478.19**

postoperative -- ~~see Pain, by site~~ 338.18

acute 338.18

chronic 338.28

post-thoracotomy 338.12

acute 338.12

chronic 338.22

sinus **478.19**

tumor associated 338.3

Palsy (see also Paralysis) 344.9

cerebral (congenital) (infantile) (spastic) 343.9

athetoid **333.71**

Pancytopenia (acquired) **284.1**

with malformations **284.09**

congenital **284.09**

Panhematopenia 284.8

congenital **284.09**

constitutional **284.09**

Panhemocytopenia 284.8

congenital **284.09**

constitutional **284.09**

Panmyelopathy, familial constitutional **284.09**

Panmyelophthisis **284.2**

congenital **284.2**

Panmyelosis (acute) (M9951/1) **238.79**

Pannus (**corneal**) 370.62

abdominal (symptomatic) 278.1

Papanicolaou smear

cervix (screening test) V76.2

nonspecific abnormal finding 795.00

with

cytologic evidence of malignancy 795.06

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

- Paralysis, paralytic (complete) (incomplete) 344.9
athetoid **333.71**
bronchi **519.19**
deglutition **784.99**
respiratory (muscle) (system) (tract) 786.09
center NEC 344.89
fetus or newborn **770.87**
- Paramyloidosis **277.30**
- Parodontitis **523.40**
- Pathology (of) - see **also** Disease
periradicular, associated with previous endodontic treatment 526.69
- Perforation, perforative (nontraumatic)
nasal
septum **478.19**
root canal space 526.61
- Pericementitis **523.40**
acute **523.30**
chronic (suppurative) **523.40**
- Perichondritis
nose **478.19**
- Pericoronitis (chronic) **523.40**
acute **523.30**
- Periodic - see also condition
disease (familial) **277.31**
fever **277.31**
peritonitis **277.31**
polyserositis **277.31**
- Periodontitis (chronic) (complex) (compound) (~~local~~) (simplex) **523.40**
acute **523.33**
aggressive 523.30
generalized 523.32
localized 523.31
generalized 523.42
localized 523.41
- Peritonitis (acute) (adhesive) (fibrinous) (hemorrhagic) (idiopathic) (localized) (perforative)
(primary) (with adhesions) (with effusion) 567.9
paroxysmal, benign **277.31**
periodic (familial) **277.31**
- Phenomenon
Arthus' - **see Arthus' phenomenon 995.21**
- Plasmacytopenia 288.59**
- Plasmacytosis **288.64**
- Plug
bronchus NEC **519.19**
- Pneumocystis jiroveci pneumonia 136.3**
- Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive)
(creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant)
(fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration)
(insular) (intermittent) (latent) (lobe) (migratory) (newborn) (organized)
(overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved)
(secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular)
486
due to
Pneumocystis jiroveci 136.3
Pneumocystis (carinii) (**jiroveci**) 136.3

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Polyneuropathy (peripheral) 356.9
 amyloid **277.39** [357.4]
 in
 amyloidosis **277.39** [357.4]
Polyp, polypus
 prostate 600.20
 with ~~urinary retention 600.21~~
 other lower urinary tract symptoms (LUTS) 600.21
 urinary
 obstruction 600.21
 retention 600.21
Polyserositis (peritoneal) 568.82
 paroxysmal (familial) **277.31**
 periodic (***familial***) **277.31**
 recurrent **277.31**
Poor
 aesthetics of existing resoration of tooth 525.67
Postnasal drip – ~~see Sinusitis 784.91~~
Post-Traumatic Stress Disorder (PTSD) 309.81
Prediabetes, prediabetic 790.29
 complicating pregnancy, childbirth, or puerperium 648.8
 fetus or newborn **775.89**
Pregnancy (single) (uterine) (without sickness) V22.2
 complicated (by) 646.9
 appendicitis 648.9
 bariatric surgery status 649.2
 coagulation defect 649.3
 current disease or condition (nonobstetric)
 hypertensive 642.2
 chronic kidney 642.2
 epilepsy 649.4
 gastric banding status 649.2
 gastric bypass status for obesity 649.2
 hypertensive heart and chronic kidney disease 642.2
 hypertensive
 chronic kidney disease 642.2
 heart and chronic kidney disease 642.2
 mental disorders (conditions classifiable to 290-303, **305.0, 305.2-305.9, 306**-316, 317-319) 648.4
 obesity 649.1
 surgery status 649.2
 smoking 649.0
 spotting 649.5
 status post
 bariatric surgery 649.2
 gastric banding 649.2
 gastric bypass for obesity 649.2
 obesity surgery 649.2
 tobacco use disorder 649.0

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Pregnancy ... (continued)
management affected by
appendicitis 648.9
bariatric surgery status 649.2
coagulation defect 649.3
epilepsy 649.4
gastric banding status 649.2
gastric bypass status for obesity 649.2
mental disorder (conditions classifiable to 290-303, **305.0, 305.2-305.9, 306**-316, 317-319) 648.4
obesity 649.1
surgery status 649.2
smoking 649.0
spotting 649.5
tobacco use disorder 649.0

Preleukemia **238.75**

Prenatal
teeth 520.6
PRES (posterior reversible encephalopathy syndrome) 348.39

Prolapse, prolapsed
cervix, cervical (~~stump~~) (hypertrophied) 618.1
stump 618.84

Prostatism 600.90
with ~~urinary retention 600.91~~
other lower urinary tract symptoms (LUTS) 600.91
urinary
obstruction 600.91
retention 600.91

Prostatitis (congestive) (suppurative) 601.9
fibrous 600.90
with ~~urinary retention 600.91~~
other lower urinary tract symptoms (LUTS) 600.91
urinary
obstruction 600.91
retention 600.91

hypertrophic 600.00
with ~~urinary retention 600.01~~
other lower urinary tract symptoms (LUTS) 600.01
urinary
obstruction 600.01
retention 600.01

PTSD (Post-Traumatic Stress Disorder) 309.81

Puerperal
mental disorder (conditions classifiable to 290-303, **305.0, 305.2-305.9, 306**-316, 317-319)
648.4

Pyorrhea (alveolar) (alveolaris) **523.40**

Reaction
Arthus 995.21
drug NEC (see also Table of Drugs and Chemicals) **995.20**
allergic - see **also** Allergy, drug **995.27**
correct substance properly administered **995.20**
dystonic, acute, due to drugs 333.72
insulin **995.23**
leukemoid (**basophilic**) (lymphocytic) (monocytic) (myelocytic)(**neutrophilic**) **288.62**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Redness
 nose **478.19**

Reimann's periodic disease **277.31**

Removal (of)
 drains V58.49
 dressing **V58.3**
 wound V58.30
 nonsurgical V58.30
 surgical V58.31
 staples V58.32
 sutures **V58.32**
 wound packing V58.30
 nonsurgical V58.30
 surgical V58.31

Resistance, resistant (to)
 thyroid hormone 246.8

Restless legs (syndrome) **(RLS) 333.94**

Reticulosis (skin)
 familial hemophagocytic 288.4

Retraction
 cervix ~~(see also Retroversion, see Retraction, uterus)~~ **621.6**
 uterus ~~(see also Retroversion, uterus)~~ 621.6

Retroperitonitis ~~(see also Peritonitis)~~ **567.39**

Retroversion, retroverted
 cervix ~~(see also - see Retroversion, uterus)~~ **621.6**

Rhinolith **478.19**

Rhinomegaly **478.19**

Rhinorrhea **478.19**

Rhoads and Bomford anemia (refractory) **238.72**

Riggs' disease (compound periodontitis) **523.40**

Sago spleen **277.39**

Schultz's disease or syndrome (agranulocytosis) **288.09**

Screening (for) V82.9
 antenatal, **of mother** V28.9
 genetic V82.79
 disease carrier status V82.71

Seizure 780.39
 febrile **(simple) 780.31**
 atypical 780.32
 complex 780.32
 complicated 780.32
 recurrent **345.9**

Sensation
 choking **784.99**

Sensitive dentine **521.89**

Sepsis (generalized) 995.91
 with
 acute organ dysfunction 995.92
 multiple organ dysfunction (MOD) 995.92

Short, shortening, shortness
 round ligament **629.89**

Shwachman's syndrome **288.02**

Siegal-Cattan-Mamou disease (periodic) **277.31**

Sinusitis (accessory) (nasal) (hyperplastic) (nonpurulent) (purulent) (chronic) 473.9
 influenzal **478.19**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

SIRS (systemic inflammatory response syndrome) 995.90
due to
infectious process 995.91
with **acute** organ dysfunction 995.92
non-infectious process 995.93
with **acute** organ dysfunction 995.94
Smoking complicating pregnancy, childbirth, or the puerperium 649.0
Sneezing **784.99**
intractable **478.19**
Soft - see also condition
enlarged prostate 600.00
with ~~urinary retention 600.01~~
other lower urinary tract symptoms (LUTS) 600.01
urinary
obstruction 600.01
retention 600.01
Spasm, spastic, spasticity (see also condition) 781.0
bronchus, bronchiole **519.11**
Spleen, splenic - see also condition
neutropenia syndrome **289.53**
Splenomegaly 789.2
neutropenic **289.53**
Spots, spotting
complicating pregnancy 649.5
Spur - see also Exostosis
nose (septum) **478.19**
septal **478.19**
Status (post)
bariatric surgery V45.86
complicating pregnancy, childbirth, or the puerperium 649.2
cutting
female genital 629.20
specified NEC 629.29
type I 629.21
type II 629.22
type III 629.23
type IV 629.29
estrogen receptor
negative [ER-] V86.1
positive [ER+] V86.0
female genital ~~mutilation 629.20~~
cutting 629.20
specified NEC 629.29
type I 629.21
type II 629.22
type III 629.23
type IV 629.29
mutilation 629.20
type IV 629.29
gastric
banding V45.86
complicating pregnancy, childbirth, or the puerperium 649.2
bypass for obesity V45.86
complicating pregnancy, childbirth, or the puerperium 649.2

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Status ... (continued)
marmoratus **333.79**
mutilation, female 629.20
type IV 629.29
obesity surgery V45.86
complicating pregnancy, childbirth, or the puerperium 649.2
STEMI (ST elevation myocardial infarction) (see also - Infarct, myocardium, ST elevation)
410.9
Stenosis (cicatrical) - see also Stricture
bronchus **519.19**
nares (anterior) (posterior) **478.19**
trachea **519.19**
Sternutation **784.99**
Stomatitis **528.00**
catarrhal **528.00**
follicular **528.00**
malignant **528.00**
membranous acute **528.00**
septic **528.00**
specified NEC 528.09
suppurative (acute) **528.00**
ulcerative **528.00**
vesicular **528.00**
Strain - see also Sprain, by site
on urination 788.65
Stricture (see also Stenosis) 799.89
bronchus **519.19**
nares (anterior) (posterior) **478.19**
nose **478.19**
nostril (anterior) (posterior) **478.19**
trachea **519.19**
Stuffy nose **478.19**
Suppuration, suppurative - see also condition
gum **523.30**
Suture
removal **V58.32**
Symptoms, specified (general) NEC 780.99
head and neck NEC **784.99**
larynx NEC **784.99**
throat NEC **784.99**
tonsil NEC **784.99**
Syndrome - see also Disease
5q minus 238.74
Abercrombie's (amyloid degeneration) **277.39**
apical ballooning **429.83**
Armenian 277.31
Blackfan-Diamond (congenital hypoplastic anemia) **284.01**
Borjeson-Forssman-Lehmann 759.89
broken heart 429.83
central pain 338.0
chronic pain 338.4

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Syndrome ... (continued)

compartment(al) (anterior) (deep) (posterior) (~~tibial~~)-958.8

nontraumatic **729.9**

abdomen 729.73

arm 729.71

buttock 729.72

fingers 729.71

foot 729.72

forearm 729.71

hand 729.71

hip 729.72

leg 729.72

lower extremity 729.72

shoulder 729.71

specified site NEC 729.79

thigh 729.72

toes 729.72

upper extremity 729.71

wrist 729.71

traumatic 958.90

abdomen 958.93

arm 958.91

buttock 958.92

fingers 958.91

foot 958.92

forearm 958.91

hand 958.91

hip 958.92

leg 958.92

lower extremity 958.92

shoulder 958.91

specified site NEC 958.99

thigh 958.92

tibial 958.92

toes 958.92

upper extremity 958.91

wrist 958.91

Déjérine-Roussy **338.0**

Diamond-Blackfan (congenital hypoplastic anemia) **284.01**

~~disc~~ – see **Displacement, intervertebral disc**

~~discogenic~~ – see **Displacement, intervertebral disc**

Doan-Wiseman (primary splenic neutropenia)-**289.53**

double athetosis 333.71

Dressler's (postmyocardial infarction) 411.0

postcardiotomy 429.4

Ekbom's (restless legs) **333.94**

Fanconi's (anemia) (congenital pancytopenia) **284.09**

fish odor 270.8

hemophagocytic 288.4

infection-associated 288.4

high grade myelodysplastic 238.73

with 5q deletion 238.73

histiocytic 288.4

Joseph-Diamond-Blackfan (congenital hypoplastic anemia) **284.01**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Syndrome ... (continued)
Kaznelson's (congenital hypoplastic anemia) **284.01**
Kostmann's (infantile genetic agranulocytosis) **288.01**
lazy
 leukocyte **288.09**
macrophage activation 288.4
Mounier-Kuhn 748.3
 acquired **519.19**
myelodysplastic **238.75**
 with 5q deletion 238.74
 high grade with 5q deletion 238.73
myeloproliferative (chronic) (M9960/1) **238.79**
pain - see **also** Pain
 central 338.0
 chronic 338.4
 myelopathic 338.0
 thalamic (hyperesthetic) 338.0
periodic **277.31**
postcardiac injury
 postcardiotomy 429.4
 postmyocardial infarction 411.0
posterior
 reversible encephalopathy (PRES) 348.39
preleukemic **238.75**
respiratory distress (idiopathic) (newborn) 769
 type II 770.6
restless legs (RLS) **333.94**
retroviral seroconversion (acute) V08
Schultz's (agranulocytosis) **288.09**
Schwachman's **288.02**
seroconversion, retroviral (acute) V08
splenic
 neutropenia **289.53**
systemic
 inflammatory response (SIRS) 995.90
 due to
 infectious process 995.91
 with **acute** organ dysfunction 995.92
 non-infectious process 995.93
 with **acute** organ dysfunction 995.94
Takotsubo 429.83
thalamic **338.0**
transient left ventricular apical ballooning 429.83
Vogt's (corpus striatum) **333.71**
System, systemic - see also condition
 inflammatory response syndrome (SIRS) 995.90
 due to
 infectious process 995.91
 with **acute** organ dysfunction 995.92
 non-infectious process 995.93
 with **acute** organ dysfunction 995.94
Tache noir 923.20
Tachygastria 536.8
Takotsubo syndrome 429.83

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Talon noir 924.20

hand 923.20

heel 924.20

toe 924.3

Teeth, tooth - see also condition

prenatal 520.6

Test(s)

blood typing V72.86

Rh typing V72.86

genetic ~~V26.32~~

female V26.32

for genetic disease carrier status ~~V26.31~~

female V26.31

male V26.34

male V26.39

hearing- V72.19

following failed hearing screening V72.11

male partner of habitual aborter V26.35

procreative management NEC V26.29

genetic disease carrier status

female V26.31

male V26.34

Rh typing V72.86

Thermography (abnormal) **793.99**

Thesaurismosis

amyloid **277.39**

Thrombocythemia (~~essential~~) (~~hemorrhagic~~)-(primary) (M9962/1) **238.71**

essential 238.71

hemorrhagic 238.71

idiopathic (hemorrhagic) (M9962/1) 238.71

Thrombocytosis, ~~essential~~ **238.71**

essential 238.71

primary 238.71

Thrombosis, thrombotic (marantic) (multiple) (progressive) (septic) (vein) (vessel) 453.9

atrial (endocardial) 424.90

without endocarditis 429.89

Thyroid (body) (gland) - see also condition

hormone resistance 246.8

Tipped, teeth 524.33

Tobacco

use disorder complicating pregnancy, childbirth, or the puerperium 649.0

Torsion

appendix ~~epididymis 608.2~~

epididymis 608.24

testis 608.23

cervix (~~see also see - Malposition, uterus~~) ~~624.6~~

epididymis **608.24**

appendix **608.24**

spermatic cord **608.22**

extravaginal 608.21

intravaginal 608.22

testicle, testis **608.20**

appendix 608.23

Tracheobronchomegaly (congenital) 748.3

acquired **519.19**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Tracheocele (external) (internal) **519.19**
Tracheomalacia **519.19**
Tracheostenosis **519.19**
Tracheostomy
granuloma 519.09
Transfusion, blood
related acute lung injury (TRALI) 518.7
Trimethylaminuria 270.8
Tuberosity
jaw, excessive 524.07
maxillary, entire 524.07
Tumor (M8000/1) - see also Neoplasm, by site, unspecified nature
stromal
abdomen
benign 215.5
malignant 171.5
uncertain behavior 238.1
digestive system 238.1
benign 215.5
malignant 171.5
uncertain behavior 238.1
intestine **(small) (large) 238.1**
Tyrosinemia 270.2
neonatal **775.89**
Ulcer, ulcerated, ulcerating, ulceration, ulcerative 707.9
ala, nose **478.19**
aorta - see Aneurysm
aphthous (oral) (recurrent) 528.2
genital organ(s)
female **616.89**
bronchus **519.19**
genital organ
female **629.89**
gingivitis **523.10**
intestine, intestinal 569.82
granulocytopenic (with hemorrhage) **288.09**
nose, nasal (infectious) (passage) **478.19**
septum **478.19**
skin (atrophic) (chronic) (neurogenic) (non-healing) (perforating) (pyogenic) (trophic) 707.9
in granulocytopenia **288.09**
stomatitis **528.00**
trachea **519.19**
vagina **616.89**
Unacceptable
existing dental restoration
contours 525.65
morphology 525.65
Underfill, endodontic 526.63
Unsatisfactory **smear 795.08**
restoration, tooth (existing) 525.60
specified NEC 525.69
smear 795.08
Urine, urinary - see also condition
hesitancy 788.64
strain 788.65

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Uterine size-date discrepancy **649.6**
Vasospasm 443.9
coronary 413.1
Version
cervix (~~see also Malposition, - see Version, uterus~~) **621.6**
Vestibulitis (ear) (see also Labyrinthitis) 386.30
nose (external) **478.19**
VIN I (vulvar intraepithelial neoplasia I) **624.0**
VIN II (vulvar intraepithelial neoplasia II) **624.0**
Waxy
degeneration, any site **277.39**
disease **277.39**
kidney **277.39** [583.81]
liver (large) **277.39**
spleen **277.39**
Werner-Schultz disease (agranulocytosis) **288.09**

FY2007 Final Addenda
ICD-9-CM Volume 3, Procedures
Effective October 1, 2006

(Rev.990, Issued: 06-23-06, Effective: 10-01-06, Implementation: 10-02-06)

Index

Revise code	Abdominohysterectomy 68.4 <u>68.49</u>
Add subterm	<u>laparoscopic 68.41</u>
	Ablation
	lesion
Add subterm	<u>liver 50.26</u>
Add subterm	<u>laparoscopic 50.25</u>
Add subterm	<u>open 50.23</u>
Add subterm	<u>percutaneous 50.24</u>
Add subterm	<u>lung 32.26</u>
Add subterm	<u>open 32.23</u>
Add subterm	<u>percutaneous 32.24</u>
Add subterm	<u>thoroscopic 32.25</u>
Add subterm	<u>renal 55.35</u>
Add subterm	<u>laparoscopic 55.34</u>
Add subterm	<u>open 55.32</u>
Add subterm	<u>percutaneous 55.33</u>
	tissue
Add subterm	<u>liver – see Ablation, lesion, liver</u>
Add subterm	<u>lung – see Ablation, lesion, lung</u>
Add subterm	<u>renal – see Ablation, lesion, renal</u>
	Administration (of) – <i>see also</i> Injection
Add subterm	<u>Activase® 99.10</u>
Add subterm	<u>Alteplase (tPA, generic) 99.10</u>
Add subterm	<u>Anistreplase (tPA, generic) 99.10</u>
Add subterm	<u>DrotAA 00.11</u>
Add subterm	<u>Eminase® 99.10</u>
Add subterm	<u>Retavase® 99.10</u>
Add subterm	<u>Reteplase (tPA, generic) 99.10</u>
Add subterm	<u>Streptase® 99.10</u>
Add subterm	<u>Streptokinase (tPA, generic) 99.10</u>
Add subterm	<u>Tenecteplase (tPA, generic) 99.10</u>
Add subterm	<u>TNKase™ 99.10</u>
Add subterm	<u>Xigris® 00.11</u>

Revise note	Angioplasty (laser) – <i>see also</i> Repair, blood vessel Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. <u>Use code 00.44 once to show procedure on a bifurcated vessel.</u> In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.
	Application
Add subterm	external fixator device (bone) 78.10 <u>computer assisted (dependent) 84.73</u>
Add subterm	<u>strapping (non-traction) 93.59</u>
	Bearing surface, hip replacement
Add subterm	<u>ceramic-on-polyethylene 00.77</u>
Revise code	Bonney operation (abdominal hysterectomy) 68.4 <u>68.49</u>
Add subterm	<u>laparoscopic 68.41</u>
Add term	<u>Corpectomy, (vertebral) 80.99</u>
Add subterm	<u>with discectomy 80.99</u>
	Debridement
	skin or subcutaneous tissue (burn) (infection) (wound) 86.28
Revise code	cardioverter/defibrillator (automatic) pocket 37.99 <u>37.79</u>
	pocket
Add subterm	<u>cardiac device NEC 37.79</u>
Revise code	cardioverter/defibrillator (automatic) 37.99 <u>37.79</u>
Add subterm	<u>VersaJet™ 86.28</u>
	Discectomy (discectomy), intervertebral 80.51
Add subterm	<u>with corpectomy 80.99</u>
	Embolectomy 38.00
Add subterm	<u>arteriovenous shunt or cannula 39.49</u>
Add subterm	<u>bovine graft 39.49</u>
Add subterm	<u>mechanical</u>
Add subterm	<u>endovascular</u>
Add subterm	<u>head and neck 39.74</u>
Add subterm	<u>pulmonary (artery) (vein) 38.05</u>
	Endarterectomy (gas) (with patch graft) 38.10
	head and neck (open) 38.12

Revise note	Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. <u>Use code 00.44 once to show procedure on a bifurcated vessel.</u> In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.
Revise note	intracranial (open) NEC 38.11 Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. <u>Use code 00.44 once to show procedure on a bifurcated vessel.</u> In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.
Delete code	EPS (electrophysiologic stimulation) 37.26
Add subterm	<u>as part of intraoperative testing – omit code</u>
Add subterm	<u>catheter based invasive electrophysiologic testing 37.26</u>
Add subterm	<u>device interrogation only without arrhythmia induction (bedside check) 89.45-89.49</u>
Add subterm	<u>noninvasive programmed electrical stimulation (NIPS) 37.20</u>
	Excision
	lung (complete) (with mediastinal dissection) 32.5
	volume reduction surgery 32.22
Add subterm	<u>biologic lung volume reduction (BLVR) – see category 33.7</u>
	Fistulogram
Add subterm	<u>specified site NEC 88.49</u>
	Fixation
	external (without manipulation for reduction)
Add subterm	<u>strapping (non-traction) 93.59</u>
	Fixator, external
Add subterm	<u>computer assisted (dependent) 84.73</u>
	Hysterectomy 68.9
Revise code	abdominal 68.4 <u>68.49</u>
Add subterm	<u>laparoscopic (total) [TLH] 68.41</u>
Revise code	radical (modified) (Wertheim's) 68.6 <u>68.69</u>
Add subterm	<u>laparoscopic (total) [TLRH] 68.61</u>
	vaginal (complete) (partial) (subtotal) (total) 68.59
Revise code	radical (Schauta) 68.7 <u>68.79</u>
Add subterm	<u>laparoscopic [LRVH] 68.71</u>

Revise code	Hysterocolpectomy (radical) (vaginal) 68.7 <u>68.79</u>
Revise code	abdominal 68.6 <u>68.69</u>
Add subterm	<u>laparoscopic 68.61</u>
Add subterm	<u>laparoscopic 68.71</u>
Add subterm	Immobilization (by) <u>strapping (non-traction) 93.59</u>
	Implant, implantation
	cardiac resynchronization device
Revise subterm	defibrillator (<u>biventricular</u>) (<u>BiV ICD</u>) (<u>BiV pacemaker with defibrillator</u>) (<u>BiV pacing with defibrillator</u>) (CRT-D) (device and one or more leads) (total system) 00.51
Revise subterm	pacemaker (<u>BiV</u>) (<u>biventricular</u>) (CRT-P) (device and one or more leads) (total system) 00.50
Revise subterm	CRT-D (<u>biventricular defibrillator</u>) (<u>BiV ICD</u>) (<u>BiV pacemaker with defibrillator</u>) (<u>BiV pacing with defibrillator</u>) (cardiac resynchronization defibrillator) (device and one or more leads) 00.51
Revise subterm	CRT-P (<u>biventricular pacemaker</u>) (<u>BiV pacemaker</u>) (cardiac resynchronization pacemaker) (device and one or more leads) 00.50
	device
Add subterm	<u>bronchial device NOS 33.79</u>
Add subterm	<u>bronchial substance NOS 33.79</u>
Add subterm	<u>bronchial valve 33.71</u>
Add subterm	<u>subcutaneous for intracardiac hemodynamic monitoring 00.57</u>
Add subterm	<u>Dynesys® 84.59</u>
	electrode(s)
Add subterm	<u>gastric 04.92</u>
	electronic stimulator
Add subterm	<u>gastric 04.92</u>
Add subterm	<u>intracardiac hemodynamic monitor, subcutaneous 00.57</u>
Add subterm	<u>M-Brace™ 84.59</u>

	neurostimulator
	electrodes
Add subterm	<u>gastric 04.92</u>
	pacemaker
	cardiac (device) (initial) (permanent) (replacement)
	37.80
Revise subterm	resynchronization device (<u>biventricular pacemaker</u>)
Revise subterm	(<u>BiV pacemaker</u>) (CRT-P)
Add subterm	<u>gastric 04.92</u>
	prosthesis, prosthetic device
Add subterm	<u>lens 13.91</u>
Add subterm	<u>telescope (IMT) (miniature) 13.91</u>
Add subterm	<u>X Stop™ 84.58</u>
	Infusion (intra-arterial) (intravenous)
	antineoplastic agent (chemotherapeutic) 99.25
Add subterm	<u>cintredekin besudotox 99.28</u>
	biological response modifier [BRM], antineoplastic agent
	99.28
Add subterm	<u>cintredekin besudotox 99.28</u>
Add subterm	<u>cintredekin besudotox 99.28</u>
	Injection (into) (hypodermically) (intramuscularly)
	(intravenously) (acting locally or systemically)
	antineoplastic agent (chemotherapeutic) 99.25
Add subterm	<u>cintredekin besudotox 99.28</u>
	biological response modifier [BRM], antineoplastic agent
	99.28
Add subterm	<u>cintredekin besudotox 99.28</u>
Add subterm	<u>cintredekin besudotox 99.28</u>
	Insertion
	cardiac resynchronization device
Revise subterm	defibrillator (<u>biventricular defibrillator</u>) (<u>BiV ICD</u>)

	(<u>BiV pacemaker with defibrillator</u>) (<u>BiV pacing with defibrillator</u>) (CRT- D) (device and one or more leads) (total system) 00.51
Revise subterm	pacemaker (<u>biventricular pacemaker</u>) (<u>BiV pacemaker</u>) (CRT-P) (device and one or more leads) (total system) 00.50
Revise note	carotid artery stent(s) (stent graft) 00.63 Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. <u>Use code 00.44 once to show procedure on a bifurcated vessel.</u> In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.
	catheter
Add subterm	cranial cavity 01.26
Add subterm	<u>placement via burr hole(s) 01.28</u>
Add subterm	<u>intracerebral 01.26</u>
	<u>placement via burr hole(s) 01.28</u>
Revise note	coronary (artery) Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. <u>Use code 00.44 once to show procedure on a bifurcated vessel.</u> In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.
Revise subterm	CRT-D (<u>biventricular defibrillator</u>) (<u>BiV ICD</u>) (<u>BiV pacemaker with defibrillator</u>) (<u>BiV pacing with defibrillator</u>) (cardiac resynchronization defibrillator) (device and one or more leads) 00.51
Revise subterm	CRT-P (<u>biventricular pacemaker</u>) (<u>BiV pacemaker</u>) (cardiac resynchronization pacemaker) (device and one or more leads) 00.50
	device
Add subterm	<u>bronchial device NOS 33.79</u>
Add subterm	<u>bronchial substance NOS 33.79</u>
Add subterm	<u>bronchial valve 33.71</u>
Add subterm	<u>cardiac resynchronization – see Insertion, cardiac resynchronization device</u>
Add subterm	<u>Dynesys® 84.59</u>
	electrode(s)
Add subterm	<u>gastric 04.92</u>

Add subterm	<u>M-Brace™ 84.59</u>
	non-coronary vessel
	stent(s) (stent graft)
Revise note	Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. <u>Use code 00.44 once to show procedure on a bifurcated vessel.</u> In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.
	pacemaker
	cardiac (device) (initial) (permanent) (replacement)
	37.80
Revise subterm	resynchronization (<u>biventricular pacemaker</u>) (<u>BiV pacemaker</u>) (CRT-P) (device)
Add subterm	<u>gastric 04.92</u>
	prosthesis, prosthetic device
Add subterm	<u>lens 13.91</u>
Revise subterm	sensor (<u>lead</u>)
Add subterm	<u>intracardiac hemodynamic monitoring 00.56</u>
	spine
Add subterm	<u>non-fusion stabilization device 84.59</u>
	stent(s) (stent graft)
	artery (bare) (bonded) (drug-coated) (non-drug-eluting)
Revise note	Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. <u>Use code 00.44 once to show procedure on a bifurcated vessel.</u> In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.
	coronary (artery) (bare) (bonded) (drug-coated) (non-drug-eluting) 36.06
Revise note	Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. <u>Use code 00.44 once to show procedure on a bifurcated vessel.</u> In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.
Add subterm	<u>mesenteric 39.90</u>
Add subterm	<u>bare, drug-coated 39.90</u>
Add subterm	<u>drug-eluting 00.55</u>
	non-coronary vessel

Revise note Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. Use code 00.44 once to show procedure on a bifurcated vessel. In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.

Add subterm mesenteric 39.90
Add subterm bare, drug-coated 39.90
Add subterm drug-eluting 00.55
Add subterm renal 39.90
Add subterm bare, drug-coated 39.90
Add subterm drug-eluting 00.55

peripheral 39.90
Revise note Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. Use code 00.44 once to show procedure on a bifurcated vessel. In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.

precerebral 00.64
Revise note Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. Use code 00.44 once to show procedure on a bifurcated vessel. In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.

Add subterm renal 39.90
Add subterm bare, drug-coated 39.90
Add subterm drug-eluting 00.55

subclavian 39.90
Revise note Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. Use code 00.44 once to show procedure on a bifurcated vessel. In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.

vertebral 00.64
Revise note Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. Use code 00.44 once to show procedure on a bifurcated vessel. In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.

Add subterm telescope (IMT) (miniature) 13.91

valve
Add subterm bronchus 33.71

Add subterm	<u>X Stop™ 84.58</u>
	Instillation
Add subterm	<u>thoracic cavity 34.92</u>
	Interrogation
	cardioverter-defibrillator, automatic (AICD)
Add subterm	<u>with catheter based invasive electrophysiologic testing</u> <u>37.26</u>
Change code	with NIPS (arrhythmia induction) 37.26 – <u>37.20</u>
	CRT-D (cardiac resynchronization defibrillator)
Add subterm	<u>with catheter based invasive electrophysiologic testing</u> <u>37.26</u>
Change code	with NIPS (arrhythmia induction) 37.26 – <u>37.20</u>
	CRT-P (cardiac resynchronization pacemaker)
Add subterm	<u>with catheter based invasive electrophysiologic testing</u> <u>37.26</u>
Change code	with NIPS (arrhythmia induction) 37.26 – <u>37.20</u>
	pacemaker
Add subterm	<u>with catheter based invasive electrophysiologic testing</u> <u>37.26</u>
Change code	with NIPS (arrhythmia induction) 37.26 – <u>37.20</u>
	Monitoring
	cardiac output
Add subterm	<u>intracardiac hemodynamic</u>
Add subterm	<u>sensor (lead) 00.56</u>
Add subterm	<u>subcutaneous device 00.57</u>
	Nailing, intramedullary
Add subterm	<u>with fracture reduction – see Reduction, fracture</u> <u>with internal fixation</u>
Add subterm	<u>internal (without fracture reduction) 78.50</u>
Change code	NIPS (noninvasive programmed electrical stimulation) 37.26 <u>37.20</u>
	Operation
Revise code	Bonney (abdominal hysterectomy) 68.4 <u>68.49</u>
Add subterm	<u>laparoscopic 68.41</u>
Revise code	lens NEC 13.9 <u>13.90</u>
	lung volume reduction 32.22
Add subterm	<u>biologic lung volume reduction (BLVR) – see category</u>

	<u>33.7</u>
Revise code	Schauta (-Amreich) (radical vaginal hysterectomy) 68.7 <u>68.79</u>
Add subterm	<u>laparoscopic 68.71</u>
Revise code	Wertheim (radical hysterectomy) 68.6 <u>68.69</u>
Add subterm	<u>laparoscopic 68.61</u>
Revise code	Pan hysterectomy (abdominal) 68.4 <u>68.49</u>
Add subterm	<u>laparoscopic 68.41</u>
	Plethysmography
Add subterm	<u>CaverMap™ 89.58</u>
	Reduction – <i>see also</i> Excision, by site
	lung volume 32.22
Add subterm	<u>biologic lung volume reduction (BLVR) – <i>see category</i></u> <u>33.7</u>
	Removal – <i>see also</i> Excision
Add subterm	<u>bronchial device or substance</u>
Add subterm	<u>endoscopic 33.78</u>
	cardioverter/defibrillator pulse generator without replacement (cardiac resynchronization defibrillator device (CRT-D)) 37.99 <u>37.79</u>
Revise code	
	coronary artery obstruction (thrombus) 36.09
	percutaneous transluminal (balloon)
Revise note	Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. <u>Use code 00.44</u> <u>once to show procedure on a bifurcated vessel.</u> In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.
	device (therapeutic) NEC 97.89
Add subterm	<u>bronchus 33.78</u>
Add subterm	<u>valve 33.78</u>
	electrodes
Add subterm	<u>gastric 04.93</u>
Add subterm	<u>with synchronous replacement 04.92</u>
	embolus 38.00
Revise subterm	head and neck vessel NEC 38.02
Add subterm	<u>endovascular approach 39.74</u>
Add subterm	<u>open approach, intracranial vessels 38.01</u>

Add subterm	<u>open approach, other vessels of head and neck 38.02</u> intracranial vessel NEC 38.01
Add subterm	<u>endovascular approach 39.74</u>
Add subterm	<u>open approach, intracranial vessels 38.01</u>
Add subterm	<u>open approach, other vessels of head and neck 38.02</u>
Add subterm	<u>implantable hemodynamic sensor (lead) and monitor device</u> 37.79
	neurostimulator electrodes
Add subterm	<u>gastric 04.93</u>
Add subterm	<u>with synchronous replacement 04.92</u>
	pulse generator
Revise code	cardioverter/defibrillator 37.99 <u>37.79</u>
	Repair
	artery NEC 39.59
	by
	endovascular approach
	percutaneous repair of intracranial vessel(s) (for stent insertion) 00.62
Revise note	Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. <u>Use code</u> <u>00.44 once to show procedure on a bifurcated</u> <u>vessel.</u> In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.
	percutaneous repair of precerebral (extracranial) vessel(s) (for stent insertion) 00.61
Revise note	Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. <u>Use code</u> <u>00.44 once to show procedure on a bifurcated</u> <u>vessel.</u> In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.
	non-coronary percutaneous transluminal angioplasty or atherectomy
Revise note	Note: Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. <u>Use code</u>

00.44 once to show procedure on a bifurcated vessel. In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.

blood vessel NEC 39.59
peripheral vessel NEC 39.59
by angioplasty 39.50
Revise note Note – Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. Use code 00.44 once to show procedure on a bifurcated vessel. In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.

by atherectomy 39.50
Revise note Note – Also use 00.40, 00.41, 00.42, or 00.43 to show the total number of vessels treated. Use code 00.44 once to show procedure on a bifurcated vessel. In addition, use 00.45, 00.46, 00.47, or 00.48 to show the number of vascular stents inserted.

heart
septum 35.70
ventricular 35.72
with
Revise subterm prosthesis (open heart technique) 35.53
Add subterm closed heart technique 35.55

Revise subterm rotator cuff (graft) (suture) 83.63

supracristal defect (heart) 35.72
with
Revise subterm prosthesis (open heart technique) 35.53
Add subterm closed heart technique 35.55

ventricular septal defect 35.72
with
Revise subterm prosthesis (open heart technique) 35.53
Add subterm closed heart technique 35.55

Replacement
Add subterm bronchial device NOS 33.79
Add subterm bronchial substance NOS 33.79

Add subterm	<u>bronchial valve 33.71</u>
Revise subterm	cardiac resynchronization device defibrillator (<u>biventricular defibrillator</u>) (<u>BiV ICD</u>) (<u>BiV pacemaker with defibrillator</u>) (<u>BiV pacing with</u> <u>defibrillator</u>) (CRT-D) (device and one or more leads) (total system) 00.51
Revise subterm	pacemaker (<u>biventricular pacemaker</u>) (<u>BiV pacemaker</u>) (CRT-P) (device and one or more leads) (total system) 00.50
Revise subterm	CRT-D (<u>biventricular defibrillator</u>) (<u>BiV ICD</u>) (<u>BiV</u> <u>pacemaker with defibrillator</u>) (<u>BiV pacing with</u> <u>defibrillator</u>) (cardiac resynchronization defibrillator) (device and one or more leads) 00.51
Revise subterm	CRT-P (<u>biventricular pacemaker</u>) (<u>BiV pacemaker</u>) (cardiac resynchronization pacemaker) (device and one or more leads) 00.50
Add subterm	<u>device</u>
Add subterm	<u>subcutaneous for intracardiac hemodynamic monitoring</u> <u>00.57</u>
Add subterm	electrode(s) <u>gastric 04.92</u>
Add subterm	pacemaker <u>gastric – see Implant, neurostimulator, gastric</u>
Add subterm	<u>sensor (lead)</u>
Add subterm	<u>intracardiac hemodynamic monitoring 00.56</u>
Add subterm	Reposition <u>cardiac resynchronization defibrillator (CRT-D) – see</u> <u>Revision, cardiac resynchronization defibrillator</u>
Add subterm	<u>cardiac resynchronization pacemaker (CRT-P) – see</u> <u>Revision, cardiac resynchronization pacemaker</u>
Revise code	cardioverter/defibrillator lead(s) (epicardial patch) (pacing) (sensing) 37.99 <u>37.75</u>
Revise code	pocket 37.99 <u>37.79</u>
Revise code	pulse generator 37.99 <u>37.79</u>
Add subterm	<u>implantable hemodynamic sensor (lead) and monitor device</u>

37.79
 neurostimulator
 leads
 Add subterm within or over gastric nerve 04.92

Resection – *see also* Excision, by site
 lung (wedge) NEC 32.29
 volume reduction 32.22
 Add subterm biologic lung volume reduction (BLVR) – *see category* 33.7

Add term Resurfacing, hip 00.86
 Add subterm acetabulum 00.87
 Add subterm with femoral head 00.85
 Add subterm femoral head 00.86
 Add subterm with acetabulum 00.85
 Add subterm partial NOS 00.85
 Add subterm acetabulum 00.87
 Add subterm femoral head 00.86
 Add subterm total (acetabulum and femoral head) 00.85

Revascularization
 transmyocardial
 Add subterm endoscopic 36.33
 Add subterm endovascular 36.34
 Revise code percutaneous ~~36.32~~ 36.34
 Revise code thoracoscopic ~~36.32~~ 36.33

Revision
 cardiac resynchronization defibrillator (CRT-D)
 Add subterm/Revise code device ~~37.99~~ 37.79
 Add subterm electrode(s) 37.75
 Add subterm pocket 37.79

cardioverter/defibrillator (automatic)
 Revise code pocket ~~37.99~~ 37.79

pocket
 Add subterm intracardiac hemodynamic monitoring 37.79

Revise code Schauta (-Amreich) operation (radical vaginal hysterectomy) ~~68.7~~ 68.79
 Add subterm laparoscopic 68.71

Stimulation (electronic) - *see also* Implant, electronic

Add subterm	stimulator <u>CaverMap™ 89.58</u>
Add subterm	defibrillator <u>as part of intraoperative testing – omit code</u>
Add subterm	<u>catheter based invasive electrophysiologic testing</u> <u>37.26</u>
Add subterm	<u>device interrogation only without arrhythmia induction</u> <u>(bedside check) 89.45-89.49</u>
Change code	noninvasive programmed electrical stimulation (NIPS) <u>37.26</u> <u>37.20</u>
Delete code	electrophysiologic, cardiac <u>37.26</u>
Add subterm	<u>as part of intraoperative testing – omit code</u>
Add subterm	<u>catheter based invasive electrophysiologic testing</u> <u>37.26</u>
Add subterm	<u>device interrogation only without arrhythmia induction</u> <u>(bedside check) 89.45-89.49</u>
Add subterm	<u>noninvasive programmed electrical stimulation</u> <u>(NIPS) 37.20</u>
Revise subterm	nerve
Add subterm	<u>CaverMap™ 89.58</u>
Add subterm	<u>penile 89.58</u>
Add subterm	<u>peripheral or spinal cord, transcutaneous 93.39</u>
Add term	<u>Strapping (non-traction) 93.59</u>
Delete code	Study electrophysiologic stimulation and recording, cardiac <u>37.26</u>
Add subterm	<u>as part of intraoperative testing – omit code</u>
Add subterm	<u>catheter based invasive electrophysiologic testing</u> <u>37.26</u>
Add subterm	<u>device interrogation only without arrhythmia induction (bedside</u> <u>check) 89.45-89.49</u>
Add subterm	<u>noninvasive programmed electrical stimulation (NIPS)</u> <u>37.20</u>
Add subterm	Thrombectomy 38.00
Add subterm	<u>arteriovenous shunt or cannula 39.49</u>
Add subterm	<u>bovine graft 39.49</u>
Add subterm	<u>mechanical</u>
Add subterm	<u>endovascular</u>
Add subterm	<u>head and neck 39.74</u>

Revise code Wertheim operation (radical hysterectomy) ~~68.6~~ 68.69
Add subterm laparoscopic 68.61

Tabular

New code 00.44 Procedure on vessel bifurcation
Note: this code is to be used to identify the presence of a vessel bifurcation; it does not describe a specific bifurcation stent. Use this code only once per operative episode, irrespective of the number of bifurcations in vessels.

00.50 Implantation of cardiac resynchronization pacemaker without mention of defibrillation, total system [CRT-P]

Add note NOTE: Device testing during procedure – omit code

Add inclusion term Biventricular pacemaker

Add inclusion term BiV pacemaker

00.51 Implantation of cardiac resynchronization defibrillator, total system [CRT-D]

Add note NOTE: Device testing during procedure – omit code

Add inclusion term BiV defibrillator

Add inclusion term Biventricular defibrillator

Add inclusion term BiV ICD

Add inclusion term BiV pacemaker with defibrillator

Add inclusion term BiV pacing with defibrillator

00.53 Implantation or replacement of cardiac resynchronization pacemaker pulse generator only [CRT-P]

Add note NOTE: Device testing during procedure – omit code

00.54 Implantation or replacement of cardiac resynchronization defibrillator pulse generator device only [CRT-D]

Add note NOTE: Device testing during procedure – omit code

00.55 Insertion of drug-eluting peripheral vessel stent(s)
Code also any:
Add code also note procedure on vessel bifurcation (00.44)

New code 00.56 Insertion or replacement of implantable pressure sensor (lead) for intracardiac hemodynamic monitoring
Code also any associated implantation or replacement of monitor (00.57)
Excludes: circulatory monitoring (blood gas, arterial or venous pressure, cardiac output and coronary blood flow) (89.60-89.69)

New code 00.57 Implantation or replacement of subcutaneous device for intracardiac hemodynamic monitoring
Implantation of monitoring device with formation of subcutaneous pocket and connection to intracardiac pressure sensor (lead)
Code also any associated insertion or replacement of implanted pressure sensor (lead) (00.56)

Add code also note 00.61 Percutaneous angioplasty or atherectomy of precerebral (extracranial) vessel(s)
Code also any:
procedure on vessel bifurcation (00.44)

Add code also note 00.62 Percutaneous angioplasty or atherectomy of intracranial vessel(s)
Code also any:
procedure on vessel bifurcation (00.44)

Add code also note 00.63 Percutaneous insertion of carotid artery stent(s)
Code also any:
procedure on vessel bifurcation (00.44)

Add code also note 00.64 Percutaneous insertion of other precerebral (extracranial) artery stent(s)
Code also any:
procedure on vessel bifurcation (00.44)

Add code also note	00.65 Percutaneous insertion of intracranial vascular stent(s) Code also any: <u>procedure on vessel bifurcation (00.44)</u>
Add code also note	00.66 Percutaneous transluminal coronary angioplasty [PTCA] or coronary atherectomy Code also any: <u>procedure on vessel bifurcation (00.44)</u>
Revise code	00.70 Revision of hip replacement, both acetabular and femoral components Code also any: type of bearing surface, if known (00.74 – <u>00.77</u>)
Revise code	00.71 Revision of hip replacement, acetabular component Code also any: type of bearing surface, if known (00.74 – <u>00.77</u>)
Revise code	00.72 Revision of hip replacement, femoral component Code also any: type of bearing surface, if known (00.74 – <u>00.77</u>)
Revise code	00.73 Revision of hip replacement, acetabular liner and/or femoral head only Code also any: type of bearing surface, if known (00.74 – <u>00.77</u>)
New code	00.77 Hip replacement bearing surface, ceramic-on-polyethylene
Revise code title	00.8 Other knee <u>and hip</u> procedures
New code	00.85 Resurfacing hip, total, acetabulum and femoral head Hip resurfacing arthroplasty, total
New code	00.86 Resurfacing hip, partial, femoral head Hip resurfacing arthroplasty, NOS Hip resurfacing arthroplasty, partial, femoral head

Excludes: that with resurfacing of acetabulum (00.85)

New code	00.87 Resurfacing hip, partial, acetabulum Hip resurfacing arthroplasty, partial, acetabulum Excludes: that with resurfacing of femoral head (00.85)
Revise code title Add exclusion term	01.26 Insertion of catheter(s) into cranial cavity <u>or tissue</u> <u>Excludes: placement of intracerebral catheter(s) via burr hole(s) (01.28)</u>
Revise code title	01.27 Removal of catheter(s) from cranial cavity <u>or tissue</u>
New code	01.28 Placement of intracerebral catheter(s) via burr hole(s) Convection enhanced delivery Stereotactic placement of intracerebral catheter(s) Code also infusion of medication Excludes: insertion of catheter(s) into cranial cavity or tissue(s) (01.26)
Revise code	02.93 Implantation or replacement of intracranial neurostimulator lead(s) Code also any insertion of neurostimulator pulse generator 86.94- 86.96 <u>86.98</u>
Revise code	03.93 Implantation or replacement of spinal neurostimulator lead(s) Code also any insertion of neurostimulator pulse generator 86.94- 86.96 <u>86.98</u>
Revise code	04.92 Implantation or replacement of peripheral neurostimulator lead(s) Code also any insertion of neurostimulator pulse generator 86.94- 86.96 <u>86.98</u>
Add exclusion term	13.7 Insertion of prosthetic lens [pseudophakos] <u>Excludes: implantation of intraocular telescope prosthesis (13.91)</u>

New subcategory	13.9 Other operations on lens
New code	13.90 Operation on lens, Not Elsewhere Classified
New code	13.91 Implantation of intraocular telescope prosthesis Includes: removal of lens, any method Implantable miniature telescope Excludes: secondary insertion of ocular implant (16.61)
Add inclusion term	14.74 Other mechanical vitrectomy <u>Posterior approach</u>
New code	32.23 Open ablation of lung lesion or tissue
New code	32.24 Percutaneous ablation of lung lesion or tissue
New code	32.25 Thoracoscopic ablation of lung lesion or tissue
New code	32.26 Other and unspecified ablation of lung lesion or tissue
Add exclusion term	32.28 Endoscopic excision or destruction of lesion or tissue of lung Excludes: ablation of lung lesion or tissue: open (32.23) other (32.26) percutaneous (32.24) thoracoscopic (32.25)
Add exclusion term	32.29 Other local excision or destruction of lesion or tissue of lung Excludes: ablation of lung lesion or tissue: open (32.23) other 32.26 percutaneous (32.24) thoracoscopic (32.25)

New subcategory	33.7 Endoscopic insertion, replacement and removal of therapeutic device or substances in bronchus or lung Biologic Lung Volume Reduction (BLVR)
	Excludes: insertion of tracheobronchial stent (96.05)
New code	33.71 Endoscopic insertion or replacement of bronchial valve(s) Endobronchial airflow redirection valve Intrabronchial airflow redirection valve
New code	33.78 Endoscopic removal of bronchial device(s) or substances
New code	33.79 Endoscopic insertion of other bronchial device or substances Biologic Lung Volume Reduction NOS (BLVR)
Add inclusion term	34.92 Injection into thoracic cavity <u>Instillation into thoracic cavity</u>
Revise code title	35.53 Repair of ventricular septal defect with prosthesis, <u>open technique</u>
New code	35.55 Repair of ventricular septal defect with prosthesis, closed technique
Add code also note	36.03 Open chest coronary artery angioplasty Code also any: <u>procedure on vessel bifurcation (00.44)</u>
Revise exclusion term	36.04 Intracoronary artery thrombolytic infusion Excludes: that associated with any procedure in 00.66 , 36.03
Add code also note	36.06 Insertion of non-drug-eluting coronary artery stent(s) Code also any: <u>procedure on vessel bifurcation (00.44)</u>

36.07 Insertion of drug-eluting coronary artery stent(s)
Code also any:
Add code also note procedure on vessel bifurcation (00.44)

36.09 Other removal of coronary artery obstruction
Code also any:
Add code also note procedure on vessel bifurcation (00.44)

36.32 Other transmyocardial revascularization
Delete inclusion term ~~Percutaneous transmyocardial revascularization~~
Delete inclusion term ~~Thoracoscopic transmyocardial revascularization~~

New code 36.33 Endoscopic transmyocardial revascularization
 Robot-assisted transmyocardial revascularization
 Thoracoscopic transmyocardial revascularization

New code 36.34 Percutaneous transmyocardial revascularization
 Endovascular transmyocardial revascularization

New code 37.20 Noninvasive programmed electrical stimulation [NIPS]

Excludes: that as part of intraoperative testing – omit code
 catheter based invasive electrophysiologic testing (37.26)
 device interrogation only without arrhythmia induction
 (bedside check) (89.45-89.49)

Revise code title 37.26 ~~Cardiac electrophysiologic stimulation and recording studies~~
 Catheter based invasive electrophysiologic testing

Delete inclusion term ~~Non-invasive programmed electrical stimulation (NIPS)~~
Delete inclusion term ~~Programmed electrical stimulation~~

Add exclusion term Excludes: that as part of intraoperative testing – omit code
Add exclusion term noninvasive programmed electrical stimulation (NIPS) (37.20)

Add 2nd note 37.66 Insertion of implantable heart assist system
 Note: This device can be used for either destination
 therapy (DT) or bridge-to-transplant (BTT)

Revise title	37.7 Insertion, revision, replacement and removal of pacemaker leads; insertion of temporary pacemaker system; or revision of cardiac device pocket
	37.75 Revision of lead [electrode]
Revise inclusion term	<u>Repositioning of lead(s) (AICD) (cardiac device) (CRT-D) (CRT-P) (defibrillator) (pacemaker) (pacing) (sensing) [electrode]</u>
	37.79 Revision or relocation of cardiac device pocket
Add inclusion term	<u>Insertion of loop recorder</u>
Add inclusion term	<u>Removal of cardiac device/pulse generator without replacement</u>
Add inclusion term	<u>Removal of the implantable hemodynamic pressure sensor (lead) and monitor device</u>
Add inclusion term	<u>Removal without replacement of cardiac resynchronization defibrillator device</u>
Add inclusion term	<u>Repositioning of implantable hemodynamic pressure sensor (lead) and monitor device</u>
Add inclusion term	<u>Repositioning of pulse generator</u>
Add inclusion term	<u>Revision of cardioverter/defibrillator (automatic) pocket</u>
Add inclusion term	<u>Revision of pocket for intracardiac hemodynamic monitoring</u>
Add inclusion term	<u>Revision or relocation of CRT-D pocket</u>
	Excludes:
Add exclusion term	<u>removal of loop recorder (86.05)</u>
	37.8 Insertion, replacement, removal, and revision of pacemaker device
Add note	<u>NOTE: Device testing during procedure – omit code</u>
	37.94 Implantation or replacement of automatic cardioverter/defibrillator, total system [AICD] Implantation of defibrillator with leads (epicardial patches), formation of pocket (abdominal fascia) (subcutaneous), any transvenous leads, intraoperative procedures for evaluation of lead signals, and obtaining defibrillator threshold measurements
Delete inclusion term	(electrophysiologic studies [EPS])

Add note

NOTE: Device testing during procedure – omit code

37.96 Implantation of automatic cardioverter/defibrillator pulse generator only

Add note

NOTE: Device testing during procedure – omit code

37.97 Replacement of automatic cardioverter/defibrillator lead(s) only

Add exclusion term

Excludes:

replacement of epicardial lead [electrode] into epicardium (37.74)

Add exclusion term

replacement of transvenous lead [electrode] into left ventricular coronary venous system (00.52)

37.98 Replacement of automatic cardioverter/defibrillator pulse generator only

Add note

NOTE: Device testing during procedure – omit code

37.99 Other

Delete inclusion term

~~Removal of cardioverter/defibrillator pulse generator only without replacement~~

Delete inclusion term

~~Removal without replacement of cardiac resynchronization defibrillator device [CRT-D]~~

Delete inclusion term

~~Repositioning of lead(s) (sensing) (pacing) [electrode]~~

Delete inclusion term

~~Repositioning of pulse generator~~

Delete inclusion term

~~Revision of cardioverter/defibrillator (automatic) pocket~~

Delete inclusion term

~~Revision or relocation of CRT-D pocket~~

Excludes:

Add exclusion term

repositioning of pulse generator (37.79)

Add exclusion term

revision of lead(s) (37.75)

Add exclusion term

revision or relocation of pacemaker, defibrillator or other implanted cardiac device pocket (37.79)

38 Incision, excision, and occlusion of vessels

Revise exclusion term

Excludes: that of coronary vessels (00.66 (36.01-36.99) 36.03, 36.04, 36.09, 36.10-36.99)

Add exclusion term	<p>38.0 Incision of vessel</p> <p>Excludes: <u>endovascular removal of obstruction from head and neck vessel(s) (39.74)</u></p>
Add code also note	<p>38.1 Endarterectomy</p> <p>Code also any: <u>procedure on vessel bifurcation 00.44</u></p>
Add inclusion term	<p>38.4 Resection of vessel with replacement</p> <p><u>Partial resection with replacement</u></p>
Add note	<p>39.50 Angioplasty or atherectomy of other non-coronary vessel(s)</p> <p>Code also any: <u>procedure on vessel bifurcation (00.44)</u></p>
Add exclusion term	<p>39.72 Endovascular repair or occlusion of head and neck vessels</p> <p><u>Excludes: mechanical thrombectomy of pre-cerebral and cerebral vessels (39.74)</u></p>
New code	<p>39.74 Endovascular removal of obstruction from head and neck vessel(s)</p> <p>Endovascular embolectomy</p> <p>Endovascular thrombectomy of pre-cerebral and cerebral vessels</p> <p>Mechanical embolectomy or thrombectomy</p> <p>Code also:</p> <p>any injection or infusion of thrombolytic agent (99.10)</p> <p>number of vessels treated (00.40-00.43)</p> <p>procedure on vessel bifurcation (00.44)</p> <p>Excludes:</p> <p>endarterectomy of intracranial vessels and other vessels of head and neck (38.11-38.12)</p> <p>occlusive endovascular repair of head or neck vessels (39.72)</p> <p>open embolectomy or thrombectomy (38.01- 38.02)</p>

	39.90 Insertion of non-drug-eluting peripheral vessel stent(s) Code also any:
Add code also note	<u>procedure on vessel bifurcation (00.44)</u>
New code	50.23 Open ablation of liver lesion or tissue
New code	50.24 Percutaneous ablation of liver lesion or tissue
New code	50.25 Laparoscopic ablation of liver lesion or tissue
New code	50.26 Other and unspecified ablation of liver lesion or tissue
Add exclusion term	50.29 Other destruction of lesion of liver Excludes: ablation of liver lesion or tissue: laparoscopic (50.25) open (50.23) other (50.26) percutaneous (50.24)
New code	55.32 Open ablation of renal lesion or tissue
New code	55.33 Percutaneous ablation of renal lesion or tissue
New code	55.34 Laparoscopic ablation of renal lesion or tissue
New code	55.35 Other and unspecified ablation of renal lesion or tissue
Add exclusion term	55.39 Other local excision or destruction of renal lesion or tissue Excludes: ablation of renal lesion or tissue: laparoscopic (55.34) open (55.32) other (55.35) percutaneous (55.33)

Revise code title	68.39 Other <u>and unspecified</u> subtotal abdominal hysterectomy
New subcategory	68.4 Total abdominal hysterectomy Code also any synchronous removal of tubes and ovaries (65.31-65.64) Excludes: laparoscopic total abdominal hysterectomy (68.41) radical abdominal hysterectomy, any approach (68.61-68.69)
New code	68.41 Laparoscopic total abdominal hysterectomy Total laparoscopic hysterectomy [TLH]
New code	68.49 Other and unspecified total abdominal hysterectomy Hysterectomy: Extended
Revise code title	68.59 Other <u>and unspecified</u> vaginal hysterectomy
New subcategory	68.6 Radical abdominal hysterectomy Code also any synchronous: lymph gland dissection (40.3, 40.5) removal of tubes and ovaries (65.31-65.64)
New code	68.61 Laparoscopic radical abdominal hysterectomy Laparoscopic modified radical hysterectomy Total laparoscopic radical hysterectomy [TLRH]
New code	68.69 Other and unspecified radical abdominal hysterectomy Modified radical hysterectomy Wertheim's operation Excludes: laparoscopic total abdominal hysterectomy (68.41) laparoscopic radical abdominal hysterectomy (68.61)
New subcategory	68.7 Radical vaginal hysterectomy Code also any synchronous: lymph gland dissection (40.3, 40.5) removal of tubes and ovaries (65.31-65.64)

Excludes:

abdominal hysterectomy, any approach (68.31-68.39, 68.41-68.49, 68.61-68.69, 68.9)

New code 68.71 Laparoscopic radical vaginal hysterectomy [LRVH]

New code 68.79 Other and unspecified radical vaginal hysterectomy
Hysterocolpectomy
Schauta operation

68.9 Other and unspecified hysterectomy
Hysterectomy, NOS

Excludes:

abdominal hysterectomy, any approach (68.31-68.39, 68.41-68.49, 68.61-68.69)

Revise exclusion term vaginal hysterectomy, any approach (68.51-68.59, 68.71-68.79)

Revise exclusion term

80.51 Excision of intervertebral disc

Excludes:

Add exclusion term that with corpectomy, (vertebral) (80.99)

84.59 Insertion of other spinal devices

Add inclusion term Insertion of non-fusion spinal stabilization device

84.73 Application of hybrid external fixator device

Add inclusion term Computer (assisted) (dependent) external fixator device

86.28 Nonexcisional debridement of wound, infection, or burn

Add inclusion term Water scalpel (jet)

89.45 Artificial pacemaker rate check

Excludes:

Revise exclusion term electrophysiologic studies [EPS] catheter based invasive electrophysiologic testing (37.26)

Revise exclusion term noninvasive programmed electrical stimulation [NIPS]
(arrhythmia induction) (37.26 37.20)

89.49 Automatic implantable cardioverter/defibrillator (AICD) check
Revise exclusion term Excludes:
~~electrophysiologic studies [EPS]~~ catheter based invasive
electrophysiologic testing (37.26)
Revise exclusion term noninvasive programmed electrical stimulation [NIPS]
(arrhythmia induction) (37.26 37.20)

89.6 Circulatory monitoring
Excludes:
Add exclusion term implantation or replacement of subcutaneous device for
intracardiac hemodynamic monitoring (00.57)
Add exclusion term insertion or replacement of implantable pressure sensor (lead) for
intracardiac hemodynamic monitoring (00.56)

93.11 Assisting exercise
Revise exclusion term Excludes: assisted exercise in pool (93.31)

93.59 Other immobilization, pressure and attention to wound
Add inclusion term Strapping (non-traction)

96.05 Other intubation of respiratory tract
Add exclusion term Excludes: endoscopic insertion or replacement of bronchial
device or substance (33.71, 33.79)

99.10 Injection or infusion of thrombolytic agent
Add inclusion term Alteplase
Add inclusion term Anistreplase
Add inclusion term Reteplase
Add inclusion term Tenecteplase

99.28 Injection or infusion of biological response modifier
[BRM] as an antineoplastic agent
Includes:
Add inclusion term infusion of cintredekin besudotox

TABULAR ADDENDA
OCTOBER 1, 2006(FY07)

(Rev.990, Issued: 06-23-06, Effective: 10-01-06, Implementation: 10-02-06)

	052	Chickenpox
New Code	052.2	Postvaricella myelitis Postchickenpox myelitis
	053	Herpes zoster
	053.1	With other nervous system complications
New Code	053.14	Herpes zoster myelitis
	054	Herpes simplex
	054.7	With other specified complications
New Code	054.74	Herpes simplex myelitis
	136	Other and unspecified infectious and parasitic diseases
	136.3	Pneumocystosis
Add		Pneumonia due to Pneumocystis jiroveci
	151	Malignant neoplasm of stomach
Add		Excludes: malignant stromal tumor of stomach (171.5)
	152	Malignant neoplasm of small intestine, including duodenum
Add		Excludes: malignant stromal tumor of small intestine (171.5)
	171	Malignant neoplasm of connective and other soft tissue
Add		Includes: malignant stromal tumors
		Excludes: connective tissue:
Revise		internal organs (<u>except stromal tumors</u>) – code to malignant neoplasm of the site [e.g., leiomyosarcoma of stomach, 151.9]
	174	Malignant neoplasm of female breast
Add		Use additional code to identify estrogen receptor status (V86.0, V86.1)

	175	Malignant neoplasm of male breast
Add		Use additional code to identify estrogen receptor status (V86.0, V86.1)
	202	Other malignant neoplasms of lymphoid and histiocytic tissue
	202.0	Nodular lymphoma
Delete		Reticulosarcoma, follicular or nodular
	211	Benign neoplasm of other parts of digestive system
Add		Excludes: benign stromal tumors of digestive system (215.5)
	215	Other benign neoplasm of connective and other soft tissue
	215.5	Abdomen
Add		Benign stromal tumors of abdomen
	233	Carcinoma in situ of breast and genitourinary system
	233.1	Cervix uteri
Add		Cervical intraepithelial glandular neoplasia
Revise		Excludes: cytologic evidence of malignancy without histologic confirmation (<u>795.06</u>)
	235	Neoplasm of uncertain behavior of digestive and respiratory systems
Add		Excludes: stromal tumors of uncertain behavior of digestive system (238.1)
	238	Neoplasm of uncertain behavior of other and unspecified sites and tissues
	238.1	Connective and other soft tissue
Add		Stromal tumors of digestive system

	238.7	Other lymphatic and hematopoietic tissues
Delete		Disease: lymphoproliferative (chronic) NOS myeloproliferative (chronic) NOS Idiopathic thrombocythemia Megakaryocytic myelofelerosis Myelodysplastic syndrome Myelofelerosis with myeloid metaplasia Panmyelofis (acute) Refractory anemia
Add		Excludes: acute myelogenous leukemia (205.0) chronic myelomonocytic leukemia (205.1) myelofibrosis (289.83)
Add		
Revise		
New code	238.71	Essential thrombocythemia Essential hemorrhagic thrombocythemia Essential thrombocytosis Idiopathic (hemorrhagic) thrombocythemia Primary thrombocytosis
New code	238.72	Low grade myelodysplastic syndrome lesions Refractory anemia (RA) Refractory anemia with ringed sideroblasts (RARS) Refractory cytopenia with multilineage dysplasia (RCMD) Refractory cytopenia with multilineage dysplasia and ringed sideroblasts (RCMD-RS)
New code	238.73	High grade myelodysplastic syndrome lesions Refractory anemia with excess blasts-1 (RAEB-1) Refractory anemia with excess blasts-2 (RAEB-2)
New code	238.74	Myelodysplastic syndrome with 5q deletion 5q minus syndrome NOS Excludes: constitutional 5q deletion (758.39) high grade myelodysplastic syndrome with 5q deletion (238.73)
New code	238.75	Myelodysplastic syndrome, unspecified

New code 238.76 Myelofibrosis with myeloid metaplasia
 Agnogenic myeloid metaplasia
 Idiopathic myelofibrosis (chronic)
 Myelosclerosis with myeloid metaplasia
 Primary myelofibrosis

Excludes: myelofibrosis NOS (289.83)
 myelophthisic anemia (284.2)
 myelophthisis (284.2)
 secondary myelofibrosis (289.83)

New code 238.79 Other lymphatic and hematopoietic tissues
 Lymphoproliferative disease (chronic)
 NOS
 Megakaryocytic myelosclerosis
 Myeloproliferative disease (chronic)
 NOS
 Panmyelosis (acute)

255 Disorders of adrenal glands

255.1 Hyperaldosteronism

Revise 255.10 ~~Primary aldosteronism~~ Hyperaldosteronism, unspecified

Delete ~~Hyperaldosteronism, unspecified~~

Add Primary aldosteronism, unspecified

277 Other and unspecified disorders of metabolism

277.3 Amyloidosis

Delete ~~Amyloidosis:~~
 Delete ~~NOS~~
 Delete ~~inherited systemic~~
 Delete ~~nephropathic~~
 Delete ~~neuropathic (Portuguese) (Swiss)~~
 Delete ~~secondary~~
 Delete ~~Benign paroxysmal peritonitis~~
 Delete ~~Familial Mediterranean fever~~
 Delete ~~Hereditary cardiac amyloidosis~~

New Code 277.30 Amyloidosis, unspecified
 Amyloidosis NOS

New Code	277.31	Familial Mediterranean fever Benign paroxysmal peritonitis Hereditary amyloid nephropathy Periodic familial polyserositis Recurrent polyserositis
New Code	277.39	Other amyloidosis Hereditary cardiac amyloidosis Inherited systemic amyloidosis Neuropathic (Portuguese) (Swiss) amyloidosis Secondary amyloidosis
	278	Overweight, obesity and other hyperalimentation
	278.0	Overweight and obesity
Revise		Use additional code to identify Body Mass Index (BMI), if known (V85.21-V85.4 <u>V85.0-V85.54</u>)
	281	Other deficiency anemias
	281.3	Other specified megaloblastic anemias not elsewhere classified
Delete		Excludes: refractory megaloblastic anemia (238.7)
Revise	284	Aplastic anemia <u>and other bone marrow failure syndromes</u>
Delete	284.0	Constitutional aplastic anemia Aplasia, (pure) red cell: congenital of infants primary Blackfan-Diamond syndrome Familial hypoplastic anemia Fanconi's anemia Pancytopenia with malformations
+New code	284.01	Constitutional red blood cell aplasia Aplasia, (pure) red cell: congenital of infants primary Blackfan-Diamond syndrome Familial hypoplastic anemia

New code	284.09	Other constitutional aplastic anemia Fanconi's anemia Pancytopenia with malformations
New code	284.1	Pancytopenia Excludes: pancytopenia (due to) (with): aplastic anemia NOS (284.9) bone marrow infiltration (284.2) constitutional red blood cell aplasia (284.01) drug induced (284.8) hairy cell leukemia (202.4) human immunodeficiency virus disease (042) leukoerythroblastic anemia (284.2) malformations (284.09) myelodysplastic syndromes (238.72-238.75) myeloproliferative disease (238.79) other constitutional aplastic anemia (284.09)
New code	284.2	Myelophthisis Leukoerythroblastic anemia Myelophthisic anemia Code first the underlying disorder, such as: malignant neoplasm of breast (174.0-174.9, 175.0-175.9) tuberculosis (015.0-015.9) Excludes: idiopathic myelofibrosis (238.76) myelofibrosis NOS (289.83) myelofibrosis with myeloid metaplasia (238.76) primary myelofibrosis (238.76) secondary myelofibrosis (289.83)
Delete	284.8	Other specified aplastic anemias Pancytopenia (acquired)
	284.9	Aplastic anemia, unspecified
Revise		Excludes: refractory anemia (<u>238.72</u>)
	285	Other and unspecified anemias
	285.0	Sideroblastic anemia
Revise		Excludes: refractory sideroblastic anemia (<u>238.72</u>)

Revise	285.2	Anemia in of chronic illness disease
Add		Anemia in chronic illness
Revise	285.29	Anemia of other chronic illness disease
Add		Anemia in other chronic illness
	285.8	Other specified anemias
		Anemia:
Delete		Leukoerythroblastic
	287	Purpura and other hemorrhagic conditions
Revise		Excludes: hemorrhagic thrombocythemia (<u>238.79</u>)
	288	Diseases of white blood cells
Revise	288.0	Agranulocytosis- Neutropenia
Add		Decreased Absolute Neutrophil Count (ANC)
Delete		Infantile genetic agranulocytosis
		Kostmann's syndrome
		Neutropenia:
		NOS
		cyclic
		drug-induced
		immune
		periodic
		toxic
		Neutropenic splenomegaly
Delete		Use additional E code to identify drug or other cause
Add		Use additional code for any associated fever (780.6)
Add		Excludes: neutropenic splenomegaly (289.53)
New code	288.00	Neutropenia, unspecified
New code	288.01	Congenital neutropenia
		Congenital agranulocytosis
		Infantile genetic agranulocytosis
		Kostmann's syndrome
New code	288.02	Cyclic neutropenia
		Cyclic hematopoiesis
		Periodic neutropenia

New code	288.03	Drug induced neutropenia
		Use additional E code to identify drug
New code	288.04	Neutropenia due to infection
New code	288.09	Other neutropenia
		Agranulocytosis
		Neutropenia:
		immune
		toxic
New code	288.4	Hemophagocytic syndromes
		Familial hemophagocytic lymphohistiocytosis
		Familial hemophagocytic reticulosis
		Hemophagocytic syndrome, infection-associated
		Histiocytic syndromes
		Macrophage activation syndrome
New sub- category	288.5	Decreased white blood cell count
		Excludes: neutropenia (288.01-288.09)
New code	288.50	Leukocytopenia, unspecified
		Decreased leukocytes, unspecified
		Decreased white blood cell count, unspecified
		Leukopenia NOS
New code	288.51	Lymphocytopenia
		Decreased lymphocytes
New code	288.59	Other decreased white blood cell count
		Basophilic leukopenia
		Eosinophilic leukopenia
		Monocytopenia
		Plasmacytopenia
New sub- category	288.6	Elevated white blood cell count
		Excludes: eosinophilia (288.3)
New code	288.60	Leukocytosis, unspecified
		Elevated leukocytes, unspecified
		Elevated white blood cell count, unspecified

New code	288.61	Lymphocytosis (symptomatic) Elevated lymphocytes
New code	288.62	Leukemoid reaction Basophilic leukemoid reaction Lymphocytic leukemoid reaction Monocytic leukemoid reaction Myelocytic leukemoid reaction Neutrophilic leukemoid reaction
New code	288.63	Monocytosis (symptomatic) Excludes: infectious mononucleosis (075)
New code	288.64	Plasmacytosis
New code	288.65	Basophilia
New code	288.69	Other elevated white blood cell count
Delete	288.8	Other specified disease of white blood cells Leukemoid reaction: lymphocytic monocytic myelocytic Leukoctosis Lymphocytopenia Lymphocytosis (symptomatic) Lymphopenia Monocytosis (symptomatic) Plasmaeytosis
Add		Excludes: decreased white blood cell counts (288.50-288.59) elevated white blood cell counts (288.60-288.69)
	289	Other diseases of blood and blood-forming organs
	289.4	Hypersplenism
Revise		Excludes: primary splenic neutropenia (<u>289.53</u>)
	289.5	Other diseases of spleen
New code	289.53	Neutropenic splenomegaly

	289.8	Other specified diseases of the blood and blood-forming organs
New code	289.83	Myelofibrosis Myelofibrosis NOS Secondary myelofibrosis
		Code first the underlying disorder, such as: malignant neoplasm of breast (174.0-174.9, 175.0-175.9)
		Excludes: idiopathic myelofibrosis (238.76) leukoerythroblastic anemia (284.2) myelofibrosis with myeloid metaplasia (238.76) myelophthitic anemia (284.2) myelophthisis (284.2) primary myelofibrosis (238.76)
Delete	289.89	Other specified diseases of blood and blood-forming organs Myelofibrosis
	305	Nondependent abuse of drugs
	305.1	Tobacco use disorder
Add		Excludes: smoking complicating pregnancy (649.0) tobacco use disorder complicating pregnancy (649.0)
	307	Special symptoms or syndromes, not elsewhere classified
	307.8	Pain disorders related to psychological factors
	307.89	Other
Revise		Code first to <u>type</u> or site of pain
	309	Adjustment reaction
	309.8	Other specified adjustment reactions
Add	309.81	Posttraumatic stress disorder Post-Traumatic Stress Disorder (PTSD)

	323	Encephalitis, myelitis, and encephalomyelitis
Revise		Includes: myelitis (acute):
Add		Excludes: acute transverse myelitis NOS (341.20) acute transverse myelitis in conditions classified elsewhere (341.21) idiopathic transverse myelitis (341.22)
Revise	323.0	<u>Encephalitis, myelitis, and encephalomyelitis</u> in viral diseases classified elsewhere
Delete		Excludes: encephalitis (in): arthropod-borne viral (062.0-064) herpes simplex (054.3) mumps (072.2) other viral diseases of central nervous system (049.8-049.9) poliomyelitis (045.0-045.9) rubella (056.01) slow virus infections of central nervous system (046.0-046.9) viral NOS (049.9)
New code	323.01	Encephalitis and encephalomyelitis in viral diseases classified elsewhere
		Excludes: encephalitis (in): arthropod-borne viral (062.0-064) herpes simplex (054.3) mumps (072.2) other viral diseases of central nervous system (049.8-049.9) poliomyelitis (045.0-045.9) rubella (056.01) slow virus infections of central nervous system (046.0-046.9) viral NOS (049.9) West Nile (066.41)
New code	323.02	Myelitis in viral diseases classified elsewhere
		Excludes: myelitis (in): herpes simplex (054.74) herpes zoster (053.14) poliomyelitis (045.0-045.9)

rubella (056.01)
other viral diseases of central nervous
system (049.8-049.9)

Revise 323.1 Encephalitis, myelitis, and encephalomyelitis in rickettsial
diseases classified elsewhere

Revise 323.2 Encephalitis, myelitis, and encephalomyelitis in protozoal
diseases classified elsewhere

Revise 323.4 Other encephalitis, myelitis, and encephalomyelitis due to
infection classified elsewhere

Delete ~~Excludes: encephalitis (in):~~
~~meningococcal (036.1)~~
~~syphilis:~~
~~NOS (094.81)~~
~~congenital (090.41)~~
~~toxoplasmosis (130.0)~~
~~tuberculosis (013.6)~~
~~meningoencephalitis due to free living ameba~~
~~[Naegleria] (136.2)~~

New code 323.41 Other encephalitis and encephalomyelitis due to
infection classified elsewhere

Excludes: encephalitis (in):
meningococcal (036.1)
syphilis:
NOS (094.81)
congenital (090.41)
toxoplasmosis (130.0)
tuberculosis (013.6)
meningoencephalitis due to free-living ameba
[Naegleria] (136.2)

New code 323.42 Other myelitis due to infection classified
elsewhere

Excludes: myelitis (in):
syphilis (094.89)
tuberculosis (013.6)

Revise 323.5 Encephalitis, myelitis, and encephalomyelitis following
immunization procedures

Delete ~~Encephalitis postimmunization or postvaccinal~~

~~Encephalomyelitis postimmunization or postvaccinal~~

New Code	323.51	Encephalitis and encephalomyelitis following immunization procedures Encephalitis postimmunization or postvaccinal Encephalomyelitis postimmunization or postvaccinal
New Code	323.52	Myelitis following immunization procedures Myelitis postimmunization or postvaccinal
Revise Delete	323.6	Postinfectious encephalitis, <u>myelitis, and encephalomyelitis</u> Infectious acute disseminated encephalomyelitis (ADEM)
Delete		Excludes: encephalitis: postchickenpox (052.0) postmeasles (055.0)
New code	323.61	Infectious acute disseminated encephalomyelitis (ADEM) Acute necrotizing hemorrhagic encephalopathy Excludes: noninfectious acute disseminated encephalomyelitis (ADEM) (323.81)
New code	323.62	Other postinfectious encephalitis and encephalomyelitis Excludes: encephalitis: postchickenpox (052.0) postmeasles (055.0)
New code	323.63	Postinfectious myelitis Excludes: postchickenpox myelitis (052.2) herpes simplex myelitis (054.74) herpes zoster myelitis (053.14)
Revise	323.7	Toxic encephalitis, <u>myelitis, and encephalomyelitis</u>
New code	323.71	Toxic encephalitis and encephalomyelitis
New code	323.72	Toxic myelitis

Revise	323.8	Other causes of encephalitis, <u>myelitis, and encephalomyelitis</u>
Delete		Noninfectious acute disseminated encephalomyelitis (ADEM)
New code	323.81	Other causes of encephalitis and encephalomyelitis Noninfectious acute disseminated encephalomyelitis (ADEM)
New code	323.82	Other causes of myelitis Transverse myelitis NOS
Revise	323.9	Unspecified cause of encephalitis, <u>myelitis, and encephalomyelitis</u>
	326	Late effects of intracranial abscess or pyogenic infection
Revise	Note:	This category is to be used to indicate conditions whose primary classification is to 320-325 [excluding 320.7, 321.0-321.8, <u>323.01-323.42</u> , 323.61-323.72] as the cause of late effects, themselves classifiable elsewhere...
Add		ORGANIC SLEEP DISORDERS (327)
	327	Organic sleep disorders
	327.5	Organic sleep related movement disorders
Revise		Excludes: restless <u>legs</u> syndrome (<u>333.94</u>)
	331	Other cerebral degenerations
	331.8	Other cerebral degeneration
New code	331.83	Mild cognitive impairment, so stated
		Excludes: altered mental status (780.97) cerebral degeneration (331.0-331.9) change in mental status (780.97) cognitive deficits following (late effects of) cerebral hemorrhage or infarction (438.0) cognitive impairment due to intracranial or head injury (850-854, 959.01) cognitive impairment due to late effect of

intracranial injury (907.0)
 dementia (290.0-290.43, 294.8)
 mild memory disturbance (310.8)
 neurologic neglect syndrome (781.8)
 personality change, nonpsychotic (310.1)

333 Other extrapyramidal disease and abnormal movement disorders

Revise

333.6 ~~Idiopathic-Genetic~~ torsion dystonia

Revise

333.7 ~~Symptomatic-Acquired~~ torsion dystonia

Delete

~~Athetoid cerebral palsy [Vogt's disease]~~

Delete

~~Double athetosis (syndrome)~~

Delete

~~Neuroleptic induced acute dystonia~~

Delete

~~Use additional E code to identify drug, if drug induced~~

New Code

333.71 Athetoid cerebral palsy
 Double athetosis (syndrome)
 Vogt's disease

Excludes: infantile cerebral palsy (343.0-343.9)

New Code

333.72 Acute dystonia due to drugs
 Acute dystonic reaction due to drugs
 Neuroleptic induced acute dystonia
 Use additional E code to identify drug

Excludes: blepharospasm due to drugs (333.85)
 orofacial dyskinesia due to drugs (333.85)
 secondary Parkinsonism (332.1)
 subacute dyskinesia due to drugs (333.85)
 tardive dyskinesia (333.85)

New Code

333.79 Other acquired torsion dystonia

333.8 Fragments of torsion dystonia

333.81 Blepharospasm

Add

Excludes: blepharospasm due to drugs (333.85)

333.82 Orofacial dyskinesia

Delete

~~Neuroleptic induced tardive dyskinesia~~

Add

Excludes: orofacial dyskinesia due to drugs (333.85)

New Code	333.85	Subacute dyskinesia due to drugs Blepharospasm due to drugs Orofacial dyskinesia due to drugs Tardive dyskinesia
		Use additional E code to identify drug
		Excludes: acute dystonia due to drugs (333.72) acute dystonic reaction due to drugs (333.72) secondary Parkinsonism (332.1)
	333.9	Other and unspecified extrapyramidal diseases and abnormal movement disorders
	333.92	Neuroleptic malignant syndrome
Add		Excludes: neuroleptic induced Parkinsonism (332.1)
New code	333.94	Restless legs syndrome (RLS)
Delete	333.99	Other Restless legs
	336	Other disease of spinal cord
	336.9	Unspecified disease of spinal cord
Revise		Excludes: <u>myelitis (323.02, 323.1, 323.2, 323.42, 323.52, 323.63, 323.72, 323.82, 323.9)</u>
	337	Disorders of the autonomic nervous system
	337.1	Peripheral autonomic neuropathy in disorders classified elsewhere
Revise		Code first underlying disease, as: amyloidosis (<u>277.30-277.39</u>)
Add		PAIN (338)

New Category	338	Pain, not elsewhere classified
		Use additional code to identify: pain associated with psychological factors (307.89)
		Excludes: generalized pain (780.96) localized pain, unspecified type – code to pain by site pain disorder exclusively attributed to psychological factors (307.80)
New code	338.0	Central pain syndrome Dérjérine-Roussy syndrome Myelopathic pain syndrome Thalamic pain syndrome (hyperesthetic)
New sub-category	338.1	Acute pain
New code	338.11	Acute pain due to trauma
New code	338.12	Acute post-thoracotomy pain Post-thoracotomy pain NOS
New code	338.18	Other acute postoperative pain Postoperative pain NOS
New code	338.19	Other acute pain
		Excludes: neoplasm related acute pain (338.3)
New sub-category	338.2	Chronic pain
		Excludes: causalgia (355.9) lower limb (355.71) upper limb (354.4) chronic pain syndrome (338.4) myofascial pain syndrome (729.1) neoplasm related chronic pain (338.3) reflex sympathetic dystrophy (337.20-337.29)
New code	338.21	Chronic pain due to trauma
New code	338.22	Chronic post-thoracotomy pain
New code	338.28	Other chronic postoperative pain
New code	338.29	Other chronic pain

New code	338.3	Neoplasm related pain (acute) (chronic) Cancer associated pain Pain due to malignancy (primary) (secondary) Tumor associated pain
New code	338.4	Chronic pain syndrome Chronic pain associated with significant psychosocial dysfunction
	341	Other demyelinating diseases of central nervous system
New sub- category	341.2	Acute (transverse) myelitis Excludes: acute (transverse) myelitis (in) (due to): following immunization procedures (323.52) infection classified elsewhere (323.42) postinfectious (323.63) protozoal diseases classified elsewhere (323.2) rickettsial diseases classified elsewhere (323.1) toxic (323.72) viral diseases classified elsewhere (323.02) transverse myelitis NOS (323.82)
New code	341.20	Acute (transverse) myelitis NOS
New code	341.21	Acute (transverse) myelitis in conditions classified elsewhere Code first underlying condition
New code	341.22	Idiopathic transverse myelitis
	343	Infantile cerebral palsy
Add		Excludes: athetoid cerebral palsy (333.71) hereditary cerebral paralysis, such as:
Revise		Vogt's disease (<u>333.71</u>)
Revise	345	Epilepsy <u>and recurrent seizures</u>
	345.1	Generalized convulsive epilepsy
Revise		Excludes: convulsions: NOS (<u>780.39</u>)
Revise		infantile (<u>780.39</u>)

Revise	345.4	Partial epilepsy, with impairment of consciousness <u>Localization-related (focal) (partial) epilepsy and epileptic syndromes with complex partial seizures</u> Epilepsy: partial:
Add		<u>with impairment of consciousness</u>
Revise	345.5	Partial epilepsy, without mention of impairment of consciousness <u>Localization-related (focal) (partial) epilepsy and epileptic syndromes with simple partial seizures</u> Epilepsy: partial NOS:
Add		<u>without impairment of consciousness</u>
Revise	345.8	Other forms of epilepsy <u>and recurrent seizures</u>
Add	345.9	Epilepsy, unspecified <u>Recurrent seizures NOS</u>
Add		<u>Seizure disorder NOS</u>
Add		Excludes: convulsion (convulsive) disorder (780.39)
Revise		convulsive seizures or fit NOS (780.39)
Add		recurrent convulsions (780.39)
	348	Other conditions of brain
	348.3	Encephalopathy, not elsewhere classified
	348.31	Metabolic encephalopathy
Add		Excludes: toxic metabolic encephalopathy (349.82)
	349	Other and unspecified disorders of the nervous system
	349.8	Other specified disorders of nervous system
	349.82	Toxic encephalopathy Toxic metabolic encephalopathy
Add	357	Inflammatory and toxic neuropathy
	357.4	Polyneuropathy in other diseases classified elsewhere
Revise		Code first underlying disease, as: amyloidosis (277.30-277.39)
Add		chronic uremia (585.9)
Revise		uremia <u>NOS</u> (586)

	359	Muscular dystrophies and other myopathies
	359.6	Symptomatic inflammatory myopathy in diseases classified elsewhere
Revise		Code first underlying disease, as: amyloidosis (<u>277.30-277.39</u>)
	360	Disorders of the globe
	360.0	Purulent endophthalmitis
Add		Excludes: bleb associated endophthalmitis (379.63)
	360.1	Other endophthalmitis
Add		Excludes: bleb associated endophthalmitis (379.63)
	377	Disorders of optic nerve and visual pathways
	377.4	Other disorders of optic nerve
New code	377.43	Optic nerve hypoplasia
	379	Other disorders of eye
New sub-Category	379.6	Inflammation (infection) of postprocedural bleb Postprocedural blebitis
New code	379.60	Inflammation (infection) of postprocedural bleb, unspecified
New code	379.61	Inflammation (infection) of postprocedural bleb, stage 1
New code	379.62	Inflammation (infection) of postprocedural bleb, stage 2
New code	379.63	Inflammation (infection) of postprocedural bleb, stage 3 Bleb associated endophthalmitis
	389	Hearing loss
	389.1	Sensorineural hearing loss
Revise	389.11	Sensory hearing loss, <u>bilateral</u>

Revise	389.12	Neural hearing loss, <u>bilateral</u>
Revise	389.14	Central hearing loss, <u>bilateral</u>
New code	389.15	Sensorineural hearing loss, unilateral
New code	389.16	Sensorineural hearing loss, asymmetrical
Revise	389.18	Sensorineural hearing loss of combined types, <u>bilateral</u>
Revise	403	Hypertensive <u>chronic</u> kidney disease
Delete	Use additional code to identify the stage of chronic kidney disease (585.1-585.6), if known	
	The following fifth-digit subclassification is for use with category 403:	
Revise	0	without chronic kidney disease <u>with chronic kidney disease stage I through stage IV, or unspecified</u>
Add	Use additional code to identify the stage of chronic kidney disease (585.1-585.4, 585.9)	
Revise	1	with chronic kidney disease <u>stage V or end stage renal disease</u>
Add	Use additional code to identify the stage of chronic kidney disease (585.5, 585.6)	
Revise	404	Hypertensive heart and <u>chronic</u> kidney disease
Delete	Use additional code to identify the stage of chronic kidney disease (585.1-585.6), if known	

The following fifth-digit subclassification is for use with category 404:

- Revise 0 without heart failure ~~or chronic kidney disease~~ and with chronic kidney disease stage I through stage IV, or unspecified
- Add Use additional code to identify the stage of chronic kidney disease (585.1-585.4, 585.9)
- Revise 1 with heart failure and with chronic kidney disease stage I through stage IV, or unspecified
- Add Use additional code to identify the stage of chronic kidney disease (585.1-585.4, 585.9)
- Revise 2 without heart failure and with chronic kidney disease stage V or end stage renal disease
- Add Use additional code to identify the stage of chronic kidney disease (585.5, 585.6)
- Revise 3 with heart failure and chronic kidney disease stage V or end stage renal disease
- Add Use additional code to identify the stage of chronic kidney disease (585.5-585.6)
- 420 Acute pericarditis
- 420.0 Acute pericarditis in diseases classified elsewhere
- Code first underlying disease, as:
- Add chronic uremia (585.9)
- Revise uremia NOS (586)
- 425 Cardiomyopathy
- 425.7 Nutritional and metabolic cardiomyopathy
- Code first underlying disease, as:
- Revise amyloidosis (277.30-277.39)
- 429 Ill-defined descriptions and complications of heart disease
- 429.8 Other ill-defined heart diseases

New Code	429.83	Takotsubo syndrome Broken heart syndrome Reversible left ventricular dysfunction following sudden emotional stress Stress induced cardiomyopathy Transient left ventricular apical ballooning syndrome
	440	Atherosclerosis
	440.2	Of native arteries of the extremities
	440.24	Atherosclerosis of the extremities with gangrene
Add		Use additional code for any associated ulceration (707.10-707.9)
	445	Atheroembolism
	445.8	Of other sites
	445.81	Kidney
Revise		Use additional code for any associated kidney <u>acute renal failure or chronic kidney disease</u> (584, 585)
	478	Other diseases of upper respiratory tract
	478.1	Other diseases of nasal cavity and sinuses
Delete		Abscess of nose (septum)
Delete		Necrosis of nose (septum)
Delete		Ulcer of nose (septum)
Delete		Cyst or mucocoele of sinus (nasal)
Delete		Rhinolith
New Code	478.11	Nasal mucositis (ulcerative)
		Use additional E code to identify adverse effects of therapy, such as: antineoplastic and immunosuppressive drugs (E930.7, E933.1) radiation therapy (E879.2)

New Code	478.19	Other diseases of nasal cavity and sinuses Abscess of nose (septum) Necrosis of nose (septum) Ulcer of nose (septum) Cyst or mucocele of sinus (nasal) Rhinolith
	496	Chronic airway obstruction, not elsewhere classified
Add		Excludes: chronic obstructive lung disease [COPD] specified (as) (with): decompensated (491.21)
	514	Pulmonary congestion and hypostasis
Add		Excludes: hypostatic pneumonia due to or specified as a specific type of pneumonia – code to the type of pneumonia (480.0-480.9, 481, 482.0-482.49, 483.0-483.8, 485, 486, 487.0)
	517	Lung involvement in conditions classified elsewhere
	517.8	Lung involvement in other diseases classified elsewhere
Revise		Code first underlying disease, as: amyloidosis (<u>277.30-277.39</u>)
	518	Other diseases of lung
New code	518.7	Transfusion related acute lung injury (TRALI)
	519	Other diseases of respiratory system
	519.1	Other diseases of trachea and bronchus, not elsewhere classified
Delete		Calcification of bronchus or trachea Stenosis of bronchus or trachea Ulcer of bronchus or trachea
New code	519.11	Acute bronchospasm Bronchospasm NOS
		Excludes: acute bronchitis with bronchospasm (466.0) asthma (493.00 - 493.92) exercise induced bronchospasm (493.81)

New code	519.19	Other diseases of trachea and bronchus Calcification of bronchus or trachea Stenosis of bronchus or trachea Ulcer of bronchus or trachea
	520	Disorders of tooth development and eruption
	520.6	Disturbances in tooth eruption
Add		Teeth: prenatal
	521	Diseases of hard tissues of teeth
	521.0	Dental caries
Add	521.06	Dental caries pit and fissure Primary dental caries, pit and fissure origin
Add	521.07	Dental caries of smooth surface Primary dental caries, smooth surface origin
Add	521.08	Dental caries of root surface Primary dental caries, root surface
Delete	521.8	Other specified diseases of hard tissues of teeth
Delete		Irradiated enamel
		Sensitive dentin
New code	521.81	Cracked tooth
		Excludes: asymptomatic craze lines in enamel – omit code broken tooth due to trauma (873.63, 873.73) fractured tooth due to trauma (873.63, 873.73)
New code	521.89	Other specified diseases of hard tissues of teeth Irradiated enamel Sensitive dentin
	523	Gingival and periodontal diseases
	523.0	Acute gingivitis
New code	523.00	Acute gingivitis, plaque induced Acute gingivitis NOS
New code	523.01	Acute gingivitis, non-plaque induced

	523.1	Chronic gingivitis
		Gingivitis (chronic):
Delete		NOS
Delete		Gingivostomatitis
New code	523.10	Chronic gingivitis, plaque induced
		Chronic gingivitis NOS
		Gingivitis NOS
New code	523.11	Chronic gingivitis, non-plaque induced
Revise	523.3	Aggressive and Acute periodontitis
Delete		Paradontal abscess
Delete		Periodontal abscess
New code	523.30	Aggressive periodontitis, unspecified
New code	523.31	Aggressive periodontitis, localized
		Periodontal abscess
New code	523.32	Aggressive periodontitis, generalized
New code	523.33	Acute periodontitis
	523.4	Chronic periodontitis
Delete		Alveolar pyorrhea
New code	523.40	Chronic periodontitis, unspecified
New code	523.41	Chronic periodontitis, localized
New code	523.42	Chronic periodontitis, generalized
	524	Dentofacial anomalies, including malocclusion
	524.0	Major anomalies of jaw size
	524.07	Excessive tuberosity of jaw
Add		Entire maxillary tuberosity
	524.2	Anomalies of dental arch relationship
Add		Anomaly of dental arch
Revise	524.21	<u>Malocclusion</u> , Angle's class I
Revise	524.22	<u>Malocclusion</u> , Angle's class II

Revise	524.23	<u>Malocclusion</u> , Angle's class III
Add	524.24	Open anterior occlusal relationship Anterior open bite
Add	524.25	Open posterior occlusal relationship Posterior open bite
Add	524.26	Excessive horizontal overlap Excessive horizontal overjet
Add	524.27	Reverse articulation Crossbite
Add	524.29	Other anomalies of dental arch relationship Other anomalies of dental arch
	524.3	Anomalies of tooth position of fully erupted teeth
Add	524.33	Horizontal displacement of teeth Tipped teeth
Add	524.34	Vertical displacement of teeth Extruded tooth
Add		Intruded tooth
Revise	524.35	Rotation of <u>tooth</u> /teeth
Add	524.36	Insufficient interocclusal distance of teeth (ridge) Lack of adequate intermaxillary vertical dimension
Add	524.37	Excessive interocclusal distance of teeth Excessive intermaxillary vertical dimension
	524.5	Dentofacial functional abnormalities
Add	524.54	Insufficient anterior guidance Insufficient anterior occlusal guidance
Add	524.55	Centric occlusion maximum intercuspation discrepancy Centric occlusion of teeth discrepancy

Add	524.56	Non-working side interference Balancing side interference
	525	Other diseases and conditions of the teeth and supporting structures
New sub-category	525.6	Unsatisfactory restoration of tooth Defective bridge, crown, fillings Defective dental restoration
		Excludes: dental restoration status (V45.84) unsatisfactory endodontic treatment (526.61-526.69)
New code	525.60	Unspecified unsatisfactory restoration of tooth Unspecified defective dental restoration
New code	525.61	Open restoration margins Dental restoration failure of marginal integrity Open margin on tooth restoration
New code	525.62	Unreparable overhanging of dental restorative materials Overhanging of tooth restoration
New code	525.63	Fractured dental restorative material without loss of material
		Excludes: cracked tooth (521.81) fractured tooth (873.63, 873.73)
New code	525.64	Fractured dental restorative material with loss of material
		Excludes: cracked tooth (521.81) fractured tooth (873.63, 873.73)
New code	525.65	Contour of existing restoration of tooth biologically incompatible with oral health Dental restoration failure of periodontal anatomical integrity Unacceptable contours of existing restoration Unacceptable morphology of existing restoration

New code	525.66	Allergy to existing dental restorative material Use additional code to identify the specific type of allergy
New code	525.67	Poor aesthetics of existing restoration Dental restoration aesthetically inadequate or displeasing
New code	525.69	Other unsatisfactory restoration of existing tooth
	526	Diseases of the jaws
New sub- category	526.6	Periradicular pathology associated with previous endodontic treatment
New code	526.61	Perforation of root canal space
New code	526.62	Endodontic overfill
New code	526.63	Endodontic underfill
New code	526.69	Other periradicular pathology associated with previous endodontic treatment
	528	Diseases of the oral soft tissues, excluding lesions specific for gingiva and tongue
Revise Delete	528.0	<u>Stomatitis and mucositis (ulcerative)</u> Stomatitis: NOS ulcerative Vesicular stomatitis
Add		Excludes: cellulitis and abscess of mouth (528.3) diphtheritic stomatitis (032.0) epizootic stomatitis (078.4) gingivitis (523.0-523.1) oral thrush (112.0) Stevens-Johnson syndrome (695.1)
New code	528.00	Stomatitis and mucositis, unspecified Mucositis NOS Ulcerative mucositis NOS Ulcerative stomatitis NOS Vesicular stomatitis NOS

New code	528.01	Mucositis (ulcerative) due to antineoplastic therapy
		Use additional E code to identify adverse effects of therapy, such as: antineoplastic and immunosuppressive drugs (E930.7, E933.1) radiation therapy (E879.2)
New code	528.02	Mucositis (ulcerative) due to other drugs
		Use additional E code to identify drug
New code	528.09	Other stomatitis and mucositis (ulcerative)
	528.3	Cellulitis and abscess
Revise		Excludes: gingivitis (<u>523.00-523.11</u>)
	528.7	Other disturbances of oral epithelium, including tongue
Add	528.71	Minimal keratinized residual ridge mucosa Minimal keratinization of alveolar ridge mucosa
Add	528.72	Excessive keratinized residual ridge mucosa Excessive keratinization of alveolar ridge mucosa
Add	528.79	Other disturbances of oral epithelium, including tongue Other oral epithelium disturbances
Revise	DISEASES OF ESOPHAGUS, STOMACH, AND DUODENUM (<u>530-538</u>)	
	536	Disorders of function of stomach
Add	536.8	Dyspepsia and other specified disorders of function of stomach Tachygastria

New code 538 Gastrointestinal mucositis (ulcerative)

Use additional E code to identify adverse effects of therapy, such as:
antineoplastic and immunosuppressive drugs (E930.7, E933.1)
radiation therapy (E879.2)

Excludes: mucositis (ulcerative) of mouth and oral soft tissue (528.00-528.09)

567 Peritonitis and retroperitoneal infections

Excludes: peritonitis:
benign paroxysmal (277.31)
periodic familial (277.31)

567.2 Other suppurative peritonitis

567.23 Spontaneous bacterial peritonitis

Add Excludes: bacterial peritonitis NOS (567.29)

NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

Revise Excludes: hypertensive renal ~~renal~~ chronic kidney disease (403.00-403.91, 404.00-404.93)

573 Other disorders of liver

Revise Excludes: amyloid or lardaceous degeneration of liver (277.39)

581 Nephrotic syndrome

581.8 With other specified pathological lesion in kidney

581.81 Nephrotic syndrome in diseases classified elsewhere

Revise Code first underlying disease, as:
amyloidosis (277.30-277.39)

	582	Chronic glomerulonephritis
	582.8	With other specified pathological lesion in kidney
	582.81	Chronic glomerulonephritis in diseases classified elsewhere
Revise		Code first underlying disease, as: amyloidosis (<u>277.30-277.39</u>)
	583	Nephritis and nephropathy, not specified as acute or chronic
	583.8	With other specified pathological lesion in kidney
	583.81	Nephritis and nephropathy, not specified as acute or chronic, in diseases classified elsewhere
Revise		Code first underlying disease, as: amyloidosis (<u>277.30-277.39</u>)
	585	Chronic kidney disease (CKD)
Delete		Excludes: that with any condition classified to 401 (403.0-403.9 with fifth digit 1)
Add		Code first hypertensive chronic kidney disease, if applicable, (403.00-403.91, 404.00-404.94)
	585.5	Chronic kidney disease, stage V
Add		Excludes: chronic kidney disease, stage V requiring chronic dialysis (585.6)
Add	585.6	End stage renal disease Chronic kidney disease requiring chronic dialysis
	599	Other disorders of urethra and urinary tract
	599.6	Urinary obstruction
Delete		Excludes: urinary obstruction due to hyperplasia of prostate (600.0-600.9 with fifth digit 1)

	599.69	Urinary obstruction, not elsewhere classified
Add		Code, if applicable, any causal condition first, such as: hyperplasia of prostate (600.0-600.9 with fifth-digit 1)
Add	600	Hyperplasia of prostate Includes: enlarged prostate
Delete		Use additional code to identify urinary incontinence (788.30-788.39)
	600.0	Hypertrophy (benign) of prostate
Revise	600.00	Hypertrophy (benign) of prostate without urinary obstruction <u>and other lower urinary tract symptoms (LUTS)</u>
Revise	600.01	Hypertrophy (benign) of prostate with urinary obstruction <u>and other lower urinary tract symptoms (LUTS)</u>
Add		Use additional code to identify symptoms: incomplete bladder emptying (788.21) nocturia (788.43) straining on urination (788.65) urinary frequency (788.41) urinary hesitancy (788.64) urinary incontinence (788.30-788.39) urinary obstruction (599.69) urinary retention (788.20) urinary urgency (788.63) weak urinary stream (788.62)
	600.2	Benign localized hyperplasia of prostate
Revise	600.20	Benign localized hyperplasia of prostate without urinary obstruction <u>and other lower urinary tract symptoms (LUTS)</u>

Revise 600.21 Benign localized hyperplasia of prostate with urinary obstruction and other lower urinary tract symptoms (LUTS)

Add Use additional code to identify symptoms:
incomplete bladder emptying (788.21)
nocturia (788.43)
straining on urination (788.65)
urinary frequency (788.41)
urinary hesitancy (788.64)
urinary incontinence (788.30-788.39)
urinary obstruction (599.69)
urinary retention (788.20)
urinary urgency (788.63)
weak urinary stream (788.62)

600.9 Hyperplasia of prostate, unspecified

Revise 600.90 Hyperplasia of prostate, unspecified, without urinary obstruction and other lower urinary symptoms (LUTS)

Revise 600.91 Hyperplasia of prostate, unspecified, with urinary obstruction and other lower urinary symptoms (LUTS)

Add Use additional code to identify symptoms:
incomplete bladder emptying (788.21)
nocturia (788.43)
straining on urination (788.65)
urinary frequency (788.41)
urinary hesitancy (788.64)
urinary incontinence (788.30-788.39)
urinary obstruction (599.69)
urinary retention (788.20)
urinary urgency (788.63)
weak urinary stream (788.62)

608 Other disorders of male genital organs

Delete 608.2 Torsion of testis
~~Torsion of:~~
~~epididymis~~
~~spermatic cord~~
~~testicle~~

New code	608.20	Torsion of testis, unspecified
New code	608.21	Extravaginal torsion of spermatic cord
New code	608.22	Intravaginal torsion of spermatic cord
New code	608.23	Torsion of appendix testis
New code	608.24	Torsion of appendix epididymis
	616	Inflammatory disease of cervix, vagina, and vulva
	616.8	Other specified inflammatory diseases of cervix, vagina, and vulva
Delete		Caruncle, vagina or labium Ulcer, vagina
New Code	616.81	Mucositis (ulcerative) of cervix, vagina, and vulva
		Use additional E code to identify adverse effects of therapy, such as: antineoplastic and immunosuppressive drugs (E930.7, E933.1) radiation therapy (E879.2)
New Code	616.89	Other inflammatory disease of cervix, vagina and vulva Caruncle, vagina or labium Ulcer, vagina
	618	Genital prolapse
	618.8	Other specified genital prolapse
New code	618.84	Cervical stump prolapse
	629	Other disorders of female genital organs
	629.2	Female genital mutilation status
Add		Female genital cutting
Add	629.20	Female genital mutilation status, unspecified Female genital cutting status, unspecified
Add	629.21	Female genital mutilation Type I status Female genital cutting Type I status

Add	629.22	Female genital mutilation Type II status Female genital cutting Type II status
Add	629.23	Female genital mutilation Type III status Female genital cutting Type III status
New code	629.29	Other female genital mutilation status Female genital cutting Type IV status Female genital mutilation Type IV status Other female genital cutting status
	629.8	Other specified disorders of female genital organs
New code	629.81	Habitual aborter without current pregnancy Excludes: habitual aborter with current pregnancy (646.3)
New code	629.89	Other specified disorders of female genital organs
Delete	629.9	Unspecified disorder of female genital organs Habitual aborter without current pregnancy
Revise		COMPLICATIONS MAINLY RELATED TO PREGNANCY (640- <u>649</u>)
Revise		The following fifth-digit subclassification is for use with categories 640- <u>649</u> to denote the current episode of care.
	641	Antepartum hemorrhage, abruptio placentae, and placenta previa
	641.3	Antepartum hemorrhage associated with coagulation defects
Add		Excludes: coagulation defects not associated with antepartum hemorrhage (649.3)
	642	Hypertension complicating pregnancy, childbirth, and the puerperium
	642.2	Other pre-existing hypertension complicating pregnancy, childbirth, and the puerperium
Revise		Hypertensive: heart and renal <u>chronic kidney</u> disease specified as complicating, or as a reason for obstetric care during pregnancy, childbirth, or the puerperium

Revise		renal <u>chronic kidney</u> disease specified as complicating, or as a reason for obstetric care during pregnancy, childbirth, or the puerperium
	646	Other complications of pregnancy, not elsewhere classified
Delete	646.8	Other specified complications of pregnancy Uterine size date discrepancy
	648	Other current conditions in the mother classifiable elsewhere, but complicating pregnancy, childbirth, or the puerperium
Revise	648.4	Mental disorders Conditions classifiable to 290-303, <u>305.0, 305.2-305.9, 306-316, 317-319</u>
New Category	649	Other conditions or status of the mother complicating pregnancy, childbirth, or the puerperium
New subcategory	649.0	Tobacco use disorder complicating pregnancy, childbirth, [0-4] or the puerperium Smoking complicating pregnancy, childbirth, or the puerperium
New subcategory	649.1	Obesity complicating pregnancy, childbirth, or the [0-4] puerperium Use additional code to identify the obesity (278.00, 278.01)
New subcategory	649.2	Bariatric surgery status complicating pregnancy, childbirth, [0-4] or the puerperium Gastric banding status complicating pregnancy, childbirth, or the puerperium Gastric bypass status for obesity complicating pregnancy, childbirth, or the puerperium Obesity surgery status complicating pregnancy, childbirth, or the puerperium
New subcategory	649.3	Coagulation defects complicating pregnancy, childbirth, or [0-4] the puerperium Conditions classifiable to 286 Use additional code to identify the specific coagulation defect (286.0-286.9) Excludes: coagulation defects causing antepartum hemorrhage

	(641.3)	
	postpartum coagulation defects (666.3)	
New subcategory	649.4	Epilepsy complicating pregnancy, childbirth, or the puerperium [0-4] Conditions classifiable to 345
		Use additional code to identify the specific type of epilepsy (345.00-345.91)
		Excludes: eclampsia (642.6)
New subcategory	649.5	Spotting complicating pregnancy [0,1,3]
		Excludes: antepartum hemorrhage (641.0-641.9) hemorrhage in early pregnancy (640.0-640.9)
New subcategory	649.6	Uterine size date discrepancy [0-4]
	666	Postpartum hemorrhage
	666.1	Other immediate postpartum hemorrhage Atony of uterus <u>with hemorrhage</u>
Revise		
Add		Excludes: atony of uterus without hemorrhage (669.8)
	692	Contact dermatitis and other eczema
	692.3	Due to drugs and medicines in contact with skin
Revise		Excludes: allergy NOS due to drugs (<u>995.27</u>)
	693	Dermatitis due to substances taken internally
Revise		Excludes: adverse effect NOS of drugs and medicines (<u>995.20</u>)
	713	Arthropathy associated with other disorders classified elsewhere
	713.7	Other general diseases with articular involvement
Revise		Code first underlying disease, as: amyloidosis (<u>277.30-277.39</u>)
Revise		familial Mediterranean fever (<u>277.31</u>)

	729	Other disorders of soft tissues
New subcategory	729.7	Nontraumatic compartment syndrome
		Excludes: compartment syndrome NOS (958.90) traumatic compartment syndrome (958.90-958.99)
New code	729.71	Nontraumatic compartment syndrome of upper extremity Nontraumatic compartment syndrome of shoulder, arm, forearm, wrist, hand and fingers
New code	729.72	Nontraumatic compartment syndrome of lower extremity Nontraumatic compartment syndrome of hip, buttock, thigh, leg, foot and toes
New code	729.73	Nontraumatic compartment syndrome of abdomen
New code	729.79	Nontraumatic compartment syndrome of other sites
	730	Osteomyelitis, periostitis, and other infections involving bone
	730.0	Acute osteomyelitis
Add		Use additional code to identify major osseous defect, if applicable (731.3)
	730.1	Chronic osteomyelitis
Add		Use additional code to identify major osseous defect, if applicable (731.3)
	730.2	Unspecified osteomyelitis
Add		Use additional code to identify major osseous defect, if applicable (731.3)

	731	Osteitis deformans and osteopathies associated with other disorders classified elsewhere
New code	731.3	Major osseous defects
		Code first underlying disease, if known, such as: aseptic necrosis (733.40-733.49) malignant neoplasm of bone (170.0-170.9) osteomyelitis (730.00- 730.29) osteoporosis (733.00-733.09) peri-prosthetic osteolysis (996.45)
	733	Other disorders of bone and cartilage
	733.0	Osteoporosis
Add		Use additional code to identify major osseous defect, if applicable (731.3)
	733.4	Aseptic necrosis of bone
Add		Use additional code to identify major osseous defect, if applicable (731.3)
	743	Congenital anomalies of eye
	743.8	Other specified anomalies of eye
Add		Excludes: optic nerve hypoplasia (377.43)
	768	Intrauterine hypoxia and birth asphyxia
Add		Excludes: acidemia NOS of newborn (775.81) acidosis NOS of newborn (775.81) cerebral ischemia NOS (779.2) hypoxia NOS of newborn (770.88) mixed metabolic and respiratory acidosis of newborn (775.81) respiratory arrest of newborn (770.87)
Revise	768.3	Fetal distress first noted during labor <u>and delivery</u> , in liveborn infant
Revise		Fetal metabolic acidemia first noted during labor <u>and delivery</u> , in liveborn infant

	768.5	Severe birth asphyxia
Add		Excludes: hypoxic-ischemic encephalopathy (HIE) (768.7)
	768.6	Mild or moderate birth asphyxia
Add		Excludes: hypoxic-ischemic encephalopathy (HIE) (768.7)
New code	768.7	Hypoxic-ischemic encephalopathy (HIE)
Delete	768.9	Unspecified birth asphyxia in liveborn infant Hypoxia NOS, in liveborn infant
	770	Other respiratory conditions of fetus and newborn
	770.8	Other respiratory problems after birth
Add		Excludes: mixed metabolic and respiratory acidosis of newborn (775.81)
New code	770.87	Respiratory arrest of newborn
New code	770.88	Hypoxemia of newborn Hypoxia NOS of newborn
	775	Endocrine and metabolic disturbances specific to the fetus and newborn
Revise	775.8	Other transitory neonatal endocrine and metabolic disturbances
Delete		Amino-acid metabolic disorders described as transitory
New code	775.81	Other acidosis of newborn Acidemia NOS of newborn Acidosis of newborn NOS Mixed metabolic and respiratory acidosis of newborn
New code	775.89	Other neonatal endocrine and metabolic disturbances Amino-acid metabolic disorders described as transitory

	776	Hematologic disorders of fetus and newborn
		776.7 Transient neonatal neutropenia
Revise		Excludes: congenital neutropenia (nontransient) (<u>288.01</u>)
	779	Other and ill-defined conditions originating in the perinatal period
		779.2 Cerebral depression, coma, and other abnormal cerebral signs
Add		Cerebral ischemia NOS of newborn
Add		Excludes: cerebral ischemia due to birth trauma (767.0) intrauterine cerebral ischemia (768.2-768.9) intraventricular hemorrhage (772.10-772.14)
		779.8 Other specified conditions originating in the perinatal period
New code	779.85	Cardiac arrest of newborn
	780	General symptoms
		780.3 Convulsions
Revise	780.31	Febrile convulsions (<u>simple</u>), <u>unspecified</u>
Revise		Febrile seizure <u>NOS</u>
New code	780.32	Complex febrile convulsions Febrile seizure: atypical complex complicated
		Excludes: status epilepticus (345.3)
Add	780.39	Other convulsions Recurrent convulsions NOS
	780.5	Sleep disturbances
		780.58 Sleep related movement disorder, unspecified
Revise		Excludes: restless <u>legs</u> syndrome (<u>333.94</u>)

	780.6	Fever	
Add		Code first underlying condition when associated fever is present, such as with: leukemia (codes from categories 204-208) neutropenia (288.00-288.09) sickle-cell disease (282.60-282.69)	
	780.9	Other general symptoms	
Revise	780.95	Other Excessive crying <u>of child, adolescent, or adult</u>	
New code	780.96	Generalized pain Pain NOS	
New code	780.97	Altered mental status Change in mental status	
		Excludes: altered level of consciousness (780.01-780.09) altered mental status due to known condition- code to condition delirium NOS (780.09)	
Delete	780.99	Other general symptoms Generalized pain	
	781	Symptoms involving nervous and musculoskeletal systems	
	781.2	Abnormality of gait	
		Excludes: ataxia: difficulty in walking (719.7)	
Delete		difficulty in walking (719.7)	
Add	783	Symptoms concerning nutrition, metabolism, and development	
	783.2	Abnormal loss of weight and underweight	
Revise		Use additional code to identify Body Mass Index (BMI), if known (V85.0-V85.54)	
	784	Symptoms involving head and neck	
	784.3	Aphasia	
Add		Excludes: aphasia due to late effects of cerebrovascular disease	

(438.11)

Delete	784.9	Other symptoms involving head and neck Choking sensation Halitosis Mouth breathing Sneezing
New code	784.91	Postnasal drip
New code	784.99	Other symptoms involving head and neck Choking sensation Halitosis Mouth breathing Sneezing
	785	Symptoms involving cardiovascular system
	785.52	Septic shock
Delete		Code first: systemic inflammatory response syndrome due to noninfectious process with organ dysfunction (995.94)
	788	Symptoms involving urinary system
Add		Excludes: urinary obstruction (599.60, 599.69)
	788.2	Retention of urine
Delete		Excludes: urinary retention due to hyperplasia of prostate (600.0- 600.9 with fifth digit 1)
Add		Code, if applicable, any causal condition first, such as: hyperplasia of prostate (600.0-600.9 with fifth-digit 1)
	788.3	Urinary incontinence
Add		Code, if applicable, any causal condition first, such as: hyperplasia of prostate (600.0-600.9 with fifth-digit 1)
	788.4	Frequency of urination and polyuria
Add		Code, if applicable, any causal condition first, such as: hyperplasia of prostate (600.0-600.9 with fifth-digit 1)

788.6 Other abnormality of urination

Add Code, if applicable, any causal condition first, such as:
hyperplasia of prostate (600.0-600.9 with fifth-digit 1)

New code 788.64 Urinary hesitancy

New code 788.65 Straining on urination

790 Nonspecific findings on examination of blood

Revises Excludes: abnormalities of:
white blood cells (288.00-288.9)

790.2 Abnormal glucose

Add 790.29 Other abnormal glucose
Hyperglycemia NOS

790.6 Other abnormal blood chemistry
Abnormal blood level of:
lead

Add

Add Excludes: lead poisoning (984.0-984.9)

793 Nonspecific abnormal findings on radiological and other
examination of body structure

793.8 Breast

793.81 Mammographic microcalcification

Add Excludes: mammographic calcification (793.89)
mammographic calculus (793.89)

793.89 Other abnormal findings on radiological
examination of breast
Mammographic calcification
Mammographic calculus

Add

Add

793.9 Other

Delete ~~Abnormal:
placental finding by x-ray or ultrasound method
radiological findings in skin and subcutaneous
tissue~~

New code	793.91	Image test inconclusive due to excess body fat Use additional code to identify Body Mass Index (BMI), if known (V85.0-V85.54)
New code	793.99	Other nonspecific abnormal findings on radiological and other examinations of body structure Abnormal: placental finding by x-ray or ultrasound method radiological findings in skin and subcutaneous tissue
	795	Other and nonspecific abnormal cytological, histological, immunological and DNA test findings
	795.0	Abnormal Papanicolaou smear of cervix and cervical HPV
Delete	795.04	Papanicolaou smear of cervix with high grade squamous intraepithelial lesion (HGSIL) Cytologic evidence of carcinoma
New code	795.06	Papanicolaou smear of cervix with cytologic evidence of malignancy
	795.7	Other nonspecific immunological findings
Add		Excludes: abnormal tumor markers (795.81-795.89) elevated prostate specific antigen [PSA] (790.93) elevated tumor associated antigens (795.81-795.89)
New sub-category	795.8	Abnormal tumor markers Elevated tumor associated antigens [TAA] Elevated tumor specific antigens [TSA] Excludes: elevated prostate specific antigen [PSA] (790.93)
New code	795.81	Elevated carcinoembryonic antigen [CEA]
New code	795.82	Elevated cancer antigen 125 [CA 125]
New code	795.89	Other abnormal tumor markers

	799	Other ill-defined and unknown causes of morbidity and mortality
		799.4 Cachexia
Add		Code first underlying condition, if known
Delete		Excludes: nutritional marasmus (261)
	873	Other open wound of head
		873.6 Internal structures of mouth, without mention of complication
Revise		873.63 Tooth (broken) <u>(fractured) (due to trauma)</u>
Add		Excludes: cracked tooth (521.81)
		873.7 Internal structures of mouth, complicated
Revise		873.73 Tooth (broken) <u>(fractured) (due to trauma)</u>
Add		Excludes: cracked tooth (521.81)
	958	Certain early complications of trauma
New sub-category		958.9 Traumatic compartment syndrome
		Excludes: nontraumatic compartment syndrome (729.71-729.79)
New code		958.90 Compartment syndrome, unspecified
New code		958.91 Traumatic compartment syndrome of upper extremity Traumatic compartment syndrome of shoulder, arm, forearm, wrist, hand, and fingers
New code		958.92 Traumatic compartment syndrome of lower extremity Traumatic compartment syndrome of hip, buttock, thigh, leg, foot, and toes
New code		958.93 Traumatic compartment syndrome of abdomen
New code		958.99 Traumatic compartment syndrome of other sites

POISONING BY DRUGS, MEDICINAL AND BIOLOGICAL SUBSTANCES
(960-979)

	Excludes: adverse effects...	
Revise		adverse effect NOS (<u>995.20</u>)
	995	Certain adverse effects not elsewhere classified
Revise	995.2	<u>Other and u</u> Unspecified adverse effect of drug, medicinal and biological substance
New code	995.20	Unspecified adverse effect of unspecified drug, medicinal and biological substance
New code	995.21	Arthus phenomenon Arthus reaction
New code	995.22	Unspecified adverse effect of anesthesia
New code	995.23	Unspecified adverse effect of insulin
New code	995.27	Other drug allergy Drug allergy NOS Drug hypersensitivity NOS
New code	995.29	Unspecified adverse effect of other drug, medicinal and biological substance
	995.3	Allergy, unspecified
Revise		Excludes: allergic reaction NOS to correct medicinal substance properly administered (<u>995.27</u>)
Add		allergy to existing dental restorative materials (525.66)
	995.4	Shock due to anesthesia
Revise		Excludes: unspecified adverse effect of anesthesia (<u>995.22</u>)
	995.9	Systemic inflammatory response syndrome (SIRS)
Delete		Code first underlying systemic infection
Revise	995.91	Sepsis Systemic inflammatory response syndrome due to infectious process without organ dysfunction Sepsis

Add		Systemic inflammatory response syndrome due to infectious process without acute organ dysfunction
Add		Code first underlying infection
Add		Excludes: sepsis with acute organ dysfunction (995.92) sepsis with multiple organ dysfunction (995.92) severe sepsis (995.92)
Revise	995.92	Severe sepsis Systemic inflammatory response syndrome due to infectious process with organ dysfunction
Delete		Severe sepsis
Add		Sepsis with acute organ dysfunction
Add		Sepsis with multiple organ dysfunction (MOD)
Add		Systemic inflammatory response syndrome due to infectious process with acute organ dysfunction
Add		Code first underlying infection
Revise		Use additional code to specify <u>acute</u> organ dysfunction, such as:
Add		disseminated intravascular coagulopathy (DIC) syndrome (286.6)
Revise	995.93	Systemic inflammatory response syndrome due to noninfectious process without <u>acute</u> organ dysfunction
Add		Code first underlying conditions, such as: acute pancreatitis (577.0) trauma
Add		Excludes: systemic inflammatory response syndrome due to noninfectious process with acute organ dysfunction (995.94)

Revise	995.94	Systemic inflammatory response syndrome due to noninfectious process with <u>acute</u> organ dysfunction
Add		Code first underlying condition, such as: acute pancreatitis (577.0) trauma
Revise		Use additional code to specify <u>acute</u> organ dysfunction, such as:
Add		disseminated intravascular coagulopathy (DIC) syndrome (286.6)
Delete		septic shock (785.52)
Add		Excludes: severe sepsis (995.92)

COMPLICATIONS OF SURGICAL AND MEDICAL CARE, NOT ELSEWHERE CLASSIFIED (996-999)

	996	Complications peculiar to certain specified procedures
	996.4	Mechanical complication of internal orthopedic device, implant, and graft
	996.45	Peri-prosthetic osteolysis
Add		Use additional code to identify major osseous defect, if applicable (731.3)
	996.7	Other complications of internal (biological) (synthetic) prosthetic device, implant and graft
Add		Use additional code to identify complication, such as: pain due to presence of device, implant or graft (338.18-338.19, 338.28-338.29)
	997	Complications affecting specified body systems, not elsewhere classified
	997.3	Respiratory complications
Add		Excludes: transfusion related acute lung injury (TRALI) (518.7)
	998	Other complications of procedures, not elsewhere classified
	998.5	Postoperative infection
Add		Excludes: bleb associated endophthalmitis (379.63)

999 Complications of medical care, not elsewhere classified

Revise Excludes: postvaccinal encephalitis (323.51)

999.8 Other transfusion reaction

Add Excludes: transfusion related acute lung injury (TRALI) (518.7)

Revise SUPPLEMENTARY CLASSIFICATION OF FACTORS INFLUENCING
HEALTH STATUS AND CONTACT WITH HEALTH SERVICES (V01-V86)

V07 Need for isolation and other prophylactic measures

V07.39 Other prophylactic chemotherapy

Revise Excludes: maintenance chemotherapy following disease (V58.11)

V18 Family history of certain other specific conditions

V18.5 Digestive disorders

New code V18.51 Colonic polyps

Excludes: family history of malignant neoplasm of
gastrointestinal tract (V16.0)

New code V18.59 Other digestive disorders

V20 Health supervision of infant or child

V20.2 Routine infant or child health check

Add Initial and subsequent routine newborn check

V26 Procreative management

V26.2 Investigation and testing

V26.21 Fertility testing

Revise Excludes: genetic counseling and testing (V26.31-V26.39)

V26.3 Genetic counseling and testing

Add Excludes: nonprocreative genetic screening (V82.71, V82.79)

Revise V26.31 Testing of female for genetic disease carrier
status

Revise	V26.32	Other genetic testing <u>of female</u>
Add		Use additional code to identify habitual aborter (629.81, 646.3)
New code	V26.34	Testing of male for genetic disease carrier status
New code	V26.35	Encounter for testing of male partner of habitual aborter
New code	V26.39	Other genetic testing of male
Revise	V28	<u>Encounter for Antenatal screening of mother</u>
	V45	Other postprocedural states
	V45.3	Intestinal bypass or anastomosis status
Add		Excludes: bariatric surgery status (V45.86) gastric bypass status (V45.86) obesity surgery status (V45.86)
	V45.7	Acquired absence of organ
	V45.77	Genital organs
Revise		Excludes: female genital mutilation status (629.20- <u>629.29</u>)
	V45.8	Other postprocedural status
New code	V45.86	Bariatric surgery status Gastric banding status Gastric bypass status for obesity Obesity surgery status
		Excludes: bariatric surgery status complicating pregnancy, childbirth or the puerperium (649.2) intestinal bypass or anastomosis status (V45.3)
	V54	Other orthopedic aftercare
	V54.1	Aftercare for healing traumatic fracture
Add		Excludes: aftercare for amputation stump (V54.89)

	V58	Encounter for other and unspecified procedures and aftercare
Revise	V58.3	Attention to surgical dressings and sutures
Delete		Change of dressings
Delete		Removal of sutures
Add		Change or removal of wound packing
Add		Excludes: attention to drains (V58.49) planned postoperative wound closure (V58.41)
New code	V58.30	Encounter for change or removal of nonsurgical wound dressing Encounter for change or removal of wound dressing NOS
New code	V58.31	Encounter for change or removal of surgical wound dressing
New code	V58.32	Encounter for removal of sutures Encounter for removal of staples
	V58.4	Other aftercare following surgery
	V58.41	Encounter for planned postoperative wound closure
Add		Excludes: encounter for dressings and suture aftercare (V58.30-V58.32)
Add	V58.49	Other specified aftercare following surgery Change or removal of drains
	V65	Other persons seeking consultation
	V65.3	Dietary surveillance and counseling
Add		Use additional code to identify Body Mass Index (BMI), if known (V85.0-V85.54)

V65.4 Other counseling, not elsewhere classified

Revises Excludes: counseling (for):
genetic (V26.31-V26.39)

PERSONS WITHOUT REPORTED DIAGNOSIS ENCOUNTERED DURING
EXAMINATION AND INVESTIGATION OF INDIVIDUALS AND POPULATIONS
Revises (V70-V82)

V72 Special investigations and examinations

V72.1 Examination of ears and hearing

New code V72.11 Encounter for hearing examination
following failed hearing screening

New code V72.19 Other examination of ears and hearing

V82 Special screening for other conditions

New sub- V82.7 Genetic screening
category

Add Excludes: genetic testing for procreative management (V26.31-
V26.32)

New code V82.71 Screening for genetic disease carrier status

New code V82.79 Other genetic screening

Add GENETICS (V83-V84)

Add BODY MASS INDEX (V85)

Revises V85 Body Mass Index [BMI]

New subcategory V85.5 Body Mass Index, pediatric

Add Note: BMI pediatric codes are for use for persons age 2-20 years
old. These percentiles are based on the growth charts
published by the Centers for Disease Control and
Prevention (CDC)

New code V85.51 Body Mass Index, pediatric, less than 5th
percentile for age

New code V85.52 Body Mass Index, pediatric, 5th percentile to less
than 85th percentile for age

New code	V85.53	Body Mass Index, pediatric, 85 th percentile to less than 95 th percentile for age
New code	V85.54	Body Mass Index, pediatric, greater than or equal to 95 th percentile for age
Add	ESTROGEN RECEPTOR STATUS (V86)	
New Category	V86	Estrogen receptor status Code first malignant neoplasm of breast (174.0-174.9, 175.0-175.9)
New code	V86.0	Estrogen receptor positive status [ER+]
New code	V86.1	Estrogen receptor negative status [ER-]