

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 1
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
RIC	1	2					C Record Identification Code
VERSION	3	1					C Version Number
BASEID	4	8					C Unique SP Identification Number
AA2	12	2	GEND				N ID; gender
				1			. Missing
				2,989			1 Male
				8,234			2 Female
AA3	14	10					N ID; birthdate
AA4	24	2	RACEETH				N ID; race/ethnicity
				4			. Missing
				32			1 Amer Indian/Alaskan Native
				74			2 Asian/Pacific Islander
				1,456			3 Black, not of Hispanic origin
				150			4 Hispanic
				9,508			5 White, not of Hispanic origin
AA6A	26	15					C ID; facility provider number, state
AA6B	41	12					C ID, facility provider number, federal
AA8A	53	2	\$PASSESS				C ID; primary reason for assessment
				853			00 None of above
				624			01 Admission assessment
				1,304			02 Annual assessment
				692			03 Signif change in status assessment
				14			04 Signif correction of prior full
				4,941			05 Quarterly review assessment
				942			06 Discharged; return not anticipated
				931			07 Discharged; return anticipated
				134			08 Discharged; prior to initial assessment
				780			09 Re-entry
				9			10 Signif correction of prior quarterly
AA8B	55	1	\$CASSESS				C ID; codes for assessments required
				9,644			Missing
				567			1 Medicare 5 day assessment
				183			2 Medicare 30 day assessment
				77			3 Medicare 60 day assessment
				90			4 Medicare 90 day assessment
				58			5 Medicare readmission/return assessment
				177			6 Other state required assessment
				373			7 Medicare 14 day assessment
				55			8 Other Medicare required assessment
AB1	56	10					N Residential; date of entry

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 2
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AB2	66	2	ADMITFRM				N Residential; admitted from
				3,009			. Missing
				3,283			-2 Item was left blank
				4			-1 Unable to determine
				829			1 Private home w/ no home health services
				232			2 Private home w/ home health services
				241			3 Board and care/assist living/group home
				628			4 Nursing home
				2,806			5 Acute care hospital
				74			6 Psychiatric hospital, MR/DD facility
				55			7 Rehabilitation hospital
				63			8 Other
AB3	68	2	YESNOALO				N Residential; lived alone
				3,029			. Missing
				3,424			-2 Item was left blank
				51			-1 Unable to determine
				2,732			0 No
				1,281			1 Yes
				707			2 In other facility
AB4	70	5					C Residential; zip code, prior primary res
AB5A	75	2	INDIC				N Residential; prior stay in nursing home
				3,028			. Missing
				3,418			-2 Item was left blank
				33			-1 Unable to determine
				3,911			0 Not indicated
				834			1 Indicated
AB5B	77	2	INDIC				N Residential; stay in other nursing home
				3,028			. Missing
				3,420			-2 Item was left blank
				33			-1 Unable to determine
				3,726			0 Not indicated
				1,017			1 Indicated
AB5C	79	2	INDIC				N Residential; other residential facility
				3,028			. Missing
				3,420			-2 Item was left blank
				34			-1 Unable to determine
				4,175			0 Not indicated
				567			1 Indicated
AB5D	81	2	INDIC				N Residential; MH/psychiatric setting
				3,028			. Missing
				3,420			-2 Item was left blank
				33			-1 Unable to determine
				4,619			0 Not indicated
				124			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 3
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AB5E	83	2	INDIC				N Residential; MR/DD setting
				3,028			. Missing
				3,420			-2 Item was left blank
				33			-1 Unable to determine
				4,717			0 Not indicated
				26			1 Indicated
AB5F	85	2	INDIC				N Residential; none of above
				3,038			. Missing
				3,418			-2 Item was left blank
				33			-1 Unable to determine
				2,262			0 Not indicated
				2,473			1 Indicated
AB6	87	21					C Demo; lifetime occupation(s)
AB7	108	2	HIEDUCAT				N Demo; highest of education complete
				3,038			. Missing
				3,444			-2 Item was left blank
				162			-1 Unable to determine
				167			1 No schooling
				1,509			2 8th grade/less
				616			3 9-11 grades
				1,417			4 High school
				243			5 Technical or trade school
				324			6 Some college
				247			7 Bachelors degree
				57			8 Graduate degree
AB8A	110	2	PRIMLANG				N Demo; primary language
				3,029			. Missing
				3,431			-2 Item was left blank
				28			-1 Unable to determine
				4,600			0 English
				64			1 Spanish
				0			2 French
				72			3 Other
AB8B	112	9					C Demo; other primary language
AB9	121	2	YESNO				N Mental; indication of MR/MI/DD history
				3,030			. Missing
				3,436			-2 Item was left blank
				28			-1 Unable to determine
				4,328			0 No
				402			1 Yes
Note: See MENTAL in Ric2F							
AB10A	123	2	INDIC				N Mental; status, no MR/DD
				3,029			. Missing
				3,447			-2 Item was left blank
				16			-1 Unable to determine
				270			0 Not indicated
				4,462			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 4
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AB10B	125	2	INDIC				N Mental; status, downs syndrome
				3,029			. Missing
				7,889			-2 Item was left blank
				15			-1 Unable to determine
				284			0 Not indicated
				7			1 Indicated
AB10C	127	2	INDIC				N Mental; status, autism
				3,029			. Missing
				7,891			-2 Item was left blank
				15			-1 Unable to determine
				287			0 Not indicated
				2			1 Indicated
AB10D	129	2	INDIC				N Mental; status, epilepsy
				3,029			. Missing
				7,889			-2 Item was left blank
				15			-1 Unable to determine
				265			0 Not indicated
				26			1 Indicated
AB10E	131	2	INDIC				N Mental; status, other organic condition
				3,029			. Missing
				7,889			-2 Item was left blank
				15			-1 Unable to determine
				187			0 Not indicated
				104			1 Indicated
AB10F	133	2	INDIC				N Mental; status, MR/DD w/ no organic cond
				3,029			. Missing
				7,884			-2 Item was left blank
				15			-1 Unable to determine
				156			0 Not indicated
				140			1 Indicated
AB11	135	10					N Date background information completed
AC1A	145	2	INDIC				N Routine; event, stays up late at night
				3,027			. Missing
				3,655			-2 Item was left blank
				67			-1 Unable to determine
				3,054			0 Not indicated
				1,421			1 Indicated
AC1B	147	2	INDIC				N Routine; event, naps regularly
				3,027			. Missing
				3,653			-2 Item was left blank
				67			-1 Unable to determine
				1,911			0 Not indicated
				2,566			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 5
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AC1C	149	2	INDIC				N Routine; event, goes out 1+ days
				3,027			. Missing
				3,656			-2 Item was left blank
				67			-1 Unable to determine
				2,994			0 Not indicated
				1,480			1 Indicated
AC1D	151	2	INDIC				N Routine; event, stays busy
				3,027			. Missing
				3,656			-2 Item was left blank
				66			-1 Unable to determine
				2,515			0 Not indicated
				1,960			1 Indicated
AC1E	153	2	INDIC				N Routine; event, most of time spent alone
				3,027			. Missing
				3,655			-2 Item was left blank
				66			-1 Unable to determine
				2,633			0 Not indicated
				1,843			1 Indicated
AC1F	155	2	INDIC				N Routine; event, moves independent indoor
				3,027			. Missing
				3,655			-2 Item was left blank
				66			-1 Unable to determine
				1,605			0 Not indicated
				2,871			1 Indicated
AC1G	157	2	INDIC				N Routine; event, use of tobacco products
				3,027			. Missing
				3,655			-2 Item was left blank
				66			-1 Unable to determine
				4,190			0 Not indicated
				286			1 Indicated
AC1H	159	2	INDIC				N Routine; event, none of above
				3,037			. Missing
				3,652			-2 Item was left blank
				67			-1 Unable to determine
				4,015			0 Not indicated
				453			1 Indicated
AC1I	161	2	INDIC				N Routine; eating, distinct food pref
				3,028			. Missing
				3,655			-2 Item was left blank
				66			-1 Unable to determine
				3,564			0 Not indicated
				911			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 6
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AC1J	163	2	INDIC				N Routine; eating, eats between meals
				3,028			. Missing
				3,655			-2 Item was left blank
				76			-1 Unable to determine
				2,974			0 Not indicated
				1,491			1 Indicated
AC1K	165	2	INDIC				N Routine; eating, use of alcoholic bev
				3,028			. Missing
				3,655			-2 Item was left blank
				66			-1 Unable to determine
				4,364			0 Not indicated
				111			1 Indicated
AC1L	167	2	INDIC				N Routine; eating, none of above
				3,038			. Missing
				3,652			-2 Item was left blank
				66			-1 Unable to determine
				2,069			0 Not indicated
				2,399			1 Indicated
AC1M	169	2	INDIC				N Routine; ADL, bedclothes most of day
				3,028			. Missing
				3,653			-2 Item was left blank
				66			-1 Unable to determine
				4,000			0 Not indicated
				477			1 Indicated
AC1N	171	2	INDIC				N Routine; ADL, wakens to toilet
				3,028			. Missing
				3,655			-2 Item was left blank
				66			-1 Unable to determine
				2,244			0 Not indicated
				2,231			1 Indicated
AC1O	173	2	INDIC				N Routine; ADL, irregular bowel movement
				3,028			. Missing
				3,655			-2 Item was left blank
				66			-1 Unable to determine
				3,702			0 Not indicated
				773			1 Indicated
AC1P	175	2	INDIC				N Routine; ADL, showers for bathing
				3,028			. Missing
				3,653			-2 Item was left blank
				66			-1 Unable to determine
				2,706			0 Not indicated
				1,771			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 7
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AClQ	177	2	INDIC				N Routine; ADL, bathing in PM
				3,028			. Missing
				3,655			-2 Item was left blank
				66			-1 Unable to determine
				3,996			0 Not indicated
				479			1 Indicated
AClR	179	2	INDIC				N Routine; ADL, none of above
				3,038			. Missing
				3,653			-2 Item was left blank
				66			-1 Unable to determine
				3,402			0 Not indicated
				1,065			1 Indicated
AClS	181	2	INDIC				N Routine; involve, daily contact family
				3,027			. Missing
				3,658			-2 Item was left blank
				66			-1 Unable to determine
				1,359			0 Not indicated
				3,114			1 Indicated
AClT	183	2	INDIC				N Routine; involve, attends church
				3,027			. Missing
				3,658			-2 Item was left blank
				66			-1 Unable to determine
				3,171			0 Not indicated
				1,302			1 Indicated
AClU	185	2	INDIC				N Routine; involve, strength in faith
				3,027			. Missing
				3,658			-2 Item was left blank
				66			-1 Unable to determine
				2,512			0 Not indicated
				1,961			1 Indicated
AClV	187	2	INDIC				N Routine; involve, animal companion
				3,027			. Missing
				3,658			-2 Item was left blank
				66			-1 Unable to determine
				3,914			0 Not indicated
				559			1 Indicated
AClW	189	2	INDIC				N Routine; involve, group activities
				3,027			. Missing
				3,657			-2 Item was left blank
				66			-1 Unable to determine
				3,368			0 Not indicated
				1,106			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 8
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
AC1X	191	2	INDIC				N Routine; involve, none of above
				3,037			. Missing
				3,656			-2 Item was left blank
				66			-1 Unable to determine
				3,822			0 Not indicated
				643			1 Indicated
AC1Y	193	2	INDIC				N Routine; unknown routines
				3,031			. Missing
				3,444			-2 Item was left blank
				4,474			0 Not indicated
				275			1 Indicated
A2	195	5					C Background; room number
A3A	200	10					N Background; assessment reference date
A4B	210	2					N Background; original or copy number
A4A	212	10					N Background; date of reentry
A5	222	2	MARITAL				N Background; marital status
				6,967			. Missing
				4			-3 Does not apply to this assessment
				5			-1 Unable to determine
				491			1 Never married
				713			2 Married
				2,700			3 Widowed
				30			4 Separated
				314			5 Divorced
A6	224	12					C Background; medical record number
A7A	236	2	INDIC				N Payment; Medicaid per diem
				6,987			. Missing
				3			-3 Does not apply to this assessment
				2,008			0 Not indicated
				2,226			1 Indicated
A7B	238	2	INDIC				N Payment; Medicare per diem
				6,987			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,958			0 Not indicated
				1,275			1 Indicated
A7C	240	2	INDIC				N Payment; Medicare ancillary part A
				6,987			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,373			0 Not indicated
				860			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 9
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
A7D	242	2	INDIC				N Payment; Medicare ancillary part B
				6,987			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,690			0 Not indicated
				543			1 Indicated
A7E	244	2	INDIC				N Payment; CHAMPUS per diem
				6,987			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,233			0 Not indicated
				0			1 Indicated
A7F	246	2	INDIC				N Payment; VA per diem
				6,987			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,216			0 Not indicated
				17			1 Indicated
A7G	248	2	INDIC				N Payment; self/family pays full per diem
				6,988			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,541			0 Not indicated
				691			1 Indicated
A7H	250	2	INDIC				N Payment; Mcaid res liab/Mcare co-payment
				6,988			. Missing
				3			-3 Does not apply to this assessment
				3,373			0 Not indicated
				860			1 Indicated
A7I	252	2	INDIC				N Payment; private insurance per diem
				6,987			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,836			0 Not indicated
				397			1 Indicated
A7J	254	2	INDIC				N Payment; other per diem
				6,987			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,124			0 Not indicated
				109			1 Indicated
A9A	256	2	INDIC				N Decisions; legal guardian
				6,989			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,910			0 Not indicated
				321			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 10
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
A9B	258	2	INDIC				N Decisions; other legal oversight
				6,989			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,131			0 Not indicated
				100			1 Indicated
A9C	260	2	INDIC				N Decisions; dur power attorney/health
				6,989			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,729			0 Not indicated
				1,502			1 Indicated
A9D	262	2	INDIC				N Decisions; dur power attorney/financial
				6,989			. Missing
				3			-3 Does not apply to this assessment
				3,200			0 Not indicated
				1,032			1 Indicated
A9E	264	2	INDIC				N Decisions; family member responsible
				6,989			. Missing
				3			-3 Does not apply to this assessment
				1,383			0 Not indicated
				2,849			1 Indicated
A9F	266	2	INDIC				N Decisions; patient responsible for self
				6,989			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,051			0 Not indicated
				1,180			1 Indicated
A9G	268	2	INDIC				N Decisions; none of the above
				7,009			. Missing
				1			-3 Does not apply to this assessment
				4,086			0 Not indicated
				128			1 Indicated
A10A	270	2	INDIC				N Adv directives; living will
				6,989			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,273			0 Not indicated
				958			1 Indicated

Note: See ADLIVWIL in Ric2F

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 11
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
A10B	272	2	INDIC				N Adv directives; do not resuscitate
				6,965			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				1,878			0 Not indicated
				2,377			1 Indicated
Note: See ADDNRES in Ric2F							
A10C	274	2	INDIC				N Adv directives; do not hospitalize
				6,965			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,105			0 Not indicated
				150			1 Indicated
Note: See ADDNHOSP in Ric2F							
A10D	276	2	INDIC				N Adv directives; organ donation
				6,989			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,225			0 Not indicated
				6			1 Indicated
A10E	278	2	INDIC				N Adv directives; autopsy request
				6,989			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,223			0 Not indicated
				8			1 Indicated
A10F	280	2	INDIC				N Adv directives; feeding restrict
				6,989			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,766			0 Not indicated
				465			1 Indicated
A10G	282	2	INDIC				N Adv directives; medication restrict
				6,989			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,077			0 Not indicated
				154			1 Indicated
A10H	284	2	INDIC				N Adv directives; other treatment restrict
				6,989			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,867			0 Not indicated
				364			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 12
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
A10I	286	2	INDIC				N Adv directives; none of above
				7,009			. Missing
				1			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,724			0 Not indicated
				1,489			1 Indicated
B1	288	2	YESNO				N Cognitive; comatose
				2,788			. Missing
				1			-1 Unable to determine
				8,404			0 No
				31			1 Yes
				Note: See COMATOSE in Ric2F			
B2A	290	2	MEMORY				N Cognitive; short-term memory OK
				2,789			. Missing
				29			-2 Item was left blank
				16			-1 Unable to determine
				2,078			0 Memory OK
				6,312			1 Memory problem
				Note: See CSMEMST in Ric2F			
B2B	292	2	MEMORY				N Cognitive; long-term memory OK
				2,789			. Missing
				29			-2 Item was left blank
				16			-1 Unable to determine
				3,243			0 Memory OK
				5,147			1 Memory problem
				Note: See CSMEMLT in Ric2F			
B3A	294	2	INDIC				N Cognitive; recall; current season
				5,007			. Missing
				10			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				3,765			0 Not indicated
				2,427			1 Indicated
				Note: See CSCURSEA in Ric2F			
B3B	296	2	INDIC				N Cognitive; recall; location of own room
				5,007			. Missing
				10			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				2,925			0 Not indicated
				3,267			1 Indicated
				Note: See CSLOCROM in Ric2F			

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 13
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
B3C	298	2	INDIC				N Cognitive; recall; staff names/faces
				5,007			. Missing
				10			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				2,375			0 Not indicated
				3,817			1 Indicated
				Note: See CSNAMFAC in Ric2F			
B3D	300	2	INDIC				N Cognitive; recall; lives in nursing home
				4,983			. Missing
				28			-3 Does not apply to this assessment
				16			-2 Item was left blank
				1			-1 Unable to determine
				2,983			0 Not indicated
				3,213			1 Indicated
				Note: See CSINNH in Ric2F			
B3E	302	2	INDIC				N Cognitive; recall; none of the above
				5,003			. Missing
				27			-3 Does not apply to this assessment
				16			-2 Item was left blank
				1			-1 Unable to determine
				4,335			0 Not indicated
				1,842			1 Indicated
B4	304	2	COGNITIV				N Cognitive; daily decision making skills
				2,789			. Missing
				29			-2 Item was left blank
				3			-1 Unable to determine
				1,514			0 Independent
				1,553			1 Modified independence
				3,061			2 Moderately impaired
				2,275			3 Severely impaired
				Note: See CSDECIS in Ric2F			
B5A	306	2	COGNITIV				N Cognitive; delirium, easily distracted
				2,789			. Missing
				29			-2 Item was left blank
				6,462			0 Independent
				1,891			1 Modified independence
				53			2 Moderately impaired
				0			3 Severely impaired
B5B	308	2	COGNITIV				N Cognitive; delirium, altered perception
				2,789			. Missing
				29			-2 Item was left blank
				1			-1 Unable to determine
				6,669			0 Independent
				1,674			1 Modified independence
				62			2 Moderately impaired
				0			3 Severely impaired

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 14
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
B5C	310	2	COGNITIV				N Cognitive; delirium, disorganized speech
				2,789			. Missing
				29			-2 Item was left blank
				6,649			0 Independent
				1,698			1 Modified independence
				59			2 Moderately impaired
				0			3 Severely impaired
B5D	312	2	COGNITIV				N Cognitive; delirium, restlessness
				2,789			. Missing
				29			-2 Item was left blank
				6,719			0 Independent
				1,628			1 Modified independence
				59			2 Moderately impaired
				0			3 Severely impaired
B5E	314	2	COGNITIV				N Cognitive; delirium, lethargy
				2,789			. Missing
				29			-2 Item was left blank
				7,297			0 Independent
				970			1 Modified independence
				139			2 Moderately impaired
				0			3 Severely impaired
B5F	316	2	COGNITIV				N Cognitive; delirium, varied function
				2,789			. Missing
				30			-2 Item was left blank
				2			-1 Unable to determine
				6,417			0 Independent
				1,889			1 Modified independence
				97			2 Moderately impaired
				0			3 Severely impaired
B6	318	2	CHANGE				N Cognitive; change in last 90 days
				6,964			. Missing
				22			-3 Does not apply to this assessment
				19			-2 Item was left blank
				3,680			0 No change
				107			1 Improved
				432			2 Deteriorated
C1	320	2	HEAR				N Comm; hearing ability
				6,988			. Missing
				2			-3 Does not apply to this assessment
				15			-2 Item was left blank
				7			-1 Unable to determine
				2,482			0 Hears adequately
				1,002			1 Minimal difficulty
				612			2 Hears in special situations only
				116			3 Highly impaired

Note: See HCHECOND in Ric2F

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 15
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
C2A	322	2	INDIC				N Comm; hearing aid, present and used
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				3,903			0 Not indicated
				316			1 Indicated
Note: See HCHEAID in Ric2F							
C2B	324	2	INDIC				N Comm; hearing aid, present and not used
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,070			0 Not indicated
				149			1 Indicated
C2C	326	2	INDIC				N Comm; other receptive used
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,166			0 Not indicated
				53			1 Indicated
C2D	328	2	INDIC				N Comm; none of above comm methods used
				7,008			. Missing
				1			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				498			0 Not indicated
				3,702			1 Indicated
C3A	330	2	INDIC				N Comm; modes, speech
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				338			0 Not indicated
				3,882			1 Indicated
C3B	332	2	INDIC				N Comm; modes, writing messages to clarify
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,160			0 Not indicated
				59			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 16
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
C3C	334	2	INDIC				N Comm; modes, ASL or braille
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,217			0 Not indicated
				2			1 Indicated
C3D	336	2	INDIC				N Comm; modes, signs, gestures, or sounds
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				3,317			0 Not indicated
				902			1 Indicated
C3E	338	2	INDIC				N Comm; modes, communication board
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,202			0 Not indicated
				17			1 Indicated
C3F	340	2	INDIC				N Comm; modes, other
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,209			0 Not indicated
				10			1 Indicated
C3G	342	2	INDIC				N Comm; modes, none of above
				7,008			. Missing
				1			-3 Does not apply to this assessment
				14			-2 Item was left blank
				4,053			0 Not indicated
				148			1 Indicated
C4	344	2	UNDERSTO				N Comm; ability to make self understood
				2,789			. Missing
				29			-2 Item was left blank
				6			-1 Unable to determine
				3,921			0 Understood
				1,874			1 Usually understood
				1,472			2 Sometimes understood
				1,133			3 Rarely/Never understood

Note: See HCUNCOND in Ric2F

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 17
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
C5	346	2	CLEAR				N Comm, speech clarity
				6,988			. Missing
				2			-3 Does not apply to this assessment
				15			-2 Item was left blank
				3,035			0 clear speech
				934			1 unclear speech
				250			2 no speech
C6	348	2	UNDERSTA				N Comm; ability to understand others
				2,789			. Missing
				29			-2 Item was left blank
				9			-1 Unable to determine
				3,401			0 Understands
				2,214			1 Usually understands
				1,822			2 Sometimes understands
				960			3 Rarely/Never understands
Note: See HCUNDOTH in Ric2F							
C7	350	2	CHANGE				N Comm; change in last 90 days
				6,988			. Missing
				2			-3 Does not apply to this assessment
				15			-2 Item was left blank
				1			-1 Unable to determine
				3,815			0 No change
				70			1 Improved
				333			2 Deteriorated
D1	352	2	ADEQUATE				N Vision
				6,976			. Missing
				2			-3 Does not apply to this assessment
				15			-2 Item was left blank
				18			-1 Unable to determine
				2,216			0 Adequate
				1,064			1 Impaired
				429			2 Moderately impaired
				374			3 Highly impaired
				130			4 Severely impaired
Note: See VISION in Ric2F							
D2A	354	2	INDIC				N Vision; limitation, side vision problems
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				5			-1 Unable to determine
				4,047			0 Not indicated
				156			1 Indicated
D2B	356	2	INDIC				N Vision; limitation, halos/rings/flashes
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				5			-1 Unable to determine
				4,179			0 Not indicated
				24			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 18
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
D2C	358	2	INDIC				N Vision; limitation, none of above
				7,020			. Missing
				1			-3 Does not apply to this assessment
				14			-2 Item was left blank
				5			-1 Unable to determine
				171			0 Not indicated
				4,013			1 Indicated
D3	360	2	YESNO				N Vision; corrective eyewear, etc.
				7,000			. Missing
				2			-3 Does not apply to this assessment
				15			-2 Item was left blank
				7			-1 Unable to determine
				1,498			0 No
				2,702			1 Yes
Note: See VISAPPL in Ric2F							
E1A	362	2	INDICTH				N Mood; negative statements
				2,789			. Missing
				30			-2 Item was left blank
				7,938			0 Not exhibited in last 30 days
				345			1 Exhibited up to 5 days week
				122			2 Exhibited 6 to 7 days week
E1B	364	2	INDICTH				N Mood; repetitive questions
				2,789			. Missing
				30			-2 Item was left blank
				7,788			0 Not exhibited in last 30 days
				408			1 Exhibited up to 5 days week
				209			2 Exhibited 6 to 7 days week
E1C	366	2	INDICTH				N Mood; repetitive verbalizations
				2,789			. Missing
				30			-2 Item was left blank
				7,710			0 Not exhibited in last 30 days
				440			1 Exhibited up to 5 days week
				255			2 Exhibited 6 to 7 days week
E1D	368	2	INDICTH				N Mood; persistent anger w/ self or others
				2,789			. Missing
				30			-2 Item was left blank
				7,106			0 Not exhibited in last 30 days
				949			1 Exhibited up to 5 days week
				350			2 Exhibited 6 to 7 days week
E1E	370	2	INDICTH				N Mood; self deprecation
				2,789			. Missing
				30			-2 Item was left blank
				8,232			0 Not exhibited in last 30 days
				144			1 Exhibited up to 5 days week
				29			2 Exhibited 6 to 7 days week

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 19
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
E1F	372	2	INDICTH				N Mood; unrealistic fears
				2,789			. Missing
				30			-2 Item was left blank
				8,008			0 Not exhibited in last 30 days
				308			1 Exhibited up to 5 days week
				89			2 Exhibited 6 to 7 days week
E1G	374	2	INDICTH				N Mood; belief terrible going to happen
				2,789			. Missing
				30			-2 Item was left blank
				8,271			0 Not exhibited in last 30 days
				117			1 Exhibited up to 5 days week
				17			2 Exhibited 6 to 7 days week
E1H	376	2	INDICTH				N Mood; repetitive health complaints
				2,789			. Missing
				30			-2 Item was left blank
				7,687			0 Not exhibited in last 30 days
				509			1 Exhibited up to 5 days week
				209			2 Exhibited 6 to 7 days week
E1I	378	2	INDICTH				N Mood; repetitive anxious complaints
				2,789			. Missing
				30			-2 Item was left blank
				7,540			0 Not exhibited in last 30 days
				593			1 Exhibited up to 5 days week
				272			2 Exhibited 6 to 7 days week
E1J	380	2	INDICTH				N Mood; unpleasant mood in AM
				2,789			. Missing
				30			-2 Item was left blank
				7,915			0 Not exhibited in last 30 days
				363			1 Exhibited up to 5 days week
				127			2 Exhibited 6 to 7 days week
E1K	382	2	INDICTH				N Mood; insomnia/change in sleep pattern
				2,789			. Missing
				30			-2 Item was left blank
				8,052			0 Not exhibited in last 30 days
				287			1 Exhibited up to 5 days week
				66			2 Exhibited 6 to 7 days week
E1L	384	2	INDICTH				N Mood; sad/worried facial expressions
				2,789			. Missing
				30			-2 Item was left blank
				6,566			0 Not exhibited in last 30 days
				1,223			1 Exhibited up to 5 days week
				616			2 Exhibited 6 to 7 days week

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 20
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
E1M	386	2	INDICTH				N Mood; crying/tearfulness
				2,789			. Missing
				30			-2 Item was left blank
				7,647			0 Not exhibited in last 30 days
				645			1 Exhibited up to 5 days week
				113			2 Exhibited 6 to 7 days week
E1N	388	2	INDICTH				N Mood; repetitive physical movements
				2,789			. Missing
				30			-2 Item was left blank
				7,240			0 Not exhibited in last 30 days
				653			1 Exhibited up to 5 days week
				512			2 Exhibited 6 to 7 days week
E1O	390	2	INDICTH				N Mood; withdrawal from activ of interest
				2,789			. Missing
				30			-2 Item was left blank
				1			-1 Unable to determine
				7,825			0 Not exhibited in last 30 days
				331			1 Exhibited up to 5 days week
				248			2 Exhibited 6 to 7 days week
E1P	392	2	INDICTH				N Mood; reduced social interaction
				2,789			. Missing
				30			-2 Item was left blank
				7,653			0 Not exhibited in last 30 days
				467			1 Exhibited up to 5 days week
				285			2 Exhibited 6 to 7 days week
E2	394	2	MODINDIC				N Mood; persistence
				2,789			. Missing
				30			-2 Item was left blank
				2			-1 Unable to determine
				4,959			0 No mood indicators
				1,745			1 Indicators present, easily altered
				1,699			2 Indicators present, not easily altered
E3	396	2	CHANGE				N Mood; change in last 90 days
				6,988			. Missing
				2			-3 Does not apply to this assessment
				15			-2 Item was left blank
				2			-1 Unable to determine
				3,636			0 No change
				215			1 Improved
				366			2 Deteriorated
E4AA	398	2	BEHAVA				N Behavior; wandering frequency
				2,789			. Missing
				30			-2 Item was left blank
				7,590			0 Behavior not exhibited
				248			1 1 to 3 days
				203			2 4 to 6 days
				364			3 Behavior exhibited daily

Note: See BSWANDER in Ric2F

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 21
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
E4AB	400	2	BEHAVB				N Behavior; wandering alterability
				2,789			. Missing
				31			-2 Item was left blank
				1			-1 Unable to determine
				7,898			0 Behavior not present or easily altered
				505			1 Behavior not easily altered
E4BA	402	2	BEHAVA				N Behavior; verbally abusive frequency
				2,789			. Missing
				30			-2 Item was left blank
				7,249			0 Behavior not exhibited
				736			1 1 to 3 days
				269			2 4 to 6 days
				151			3 Behavior exhibited daily
Note: See BSVERBAB in Ric2F							
E4BB	404	2	BEHAVB				N Behavior; verbally abusive alterability
				2,789			. Missing
				31			-2 Item was left blank
				1			-1 Unable to determine
				7,755			0 Behavior not present or easily altered
				648			1 Behavior not easily altered
E4CA	406	2	BEHAVA				N Behavior; physical abusive frequency
				2,789			. Missing
				30			-2 Item was left blank
				7,586			0 Behavior not exhibited
				461			1 1 to 3 days
				218			2 4 to 6 days
				140			3 Behavior exhibited daily
Note: See BSPHYSAB in Ric2F							
E4CB	408	2	BEHAVB				N Behavior; physical abusive alterability
				2,789			. Missing
				31			-2 Item was left blank
				1			-1 Unable to determine
				7,840			0 Behavior not present or easily altered
				563			1 Behavior not easily altered
E4DA	410	2	BEHAVA				N Behavior; soc inappropriate frequency
				2,789			. Missing
				30			-2 Item was left blank
				6,991			0 Behavior not exhibited
				709			1 1 to 3 days
				323			2 4 to 6 days
				382			3 Behavior exhibited daily

Note: See BSDISRPT in Ric2F

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 22
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
E4DB	412	2	BEHAVB				N Behavior; soc inappropriate alterability
				2,789			. Missing
				31			-2 Item was left blank
				1			-1 Unable to determine
				7,456			0 Behavior not present or easily altered
				947			1 Behavior not easily altered
E4EA	414	2	BEHAVA				N Behavior; resists care frequency
				2,789			. Missing
				30			-2 Item was left blank
				6,457			0 Behavior not exhibited
				993			1 1 to 3 days
				462			2 4 to 6 days
				493			3 Behavior exhibited daily
Note: See BSRESIST in Ric2F							
E4EB	416	2	BEHAVB				N Behavior; resists care alterability
				2,789			. Missing
				31			-2 Item was left blank
				1			-1 Unable to determine
				7,003			0 Behavior not present or easily altered
				1,400			1 Behavior not easily altered
E5	418	2	CHANGE				N Behavior; change in last 90 days
				6,988			. Missing
				2			-3 Does not apply to this assessment
				15			-2 Item was left blank
				2			-1 Unable to determine
				3,723			0 No change
				192			1 Improved
				302			2 Deteriorated
F1A	420	2	INDIC				N Social; at ease interacting with others
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				1,109			0 Not indicated
				3,098			1 Indicated
Note: See PWINTOTH in Ric2F							
F1B	422	2	INDIC				N Social; at ease in structured activities
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				2,345			0 Not indicated
				1,862			1 Indicated

Note: See PWSTRACT in Ric2F

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 23
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
F1C	424	2	INDIC				N Social; at ease in self-init activities
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				2,459			0 Not indicated
				1,748			1 Indicated
Note: See PWSLFACT in Ric2F							
F1D	426	2	INDIC				N Social; establishes own goals
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				3,378			0 Not indicated
				829			1 Indicated
Note: See PWGOALS in Ric2F							
F1E	428	2	INDIC				N Social; involvement in life of facility
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				3,614			0 Not indicated
				593			1 Indicated
Note: See PWFACLIF in Ric2F							
F1F	430	2	INDIC				N Social; accepts invitations group activ
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				3,350			0 Not indicated
				857			1 Indicated
Note: See PWGRPACT in Ric2F							
F1G	432	2	INDIC				N Social; none of above
				7,020			. Missing
				1			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				3,328			0 Not indicated
				860			1 Indicated
F2A	434	2	INDIC				N Social; open conflict with staff
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,011			0 Not indicated
				196			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 24
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
F2B	436	2	INDIC				N Social; unhappy with roommate
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,167			0 Not indicated
				40			1 Indicated
F2C	438	2	INDIC				N Social; unhappy with other residents
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,102			0 Not indicated
				105			1 Indicated
F2D	440	2	INDIC				N Social; open conflict w/ fam/friend
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,111			0 Not indicated
				96			1 Indicated
F2E	442	2	INDIC				N Social; absence of contact w/ fam/friend
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,058			0 Not indicated
				149			1 Indicated
Note: See PWNOFC in Ric2F							
F2F	444	2	INDIC				N Social; recent loss of close fam/friend
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,140			0 Not indicated
				67			1 Indicated
F2G	446	2	INDIC				N Social; does not adjust to routine chang
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				3,853			0 Not indicated
				354			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 25
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
F2H	448	2	INDIC				N Social; none of above
				7,020			. Missing
				1			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				726			0 Not indicated
				3,462			1 Indicated
F3A	450	2	INDIC				N Social; strong identity in past role
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				3,719			0 Not indicated
				488			1 Indicated
F3B	452	2	INDIC				N Social; sadness/anger at loss of role
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,021			0 Not indicated
				186			1 Indicated
F3C	454	2	INDIC				N Social; routine diff than prior pattern
				7,000			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,035			0 Not indicated
				172			1 Indicated
F3D	456	2	INDIC				N Social; none of above
				7,020			. Missing
				1			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				611			0 Not indicated
				3,577			1 Indicated
G1AA	458	2	ADLA				N ADL; bed mobility, self-perform
				2,789			. Missing
				2,694			0 Independent
				452			1 Supervision
				1,391			2 Limited assistance
				1,883			3 Extensive assistance
				2,013			4 Total dependence
				2			8 Activity did not occur

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 26
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G1AB	460	2	ADLB				N ADL; bed mobility, supported
				5,030			. Missing
				7			-3 Does not apply to this assessment
				1,791			0 No setup or physical help from staff
				239			1 Setup help only
				2,949			2 One person physical assist
				1,207			3 Two+ persons physical assist
				1			8 Activity did not occur
G1BA	462	2	ADLA				N ADL; transfer, self-perform
				2,789			. Missing
				1,673			0 Independent
				521			1 Supervision
				1,449			2 Limited assistance
				2,065			3 Extensive assistance
				2,613			4 Total dependence
				114			8 Activity did not occur
Note: See PFTRNSFR in Ric2F							
G1BB	464	2	ADLB				N ADL; transfer, supported
				5,030			. Missing
				7			-3 Does not apply to this assessment
				1,060			0 No setup or physical help from staff
				306			1 Setup help only
				2,570			2 One person physical assist
				2,145			3 Two+ persons physical assist
				106			8 Activity did not occur
G1CA	466	2	ADLA				N ADL; walk in room, self-perform
				2,789			. Missing
				1,681			0 Independent
				560			1 Supervision
				1,052			2 Limited assistance
				750			3 Extensive assistance
				98			4 Total dependence
				4,294			8 Activity did not occur
G1CB	468	2	ADLB				N ADL; walk in room, supported
				5,030			. Missing
				7			-3 Does not apply to this assessment
				1,140			0 No setup or physical help from staff
				256			1 Setup help only
				1,300			2 One person physical assist
				290			3 Two+ persons physical assist
				3,201			8 Activity did not occur
G1DA	470	2	ADLA				N ADL; walk in corridor, self-perform
				2,789			. Missing
				1,257			0 Independent
				709			1 Supervision
				1,101			2 Limited assistance
				631			3 Extensive assistance
				90			4 Total dependence
				4,647			8 Activity did not occur

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 27
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G1DB	472	2	ADLB				N ADL; walk in corridor, supported
				5,030			. Missing
				7			-3 Does not apply to this assessment
				893			0 No setup or physical help from staff
				304			1 Setup help only
				1,260			2 One person physical assist
				223			3 Two+ persons physical assist
				3,507			8 Activity did not occur
G1EA	474	2	ADLA				N ADL; locomotion on unit, self-perform
				2,789			. Missing
				2,438			0 Independent
				810			1 Supervision
				1,128			2 Limited assistance
				807			3 Extensive assistance
				2,904			4 Total dependence
				348			8 Activity did not occur
Note: See PFLOCOMO in Ric2F							
G1EB	476	2	ADLB				N ADL; locomotion on unit, supported
				5,030			. Missing
				7			-3 Does not apply to this assessment
				1,629			0 No setup or physical help from staff
				459			1 Setup help only
				3,726			2 One person physical assist
				92			3 Two+ persons physical assist
				281			8 Activity did not occur
G1FA	478	2	ADLA				N ADL; locomotion off unit, self-perform
				2,789			. Missing
				1,878			0 Independent
				840			1 Supervision
				940			2 Limited assistance
				780			3 Extensive assistance
				3,140			4 Total dependence
				857			8 Activity did not occur
G1FB	480	2	ADLB				N ADL; locomotion off unit, supported
				5,032			. Missing
				7			-3 Does not apply to this assessment
				1,292			0 No setup or physical help from staff
				400			1 Setup help only
				3,751			2 One person physical assist
				60			3 Two+ persons physical assist
				682			8 Activity did not occur

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 28
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
----------	-----	-----	--------	-----------	----------	----------	-----------------------

G1GA	482	2	ADLA				N ADL; dressing, self-perform
				2,789			. Missing
				608			0 Independent
				474			1 Supervision
				1,624			2 Limited assistance
				2,539			3 Extensive assistance
				3,015			4 Total dependence
				175			8 Activity did not occur

Note: See PFDRSSNG in Ric2F

G1GB	484	2	ADLB				N ADL; dressing, supported
				5,030			. Missing
				7			-3 Does not apply to this assessment
				373			0 No setup or physical help from staff
				321			1 Setup help only
				5,014			2 One person physical assist
				332			3 Two+ persons physical assist
				147			8 Activity did not occur

G1HA	486	2	ADLA				N ADL; eating, self-perform
				2,789			. Missing
				3,099			0 Independent
				1,855			1 Supervision
				733			2 Limited assistance
				731			3 Extensive assistance
				1,996			4 Total dependence
				21			8 Activity did not occur

Note: See PFEATING in Ric2F

G1HB	488	2	ADLB				N ADL; eating, supported
				5,030			. Missing
				7			-3 Does not apply to this assessment
				887			0 No setup or physical help from staff
				2,580			1 Setup help only
				2,696			2 One person physical assist
				4			3 Two+ persons physical assist
				20			8 Activity did not occur

G1IA	490	2	ADLA				N ADL; toilet use, self-perform
				2,789			. Missing
				1,205			0 Independent
				460			1 Supervision
				1,210			2 Limited assistance
				1,959			3 Extensive assistance
				3,457			4 Total dependence
				144			8 Activity did not occur

Note: See PFTOILET in Ric2F

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 29
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G1IB	492	2	ADLB				N ADL; toilet use, supported
				5,030			. Missing
				7			-3 Does not apply to this assessment
				1			-1 Unable to determine
				787			0 No setup or physical help from staff
				275			1 Setup help only
				3,780			2 One person physical assist
				1,250			3 Two+ persons physical assist
				94			8 Activity did not occur
G1JA	494	2	ADLA				N ADL; personal hygiene, self-perform
				2,789			. Missing
				713			0 Independent
				576			1 Supervision
				1,479			2 Limited assistance
				2,240			3 Extensive assistance
				3,424			4 Total dependence
				3			8 Activity did not occur
G1JB	496	2	ADLB				N ADL; personal hygiene, supported
				5,030			. Missing
				7			-3 Does not apply to this assessment
				387			0 No setup or physical help from staff
				471			1 Setup help only
				5,084			2 One person physical assist
				242			3 Two+ persons physical assist
				3			8 Activity did not occur
G2A	498	2	BATHING				N ADL; bathing, self perform
				2,789			. Missing
				99			0 Independent
				304			1 Supervision
				495			2 Phys help limited to transfer only
				3,369			3 Phys help in part of bathing activity
				4,150			4 Total dependence
				18			8 Activity did not occur
Note: See PFBATHNG in Ric2F							
G2B	500	2	ADLB				N ADL; bathing, supported
				6,989			. Missing
				3			-3 Does not apply to this assessment
				26			0 No setup or physical help from staff
				138			1 Setup help only
				3,352			2 One person physical assist
				700			3 Two+ persons physical assist
				16			8 Activity did not occur
G3A	502	2	BALANCE				N ADL; balance while standing
				5,001			. Missing
				10			-3 Does not apply to this assessment
				28			-1 Unable to determine
				430			0 Maintained position
				627			1 Unsteady
				1,305			2 Partial physical support
				3,823			3 Not able to attempt test

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 30
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G3B	504	2	BALANCE				N ADL; balance while sitting
				5,001			. Missing
				10			-3 Does not apply to this assessment
				14			-1 Unable to determine
				2,977			0 Maintained position
				550			1 Unsteady
				1,106			2 Partial physical support
				1,566			3 Not able to attempt test
G4AA	506	2	RANGE				N ADL; neck, range of motion
				2,789			. Missing
				13			-1 Unable to determine
				7,271			0 No limitation
				168			1 Limitation on one side
				983			2 Limitation on both sides
G4AB	508	2	VOL				N ADL; neck, voluntary motion
				2,789			. Missing
				11			-1 Unable to determine
				7,303			0 No loss
				997			1 Partial loss
				124			2 Full loss
G4BA	510	2	RANGE				N ADL; arm, range of motion
				2,790			. Missing
				7			-1 Unable to determine
				5,410			0 No limitation
				1,387			1 Limitation on one side
				1,630			2 Limitation on both sides
G4BB	512	2	VOL				N ADL; arm, voluntary motion
				2,790			. Missing
				8			-1 Unable to determine
				5,538			0 No loss
				2,345			1 Partial loss
				543			2 Full loss
G4CA	514	2	RANGE				N ADL; hand, range of motion
				2,789			. Missing
				7			-1 Unable to determine
				6,029			0 No limitation
				1,123			1 Limitation on one side
				1,276			2 Limitation on both sides
G4CB	516	2	VOL				N ADL; hand, voluntary motion
				2,789			. Missing
				8			-1 Unable to determine
				6,012			0 No loss
				1,872			1 Partial loss
				543			2 Full loss

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 31
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G4DA	518	2	RANGE				N ADL; leg, range of motion
				2,790			. Missing
				7			-1 Unable to determine
				4,480			0 No limitation
				1,412			1 Limitation on one side
				2,535			2 Limitation on both sides
G4DB	520	2	VOL				N ADL; leg, voluntary motion
				2,790			. Missing
				8			-1 Unable to determine
				4,522			0 No loss
				3,065			1 Partial loss
				839			2 Full loss
G4EA	522	2	RANGE				N ADL; foot, range of motion
				2,790			. Missing
				7			-1 Unable to determine
				5,518			0 No limitation
				990			1 Limitation on one side
				1,919			2 Limitation on both sides
G4EB	524	2	VOL				N ADL; foot, voluntary motion
				2,790			. Missing
				8			-1 Unable to determine
				5,385			0 No loss
				2,183			1 Partial loss
				858			2 Full loss
G4FA	526	2	RANGE				N ADL; other, range of motion
				2,790			. Missing
				81			-1 Unable to determine
				7,792			0 No limitation
				175			1 Limitation on one side
				386			2 Limitation on both sides
G4FB	528	2	VOL				N ADL; other, voluntary motion
				2,790			. Missing
				82			-1 Unable to determine
				7,748			0 No loss
				473			1 Partial loss
				131			2 Full loss
G5A	530	2	INDIC				N ADL; used cane
				6,988			. Missing
				3			-3 Does not apply to this assessment
				4			-1 Unable to determine
				2,896			0 Not indicated
				1,333			1 Indicated

Note: See MLCANE in Ric2F

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 32
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G5B	532	2	INDIC				N ADL; wheeled self
				6,964			. Missing
				3			-3 Does not apply to this assessment
				3			-1 Unable to determine
				2,822			0 Not indicated
				1,432			1 Indicated
				Note: See MLWHLSLF in Ric2F			
G5C	534	2	INDIC				N ADL; other person wheeled
				6,988			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				1,561			0 Not indicated
				2,671			1 Indicated
				Note: See MLWHLOTH in Ric2F			
G5D	536	2	INDIC				N ADL; wheelchair primary mode
				6,988			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				1,578			0 Not indicated
				2,654			1 Indicated
G5E	538	2	INDIC				N ADL; none of above
				7,008			. Missing
				1			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,564			0 Not indicated
				650			1 Indicated
G6A	540	2	INDIC				N ADL; transfer, bedfast
				2,789			. Missing
				1			-1 Unable to determine
				7,656			0 Not indicated
				778			1 Indicated
G6B	542	2	INDIC				N ADL; transfer, bed rails used
				2,789			. Missing
				4,298			0 Not indicated
				4,137			1 Indicated
G6C	544	2	INDIC				N ADL; transfer, lifted manually
				6,970			. Missing
				16			-3 Does not apply to this assessment
				3,117			0 Not indicated
				1,121			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 33
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G6D	546	2	INDIC				N ADL; transfer, lifted mechanically
				6,970			. Missing
				16			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,776			0 Not indicated
				461			1 Indicated
G6E	548	2	INDIC				N ADL; transfer, transfer aid
				6,970			. Missing
				16			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,234			0 Not indicated
				1,003			1 Indicated
G6F	550	2	INDIC				N ADL; transfer, none of above
				2,833			. Missing
				5,491			0 Not indicated
				2,900			1 Indicated
G7	552	2	YESNO				N ADL; task segmentation
				5,004			. Missing
				10			-3 Does not apply to this assessment
				8			-1 Unable to determine
				4,252			0 No
				1,950			1 Yes
G8A	554	2	INDIC				N ADL; rehab potential, resident believes
				6,988			. Missing
				3			-3 Does not apply to this assessment
				2			-1 Unable to determine
				3,599			0 Not indicated
				632			1 Indicated
G8B	556	2	INDIC				N ADL; rehab potential, staff believes
				6,988			. Missing
				3			-3 Does not apply to this assessment
				2			-1 Unable to determine
				3,308			0 Not indicated
				923			1 Indicated
G8C	558	2	INDIC				N ADL; rehab potential, slow
				6,988			. Missing
				3			-3 Does not apply to this assessment
				3			-1 Unable to determine
				3,746			0 Not indicated
				484			1 Indicated
G8D	560	2	INDIC				N ADL; rehab potential, diff in AM and PM
				6,988			. Missing
				3			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,084			0 Not indicated
				147			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 34
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
G8E	562	2	INDIC				N ADL; rehab potential, none of above
				7,008			. Missing
				1			-3 Does not apply to this assessment
				2			-1 Unable to determine
				1,325			0 Not indicated
				2,888			1 Indicated
G9	564	2	CHANGE				N ADL; change in last 90 days
				6,989			. Missing
				3			-3 Does not apply to this assessment
				3			-1 Unable to determine
				2,809			0 No change
				336			1 Improved
				1,084			2 Deteriorated
H1A	566	2	CONTINEN				N Continence; bowel
				2,789			. Missing
				5			-1 Unable to determine
				3,206			0 Continent
				700			1 Usually continent
				447			2 Occasionally incontinent
				640			3 Frequently incontinent
				3,437			4 Incontinent
Note: See CTBOWEC in Ric2F							
H1B	568	2	CONTINEN				N Continence; bladder
				2,789			. Missing
				2,416			0 Continent
				535			1 Usually continent
				712			2 Occasionally incontinent
				1,277			3 Frequently incontinent
				3,495			4 Incontinent
Note: See CTBADD C in Ric2F							
H2A	570	2	INDIC				N Continence; bowel regular
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1,001			0 Not indicated
				3,232			1 Indicated
H2B	572	2	INDIC				N Continence; bowel constipation
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,659			0 Not indicated
				573			1 Indicated
H2C	574	2	INDIC				N Continence; bowel diarrhea
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,036			0 Not indicated
				168			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 35
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
H2D	576	2	INDIC				N Continence; bowel fecal impaction
				2,789			. Missing
				1			-1 Unable to determine
				8,355			0 Not indicated
				79			1 Indicated
H2E	578	2	INDIC				N Continence; scheduled plan
				2,833			. Missing
				3,722			0 Not indicated
				4,669			1 Indicated
H3A	580	2	INDIC				N Continence; none of above
				2,789			. Missing
				2			-1 Unable to determine
				6,019			0 Not indicated
				2,414			1 Indicated
H3B	582	2	INDIC				N Continence; bladder retaining plan
				2,789			. Missing
				1			-1 Unable to determine
				8,362			0 Not indicated
				72			1 Indicated
H3C	584	2	INDIC				N Continence; external condom catheter
				2,789			. Missing
				1			-1 Unable to determine
				8,426			0 Not indicated
				8			1 Indicated
H3D	586	2	INDIC				N Continence; indwelling catheter
				2,789			. Missing
				1			-1 Unable to determine
				7,716			0 Not indicated
				718			1 Indicated
H3E	588	2	INDIC				N Continence; intermittent catheter
				6,970			. Missing
				16			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,219			0 Not indicated
				18			1 Indicated
H3F	590	2	INDIC				N Continence; did not use commode/urinal
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,562			0 Not indicated
				670			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 36
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
H3G	592	2	INDIC				N Continence; pads/briefs used
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1,413			0 Not indicated
				2,820			1 Indicated
H3H	594	2	INDIC				N Continence; enemas/irrigation
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,151			0 Not indicated
				81			1 Indicated
H3I	596	2	INDIC				N Continence; ostomy present
				2,789			. Missing
				1			-1 Unable to determine
				8,208			0 Not indicated
				226			1 Indicated
H3J	598	2	INDIC				N Continence; none of above
				2,833			. Missing
				4,785			0 Not indicated
				3,606			1 Indicated
H4	600	2	CHANGE				N Continence; change in last 90 days
				6,989			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,601			0 No change
				153			1 Improved
				477			2 Deteriorated
I1A	602	2	INDIC				N Diag; diabetes mellitus
				5,018			. Missing
				31			-3 Does not apply to this assessment
				6			-1 Unable to determine
				4,904			0 Not indicated
				1,265			1 Indicated
Note: See DIABMEL in Ric2F							
I1B	604	2	INDIC				N Diag; hyperthyroidism
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,180			0 Not indicated
				52			1 Indicated

Note: See HYPETHYR in Ric2F

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 37
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1C	606	2	INDIC				N Diag; hypothyroidism
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,649			0 Not indicated
				583			1 Indicated
				Note: See HYPOTHYR in Ric2F			
I1D	608	2	INDIC				N Diag; arteriosclerotic heart disease
				6,965			. Missing
				2			-3 Does not apply to this assessment
				3,591			0 Not indicated
				666			1 Indicated
				Note: See ASHD in Ric2F			
I1E	610	2	INDIC				N Diag; cardiac dysrhythmias
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,626			0 Not indicated
				606			1 Indicated
				Note: See CARDDYSR in Ric2F			
I1F	612	2	INDIC				N Diag; congestive heart failure
				6,965			. Missing
				2			-3 Does not apply to this assessment
				3,134			0 Not indicated
				1,123			1 Indicated
				Note: See HRTFAIL in Ric2F			
I1G	614	2	INDIC				N Diag; deep vein thrombosis
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,157			0 Not indicated
				75			1 Indicated
				Note: See VEINTHR in Ric2F			
I1H	616	2	INDIC				N Diag; hypertension
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,189			0 Not indicated
				2,043			1 Indicated
				Note: See HYPETENS in Ric2F			

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 38
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1I	618	2	INDIC				N Diag; hypotension
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,180			0 Not indicated
				52			1 Indicated
				Note: See HYPOTENS in Ric2F			
I1J	620	2	INDIC				N Diag; peripheral vascular disease
				6,965			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,704			0 Not indicated
				552			1 Indicated
				Note: See VASCULAR in Ric2F			
I1K	622	2	INDIC				N Diag; other cardiovascular disease
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,320			0 Not indicated
				912			1 Indicated
				Note: See CARDIOV in Ric2F			
I1L	624	2	INDIC				N Diag; arthritis
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,844			0 Not indicated
				1,388			1 Indicated
				Note: See ARTHRIT in Ric2F			
I1M	626	2	INDIC				N Diag; hip fracture
				5,000			. Missing
				7			-3 Does not apply to this assessment
				6			-1 Unable to determine
				5,839			0 Not indicated
				372			1 Indicated
				Note: See HIPFRACT in Ric2F			
I1N	628	2	INDIC				N Diag; missing limb (e.g., amputation)
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,117			0 Not indicated
				115			1 Indicated
				Note: See MISSLIMB in Ric2F			

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 39
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1O	630	2	INDIC				N Diag; osteoporosis
				6,989			. Missing
				2			-3 Does not apply to this assessment
				3,420			0 Not indicated
				813			1 Indicated
				Note: See OSTEOP in Ric2F			
I1P	632	2	INDIC				N Diag; pathological bone fracture
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,197			0 Not indicated
				35			1 Indicated
				Note: See BONEFRAC in Ric2F			
I1Q	634	2	INDIC				N Diag; alzheimers disease
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,488			0 Not indicated
				744			1 Indicated
				Note: See ALZHMR in Ric2F			
I1R	636	2	INDIC				N Diag; aphasia
				5,000			. Missing
				7			-3 Does not apply to this assessment
				6			-1 Unable to determine
				5,885			0 Not indicated
				326			1 Indicated
				Note: See APHASIA in Ric2F			
I1S	638	2	INDIC				N Diag; cerebral palsy
				5,000			. Missing
				7			-3 Does not apply to this assessment
				6			-1 Unable to determine
				6,152			0 Not indicated
				59			1 Indicated
				Note: See CERPALSY in Ric2F			
I1T	640	2	INDIC				N Diag; cerebrovascular accident (stroke)
				5,000			. Missing
				7			-3 Does not apply to this assessment
				7			-1 Unable to determine
				4,908			0 Not indicated
				1,302			1 Indicated
				Note: See STROKE in Ric2F			

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 40
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1U	642	2	INDIC				N Diag; dementia other than alzheimers
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,670			0 Not indicated
				1,562			1 Indicated
				Note: See DEMENT in Ric2F			
I1V	644	2	INDIC				N Diag; hemiplegia/hemiparesis
				5,000			. Missing
				7			-3 Does not apply to this assessment
				6			-1 Unable to determine
				5,569			0 Not indicated
				642			1 Indicated
				Note: See HEMIPLPA in Ric2F			
I1W	646	2	INDIC				N Diag; multiple sclerosis
				5,000			. Missing
				7			-3 Does not apply to this assessment
				6			-1 Unable to determine
				6,104			0 Not indicated
				107			1 Indicated
				Note: See SCLEROS in Ric2F			
I1X	648	2	INDIC				N Diag; paraplegia
				6,965			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,235			0 Not indicated
				21			1 Indicated
				Note: See PARAPLEG in Ric2F			
I1Y	650	2	INDIC				N Diag; parkinsons disease
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,916			0 Not indicated
				316			1 Indicated
				Note: See PARKNSON in Ric2F			
I1Z	652	2	INDIC				N Diag; quadriplegia
				5,000			. Missing
				7			-3 Does not apply to this assessment
				6			-1 Unable to determine
				6,183			0 Not indicated
				28			1 Indicated
				Note: See QUADPLEG in Ric2F			

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 41
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1AA	654	2	INDIC				N Diag; seizure disorder
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,796			0 Not indicated
				436			1 Indicated
				Note: See SEIZURE in Ric2F			
I1BB	656	2	INDIC				N Diag; transient ischemic attack (TIA)
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,001			0 Not indicated
				231			1 Indicated
				Note: See TIA in Ric2F			
I1CC	658	2	INDIC				N Diag; traumatic brain injury
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,191			0 Not indicated
				41			1 Indicated
				Note: See BRAININJ in Ric2F			
I1DD	660	2	INDIC				N Diag; anxiety disorder
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,671			0 Not indicated
				561			1 Indicated
				Note: See ANXIETY in Ric2F			
I1EE	662	2	INDIC				N Diag; depression
				5,009			. Missing
				7			-3 Does not apply to this assessment
				5			-1 Unable to determine
				4,204			0 Not indicated
				1,999			1 Indicated
				Note: See DEPRESS in Ric2F			
I1FF	664	2	INDIC				N Diag; manic depression (bipolar disease)
				5,009			. Missing
				7			-3 Does not apply to this assessment
				6			-1 Unable to determine
				6,116			0 Not indicated
				86			1 Indicated
				Note: See MANICDEP in Ric2F			

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 42
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1GG	666	2	INDIC				N Diag; schizophrenia
				6,965			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,104			0 Not indicated
				152			1 Indicated
				Note: See SCHIZOPH in Ric2F			
I1HH	668	2	INDIC				N Diag; asthma
				6,965			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,147			0 Not indicated
				109			1 Indicated
				Note: See ASTHMA in Ric2F			
I1II	670	2	INDIC				N Diag; emphysema/COPD
				6,965			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,563			0 Not indicated
				693			1 Indicated
				Note: See EMPCOPD in Ric2F			
I1JJ	672	2	INDIC				N Diag; cataracts
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,613			0 Not indicated
				619			1 Indicated
				Note: See CATARCT in Ric2F			
I1KK	674	2	INDIC				N Diag; diabetic retinopathy
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,157			0 Not indicated
				75			1 Indicated
				Note: See DIABRET in Ric2F			
I1LL	676	2	INDIC				N Diag; glaucoma
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,847			0 Not indicated
				385			1 Indicated
				Note: See GLAUCOMA in Ric2F			

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 43
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I1MM	678	2	INDIC				N Diag; macular degeneration
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,965			0 Not indicated
				267			1 Indicated
				Note: See MACDEGEN in Ric2F			
I1NN	680	2	INDIC				N Diag; allergies
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,033			0 Not indicated
				1,199			1 Indicated
				Note: See ALLERGY in Ric2F			
I100	682	2	INDIC				N Diag; anemia
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,273			0 Not indicated
				959			1 Indicated
				Note: See ANEMIA in Ric2F			
I1PP	684	2	INDIC				N Diag; cancer
				6,989			. Missing
				2			-3 Does not apply to this assessment
				2			-1 Unable to determine
				3,860			0 Not indicated
				371			1 Indicated
				Note: See CANCER in Ric2F			
I1QQ	686	2	INDIC				N Diag; renal failure
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,987			0 Not indicated
				245			1 Indicated
				Note: See RENTFAIL in Ric2F			
I1RR	688	2	INDIC				N Diag; none of above
				5,054			. Missing
				6			-3 Does not apply to this assessment
				5			-1 Unable to determine
				5,309			0 Not indicated
				850			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 44
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I2A	690	2	INDIC				N Diag; antibiotic resistant infection
				5,007			. Missing
				19			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,040			0 Not indicated
				157			1 Indicated
				Note: See INFMRSA in Ric2F			
I2B	692	2	INDIC				N Diag; clostridium difficile (c. diff.)
				5,008			. Missing
				20			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,173			0 Not indicated
				22			1 Indicated
				Note: See INFCDIFF in Ric2F			
I2C	694	2	INDIC				N Diag; conjunctivitis
				5,007			. Missing
				20			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,153			0 Not indicated
				43			1 Indicated
				Note: See INFCONJ in Ric2F			
I2D	696	2	INDIC				N Diag; HIV infection
				5,003			. Missing
				99			-3 Does not apply to this assessment
				1,790			-1 Unable to determine
				4,331			0 Not indicated
				1			1 Indicated
				Note: See INFHIV in Ric2F			
I2E	698	2	INDIC				N Diag; pneumonia
				5,007			. Missing
				17			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,902			0 Not indicated
				297			1 Indicated
				Note: See INFPNEU in Ric2F			
I2F	700	2	INDIC				N Diag; respiratory infection
				5,007			. Missing
				20			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,028			0 Not indicated
				168			1 Indicated
				Note: See INFRESP in Ric2F			

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 45
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I2G	702	2	INDIC				N Diag; septicemia
				5,007			. Missing
				17			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,156			0 Not indicated
				43			1 Indicated
				Note: See INFSEPT in Ric2F			
I2H	704	2	INDIC				N Diag; sexually transmitted diseases
				5,003			. Missing
				97			-3 Does not apply to this assessment
				1,524			-1 Unable to determine
				4,599			0 Not indicated
				1			1 Indicated
				Note: See INFSEXTR in Ric2F			
I2I	706	2	INDIC				N Diag; tuberculosis
				5,007			. Missing
				20			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,190			0 Not indicated
				6			1 Indicated
				Note: See INFTBRC in Ric2F			
I2J	708	2	INDIC				N Diag; urinary tract infection, 30 days
				2,826			. Missing
				6			-1 Unable to determine
				7,620			0 Not indicated
				772			1 Indicated
				Note: See INFURNRY in Ric2F			
I2K	710	2	INDIC				N Diag; viral hepatitis
				5,007			. Missing
				20			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,195			0 Not indicated
				1			1 Indicated
				Note: See INFHPPTS in Ric2F			
I2L	712	2	INDIC				N Diag; wound infection
				5,007			. Missing
				19			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,058			0 Not indicated
				139			1 Indicated
				Note: See INFWOUND in Ric2F			

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 46
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
I2M	714	2	INDIC				N Diag; none of above
				2,840			. Missing
				1,818			-1 Unable to determine
				1,317			0 Not indicated
				5,249			1 Indicated
I3A	716	7					C Diag; other diagnosis A
I3B	723	7					C Diag; other diagnosis B
I3C	730	7					C Diag; other diagnosis C
I3D	737	7					C Diag; other diagnosis D
I3E	744	7					C Diag; other diagnosis E
J1A	751	2	INDIC				N Health; weight gain/loss
				5,011			. Missing
				14			-3 Does not apply to this assessment
				22			-1 Unable to determine
				5,962			0 Not indicated
				215			1 Indicated
J1B	753	2	INDIC				N Health; not able lie flat, short breath
				5,006			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,968			0 Not indicated
				235			1 Indicated
J1C	755	2	INDIC				N Health; dehydrated
				2,789			. Missing
				1			-1 Unable to determine
				8,367			0 Not indicated
				67			1 Indicated
Note: See DEHYD in Ric2F							
J1D	757	2	INDIC				N Health; insufficient fluid
				5,006			. Missing
				14			-3 Does not apply to this assessment
				15			-1 Unable to determine
				5,916			0 Not indicated
				273			1 Indicated
J1E	759	2	INDIC				N Health; delusions
				5,006			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,992			0 Not indicated
				211			1 Indicated

Note: See DELUS in Ric2F

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 47
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J1F	761	2	INDIC				N Health; dizziness/vertigo
				6,975			. Missing
				15			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,146			0 Not indicated
				87			1 Indicated
J1G	763	2	INDIC				N Health; edema
				5,006			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,111			0 Not indicated
				1,092			1 Indicated
J1H	765	2	INDIC				N Health; fever
				5,006			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,029			0 Not indicated
				174			1 Indicated
J1I	767	2	INDIC				N Health; hallucinations
				2,789			. Missing
				1			-1 Unable to determine
				8,249			0 Not indicated
				185			1 Indicated
Note: See HALLUC in Ric2F							
J1J	769	2	INDIC				N Health; internal bleeding
				5,006			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,162			0 Not indicated
				41			1 Indicated
J1K	771	2	INDIC				N Health; recurrent lung aspirations
				5,006			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,169			0 Not indicated
				34			1 Indicated
J1L	773	2	INDIC				N Health; shortness of breath
				5,006			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,661			0 Not indicated
				542			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 48
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J1M	775	2	INDIC				N Health; syncope (fainting)
				6,975			. Missing
				15			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,221			0 Not indicated
				12			1 Indicated
J1N	777	2	INDIC				N Health; unsteady gate
				5,014			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,349			0 Not indicated
				1,846			1 Indicated
J1O	779	2	INDIC				N Health; vomiting
				5,014			. Missing
				14			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,090			0 Not indicated
				105			1 Indicated
J1P	781	2	INDIC				N Health; none of above
				2,833			. Missing
				13			-1 Unable to determine
				3,209			0 Not indicated
				5,169			1 Indicated
J2A	783	2	PAINA				N Health; pain symptoms, frequency
				2,790			. Missing
				5,257			0 No pain
				1,675			1 Pain less than daily
				1,502			2 Pain daily
J2B	785	2	PAINB				N Health; pain symptoms, intensity
				2,787			. Missing
				5,259			-2 Item was left blank
				5			-1 Unable to determine
				1,281			1 Mild pain
				1,677			2 Moderate pain
				215			3 Horrible/Excruciating pain
J3A	787	2	INDIC				N Health; pain site, back
				6,988			. Missing
				2			-3 Does not apply to this assessment
				2,403			-2 Item was left blank
				28			-1 Unable to determine
				1,347			0 Not indicated
				456			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 49
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J3B	789	2	INDIC				N Health; pain site, bone
				6,988			. Missing
				2			-3 Does not apply to this assessment
				2,403			-2 Item was left blank
				39			-1 Unable to determine
				1,636			0 Not indicated
				156			1 Indicated
J3C	791	2	INDIC				N Health; pain site, chest
				6,988			. Missing
				2			-3 Does not apply to this assessment
				2,403			-2 Item was left blank
				38			-1 Unable to determine
				1,753			0 Not indicated
				40			1 Indicated
J3D	793	2	INDIC				N Health; pain site, headache
				6,988			. Missing
				2			-3 Does not apply to this assessment
				2,403			-2 Item was left blank
				37			-1 Unable to determine
				1,586			0 Not indicated
				208			1 Indicated
J3E	795	2	INDIC				N Health; pain site, hip
				6,988			. Missing
				2			-3 Does not apply to this assessment
				2,403			-2 Item was left blank
				31			-1 Unable to determine
				1,491			0 Not indicated
				309			1 Indicated
J3F	797	2	INDIC				N Health; pain site, incisional
				6,988			. Missing
				2			-3 Does not apply to this assessment
				2,403			-2 Item was left blank
				32			-1 Unable to determine
				1,689			0 Not indicated
				110			1 Indicated
J3G	799	2	INDIC				N Health; pain site, joint, other than hip
				6,988			. Missing
				2			-3 Does not apply to this assessment
				2,403			-2 Item was left blank
				18			-1 Unable to determine
				1,076			0 Not indicated
				737			1 Indicated
J3H	801	2	INDIC				N Health; pain site, soft tissue
				6,988			. Missing
				2			-3 Does not apply to this assessment
				2,403			-2 Item was left blank
				40			-1 Unable to determine
				1,493			0 Not indicated
				298			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 50
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J3I	803	2	INDIC				N Health; pain site, stomach pain
				6,988			. Missing
				2			-3 Does not apply to this assessment
				2,403			-2 Item was left blank
				35			-1 Unable to determine
				1,701			0 Not indicated
				95			1 Indicated
J3J	805	2	INDIC				N Health; pain site, other
				6,988			. Missing
				2			-3 Does not apply to this assessment
				2,403			-2 Item was left blank
				33			-1 Unable to determine
				1,210			0 Not indicated
				588			1 Indicated
J4A	807	2	INDIC				N Health; fell in last 30 days
				2,789			. Missing
				1			-1 Unable to determine
				7,251			0 Not indicated
				1,183			1 Indicated
J4B	809	2	INDIC				N Health; fell in last 31-180 days
				2,789			. Missing
				1			-1 Unable to determine
				6,331			0 Not indicated
				2,103			1 Indicated
J4C	811	2	INDIC				N Health; hip fracture in last 180 days
				2,789			. Missing
				1			-1 Unable to determine
				8,190			0 Not indicated
				244			1 Indicated
J4D	813	2	INDIC				N Health; other fracture in last 180 days
				2,800			. Missing
				1			-1 Unable to determine
				8,210			0 Not indicated
				213			1 Indicated
J4E	815	2	INDIC				N Health; none of above
				2,789			. Missing
				1			-1 Unable to determine
				2,885			0 Not indicated
				5,549			1 Indicated
J5A	817	2	INDIC				N Health; diseases make patterns unstable
				2,789			. Missing
				1			-1 Unable to determine
				5,573			0 Not indicated
				2,861			1 Indicated

RIC: MD
Page: 51
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
J5B	819	2	INDIC				N Health; episode of recurrent problem
				2,789			. Missing
				1			-1 Unable to determine
				7,683			0 Not indicated
				751			1 Indicated
J5C	821	2	INDIC				N Health; end-stage disease, 6 mo. to live
				2,789			. Missing
				1			-1 Unable to determine
				8,324			0 Not indicated
				110			1 Indicated
J5D	823	2	INDIC				N Health; none of above
				2,789			. Missing
				1			-1 Unable to determine
				3,257			0 Not indicated
				5,177			1 Indicated
K1A	825	2	INDIC				N Nutri; chewing problem
				5,000			. Missing
				10			-3 Does not apply to this assessment
				4,395			0 Not indicated
				1,819			1 Indicated
				Note: See ONCHEW in Ric2F			
K1B	827	2	INDIC				N Nutri; swallowing problem
				5,000			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,945			0 Not indicated
				1,268			1 Indicated
				Note: See ONSWALL in Ric2F			
K1C	829	2	INDIC				N Nutri; mouth pain
				6,981			. Missing
				9			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,207			0 Not indicated
				26			1 Indicated
				Note: See ONMOUTH in Ric2F			
K1D	831	2	INDIC				N Nutri; none of above
				5,044			. Missing
				9			-3 Does not apply to this assessment
				2,396			0 Not indicated
				3,775			1 Indicated
K2A	833	2					N Nutri; height
				Note: See HEIGHT in Ric2F			

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 52
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
K2B	835	3					N Nutri; weight
				Note: See WEIGHT in Ric2F			
K3A	838	2	YESNO				N Nutri; weight loss, 5% in last 30
				2,789			. Missing
				29			-1 Unable to determine
				7,416			0 No
				990			1 Yes
K3B	840	2	YESNO				N Nutri; weight gain, 5% in last 30
				2,789			. Missing
				28			-1 Unable to determine
				7,940			0 No
				467			1 Yes
K4A	842	2	INDIC				N Nutri; complains about taste of food
				6,988			. Missing
				3			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,142			0 Not indicated
				89			1 Indicated
K4B	844	2	INDIC				N Nutri; regular complaints of hunger
				6,988			. Missing
				3			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,225			0 Not indicated
				6			1 Indicated
K4C	846	2	INDIC				N Nutri; leaves 25% food left uneaten
				6,988			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,445			0 Not indicated
				1,787			1 Indicated
K4D	848	2	INDIC				N Nutri; none of above
				7,008			. Missing
				1			-3 Does not apply to this assessment
				1			-1 Unable to determine
				1,811			0 Not indicated
				2,403			1 Indicated
K5A	850	2	INDIC				N Nutri; parenteral/IV
				5,020			. Missing
				7			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,072			0 Not indicated
				124			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 53
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
K5B	852	2	INDIC				N Nutri; feeding tube
				2,789			. Missing
				1			-1 Unable to determine
				7,648			0 Not indicated
				786			1 Indicated
K5C	854	2	INDIC				N Nutri; mechanically altered diet
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,427			0 Not indicated
				1,805			1 Indicated
K5D	856	2	INDIC				N Nutri; syringe, oral feeding
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,223			0 Not indicated
				9			1 Indicated
K5E	858	2	INDIC				N Nutri; therapeutic diet
				6,989			. Missing
				2			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,400			0 Not indicated
				1,832			1 Indicated
K5F	860	2	INDIC				N Nutri; dietary supplement before meals
				6,989			. Missing
				2			-3 Does not apply to this assessment
				2,970			0 Not indicated
				1,263			1 Indicated
K5G	862	2	INDIC				N Nutri; plate guard, built-up utensil,...
				6,989			. Missing
				2			-3 Does not apply to this assessment
				4,043			0 Not indicated
				190			1 Indicated
K5H	864	2	INDIC				N Nutri; planned weight change program
				2,789			. Missing
				2			-1 Unable to determine
				7,151			0 Not indicated
				1,282			1 Indicated
K5I	866	2	INDIC				N Nutri; none of above
				2,833			. Missing
				4,555			0 Not indicated
				3,836			1 Indicated

RIC: MD
Page: 54
Version: 1

Note: See DHTEFLOS in Ric2F

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 55
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
L1D	878	2	INDIC				N Dental; broken or loose teeth
				7,000			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,982			0 Not indicated
				238			1 Indicated
				Note: See DHBROKEN in Ric2F			
L1E	880	2	INDIC				N Dental; inflamed gums
				7,000			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,192			0 Not indicated
				28			1 Indicated
				Note: See DHINFGUM in Ric2F			
L1F	882	2	INDIC				N Dental; daily cleaning of teeth/dentures
				7,000			. Missing
				3			-3 Does not apply to this assessment
				49			0 Not indicated
				4,172			1 Indicated
L1G	884	2	INDIC				N Dental; none of above
				7,020			. Missing
				1			-3 Does not apply to this assessment
				4,186			0 Not indicated
				17			1 Indicated
M1A	886	2					N Skin; number of stage 1 ulcers
M1B	888	2					N Skin; number of stage 2 ulcers
M1C	890	2					N Skin; number of stage 3 ulcers
M1D	892	2					N Skin; number of stage 4 ulcers
M2A	894	2	ULCERSTA				N Skin; highest stage, pressure ulcer
				2,789			. Missing
				7,455			0 None
				207			1 Stage one
				492			2 Stage two
				137			3 Stage three
				144			4 Stage four
M2B	896	2	ULCERSTA				N Skin; highest stage, stasis ulcer
				2,789			. Missing
				8,281			0 None
				9			1 Stage one
				86			2 Stage two
				27			3 Stage three
				32			4 Stage four

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 56
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
M3	898	2	YESNO				N Skin; ulcer resolved in last 90 days
				6,965			. Missing
				3			-3 Does not apply to this assessment
				5			-1 Unable to determine
				3,769			0 No
				482			1 Yes
M4A	900	2	INDIC				N Skin; abrasions, bruises
				5,014			. Missing
				7			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,075			0 Not indicated
				1,127			1 Indicated
M4B	902	2	INDIC				N Skin; burns, 2nd or 3rd degree
				5,014			. Missing
				7			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,191			0 Not indicated
				11			1 Indicated
M4C	904	2	INDIC				N Skin; open lesions, not ulcer/rash/cut
				5,014			. Missing
				7			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,035			0 Not indicated
				167			1 Indicated
M4D	906	2	INDIC				N Skin; rashes
				5,014			. Missing
				7			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,520			0 Not indicated
				682			1 Indicated
M4E	908	2	INDIC				N Skin; desensitized to pain or pressure
				5,014			. Missing
				7			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,775			0 Not indicated
				427			1 Indicated
M4F	910	2	INDIC				N Skin; tears or cuts, other than surgery
				5,014			. Missing
				7			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,759			0 Not indicated
				443			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 57
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
M4G	912	2	INDIC				N Skin; surgical wounds
				5,014			. Missing
				7			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,799			0 Not indicated
				403			1 Indicated
M4H	914	2	INDIC				N Skin; none of above
				5,035			. Missing
				6			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,439			0 Not indicated
				3,743			1 Indicated
M5A	916	2	INDIC				N Skin; pressure rel device for chair
				5,003			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,833			0 Not indicated
				2,377			1 Indicated
M5B	918	2	INDIC				N Skin; pressure rel device for bed
				5,003			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,785			0 Not indicated
				3,425			1 Indicated
M5C	920	2	INDIC				N Skin; turning/repositioning program
				5,003			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,507			0 Not indicated
				2,703			1 Indicated
M5D	922	2	INDIC				N Skin; nutrition to manage skin prob
				5,003			. Missing
				10			-3 Does not apply to this assessment
				5,134			0 Not indicated
				1,077			1 Indicated
M5E	924	2	INDIC				N Skin; ulcer care
				5,003			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,444			0 Not indicated
				766			1 Indicated
M5F	926	2	INDIC				N Skin; surgical wound care
				5,003			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,872			0 Not indicated
				338			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 58
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
M5G	928	2	INDIC				N Skin; applic. of dressings, not feet
				5,003			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,156			0 Not indicated
				1,054			1 Indicated
M5H	930	2	INDIC				N Skin; applic. of ointment/med, not feet
				5,003			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,257			0 Not indicated
				1,953			1 Indicated
M5I	932	2	INDIC				N Skin; other preventative care, not feet
				5,003			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,137			0 Not indicated
				3,073			1 Indicated
M5J	934	2	INDIC				N Skin; none of above
				5,023			. Missing
				9			-3 Does not apply to this assessment
				5,290			0 Not indicated
				902			1 Indicated
M6A	936	2	INDIC				N Skin; foot, one or more problems
				5,000			. Missing
				10			-3 Does not apply to this assessment
				4,996			0 Not indicated
				1,218			1 Indicated
M6B	938	2	INDIC				N Skin; foot, infections
				5,000			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,151			0 Not indicated
				62			1 Indicated
M6C	940	2	INDIC				N Skin; foot, open lesions
				5,000			. Missing
				10			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,042			0 Not indicated
				170			1 Indicated
M6D	942	2	INDIC				N Skin; foot, nails/calluses trimmed
				5,000			. Missing
				10			-3 Does not apply to this assessment
				2,605			0 Not indicated
				3,609			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 59
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
M6E	944	2	INDIC				N Skin; foot, preventative care
				5,000			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,983			0 Not indicated
				1,230			1 Indicated
M6F	946	2	INDIC				N Skin; foot, application of dressings
				5,000			. Missing
				10			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,856			0 Not indicated
				356			1 Indicated
M6G	948	2	INDIC				N Skin; none of above
				5,020			. Missing
				9			-3 Does not apply to this assessment
				4,421			0 Not indicated
				1,774			1 Indicated
N1A	950	2	INDIC				N Act; awake in morning
				2,788			. Missing
				1			-1 Unable to determine
				1,247			0 Not indicated
				7,188			1 Indicated
N1B	952	2	INDIC				N Act; awake in afternoon
				2,788			. Missing
				1			-1 Unable to determine
				1,771			0 Not indicated
				6,664			1 Indicated
N1C	954	2	INDIC				N Act; awake in evening
				2,788			. Missing
				1			-1 Unable to determine
				3,543			0 Not indicated
				4,892			1 Indicated
N1D	956	2	INDIC				N Act; none of above
				2,788			. Missing
				1			-1 Unable to determine
				7,847			0 Not indicated
				588			1 Indicated
N2	958	2	AVRGTIME				N Act; average time involved
				2,789			. Missing
				31			-2 Item was left blank
				2			-1 Unable to determine
				337			0 Most - more than 2/3 time
				5,903			1 Some - from 1/3 to 2/3 time
				1,976			2 Little - less than 1/3 time
				186			3 None

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 60
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
N3A	960	2	INDIC				N Act; settings, own room
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				2			-1 Unable to determine
				492			0 Not indicated
				3,726			1 Indicated
N3B	962	2	INDIC				N Act; settings, day room
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				1,161			0 Not indicated
				3,058			1 Indicated
N3C	964	2	INDIC				N Act; settings, inside NH, off unit
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				2			-1 Unable to determine
				2,273			0 Not indicated
				1,945			1 Indicated
N3D	966	2	INDIC				N Act; settings, outside facility
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				2			-1 Unable to determine
				3,164			0 Not indicated
				1,054			1 Indicated
N3E	968	2	INDIC				N Act; settings, none of above
				7,008			. Missing
				1			-3 Does not apply to this assessment
				14			-2 Item was left blank
				1			-1 Unable to determine
				4,140			0 Not indicated
				60			1 Indicated
N4A	970	2	INDIC				N Act; pref, cards, other games
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				4			-1 Unable to determine
				2,491			0 Not indicated
				1,725			1 Indicated
N4B	972	2	INDIC				N Act; pref, crafts/arts
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				3			-1 Unable to determine
				3,284			0 Not indicated
				933			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 61
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
N4C	974	2	INDIC				N Act; pref, exercise/sports
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				3			-1 Unable to determine
				2,516			0 Not indicated
				1,701			1 Indicated
N4D	976	2	INDIC				N Act; pref, music
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				2			-1 Unable to determine
				551			0 Not indicated
				3,667			1 Indicated
N4E	978	2	INDIC				N Act; pref, reading/writing
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				3			-1 Unable to determine
				2,305			0 Not indicated
				1,912			1 Indicated
N4F	980	2	INDIC				N Act; pref, spiritual/religious activitie
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				3			-1 Unable to determine
				1,489			0 Not indicated
				2,728			1 Indicated
N4G	982	2	INDIC				N Act; pref, trips/shopping
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				3			-1 Unable to determine
				3,316			0 Not indicated
				901			1 Indicated
N4H	984	2	INDIC				N Act; pref, walking/wheelchair outdoors
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				3			-1 Unable to determine
				2,720			0 Not indicated
				1,497			1 Indicated
N4I	986	2	INDIC				N Act; pref, watching TV
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				3			-1 Unable to determine
				1,080			0 Not indicated
				3,137			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 62
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
N4J	988	2	INDIC				N Act; pref, gardening or plants
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				3			-1 Unable to determine
				3,621			0 Not indicated
				596			1 Indicated
N4K	990	2	INDIC				N Act; pref, talking or conversing
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				2			-1 Unable to determine
				897			0 Not indicated
				3,321			1 Indicated
N4L	992	2	INDIC				N Act; pref, helping others
				6,988			. Missing
				2			-3 Does not apply to this assessment
				14			-2 Item was left blank
				3			-1 Unable to determine
				3,723			0 Not indicated
				494			1 Indicated
N4M	994	2	INDIC				N Act; pref, none of above
				7,008			. Missing
				1			-3 Does not apply to this assessment
				14			-2 Item was left blank
				2			-1 Unable to determine
				4,137			0 Not indicated
				62			1 Indicated
N5A	996	2	ROUTINCH				N Act; pref, change in type activities
				6,989			. Missing
				3			-3 Does not apply to this assessment
				15			-2 Item was left blank
				7			-1 Unable to determine
				3,986			0 No change
				170			1 Slight change
				54			2 Major change
N5B	998	2	ROUTINCH				N Act; pref, change in extent involvement
				6,988			. Missing
				2			-3 Does not apply to this assessment
				15			-2 Item was left blank
				7			-1 Unable to determine
				3,948			0 No change
				209			1 Slight change
				55			2 Major change
O1	1000	2					N Rx; # of different med rec last 7

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 63
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
O2	1002	2	YESNO				N Rx; receiving med initiated, last 90
				6,989			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				1,683			0 No
				2,548			1 Yes
O3	1004	2	NUMDAY				N Rx; # of days injections rec, last 7
				5,007			. Missing
				9			-3 Does not apply to this assessment
				9			-1 Unable to determine
				6,199			0-7 Number of days
O4A	1006	2	NUMDAY				N Rx; # of days antipsychotic rec, last 7
				2,789			. Missing
				11			-1 Unable to determine
				8,424			0-7 Number of days
O4B	1008	2	NUMDAY				N Rx; # of days antianxiety rec, last 7
				2,789			. Missing
				12			-1 Unable to determine
				8,423			0-7 Number of days
O4C	1010	2	NUMDAY				N Rx; # of days antidepressant rec, last 7
				2,789			. Missing
				1			-1 Unable to determine
				8,434			0-7 Number of days
O4D	1012	2	NUMDAY				N Rx; # of days hypnotic rec, last 7
				2,789			. Missing
				12			-1 Unable to determine
				8,423			0-7 Number of days
O4E	1014	2	NUMDAY				N Rx; # of days diuretic rec, last 7
				2,789			. Missing
				4			-1 Unable to determine
				8,431			0-7 Number of days
P1AA	1016	2	INDIC				N Special; chemotherapy
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,161			0 Not indicated
				43			1 Indicated
P1AB	1018	2	INDIC				N Special; dialysis
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,152			0 Not indicated
				52			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 64
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P1AC	1020	2	INDIC				N Special; IV medication
				5,012			. Missing
				11			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,691			0 Not indicated
				508			1 Indicated
P1AD	1022	2	INDIC				N Special; intake/output
				5,009			. Missing
				10			-3 Does not apply to this assessment
				2			-1 Unable to determine
				4,718			0 Not indicated
				1,485			1 Indicated
P1AE	1024	2	INDIC				N Special; monitoring acute med condition
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,947			0 Not indicated
				1,257			1 Indicated
P1AF	1026	2	INDIC				N Special; ostomy care
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,900			0 Not indicated
				304			1 Indicated
P1AG	1028	2	INDIC				N Special; oxygen therapy
				5,009			. Missing
				10			-3 Does not apply to this assessment
				2			-1 Unable to determine
				5,501			0 Not indicated
				702			1 Indicated
P1AH	1030	2	INDIC				N Special; radiation
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,196			0 Not indicated
				8			1 Indicated
P1AI	1032	2	INDIC				N Special; suctioning
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,128			0 Not indicated
				76			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 65
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P1AJ	1034	2	INDIC				N Special; tracheostomy
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,187			0 Not indicated
				17			1 Indicated
P1AK	1036	2	INDIC				N Special; transfusions
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,149			0 Not indicated
				55			1 Indicated
P1AL	1038	2	INDIC				N Special; ventilator or respirator
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,192			0 Not indicated
				12			1 Indicated
P1AM	1040	2	INDIC				N Special; alcoholic/drug treatment
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,204			0 Not indicated
				0			1 Indicated
P1AN	1042	2	INDIC				N Special; alzheimers/dementia spec care
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,788			0 Not indicated
				416			1 Indicated
P1AO	1044	2	INDIC				N Special; hospice care
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,150			0 Not indicated
				54			1 Indicated
P1AP	1046	2	INDIC				N Special; pediatric unite
				5,012			. Missing
				11			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,200			0 Not indicated
				0			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 66
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P1AQ	1048	2	INDIC				N Special; respite care
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,203			0 Not indicated
				1			1 Indicated
P1AR	1050	2	INDIC				N Special; community skill training
				5,009			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				5,873			0 Not indicated
				331			1 Indicated
P1AS	1052	2	INDIC				N Special; none of above
				5,029			. Missing
				9			-3 Does not apply to this assessment
				1			-1 Unable to determine
				2,881			0 Not indicated
				3,304			1 Indicated
P1BAA	1054	2	NUMDAY				N Special; speech therapy days
				5,093			. Missing
				7			-3 Does not apply to this assessment
				7			-1 Unable to determine
				6,117			0-7 Number of days
P1BAB	1056	4	NUMMINS				N Special; speech therapy minutes
				5,000			. Missing
				10			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,212			0-9999 Number of minutes
P1BBA	1060	2	NUMDAY				N Special; occupational therapy days
				5,000			. Missing
				10			-3 Does not apply to this assessment
				6			-1 Unable to determine
				6,208			0-7 Number of days
P1BBB	1062	4	NUMMINS				N Special; occupational therapy minutes
				5,000			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,213			0-9999 Number of minutes
P1BCA	1066	2	NUMDAY				N Special; physical therapy days
				5,000			. Missing
				10			-3 Does not apply to this assessment
				6			-1 Unable to determine
				6,208			0-7 Number of days

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 67
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P1BCB	1068	4	NUMMINS				N Special; physical therapy minutes
				5,000			. Missing
				10			-3 Does not apply to this assessment
				1			-1 Unable to determine
				6,213			0-9999 Number of minutes
P1BDA	1072	2	NUMDAY				N Special; respiratory therapy days
				5,000			. Missing
				10			-3 Does not apply to this assessment
				8			-1 Unable to determine
				6,206			0-7 Number of days
P1BDB	1074	4	NUMMINS				N Special; respiratory therapy minutes
				5,000			. Missing
				10			-3 Does not apply to this assessment
				3			-1 Unable to determine
				6,211			0-9999 Number of minutes
P1BEA	1078	2	NUMDAY				N Special; psychological therapy days
				5,000			. Missing
				10			-3 Does not apply to this assessment
				8			-1 Unable to determine
				6,206			0-7 Number of days
P1BEB	1080	4	NUMMINS				N Special; psychological therapy minutes
				5,000			. Missing
				10			-3 Does not apply to this assessment
				3			-1 Unable to determine
				6,211			0-9999 Number of minutes
P2A	1084	2	INDIC				N Special; behavior symptom eval program
				6,988			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,932			0 Not indicated
				300			1 Indicated
P2B	1086	2	INDIC				N Special; mental health specialist eval
				6,988			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				3,734			0 Not indicated
				498			1 Indicated
P2C	1088	2	INDIC				N Special; group therapy
				6,988			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,218			0 Not indicated
				14			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 68
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P2D	1090	2	INDIC				N Special; deliberate environment changes
				6,988			. Missing
				3			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,149			0 Not indicated
				83			1 Indicated
P2E	1092	2	INDIC				N Special; reorientation
				6,988			. Missing
				3			-3 Does not apply to this assessment
				2,488			0 Not indicated
				1,745			1 Indicated
P2F	1094	2	INDIC				N Special; none of above
				7,008			. Missing
				1			-3 Does not apply to this assessment
				2,087			0 Not indicated
				2,128			1 Indicated
P3A	1096	2	NUMDAY				N Special; rehab, passive range of motion
				5,001			. Missing
				10			-3 Does not apply to this assessment
				11			-1 Unable to determine
				6,202			0-7 Number of days
P3B	1098	2	NUMDAY				N Special; rehab, active range of motion
				5,001			. Missing
				10			-3 Does not apply to this assessment
				11			-1 Unable to determine
				6,202			0-7 Number of days
P3C	1100	2	NUMDAY				N Special; rehab, splint or brace
				5,001			. Missing
				10			-3 Does not apply to this assessment
				11			-1 Unable to determine
				6,202			0-7 Number of days
P3D	1102	2	NUMDAY				N Special; practice, bed mobility
				5,001			. Missing
				10			-3 Does not apply to this assessment
				9			-1 Unable to determine
				6,204			0-7 Number of days
P3E	1104	2	NUMDAY				N Special; practice, transfer
				5,001			. Missing
				10			-3 Does not apply to this assessment
				5			-1 Unable to determine
				6,208			0-7 Number of days

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 69
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P3F	1106	2	NUMDAY				N Special; practice, walking
				5,001			. Missing
				10			-3 Does not apply to this assessment
				7			-1 Unable to determine
				6,206			0-7 Number of days
P3G	1108	2	NUMDAY				N Special; practice, dressing or grooming
				5,001			. Missing
				10			-3 Does not apply to this assessment
				2			-1 Unable to determine
				6,211			0-7 Number of days
P3H	1110	2	NUMDAY				N Special; practice, eating or swallowing
				5,001			. Missing
				10			-3 Does not apply to this assessment
				6			-1 Unable to determine
				6,207			0-7 Number of days
P3I	1112	2	NUMDAY				N Special; practice, ampu/prosthesis care
				5,001			. Missing
				10			-3 Does not apply to this assessment
				10			-1 Unable to determine
				6,203			0-7 Number of days
P3J	1114	2	NUMDAY				N Special; practice, communication
				5,001			. Missing
				10			-3 Does not apply to this assessment
				11			-1 Unable to determine
				6,202			0-7 Number of days
P3K	1116	2	NUMDAY				N Special; practice, other
				5,001			. Missing
				10			-3 Does not apply to this assessment
				12			-1 Unable to determine
				6,201			0-7 Number of days
P4A	1118	2	USED				N Special; devices, full bed rails
				2,789			. Missing
				5			-1 Unable to determine
				5,408			0 Not used
				37			1 Used less than daily
				2,985			2 Used daily
P4B	1120	2	USED				N Special; devices, other types of rails
				2,789			. Missing
				6			-1 Unable to determine
				5,978			0 Not used
				75			1 Used less than daily
				2,376			2 Used daily

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 70
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
P4C	1122	2	USED				N Special; devices, trunk restraint
				2,789			. Missing
				11			-1 Unable to determine
				7,992			0 Not used
				35			1 Used less than daily
				397			2 Used daily
P4D	1124	2	USED				N Special; devices, limb restraint
				2,789			. Missing
				11			-1 Unable to determine
				8,388			0 Not used
				13			1 Used less than daily
				23			2 Used daily
P4E	1126	2	USED				N Special; devices, chair prevents rising
				2,789			. Missing
				11			-1 Unable to determine
				7,900			0 Not used
				42			1 Used less than daily
				482			2 Used daily
P5	1128	2	NUMDAY2X				N Special; # overnight hospital stays
				6,989			. Missing
				2			-3 Does not apply to this assessment
				4,233			0-15 Number of days
P6	1130	2	NUMDAY2X				N Special; # emergency room visits
				6,908			. Missing
				6			-3 Does not apply to this assessment
				1			-1 Unable to determine
				4,309			0-15 Number of days
P7	1132	2	NUMDAY2X				N Special; # days physician examined
				5,008			. Missing
				10			-3 Does not apply to this assessment
				6,206			0-15 Number of days
P8	1134	2	NUMDAY2X				N Special; # days physician changed orders
				5,000			. Missing
				10			-3 Does not apply to this assessment
				6,214			0-15 Number of days
P9	1136	2	YESNO				N Special; abnormal lab value last 90 days
				6,989			. Missing
				3			-3 Does not apply to this assessment
				4			-1 Unable to determine
				1,385			0 No
				2,843			1 Yes

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 71
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
Q1A	1138	2	YESNO				N Status; expresses pref of discharge
				6,965			. Missing
				3			-3 Does not apply to this assessment
				6			-1 Unable to determine
				3,520			0 No
				730			1 Yes
Q1B	1140	2	YESNO				N Status; support person pos to discharge
				6,989			. Missing
				3			-3 Does not apply to this assessment
				4			-1 Unable to determine
				3,573			0 No
				655			1 Yes
Q1C	1142	2	DISCHARG				N Status; discharge projected
				6,965			. Missing
				3			-3 Does not apply to this assessment
				4			-1 Unable to determine
				3,465			0 No
				334			1 Within 30 days
				114			2 Within 31-90 days
				339			3 Discharge status uncertain
Q2	1144	2	CHANGE				N Status; overall care change last 90 days
				2,789			. Missing
				1			-1 Unable to determine
				6,939			0 No change
				300			1 Improved
				1,195			2 Deteriorated
R1A	1146	2	YESNO				N Discharge; assess resident particip
				6,990			. Missing
				2			-3 Does not apply to this assessment
				5			-1 Unable to determine
				597			0 No
				3,630			1 Yes
R1B	1148	2	YESNOFAM				N Discharge; assess, family particip
				6,990			. Missing
				2			-3 Does not apply to this assessment
				4			-1 Unable to determine
				2,482			0 No
				1,682			1 Yes
				64			2 No family
R1C	1150	2	YESNONON				N Discharge; assess, signif other particip
				6,990			. Missing
				2			-3 Does not apply to this assessment
				10			-1 Unable to determine
				2,639			0 No
				254			1 Yes
				1,329			2 None
R2B	1152	10					N Discharge; date RN assess complete

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 72
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
R3A	1162	2					N Discharge; code for resident disposition
R3B	1164	2					N Discharge; optional state code
R4	1166	10					N Discharge; date of discharge
T1AA	1176	2	NUMDAY				N Supp; recreation therapy days
				8,129			. Missing
				20			-3 Does not apply to this assessment
				97			-2 Item was left blank
				99			-1 Unable to determine
				2,879			0-7 Number of days
T1AB	1178	4	NUMMINS				N Supp; recreation therapy minutes
				8,100			. Missing
				41			-3 Does not apply to this assessment
				96			-2 Item was left blank
				84			-1 Unable to determine
				2,903			0-9999 Number of minutes
T1B	1182	2	YESNO				N Supp; PT, OT, ST ordered first 14 days
				7,738			. Missing
				16			-3 Does not apply to this assessment
				2,818			-2 Item was left blank
				13			-1 Unable to determine
				201			0 No
				438			1 Yes
T1C	1184	2	NUMDAY2X				N Supp; therapy days through day 15
				7,739			. Missing
				16			-3 Does not apply to this assessment
				3,002			-2 Item was left blank
				10			-1 Unable to determine
				457			0-15 Number of days
T1D	1186	4	NUMMINS				N Supp; total min therapy through day 15
				7,738			. Missing
				16			-3 Does not apply to this assessment
				3,002			-2 Item was left blank
				10			-1 Unable to determine
				458			0-9999 Number of minutes
T2A	1190	2	WALKDIST				N Supp; furthest distance walked
				7,763			. Missing
				17			-3 Does not apply to this assessment
				2,254			-2 Item was left blank
				143			-1 Unable to determine
				354			0 150+ feet
				241			1 51-149 feet
				153			2 26-50 feet
				142			3 10-25 feet
				157			4 Less than 25 feet

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 73
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
T2B	1192	2	WALKTIME				N Supp; time walked without sitting
				7,763			. Missing
				17			-3 Does not apply to this assessment
				2,250			-2 Item was left blank
				148			-1 Unable to determine
				336			0 1-2 minutes
				286			1 3-4 minutes
				288			2 5-10 minutes
				102			3 11-15 minutes
				23			4 16-30 minutes
				11			5 31+ minutes
T2C	1194	2	WALKASSI				N Supp; self-performance in walking
				7,763			. Missing
				17			-3 Does not apply to this assessment
				2,253			-2 Item was left blank
				147			-1 Unable to determine
				208			0 Independent
				165			1 Supervision
				423			2 Limited assistance
				248			3 Extensive assistance
T2D	1196	2	WALKSUPP				N Supp; walking support provided
				7,763			. Missing
				17			-3 Does not apply to this assessment
				2,248			-2 Item was left blank
				148			-1 Unable to determine
				228			0 No setup or physical help from staff
				138			1 Setup help only
				551			2 One person physical assist
				131			3 Two+ persons physical assist
T2E	1198	2	YESNO				N Supp; parallel bars used
				7,763			. Missing
				17			-3 Does not apply to this assessment
				2,211			-2 Item was left blank
				116			-1 Unable to determine
				1,062			0 No
				55			1 Yes
T3MDCR	1200	5					C Case mix group Medicare
T3STATE	1205	5					C Case mix group State

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 74
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U01RA	1210	2	ROUTE				N Drug 1; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				546			-2 Item was left blank
				1			-1 Unable to determine
				1,072			1 By mouth (PO)
				0			2 Sub lingual (SL)
				15			3 Intramuscular (IM)
				8			4 Intravenous (IV)
				21			5 Subcutaneous (SQ)
				8			6 Rectal (R)
				76			7 Topical
				34			8 Inhalation
				78			9 Enteral tube
				24			10 Other
U01FR	1212	2	\$FREQU				C Drug 1; frequency
				9,768			Missing
				119			&& Invalid entry, &&
				1			-- Invalid entry, --
				4			C Continuous
				7			O Other
				75			PR (PRN) As necessary
				10			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				847			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				11			1M (Q mo) Once each month
				5			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				206			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				8			2W Two times each week
				0			21 Invalid entry, 21
				81			3D (TID) Three times daily
				1			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				2			3W Three times each week
				52			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				4			4W Four times each week
				1			5D Five times daily
				3			5W Five times each week
				0			6D Invalid entry, 6D
				11			6H (Q6H) Every 6 hours
				0			6W Six times each week
				8			8H (Q8H) Every 8 hours
U01AA	1214	5	\$AMOUNT				C Drug 1; amount administered
				11,224			LOW-HIGH Amount administered

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 75
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U01PR	1219	2	PRNN				N Drug 1; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,804			-2 Item was left blank
				79			0-99 Number of doses
U01NDC	1221	9	\$NDCDRUG				C Drug 1; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code
U02RA	1230	2	ROUTE				N Drug 2; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				569			-2 Item was left blank
				1,045			1 By mouth (PO)
				0			2 Sub lingual (SL)
				9			3 Intramuscular (IM)
				6			4 Intravenous (IV)
				23			5 Subcutaneous (SQ)
				18			6 Rectal (R)
				86			7 Topical
				24			8 Inhalation
				78			9 Enteral tube
				25			10 Other

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 76
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U02FR	1232	2	\$FREQU				C Drug 2; frequency
				9,791			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				3			C Continuous
				2			O Other
				75			PR (PRN) As necessary
				19			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				791			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				8			1M (Q mo) Once each month
				7			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				211			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				9			2W Two times each week
				0			21 Invalid entry, 21
				114			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				6			3W Three times each week
				51			4D (QID) Four times daily
				1			4H (Q4H) Every 4 hours
				4			4W Four times each week
				1			5D Five times daily
				3			5W Five times each week
				0			6D Invalid entry, 6D
				3			6H (Q6H) Every 6 hours
				2			6W Six times each week
				4			8H (Q8H) Every 8 hours
U02AA	1234	5	\$AMOUNT				C Drug 2; amount administered
				11,224			LOW-HIGH Amount administered
U02PR	1239	2	PRNN				N Drug 2; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,803			-2 Item was left blank
				80			0-99 Number of doses
U02NDC	1241	9	\$NDCDRUG				C Drug 2; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 77
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U03RA	1250	2	ROUTE				N Drug 3; route of administration
				9,329			. Missing
				13			-3 Does not apply to this assessment
				609			-2 Item was left blank
				1,024			1 By mouth (PO)
				0			2 Sub lingual (SL)
				2			3 Intramuscular (IM)
				3			4 Intravenous (IV)
				16			5 Subcutaneous (SQ)
				10			6 Rectal (R)
				67			7 Topical
				39			8 Inhalation
				65			9 Enteral tube
				47			10 Other
U03FR	1252	2	\$FREQU				C Drug 3; frequency
				9,831			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				1			C Continuous
				5			O Other
				63			PR (PRN) As necessary
				21			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				772			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				1			1M (Q mo) Once each month
				5			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				232			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				9			2W Two times each week
				0			21 Invalid entry, 21
				93			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				11			3W Three times each week
				45			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				2			5D Five times daily
				1			5W Five times each week
				0			6D Invalid entry, 6D
				6			6H (Q6H) Every 6 hours
				3			6W Six times each week
				4			8H (Q8H) Every 8 hours
U03AA	1254	5	\$AMOUNT				C Drug 3; amount administered
				11,224			LOW-HIGH Amount administered

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 78
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U03PR	1259	2	PRNN				N Drug 3; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,816			-2 Item was left blank
				67			0-99 Number of doses
U03NDC	1261	9	\$NDCDRUG				C Drug 3; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code
U04RA	1270	2	ROUTE				N Drug 4; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				655			-2 Item was left blank
				932			1 By mouth (PO)
				1			2 Sub lingual (SL)
				4			3 Intramuscular (IM)
				7			4 Intravenous (IV)
				9			5 Subcutaneous (SQ)
				7			6 Rectal (R)
				121			7 Topical
				26			8 Inhalation
				78			9 Enteral tube
				43			10 Other

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 79
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U04FR	1272	2	\$FREQU				C Drug 4; frequency
				9,877			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				1			C Continuous
				7			O Other
				95			PR (PRN) As necessary
				23			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				621			1D (QD or HS) Once daily
				1			1H (QH) Every hour
				1			1M (Q mo) Once each month
				5			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				257			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				3			2W Two times each week
				0			21 Invalid entry, 21
				138			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				4			3W Three times each week
				44			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				2			5W Five times each week
				0			6D Invalid entry, 6D
				14			6H (Q6H) Every 6 hours
				3			6W Six times each week
				9			8H (Q8H) Every 8 hours
U04AA	1274	5	\$AMOUNT				C Drug 4; amount administered
				11,224			LOW-HIGH Amount administered
U04PR	1279	2	PRNN				N Drug 4; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,785			-2 Item was left blank
				98			0-99 Number of doses
U04NDC	1281	9	\$NDCDRUG				C Drug 4; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 80
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U05RA	1290	2	ROUTE				N Drug 5; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				718			-2 Item was left blank
				880			1 By mouth (PO)
				2			2 Sub lingual (SL)
				5			3 Intramuscular (IM)
				5			4 Intravenous (IV)
				21			5 Subcutaneous (SQ)
				16			6 Rectal (R)
				91			7 Topical
				17			8 Inhalation
				67			9 Enteral tube
				61			10 Other
U05FR	1292	2	\$FREQU				C Drug 5; frequency
				9,940			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				2			C Continuous
				8			O Other
				99			PR (PRN) As necessary
				33			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				1			00 Invalid entry, 00
				0			1 Invalid entry, One
				554			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				1			1M (Q mo) Once each month
				1			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				306			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				3			2W Two times each week
				0			21 Invalid entry, 21
				110			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				3			3W Three times each week
				32			4D (QID) Four times daily
				1			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				2			5W Five times each week
				0			6D Invalid entry, 6D
				4			6H (Q6H) Every 6 hours
				0			6W Six times each week
				5			8H (Q8H) Every 8 hours
U05AA	1294	5	\$AMOUNT				C Drug 5; amount administered
				11,224			LOW-HIGH Amount administered

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 81
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U05PR	1299	2	PRNN				N Drug 5; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,783			-2 Item was left blank
				100			0-99 Number of doses
U05NDC	1301	9	\$NDCDRUG				C Drug 5; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code
U06RA	1310	2	ROUTE				N Drug 6; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				810			-2 Item was left blank
				814			1 By mouth (PO)
				1			2 Sub lingual (SL)
				8			3 Intramuscular (IM)
				4			4 Intravenous (IV)
				18			5 Subcutaneous (SQ)
				19			6 Rectal (R)
				92			7 Topical
				41			8 Inhalation
				50			9 Enteral tube
				26			10 Other

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 82
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U06FR	1312	2	\$FREQU				C Drug 6; frequency
				10,033			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				1			C Continuous
				4			O Other
				116			PR (PRN) As necessary
				16			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				0			1 Invalid entry, One
				528			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				5			1M (Q mo) Once each month
				6			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				228			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				9			2W Two times each week
				0			21 Invalid entry, 21
				101			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				4			3W Three times each week
				39			4D (QID) Four times daily
				2			4H (Q4H) Every 4 hours
				2			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				2			6H (Q6H) Every 6 hours
				1			6W Six times each week
				8			8H (Q8H) Every 8 hours
U06AA	1314	5	\$AMOUNT				C Drug 6; amount administered
				11,224			LOW-HIGH Amount administered
U06PR	1319	2	PRNN				N Drug 6; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,766			-2 Item was left blank
				117			0-99 Number of doses
U06NDC	1321	9	\$NDCDRUG				C Drug 7; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 83
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U07RA	1330	2	ROUTE				N Drug 7; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				962			-2 Item was left blank
				681			1 By mouth (PO)
				1			2 Sub lingual (SL)
				7			3 Intramuscular (IM)
				8			4 Intravenous (IV)
				22			5 Subcutaneous (SQ)
				11			6 Rectal (R)
				74			7 Topical
				40			8 Inhalation
				44			9 Enteral tube
				33			10 Other
U07FR	1332	2	\$FREQU				C Drug 7; frequency
				10,184			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				2			C Continuous
				8			O Other
				115			PR (PRN) As necessary
				7			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				433			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				1			1M (Q mo) Once each month
				4			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				187			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				3			2W Two times each week
				0			21 Invalid entry, 21
				83			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				9			3W Three times each week
				52			4D (QID) Four times daily
				5			4H (Q4H) Every 4 hours
				2			4W Four times each week
				0			5D Five times daily
				2			5W Five times each week
				0			6D Invalid entry, 6D
				3			6H (Q6H) Every 6 hours
				1			6W Six times each week
				4			8H (Q8H) Every 8 hours
U07AA	1334	5	\$AMOUNT				C Drug 7; amount administered
				11,224			LOW-HIGH Amount administered

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 84
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U07PR	1339	2	PRNN				N Drug 7; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,766			-2 Item was left blank
				117			0-99 Number of doses
U07NDC	1341	9	\$NDCDRUG				C Drug 7; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code
U08RA	1350	2	ROUTE				N Drug 8; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,084			-2 Item was left blank
				586			1 By mouth (PO)
				0			2 Sub lingual (SL)
				2			3 Intramuscular (IM)
				3			4 Intravenous (IV)
				19			5 Subcutaneous (SQ)
				15			6 Rectal (R)
				87			7 Topical
				28			8 Inhalation
				43			9 Enteral tube
				16			10 Other

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 85
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U08FR	1352	2	\$FREQU				C Drug 8; frequency
				10,306			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				2			C Continuous
				5			O Other
				128			PR (PRN) As necessary
				6			Q0 Every other day
				0			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				361			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				3			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				156			2D (BID) Two times daily
				1			2H (Q2H) Every 2 hours
				0			2M Twice each month
				7			2W Two times each week
				0			21 Invalid entry, 21
				72			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				3			3W Three times each week
				32			4D (QID) Four times daily
				5			4H (Q4H) Every 4 hours
				2			4W Four times each week
				1			5D Five times daily
				2			5W Five times each week
				0			6D Invalid entry, 6D
				4			6H (Q6H) Every 6 hours
				3			6W Six times each week
				6			8H (Q8H) Every 8 hours
U08AA	1354	5	\$AMOUNT				C Drug 8; amount administered
				11,224			LOW-HIGH Amount administered
U08PR	1359	2	PRNN				N Drug 8; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,753			-2 Item was left blank
				130			0-99 Number of doses
U08NDC	1361	9	\$NDCDRUG				C Drug 8; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 86
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U09RA	1370	2	ROUTE				N Drug 9; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,218			-2 Item was left blank
				477			1 By mouth (PO)
				0			2 Sub lingual (SL)
				10			3 Intramuscular (IM)
				5			4 Intravenous (IV)
				23			5 Subcutaneous (SQ)
				17			6 Rectal (R)
				59			7 Topical
				24			8 Inhalation
				33			9 Enteral tube
				17			10 Other
U09FR	1372	2	\$FREQU				C Drug 9; frequency
				10,440			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				9			O Other
				121			PR (PRN) As necessary
				5			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				289			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				5			1M (Q mo) Once each month
				1			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				119			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				1			2W Two times each week
				0			21 Invalid entry, 21
				60			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				7			3W Three times each week
				26			4D (QID) Four times daily
				5			4H (Q4H) Every 4 hours
				1			4W Four times each week
				0			5D Five times daily
				4			5W Five times each week
				0			6D Invalid entry, 6D
				4			6H (Q6H) Every 6 hours
				3			6W Six times each week
				5			8H (Q8H) Every 8 hours
U09AA	1374	5	\$AMOUNT				C Drug 9; amount administered
				11,224			LOW-HIGH Amount administered

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 87
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U09PR	1379	2	PRNN				N Drug 9; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,760			-2 Item was left blank
				123			0-99 Number of doses
U09NDC	1381	9	\$NDCDRUG				C Drug 9; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code
U10RA	1390	2	ROUTE				N Drug 10; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,334			-2 Item was left blank
				355			1 By mouth (PO)
				1			2 Sub lingual (SL)
				7			3 Intramuscular (IM)
				3			4 Intravenous (IV)
				18			5 Subcutaneous (SQ)
				11			6 Rectal (R)
				92			7 Topical
				24			8 Inhalation
				26			9 Enteral tube
				12			10 Other

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 88
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U10FR	1392	2	\$FREQU				C Drug 10; frequency
				10,556			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				5			O Other
				106			PR (PRN) As necessary
				19			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				0			1 Invalid entry, One
				193			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				4			1M (Q mo) Once each month
				8			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				110			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				3			2M Twice each month
				7			2W Two times each week
				0			21 Invalid entry, 21
				60			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				2			3W Three times each week
				22			4D (QID) Four times daily
				1			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				4			6H (Q6H) Every 6 hours
				0			6W Six times each week
				5			8H (Q8H) Every 8 hours
U10AA	1394	5	\$AMOUNT				C Drug 10; amount administered
				11,224			LOW-HIGH Amount administered
U10PR	1399	2	PRNN				N Drug 10; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,775			-2 Item was left blank
				108			0-99 Number of doses
U10NDC	1401	9	\$NDCDRUG				C Drug 10; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 89
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U11RA	1410	2	ROUTE				N Drug 11; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,445			-2 Item was left blank
				291			1 By mouth (PO)
				1			2 Sub lingual (SL)
				8			3 Intramuscular (IM)
				2			4 Intravenous (IV)
				11			5 Subcutaneous (SQ)
				13			6 Rectal (R)
				53			7 Topical
				19			8 Inhalation
				24			9 Enteral tube
				16			10 Other
U11FR	1412	2	\$FREQU				C Drug 11; frequency
				10,667			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				5			O Other
				83			PR (PRN) As necessary
				6			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				184			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				4			1M (Q mo) Once each month
				3			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				80			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				2			2M Twice each month
				9			2W Two times each week
				0			21 Invalid entry, 21
				28			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				1			3W Three times each week
				26			4D (QID) Four times daily
				1			4H (Q4H) Every 4 hours
				1			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				2			6H (Q6H) Every 6 hours
				0			6W Six times each week
				3			8H (Q8H) Every 8 hours
U11AA	1414	5	\$AMOUNT				C Drug 11; amount administered
				11,224			LOW-HIGH Amount administered

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 90
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U11PR	1419	2	PRNN				N Drug 11; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,799			-2 Item was left blank
				84			0-99 Number of doses
U11NDC	1421	9	\$NDCDRUG				C Drug 11; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code
U12RA	1430	2	ROUTE				N Drug 12; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,556			-2 Item was left blank
				240			1 By mouth (PO)
				2			2 Sub lingual (SL)
				4			3 Intramuscular (IM)
				5			4 Intravenous (IV)
				5			5 Subcutaneous (SQ)
				2			6 Rectal (R)
				27			7 Topical
				7			8 Inhalation
				25			9 Enteral tube
				10			10 Other

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 91
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U12FR	1432	2	\$FREQU				C Drug 12; frequency
				10,778			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				1			C Continuous
				5			O Other
				46			PR (PRN) As necessary
				4			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				0			1 Invalid entry, One
				131			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				3			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				75			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				8			2W Two times each week
				0			21 Invalid entry, 21
				27			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				5			3W Three times each week
				12			4D (QID) Four times daily
				1			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				7			6H (Q6H) Every 6 hours
				0			6W Six times each week
				2			8H (Q8H) Every 8 hours
U12AA	1434	5	\$AMOUNT				C Drug 12; amount administered
				11,224			LOW-HIGH Amount administered
U12PR	1439	2	PRNN				N Drug 12; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,835			-2 Item was left blank
				48			0-99 Number of doses
U12NDC	1441	9	\$NDCDRUG				C Drug 12; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 92
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U13RA	1450	2	ROUTE				N Drug 13; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,647			-2 Item was left blank
				173			1 By mouth (PO)
				1			2 Sub lingual (SL)
				4			3 Intramuscular (IM)
				2			4 Intravenous (IV)
				6			5 Subcutaneous (SQ)
				1			6 Rectal (R)
				13			7 Topical
				11			8 Inhalation
				15			9 Enteral tube
				10			10 Other
U13FR	1452	2	\$FREQU				C Drug 13; frequency
				10,869			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				1			C Continuous
				2			O Other
				45			PR (PRN) As necessary
				1			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				121			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				2			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				27			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				1			2M Twice each month
				2			2W Two times each week
				0			21 Invalid entry, 21
				15			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				2			3W Three times each week
				14			4D (QID) Four times daily
				1			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				0			6H (Q6H) Every 6 hours
				0			6W Six times each week
				2			8H (Q8H) Every 8 hours
U13AA	1454	5	\$AMOUNT				C Drug 13; amount administered
				11,224			LOW-HIGH Amount administered

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 93
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U13PR	1459	2	PRNN				N Drug 13; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,838			-2 Item was left blank
				45			0-99 Number of doses
U13NDC	1461	9	\$NDCDRUG				C Drug 13; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code
U14RA	1470	2	ROUTE				N Drug 14; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,704			-2 Item was left blank
				126			1 By mouth (PO)
				0			2 Sub lingual (SL)
				0			3 Intramuscular (IM)
				2			4 Intravenous (IV)
				8			5 Subcutaneous (SQ)
				6			6 Rectal (R)
				17			7 Topical
				7			8 Inhalation
				9			9 Enteral tube
				4			10 Other

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 94
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U14FR	1472	2	\$FREQU				C Drug 14; frequency
				10,926			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				1			C Continuous
				4			O Other
				40			PR (PRN) As necessary
				1			Q0 Every other day
				0			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				83			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				24			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				0			2W Two times each week
				0			21 Invalid entry, 21
				12			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				6			3W Three times each week
				3			4D (QID) Four times daily
				1			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				1			6H (Q6H) Every 6 hours
				0			6W Six times each week
				3			8H (Q8H) Every 8 hours
U14AA	1474	5	\$AMOUNT				C Drug 14; amount administered
				11,224			LOW-HIGH Amount administered
U14PR	1479	2	PRNN				N Drug 14; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,843			-2 Item was left blank
				40			0-99 Number of doses
U14NDC	1481	9	\$NDCDRUG				C Drug 14; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 95
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U15RA	1490	2	ROUTE				N Drug 15; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,762			-2 Item was left blank
				70			1 By mouth (PO)
				0			2 Sub lingual (SL)
				3			3 Intramuscular (IM)
				3			4 Intravenous (IV)
				4			5 Subcutaneous (SQ)
				6			6 Rectal (R)
				9			7 Topical
				15			8 Inhalation
				9			9 Enteral tube
				2			10 Other
U15FR	1492	2	\$FREQU				C Drug 15; frequency
				10,984			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				1			O Other
				33			PR (PRN) As necessary
				1			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				44			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				2			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				20			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				2			2W Two times each week
				0			21 Invalid entry, 21
				11			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				2			3W Three times each week
				5			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				0			6H (Q6H) Every 6 hours
				0			6W Six times each week
				0			8H (Q8H) Every 8 hours
U15AA	1494	5	\$AMOUNT				C Drug 15; amount administered
				11,224			LOW-HIGH Amount administered

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 96
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U15PR	1499	2	PRNN				N Drug 15; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,850			-2 Item was left blank
				33			0-99 Number of doses
U15NDC	1501	9	\$NDCDRUG				C Drug 15; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code
U16RA	1510	2	ROUTE				N Drug 16; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,797			-2 Item was left blank
				70			1 By mouth (PO)
				0			2 Sub lingual (SL)
				0			3 Intramuscular (IM)
				0			4 Intravenous (IV)
				1			5 Subcutaneous (SQ)
				4			6 Rectal (R)
				3			7 Topical
				1			8 Inhalation
				5			9 Enteral tube
				2			10 Other

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 97
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U16FR	1512	2	\$FREQU				C Drug 16; frequency
				11,019			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				0			O Other
				20			PR (PRN) As necessary
				0			Q0 Every other day
				0			Q0 Invalid entry, Q0
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				37			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				18			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				0			2W Two times each week
				0			21 Invalid entry, 21
				3			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				2			3W Three times each week
				4			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				1			6H (Q6H) Every 6 hours
				0			6W Six times each week
				1			8H (Q8H) Every 8 hours
U16AA	1514	5	\$AMOUNT				C Drug 16; amount administered
				11,224			LOW-HIGH Amount administered
U16PR	1519	2	PRNN				N Drug 16; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,862			-2 Item was left blank
				21			0-99 Number of doses
U16NDC	1521	9	\$NDCDRUG				C Drug 16; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 98
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U17RA	1530	2	ROUTE				N Drug 17; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,824			-2 Item was left blank
				32			1 By mouth (PO)
				1			2 Sub lingual (SL)
				3			3 Intramuscular (IM)
				0			4 Intravenous (IV)
				2			5 Subcutaneous (SQ)
				0			6 Rectal (R)
				3			7 Topical
				13			8 Inhalation
				4			9 Enteral tube
				1			10 Other
U17FR	1532	2	\$FREQU				C Drug 17; frequency
				11,046			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				0			O Other
				10			PR (PRN) As necessary
				1			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			00 Invalid entry, 00
				0			00 Invalid entry, 00
				0			1 Invalid entry, One
				20			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				0			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				20			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				0			2W Two times each week
				0			21 Invalid entry, 21
				5			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				1			3W Three times each week
				2			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				0			6H (Q6H) Every 6 hours
				0			6W Six times each week
				0			8H (Q8H) Every 8 hours
U17AA	1534	5	\$AMOUNT				C Drug 17; amount administered
				11,224			LOW-HIGH Amount administered

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 99
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U17PR	1539	2	PRNN				N Drug 17; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,872			-2 Item was left blank
				11			0-99 Number of doses
U17NDC	1541	9	\$NDCDRUG				C Drug 17; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code
U18RA	1550	2	ROUTE				N Drug 18; route of administration
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,834			-2 Item was left blank
				36			1 By mouth (PO)
				0			2 Sub lingual (SL)
				1			3 Intramuscular (IM)
				2			4 Intravenous (IV)
				1			5 Subcutaneous (SQ)
				0			6 Rectal (R)
				2			7 Topical
				2			8 Inhalation
				5			9 Enteral tube
				0			10 Other

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 100
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
U18FR	1552	2	\$FREQU				C Drug 18; frequency
				11,056			Missing
				119			&& Invalid entry, &&
				0			-- Invalid entry, --
				0			C Continuous
				0			O Other
				7			PR (PRN) As necessary
				1			QO Every other day
				0			QO Invalid entry, QO
				0			Q4 Invalid entry, Q4
				0			OO Invalid entry, OO
				0			OO Invalid entry, OO
				0			1 Invalid entry, One
				16			1D (QD or HS) Once daily
				0			1H (QH) Every hour
				1			1M (Q mo) Once each month
				0			1W (Q week) Once each week
				0			1X Invalid entry, 1X
				0			12 Invalid entry, 12
				5			2D (BID) Two times daily
				0			2H (Q2H) Every 2 hours
				0			2M Twice each month
				1			2W Two times each week
				0			21 Invalid entry, 21
				14			3D (TID) Three times daily
				0			3H (Q3H) Every 3 hours
				0			3P Invalid entry, 3P
				0			3W Three times each week
				3			4D (QID) Four times daily
				0			4H (Q4H) Every 4 hours
				0			4W Four times each week
				0			5D Five times daily
				0			5W Five times each week
				0			6D Invalid entry, 6D
				1			6H (Q6H) Every 6 hours
				0			6W Six times each week
				0			8H (Q8H) Every 8 hours
U18AA	1554	5	\$AMOUNT				C Drug 18; amount administered
				11,224			LOW-HIGH Amount administered
U18PR	1559	2	PRNN				N Drug 18; PRN-number of doses
				9,328			. Missing
				13			-3 Does not apply to this assessment
				1,875			-2 Item was left blank
				8			0-99 Number of doses
U18NDC	1561	9	\$NDCDRUG				C Drug 18; National Drug Code (NDC)
				11,224			LOW-HIGH National Drug Code
VA01A	1570	2	INDIC				N Delirium, triggered
				8,296			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				2,111			0 Not indicated
				600			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 101
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA01B	1572	2	INDIC				N Delirium, care planning
				8,302			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				229			-1 Unable to determine
				2,221			0 Not indicated
				254			1 Indicated
VA02A	1574	2	INDIC				N Cognitive loss, triggered
				8,294			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				454			0 Not indicated
				2,259			1 Indicated
VA02B	1576	2	INDIC				N Cognitive loss, care planning
				8,298			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				57			-1 Unable to determine
				955			0 Not indicated
				1,696			1 Indicated
VA03A	1578	2	INDIC				N Visual function, triggered
				8,299			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				8			-1 Unable to determine
				1,334			0 Not indicated
				1,369			1 Indicated
VA03B	1580	2	INDIC				N Visual function, care planning
				8,301			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				150			-1 Unable to determine
				1,726			0 Not indicated
				829			1 Indicated
VA04A	1582	2	INDIC				N Communication, triggered
				8,295			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				789			0 Not indicated
				1,923			1 Indicated
VA04B	1584	2	INDIC				N Communication, care planning
				8,299			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				67			-1 Unable to determine
				1,265			0 Not indicated
				1,375			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 102
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA05A	1586	2	INDIC				N ADL funct/Rehab potential, triggered
				8,295			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				38			0 Not indicated
				2,674			1 Indicated
VA05B	1588	2	INDIC				N ADL funct/Rehab potential, care planning
				8,297			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				25			-1 Unable to determine
				522			0 Not indicated
				2,162			1 Indicated
VA06A	1590	2	INDIC				N Urinary incontinence, triggered
				8,295			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				630			0 Not indicated
				2,082			1 Indicated
VA06B	1592	2	INDIC				N Urinary incontinence, care planning
				8,298			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				72			-1 Unable to determine
				1,037			0 Not indicated
				1,599			1 Indicated
VA07A	1594	2	INDIC				N Psychosocial well-being, triggered
				8,295			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				1,838			0 Not indicated
				874			1 Indicated
VA07B	1596	2	INDIC				N Psychosocial well-being, care planning
				8,302			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				201			-1 Unable to determine
				1,910			0 Not indicated
				593			1 Indicated
VA08A	1598	2	INDIC				N Mood state, triggered
				8,294			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				4			-1 Unable to determine
				1,432			0 Not indicated
				1,280			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 103
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA08B	1600	2	INDIC				N Mood state, care planning
				8,301			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				162			-1 Unable to determine
				1,546			0 Not indicated
				997			1 Indicated
VA09A	1602	2	INDIC				N Behavioral symptoms, triggered
				8,295			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				1,702			0 Not indicated
				1,010			1 Indicated
VA09B	1604	2	INDIC				N Behavioral symptoms, care planning
				8,299			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				151			-1 Unable to determine
				1,745			0 Not indicated
				811			1 Indicated
VA10A	1606	2	INDIC				N Activities, triggered
				8,294			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				1,760			0 Not indicated
				953			1 Indicated
VA10B	1608	2	INDIC				N Activities, care planning
				8,300			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				163			-1 Unable to determine
				1,809			0 Not indicated
				734			1 Indicated
VA11A	1610	2	INDIC				N Falls, triggered
				8,296			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				999			0 Not indicated
				1,712			1 Indicated
VA11B	1612	2	INDIC				N Falls, care planning
				8,299			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				104			-1 Unable to determine
				1,262			0 Not indicated
				1,341			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 104
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA12A	1614	2	INDIC				N Nutritional status, triggered
				8,296			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				498			0 Not indicated
				2,213			1 Indicated
VA12B	1616	2	INDIC				N Nutritional status, care planning
				8,298			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				57			-1 Unable to determine
				945			0 Not indicated
				1,706			1 Indicated
VA13A	1618	2	INDIC				N Feeding tubes, triggered
				8,296			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				2,440			0 Not indicated
				271			1 Indicated
VA13B	1620	2	INDIC				N Feeding tubes, care planning
				8,304			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				239			-1 Unable to determine
				2,242			0 Not indicated
				221			1 Indicated
VA14A	1622	2	INDIC				N Dehydration/Fluid mainten, triggered
				8,300			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				1,196			0 Not indicated
				1,511			1 Indicated
VA14B	1624	2	INDIC				N Dehydration/Fluid mainten, care planning
				8,303			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				110			-1 Unable to determine
				1,566			0 Not indicated
				1,027			1 Indicated
VA15A	1626	2	INDIC				N Dental care, triggered
				8,296			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				1,703			0 Not indicated
				1,008			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 105
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VA15B	1628	2	INDIC				N Dental care, care planning
				8,302			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				151			-1 Unable to determine
				1,980			0 Not indicated
				573			1 Indicated
VA16A	1630	2	INDIC				N Pressure ulcers, triggered
				8,295			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				566			0 Not indicated
				2,146			1 Indicated
VA16B	1632	2	INDIC				N Pressure ulcers, care planning
				8,297			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				63			-1 Unable to determine
				1,036			0 Not indicated
				1,610			1 Indicated
VA17A	1634	2	INDIC				N Psychotropic drug use, triggered
				8,294			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				1,491			0 Not indicated
				1,222			1 Indicated
VA17B	1636	2	INDIC				N Psychotropic drug use, care planning
				8,303			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				169			-1 Unable to determine
				1,559			0 Not indicated
				975			1 Indicated
VA18A	1638	2	INDIC				N Physical restraints, triggered
				8,296			. Missing
				198			-3 Does not apply to this assessment
				16			-2 Item was left blank
				3			-1 Unable to determine
				2,448			0 Not indicated
				263			1 Indicated
VA18B	1640	2	INDIC				N Physical restraints, care planning
				8,302			. Missing
				199			-3 Does not apply to this assessment
				19			-2 Item was left blank
				231			-1 Unable to determine
				2,262			0 Not indicated
				211			1 Indicated

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 106
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
VB2	16	42	10				N Signature date, RAP assessment
VB4	16	52	10				N Signature date, care planning
STATE_CD	16	62	2				C FU-STATE-ID
RESIDENT	16	64	7				N FU-RES-INT-ID
ASMNT_IN	16	71	7				N FU-MDS-ASMT-INT-ID
FACILITY	16	78	7				N FU-FAC-INT-ID
SUBMISSO	16	85	10				N FU-SUBMISSION-DATE
SUBMISSI	16	95	6				N FU-MDS-SUBM-SEQ-NBR
EFFECTIV	17	01	10				N FU-EFFECTIVE-DATE
TARGET_D	17	11	10				N FU-TARGET-DATE
ORIG_ASM	17	21	7				N FU-ORIG-ASMT-INT-ID
ASMNT_MO	17	28	1				C FU-AST-MOD-IND
ASMNT_CO	17	29	2				N FU-AST-CORR-VER
ASMNT_BE	17	31	10				N FU-AST-BEG-VER-DT
ASMNT_EN	17	41	10				N FU-AST-END-VER-DT
CARE_LCK	17	51	10				N FU-CARE-LOCK
P_REC_DT	17	61	10				N FU-P-REC-DT
VCODE1	17	71	5				C FU-VCODE1
VCODE2	17	76	5				C FU-VCODE2
SFTW_ID	17	81	9				C FU-SFTW-ID
SFT_VER	17	90	5				C FU-SFT-VER
RES_MATC	17	95	2				N FU-RES-MATCH-CRITERIA
MCR_GP	17	97	3				C FU-MCR-GP
CREATED_	18	00	10				N FU-CREATED-DATE
UPDATED_	18	10	10				N FU-UPDATED-DATE
MCR_VR	18	20	2				C FU-MCR-VR
MCR_CMI	18	22	12				N FU-MCR-CMI
RES_CHG_	18	34	10				N FU-RES-CHG-YIMESTAMP
MCR_SET_	18	44	3				C FU-MCR-SET-CODE
MCD_GP	18	47	3				C FU-MCD-GP
MCD_VR	18	50	2				C FU-MCD-VR

08/25/04
MDS
1998

MEDICARE CURRENT BENEFICIARY SURVEY
Minimum Data Set

RIC: MD
Page: 107
Version: 1

Variable	Col	Len	Format	Frequency	ComQues#	FacQues#	Variable Type & Label
MCD_CMI	1852	12					N FU-MCD-CMI
MCD_SET_	1864	3					C FU-MCD-SET-CODE
SUBREQ	1867	1					C FU-SUBMISSION-REQUIREMENT
PREPARDT	1868	10					N FU-STATE-PREPARED-DATE
CPS	1878	1					C FU-COGNITIVE-PERFORMACE-SCALE
BARTHEL	1879	2					N FU-BARTHEL-INDEX
SORTFLAG	1881	2					C FU-SORT-FLAG
CRITERIA	1883	1					C FU-CRITERIA
DOB	1884	10					N FU-DOB
GENDER	1894	2					N FU-GENDER
DEATH_DA	1896	10					N FU-DEATH-DA
MAT_RES	1906	1					C FU-MAT-RES
COUNTY	1907	3					C FU-COUNTY
MAT_FAC	1910	1					C FU-MAT-FAC
R_TARGET	1911	10					N FU-R-TARGET
ABLIMP	1921	10					N FU-ABLIMP
RSRTFLAG	1931	1					C FU-RSRTFLAG
LSTTRANS	1932	1					C FU-LSTTRANS
LSTFULL	1933	1					C FU-LSTFULL
FACCHG	1934	1					C FU-FACCHG
LSTTRNDT	1935	10					N FU-LSTTRNDT
LSTDISDT	1945	10					N FU-LSTDISDT