

The Centers for Medicare & Medicaid Services' Office of Research, Development, and Information (ORDI) strives to make information available to all. Nevertheless, portions of our files including charts, tables, and graphics may be difficult to read using assistive technology.

Persons with disabilities experiencing problems accessing portions of any file should contact ORDI through email at ORDI_508_Compliance@cms.hhs.gov.

Medicare Current Beneficiary Survey

Section Specifications for PMS R58 2010

PRESCRIBED MEDICINE SUMMARY

Created on 10/1/2010 4:23:24 PM

BOX PMS1

BOX INSTRUCTIONS

IF SP REPORTED PRESCRIPTION MEDICINE PURCHASES IN THE PREVIOUS ROUND,
GO TO PMSINTRA - PMSINTA.

ELSE GO TO BOX PMS12.

PMSINTRA

No Entry

QUESTION TEXT

During the last interview, we recorded the names of medicines that [you/(SP)] had obtained between (SUMMARY REFERENCE DATE) and (REFERENCE DATE).

[HAND PM SUMMARY PAGE TO RESPONDENT.]

You may want to refer to the medicine names to help you recall any medicines that [you/(SP)] may have obtained since that time, including any refills of these medicines.

FIELD 1: PMSINTA

FIELD 1 ROUTING

Value	Label	Route
1	CONTINUE	PMSINTRB - PMSUPDATE
	Empty	PMSINTRB - PMSUPDATE

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

PMSINTRB

Code 1

QUESTION TEXT

REFER TO SUMMARY PAGE FOR PRESCRIBED MEDICINES TO REVIEW PREVIOUS ROUND UTILIZATION.

CODE WITHOUT ASKING:

FIELD 1: PMSUPDATE

FIELD 1 ROUTING

Value	Label	Route
1	NO CHANGES APPEAR TO BE NECESSARY	BOX PMS12
2	NEED TO ADD A MEDICINE NAME	PMS2 - MEDICINE_PMSADD
3	NEED TO CORRECT A MEDICINE NAME	PMS3 - MEDICINE_PMSEDIT
4	NEED TO DROP A MEDICINE	PMS4 - MEDICINE_PMSDELETE

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

PMS2

Roster

QUESTION TEXT

What is the name of the medicine that needs to be added?

ADD ALL MEDICINES AT THIS ROSTER.
CHECK STATEMENT OR MEDICINE BOTTLE FOR SPELLING.
INCLUDE STRENGTH WITH NAME.

FIELD 1: MEDICINE PMSADD

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	PMS6A - GETNUM

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

OTHER PROGRAMMING INSTRUCTIONS

ROSTER/GRID INSTRUCTIONS

Display all Prescription Medicine events where:

EVNT.EVNTDFLG ^=1/Yes, and
EVNT.EVNTTYPE='PM'.

Display in alphabetical order.

Display all prescription medicines that were reported in the previous round that have number of purchases >0 or equal to DK or RF as protected rows.

Display all remaining prescription medicines as active rows.

ROSTER/GRID DISPLAY

Column #	Header	Instructions
1	Medicine	Display name of prescribed medicine, EVNT.PMEDNAME.
2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM

EVNT.EVNTNUM = Number of PM event selected.

If Prescription Medicine added at Prescription Medicine Roster, see PRESCRIPTION MEDICINE ROSTER POP-UP specifications for pop-up window programming instructions.

Variables populated at the Prescription Medicine Roster:

EVNT.EVNTNUM	Event number
EVNT.EVNTRNDC	Round number
EVNT.EVNTTYPE	PM
EVNT.PMEDNAME	Prescription Medicine name
EVNT.PMSTRUNI	Prescription Medicine strength text field
EVNT.EVNTPROV	02
BASE.LASTEVT	Highest EVNT.EVNTNUM

If Prescription Medicine added at PMS2, set EVNT.EVUTSFLG = 1/Yes to flag that PM event was added in PMS section. See instruction below.

For all Prescription Medicines selected, create a previous round PMRO. Note: a previous round PMRO may already exist for a Prescription Medicine event if it has already been selected earlier in the interview or if previous round PMRO.GETNUM = 0.

PMRO key = PMRO.PMROBASE + PMRO.PMROEVNT + PMRO.PMRORND

PMRO.PMROEVNT = EVNT.EVNTNUM of PM event selected.

PMRO.PMRORND = previous round.

If Prescription Medicine selected that has it's previous round "PMRO DELETE" flag =1/Yes, update flag = empty.

See additional instructions below.

Variable Name	Assignment Instructions
PMROEVNT	PMRO.PMROEVNT = EVNT.EVNTNUM of prescription medicine selected.
PMRORND	PMRO.PMRORND = previous round.
PMROTYPE	PMRO.PMROTYPE = PM.
PMRODFLG	If PMRO.PMRODFLG=1/Yes, update PMRO.PMRODFLG=empty.
EVUTSFLG	If PM Event added at PMS2, set EVNT.EVUTSFLG = 1/Yes.

PMS3

Roster

QUESTION TEXT

EDIT ALL MEDICINES AT THIS ROSTER.

What is the name of the medicine that needs to be edited?

FIELD 1: MEDICINE PMSEDT

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	PMSINTRB - PMSUPDATE

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

OTHER PROGRAMMING INSTRUCTIONS

ROSTER/GRID INSTRUCTIONS

Display all prescription medicines that were reported in the previous round that have number of purchases >0 or equal to DK or RF.

Display in alphabetical order.

SELECTION FROM THIS ROSTER IS NOT REQUIRED.

ROSTER/GRID DISPLAY

Column #	Header	Instructions
1	Medicine Name	Display name of prescribed medicine, EVNT.PMEDNAME
2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM

EVNT.EVNTNUM = Number of PM event selected.

DESIGN NOTES

The only purpose of PMS3 is to allow editing of prescribed medicine names. We will not collect details for PMs selected at PMS3.

PMS4

Roster

QUESTION TEXT

What is the name of the medicine that needs to be deleted?

SELECT ALL MEDICINES FOR DELETION AT THIS ROSTER.

FIELD 1: MEDICINE PMSDELETE

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	PMSINTRB - PMSUPDATE

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

OTHER PROGRAMMING INSTRUCTIONS

ROSTER/GRID INSTRUCTIONS

Display all prescription medicines that were reported in the previous round that have number of purchases >0 or equal to DK or RF.

Display in alphabetical order.

ROSTER/GRID DISPLAY

Column #	Header	Instructions
1	Medicine Name	Display prescription medicine name, EVNT.PMEDNAME.
2	Strength	Display prescription medicine strength text field, EVNT.PMSTRUNI.

BACKGROUND VARIABLE ASSIGNMENTS

Roster details will be collected on EVNT:

EVNT key = EVNT.EVNTBASE + EVNT.EVNTNUM

EVNT.EVNTNUM = Number of PM event selected.

The purpose of PMS4 is to delete a specific round's purchases of a medicine, not the entire medicine. For each PM selected, set "PMRO DELETED" flag on the previous round PMRO. See detailed instructions below.

However, if there are no other purchases reported for this PM in any other round, set the "PM EVENT DELETED" flag on the PM EVNT record. Since not all PMROs linked to an EVNT are sent out with the case, a flag is set on EVNT that indicates if there are PMROs linked to the EVNT that are not with the case at this time. See detailed instructions below.

Variable Name	Assignment Instructions
PMRODFLG	If PM selected, set PMRO.PMRODFLG=1/Yes on previous round PMRO.
EVNTDFLG	If PM selected, and (there are no other PMROs linked to this PM EVNT where PMRO.PMRODFLG = empty) and (EVNT.PREVPYRO=empty), set EVNT.EVNTDFLG=1/Yes.

PMS6A

Grid

QUESTION TEXT

IF ALL MEDICINES ARE NOT LISTED, USE "PREVIOUS PAGE" AND ADD THE MEDICINE TO THE ROSTER. REFER TO STATEMENTS OR RECEIPTS, IF AVAILABLE.

How many times between (SUMMARY REFERENCE DATE) and (REFERENCE DATE) did [you/(SP)] obtain (MEDICINE NAME)?

FIELD 1: GETNUM

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX PMS3
	Don't Know	BOX PMS3
	Refused	BOX PMS3

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.GETNUM	1

OTHER PROGRAMMING INSTRUCTIONS

ROSTER/GRID INSTRUCTIONS

Display all PMs selected at PMS2 that do not already have previous round PMRO.GETNUM > 0, DK or RF.

Display in order of entry.

ROSTER/GRID DISPLAY

Column #	Header	Instructions
1	Medicine Name	Display the name and strength of the medicine, EVNT.PMEDNAME + ' ' + EVNT.PMSTRUNI. Display only.
2	# Purchases	PMRO.GETNUM. Input column 1.

BACKGROUND VARIABLE ASSIGNMENTS

For each PM where GETNUM is collected in PMS, set flag that PM collected in PMS. See instructions below.

Variable Name	Assignment Instructions
PMSUMFLG	If PMS6A - GETNUM ^= empty, set PMRO.PMSUMFLG = 1/Yes on PMRO where PMRO.PMRORND = previous round.

BOX PMS3

BOX INSTRUCTIONS

IF AT LEAST ONE PRESCRIPTION MEDICINE DISPLAYED AT PMS6A HAS NUMBER OF PURCHASES > 0 OR EQUAL TO DK OR RF IN THE PREVIOUS ROUND, GO TO PMS6A_IN - NAVIGATOR.

ELSE GO TO PMSINTRB - PMSUPDATE.

OTHER PROGRAMMING INSTRUCTIONS

DESIGN NOTES

BOX PMS4 through BOX PMS11 only asks about PMs displayed at PMS6A that have previous round PMRO.GETNUM > 0 or equal to DK, RF. We do not collect PM details for PMs where number of purchases = 0.

If all PMs displayed at PMS6A have PMS6A - GETNUM = 0, BOX PMS3 is routed to PMSINTRB to probe for more updates. Else BOX PMS3 is routed to Instance Navigator to collect PM details.

PMS6A_IN

Instance Navigator

FIELD 1: NAVIGATOR**FIELD 1 ROUTING**

Value	Label	Route
1	ITEM SELECTED IN INSTANCE NAVIGATOR	BOX PMS4
2	CONTINUE INTERVIEW SELECTED	PMSINTRB - PMSUPDATE

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
N/A	1

BOX PMS4

BOX INSTRUCTIONS

IF SP USED V.A. FACILITIES IN THE PREVIOUS ROUND, GO TO PMS6A1 - PMSATVA.

ELSE GO TO BOX PMS6.

OTHER PROGRAMMING INSTRUCTIONS

DESIGN NOTES

BEGIN LOOP:

BOX PMS4 through BOX PMS11 ask previous round PM details for PMs displayed at PMS6A that have number of purchases > 0, DK or RF.

PMS6A1

Yes/No

QUESTION TEXT

Did [you/(SP)] obtain (this purchase/any of these purchases) of (MEDICINE NAME) through the Department of Veterans Affairs or V.A.?

FIELD 1: PMSATVA**FIELD 1 ROUTING**

Value	Label	Route
1	YES	BOX PMS6
2	NO	BOX PMS6
	Don't Know	BOX PMS6
	Refused	BOX PMS6

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.PMSATVA	1

BOX PMS6

BOX INSTRUCTIONS

IF SP COVERED BY A MEDICARE MANAGED CARE PLAN OR PRIVATE MANAGED CARE PLAN ANYTIME DURING THE PREVIOUS ROUND, GO TO PMS6B - PMSATHMO.

ELSE GO TO PMSINTB1 - PMSINTB.

PMS6B

Yes/No

QUESTION TEXT

Did [you/(SP)] obtain (this purchase/any of these purchases) of (MEDICINE NAME) at [READ MANAGED CARE PLAN NAME(S) BELOW] or through a service or discount offered through [READ MANAGED CARE PLAN NAME(S) BELOW]?

[PROBE: This could include obtaining the purchases at a plan pharmacy; at a pharmacy that honors [your/(SP's)] plan card; or through a mail order service that the managed care plan referred [you/(SP)] to.]

FIELD 1: PMSATHMO

FIELD 1 ROUTING

Value	Label	Route
1	YES	PMSINTB1 - PMSINTB
2	NO	PMSINTB1 - PMSINTB
	Don't Know	PMSINTB1 - PMSINTB
	Refused	PMSINTB1 - PMSINTB

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.PMSATHMO	1

OTHER PROGRAMMING INSTRUCTIONS

REPORT DISPLAY

Display all Medicare managed care plans and Private managed care plans SP was covered by anytime during the previous round.

Display managed care plan name(s) below question text.

Display plans in the following order: Medicare Managed Care plans, Private Managed Care plans.

If there is more than one plan for any specific plan type, display in order of entry.

Column 1, header = "MANAGED CARE PLANS AS OF (REFERENCE DATE)"

Column 1, display = Health insurance plan name "(PLAN NAME) Managed Care Plan".

PMSINTB1

No Entry

QUESTION TEXT

[ASK R TO GET BOTTLES AND/OR STATEMENTS IF YOU HAVE NOT ALREADY DONE SO.]

Now I need to ask you a few questions about the (MEDICINE NAME).

FIELD 1: PMSINTB**FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	BOX PMS8
	Empty	BOX PMS8

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

BOX PMS8

BOX INSTRUCTIONS

GO TO PMS8 - PMBOTTLE.

PMS8

Yes/No

QUESTION TEXT

CODE "YES" WITHOUT ASKING IF STATEMENT, RECEIPT, BOTTLE OR BAG IS PRESENT.

Do you have the medicine bottle, container, or bag available?

IF R DOES NOT HAVE BOTTLE, PROBE TO DETERMINE IF R CAN ANSWER QUESTIONS ABOUT THE FORM, STRENGTH, AND QUANTITY OF THE MEDICINE.

FIELD 1: PMBOTTLE

FIELD 1 ROUTING

Value	Label	Route
1	YES	PMSINTRC - PMSINTC
2	NO	BOX PMS11
3	NO BUT R CAN ANSWER QUESTIONS	PMS9 - PMFORM
	Don't Know	BOX PMS11
	Refused	BOX PMS11

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.PMBOTTLE	1

PMSINTRC

No Entry

QUESTION TEXT

COMPLETE PMS9 -- PMS16 USING INFORMATION FROM STATEMENT, RECEIPT, MEDICINE BOTTLE OR CONTAINER. IF THERE IS MORE THAN ONE FOR THE SAME MEDICINE, USE THE MOST RECENT CONTAINER.

FIELD 1: PMSINTC**FIELD 1 ROUTING**

Value	Label	Route
1	CONTINUE	PMS9 - PMFORM
	Empty	PMS9 - PMFORM

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
TEMP	1

PMS9

Code 1

QUESTION TEXT

IN WHAT FORM WAS THE MEDICINE?

FIELD 1: PMFORM

FIELD 1 ROUTING

Value	Label	Route
1	PILLS (TABLETS, CAPSULES)	PMS10 - STRNUNIT96
2	LIQUID (TO BE TAKEN ORALLY)	PMS10 - STRNUNIT96
3	DROPS (EYE/EAR/NOSE)	PMS10 - STRNUNIT96
4	OINTMENT, CREAM, LOTION (TOPICAL OR INTERNAL)	PMS10 - STRNUNIT96
5	SUPPOSITORIES	PMS10 - STRNUNIT96
6	AEROSOL/SPRAY, INHALANT, SOLUTIONS, DISKUS	PMS10 - STRNUNIT96
7	SHAMPOO, SOAP	PMS10 - STRNUNIT96
8	INJECTION	PMS10 - STRNUNIT96
9	IV INJECTION	PMS10 - STRNUNIT96
10	PATCHES	PMS10 - STRNUNIT96
11	GEL OR JELLY (TOPICAL OR INTERNAL)	PMS10 - STRNUNIT96
12	POWDER, GRANULES	PMS10 - STRNUNIT96
91	OTHER	PMS9 - PMFORMOS
	Don't Know	BOX PMS9

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.PMFORM	1

FIELD 2: PMFORMOS

OTHER (SPECIFY)

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	PMS10 - STRNUNIT96

FIELD 2 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.PMFORMOS	1

PMS10

Quantity Unit

QUESTION TEXT

WHAT WAS THE STRENGTH OF [EACH PILL/EACH PATCH/EACH SUPPOSITORY/THE (MEDICINE FORM)]?

IF COMPOUND/MORE THAN ONE MEDICINE COMBINED: CHECK BOX BELOW AND THEN ENTER THE STRENGTH OF THE 1ST MEDICINE IN COMPOUND.

FIELD 1: STRNUNIT96

FIELD 1 ROUTING

Value	Label	Route
1	COMPOUND/MORE THAN ONE MEDICINE COMBINED	PMS10 - STRNUNIT
	Empty	PMS10 - STRNUNIT

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
NONE REPLACES THE FOLLOWING CHESHIRE VALUE: If STRNUNIT96 = 1/Compound, set PMRO.STRNUNIT = 96/Compound.	1

FIELD 2: STRNUNIT

FIELD 2 ROUTING

Value	Label	Route
1	MICROGRAMS (mcg, mc)	PMS10 - STRNNUM
2	MILLIGRAMS (mg)	PMS10 - STRNNUM

Value	Label	Route
3	GRAINS (gr)	PMS10 - STRNNUM
4	MILLIEQUIVALENTS (meq)	PMS10 - STRNNUM
5	GRAMS (g, gm)	PMS10 - STRNNUM
6	PERCENT (%)	PMS10 - STRNPER
7	INTERNATIONAL UNITS (IU)	PMS10 - STRNNUM
8	UNITS (U)	PMS10 - STRNNUM
91	OTHER	PMS10 - STRNUNOS
96	COMPOUND/MORE THAN ONE MEDICINE COMBINED	DO NOT DISPLAY.
	Don't Know	BOX PMS8A

FIELD 2 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.STRNUNIT	1

FIELD 3: STRNUNOS

OTHER (SPECIFY)

FIELD 3 ROUTING

Value	Label	Route
1	[Continuous answer.]	PMS10 - STRNNUM

FIELD 3 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.STRNUNOS	1

FIELD 4: STRNNUM**FIELD 4 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX PMS8A
	Don't Know	BOX PMS8A

FIELD 4 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.STRNNUM	1

FIELD 5: STRNPER**FIELD 5 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX PMS8A
	Don't Know	BOX PMS8A

FIELD 5 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.STRNPER	1

OTHER PROGRAMMING INSTRUCTIONS**BACKGROUND VARIABLE ASSIGNMENTS**

Variable Name	Assignment Instructions
COMPFLAG	If PMS10 - STRNUNIT96 = 1/Compound, set PMRO.COMPFLAG=1/Indicated.

BOX PMS8A

BOX INSTRUCTIONS

IF PMS10 - STRNUNIT96 = 1/Compound, GO TO PMS10B - STRNUNI2.

ELSE GO TO BOX PMS9.

PMS10B

Quantity Unit

QUESTION TEXT

WHAT WAS THE STRENGTH OF THE 2ND MEDICINE IN THE COMPOUND?

FIELD 1: STRNUNI2

FIELD 1 ROUTING

Value	Label	Route
1	MICROGRAMS (mcg, mc)	PMS10B - STRNNUM2
2	MILLIGRAMS (mg)	PMS10B - STRNNUM2
3	GRAINS (gr)	PMS10B - STRNNUM2
4	MILLIEQUIVALENTS (meq)	PMS10B - STRNNUM2
5	GRAMS (g, gm)	PMS10B - STRNNUM2
6	PERCENT (%)	PMS10B - STRNPER2
7	INTERNATIONAL UNITS (IU)	PMS10B - STRNNUM2
8	UNITS (U)	PMS10B - STRNNUM2
91	OTHER	PMS10B - STRNUNO2
96	COMPOUND/MORE THAN ONE MEDICINE COMBINED	DO NOT DISPLAY.
	Don't Know	BOX PMS9

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.STRNUNI2	1

FIELD 2: STRNUNO2

OTHER (SPECIFY)

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	PM10B - STRNNUM2

FIELD 2 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.STRNUNO2	1

FIELD 3: STRNNUM2**FIELD 3 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX PMS9
	Don't Know	BOX PMS9

FIELD 3 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.STRNNUM2	1

FIELD 4: STRNPER2**FIELD 4 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX PMS9
	Don't Know	BOX PMS9

FIELD 4 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.STRNPER2	1

BOX PMS9

BOX INSTRUCTIONS

IF THE PRESCRIPTION MEDICINE FORM IS PILLS, SUPPOSITORIES OR PATCHES IN THE PREVIOUS ROUND, GO TO PMS11 - TABNUM.

ELSE GO TO PMS16 - AMTUNIT.

PMS11

Numeric

QUESTION TEXT

HOW MANY (PILLS/SUPPOSITORIES/PATCHES) WERE IN THE CONTAINER WHEN IT WAS OBTAINED?

FIELD 1: TABNUM**FIELD 1 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX PMS10
	Don't Know	BOX PMS10

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.TABNUM	1

BOX PMS10

BOX INSTRUCTIONS

IF PRESCRIPTION MEDICINE FORM IS PILLS OR SUPPOSITORIES IN THE PREVIOUS ROUND AND PMS11 - TABNUM=DK, GO TO PMS12 - TABSADAY.

ELSE GO TO BOX PMS11.

PMS12

Numeric

QUESTION TEXT

HOW MANY (PILLS/SUPPOSITORIES) WERE TO BE TAKEN IN A DAY?

FIELD 1: TABSADAY

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	PMS12 - TABSADAY95
	Empty	PMS12 - TABSADAY95
	Don't Know	PMS12 - TABSADAY95

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.TABSADAY	1

FIELD 2: TABSADAY95

FIELD 2 ROUTING

Value	Label	Route
1	LESS THAN WHOLE	BOX PMS10A
2	TAKE AS NEEDED	BOX PMS10A
	Empty	BOX PMS10A

FIELD 2 ATTRIBUTES

Cheshire Name	Answers Allowed
NONE REPLACES THE FOLLOWING CHESHIRE VALUE: If TABSADAY95=1/LessThanWhole, set PMRO.TABSADAY=95. Else if TABSADAY95=2/TakeAsNeeded, set PMRO.TABSADAY=96.	1

BOX PMS10A

BOX INSTRUCTIONS

IF PMS12 - TABSADAY = DK, GO TO BOX PMS11.

ELSE IF PMS12 - TABSADAY95 = 2/TakeAsNeeded, GO TO PMS13 - TABTAKE.

ELSE GO TO PMS14 - TAKEUNIT.

PMS13

Numeric

QUESTION TEXT

How many (pills/suppositories) did [you/(SP)] usually take in a day?

FIELD 1: TABTAKE

FIELD 1 ROUTING

Value	Label	Route
1	[Continuous answer.]	PMS13 - TABTAKE96
	Empty	PMS13 - TABTAKE96
	Don't Know	PMS13 - TABTAKE96

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.TABTAKE	1

FIELD 2: TABTAKE96

FIELD 2 ROUTING

Value	Label	Route
1	DON'T TAKE EVERY DAY	BOX PMS10B
	Empty	BOX PMS10B

FIELD 2 ATTRIBUTES

Cheshire Name	Answers Allowed
NONE REPLACES THE FOLLOWING CHESHIRE VALUE: If TABTAKE96=1/DontTakeEveryDay, set PMRO.TABTAKE=96.	1

BOX PMS10B

BOX INSTRUCTIONS

IF PMS13 - TABTAKE96 = 1/DontTakeEveryDay, GO TO BOX PMS11.

ELSE GO TO PMS14 - TAKEUNIT.

PMS14

Quantity Unit

QUESTION TEXT

HOW MANY DAYS OR WEEKS WAS THE MEDICINE TO BE TAKEN?

FIELD 1: TAKEUNIT

FIELD 1 ROUTING

Value	Label	Route
1	DAYS	PMS14 - TAKENUM
2	WEEKS	PMS14 - TAKENUM
3	TAKE UNTIL GONE	BOX PMS11
4	TAKE AS NEEDED	BOX PMS11
5	TAKE EVERY DAY	BOX PMS11
	Don't Know	BOX PMS11

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.TAKEUNIT	1

FIELD 2: TAKENUM

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	BOX PMS11

FIELD 2 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.TAKENUM	1

PMS16

Quantity Unit

QUESTION TEXT

HOW MUCH MEDICINE WAS IN THE CONTAINER WHEN IT WAS OBTAINED?

[PLEASE ENTER THE AMOUNT IN THE CONTAINER, NOT THE STRENGTH OF THE MEDICINE.]

FIELD 1: AMTUNIT

FIELD 1 ROUTING

Value	Label	Route
1	OUNCES (oz)	PMS16 - AMTNUM
2	GRAMS (g, gm)	PMS16 - AMTNUM
3	MILLILITERS (ml, cc)	PMS16 - AMTNUM
4	MILLIEQUIVALENTS (meq)	PMS16 - AMTNUM
5	MILLIGRAMS (mg)	PMS16 - AMTNUM
6	MICROGRAMS (mcg)	PMS16 - AMTNUM
7	PUFFS, DOSES, BLISTERS	PMS16 - AMTNUM
91	OTHER	PMS16 - AMTUNOS
	Don't Know	BOX PMS11

FIELD 1 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.AMTUNIT	1

FIELD 2: AMTUNOS

OTHER (SPECIFY)

FIELD 2 ROUTING

Value	Label	Route
1	[Continuous answer.]	PMS16 - AMTNUM

FIELD 2 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.AMTUNOS	1

FIELD 3: AMTNUM**FIELD 3 ROUTING**

Value	Label	Route
1	[Continuous answer.]	BOX PMS11
	Don't Know	BOX PMS11

FIELD 3 ATTRIBUTES

Cheshire Name	Answers Allowed
PMRO.AMTNUM	1

BOX PMS11

BOX INSTRUCTIONS

GO TO PMS6A_IN - NAVIGATOR.

BOX PMS12

BOX INSTRUCTIONS

GO TO NEXT SECTION