


**2015 Registry Individual Measure Flow**  
**PQRS #402: Tobacco Use and Help with Quitting Among Adolescents**



**SAMPLE CALCULATIONS:**

**Reporting Rate=**

$$\frac{\text{Performance Met (a¹+a²=4 patients)} + \text{Performance Not Met (c=3 patients)}}{\text{Eligible Population / Denominator (d=8 patients)}} = \frac{7 \text{ patients}}{8 \text{ patients}} = 87.50\%$$

**Performance Rate=**

$$\frac{\text{Performance Met (a¹+a²=4 patients)}}{\text{Reporting Numerator (7 patients)}} = \frac{4 \text{ patients}}{7 \text{ patients}} = 57.14\%$$

\*See the posted Measure Specification for specific coding and instructions to report this measure.

NOTE: Reporting Frequency: Patient-Process

**2015 Registry Individual Measure Flow**  
**PQRS #402: Tobacco Use and Help with Quitting Among Adolescents**

Please refer to the specific section of the Measure Specification to identify the denominator and numerator information for use in reporting this Individual Measure.

1. Start with Denominator
2. Check Patient Age:
  - a. If Patients Aged 12-20 Years on Date of Encounter equals No during the measurement period, do not include in Eligible Patient Population. Stop Processing.
  - b. If Patients Aged 12-20 Years on Date of Encounter equals Yes during the measurement period, proceed to check Encounter Performed.
3. Check Encounter Performed:
  - a. If Encounter as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
  - b. If Encounter as Listed in the Denominator equals Yes, include in the Eligible population.
4. Denominator Population:
  - a. Denominator population is all Eligible Patients in the denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 8 patients in the sample calculation.
5. Start Numerator
6. Check Patient Documented Tobacco User AND Received Tobacco Cessation Intervention if Identified as a Tobacco User:
  - a. If Patient Documented Tobacco User AND Received Tobacco Cessation Intervention if Identified as a Tobacco User equals Yes, include in Reporting Met and Performance Met.
  - b. Reporting Met and Performance Met letter is represented in the Reporting Rate and Performance Rate in the Sample Calculation listed at the end of this document. Letter a<sup>1</sup> equals 2 patients in Sample Calculation.
  - c. If Patient Documented Tobacco User AND Received Tobacco Cessation Intervention if Identified as a Tobacco User equals No, proceed to Currently a Tobacco Non-User.
7. Check Currently a Tobacco Non-User:
  - a. If Currently a Tobacco Non-User equals Yes, include in Reporting Met and Performance Met.
  - b. Reporting Met and Performance Met letter is represented in the Reporting Rate in the Sample Calculation listed at the end of this document. Letter a<sup>2</sup> equals 2 patients in the Sample Calculation.
  - c. If Currently a Tobacco Non-User equals No, proceed to Tobacco Assessment or Tobacco Cessation Intervention Not Performed Reason Not Otherwise Specified.

8. Check Tobacco Assessment or Tobacco Cessation Intervention Not Performed Reason Not Otherwise Specified:
  - a. If Tobacco Assessment or Tobacco Cessation Intervention Not Performed Reason Not Otherwise Specified equals Yes, include in the Reporting Met and Performance Not Met.
  - b. Reporting Met and Performance Not Met letter is represented in the Reporting Rate in the Sample Calculation listed at the end of this document. Letter c equals 3 patients in the Sample Calculation.
  - c. If Tobacco Assessment or Tobacco Cessation Intervention Not Performed Reason Not Otherwise Specified equals No, proceed to Reporting Not Met.
9. Check Reporting Not Met:
  - a. If Reporting Not Met, Quality Data Code or equivalent was not reported. 1 patient has been subtracted from reporting numerator in the sample calculation.

#### **SAMPLE CALCULATIONS:**

##### **Reporting Rate=**

$$\frac{\text{Performance Met (a}^1\text{+a}^2\text{=4 patients)} + \text{Performance Not Met (c=3 patients)}}{\text{Eligible Population / Denominator (d=8 patients)}} = \frac{7 \text{ patients}}{8 \text{ patients}} = 87.50\%$$

##### **Performance Rate=**

$$\frac{\text{Performance Met (a}^1\text{+a}^2\text{=4 patients)}}{\text{Reporting Numerator (7 patients)}} = \frac{4 \text{ patients}}{7 \text{ patients}} = 57.14\%$$