


2015 Claims/Registry Individual Measure Flow
PQRS #48: Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence
in Women Aged 65 Years and Older



SAMPLE CALCULATIONS:

Reporting Rate=

$$\frac{\text{Performance Met (a=4 patients)} + \text{Performance Exclusion (b=1 patient)} + \text{Performance Not Met (c=2 patients)}}{\text{Eligible Population / Denominator (d=8 patients)}} = \frac{7 \text{ patients}}{8 \text{ patients}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=4 patients)}}{\text{Reporting Numerator (7 patients) – Performance Exclusion (b=1 patient)}} = \frac{4 \text{ patients}}{6 \text{ patients}} = 66.67\%$$

*See the posted Measure Specification for specific coding and instructions to report this measure.

NOTE: Reporting Frequency: Process-process

CPT only copyright 2014 American Medical Association. All rights reserved

2015 Claims/Registry Individual Measure Flow
PQRS #48: Urinary Incontinence: Assessment of Presence or Absence of Urinary Incontinence in Women Aged 65 years or older

Please refer to the specific section of the Measure Specification to identify the denominator and numerator information for use in reporting this Individual Measure.

1. Start with Denominator
2. Check Female Patient Age:
 - a. If the Female Age is greater than or equal to 65 years of age on Date of Service and equals No during the measurement period, do not include in Eligible Patient Population. Stop Processing.
 - b. If the Female Age is greater than or equal to 65 years of age on Date of Service and equals Yes during the measurement period, proceed to check Encounter Performed.
3. Check Encounter Performed:
 - a. If Encounter as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Encounter as Listed in the Denominator equals Yes, include in the Eligible population.
4. Denominator Population:
 - a. Denominator population is all Eligible Patients in the denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 8 patients in the sample calculation.
5. Start Numerator
6. Check Presence or Absence of Urinary Incontinence Assessed:
 - a. If Presence or Absence of Urinary Incontinence Assessed equals Yes, include in Reporting Met and Performance Met.
 - b. Reporting Met and Performance Met letter is represented in the Reporting Rate and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 4 patients in Sample Calculation.
 - c. If Presence or Absence of Urinary Incontinence Assessed equals No, proceed to Documentation of Medical Reason for Not Assessing Presence or Absence of Urinary Incontinence.
7. Check Documentation of Medical Reason for Not Assessing Presence or Absence of Urinary Incontinence:
 - a. If Documentation of Medical Reason for Not Assessing Presence or Absence of Urinary Incontinence equals Yes, include in Reporting Met and Performance Exclusion.
 - b. Reporting Met and Performance Exclusion letter is represented in the Reporting Rate and Performance Rate in the Sample Calculation listed at the end of this document. Letter b equals 1 patient in the Sample Calculation.

- c. If Documentation of Medical Reason for Not Assessing Presence or Absence of Urinary Incontinence equals No, proceed to Presence or Absence of Urinary Incontinence not Assessed, Reason Not Otherwise Specified.
8. Check Presence or Absence of Urinary Incontinence not Assessed, Reason Not Otherwise specified:
 - a. If Presence or Absence of Urinary Incontinence not Assessed, Reason Not Otherwise Specified equals Yes, include in Reporting Met and Performance Not Met.
 - b. Reporting Met and Performance Not Met letter is represented in the Reporting Rate in the Sample Calculation listed at the end of this document. Letter c equals 2 patients in the Sample Calculation.
 - c. If Presence or Absence of Urinary Incontinence not Assessed, Reason Not Otherwise Specified equals No, proceed to Reporting Not Met.
9. Check Reporting Not Met:
 - a. If Reporting Not Met equals No, Quality Data Code or equivalent not reported. 1 patient has been subtracted from the reporting numerator in sample calculation.

SAMPLE CALCULATIONS:

Reporting Rate=

$$\frac{\text{Performance Met (a=4 patients)} + \text{Performance Exclusion (b=1 patient)} + \text{Performance Not Met (c=2 patients)}}{\text{Eligible Population / Denominator (d=8 patients)}} = \frac{7 \text{ patients}}{8 \text{ patients}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=4 patients)}}{\text{Reporting Numerator (7 patients) - Performance Exclusion (b=1 patient)}} = \frac{4 \text{ patients}}{6 \text{ patients}} = 66.67\%$$