

2015 Registry Individual Measure Flow
PQRS #223 NQF #0428: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments



SAMPLE CALCULATIONS:

Reporting Rate=

$$\frac{\text{Performance Met (a}^1\text{+a}^2\text{=3 episodes) + Performance Exclusion (b=2 episodes) + Performance Not Met (c=2 episodes)}}{\text{Eligible Population / Denominator (d=8 episodes)}} = \frac{7 \text{ episodes}}{8 \text{ episodes}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a}^1\text{+a}^2\text{=3 episodes)}}{\text{Reporting Numerator (7 episodes) - Performance Exclusion (b=2 episodes)}} = \frac{3 \text{ episodes}}{5 \text{ episodes}} = 60.00\%$$

* See the posted Measure Specification for specific coding and instructions to report this measure.

** See the posted Measure Specification for specific patient score levels for this measure.

NOTE: Report Frequency - Episode

CPT only copyright 2014 American Medical Association. All rights reserved.

2015 Registry Individual Measure Flow
PQRS #223 NQF #0428: Functional Deficit: Change in Risk-Adjusted Functional Status for Patients with Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments

Please refer to the specific section of the Measure Specification to identify the denominator and numerator information for use in reporting this Individual Measure.

1. Start with Denominator
2. Check Patient Age:
 - a. If Age greater than or equal to 18 years of age on Date of Service equals No during the measurement period, do not include in Eligible Patient Population. Stop Processing.
 - b. If Age greater than or equal to 18 years of age on Date of Service equals Yes during the measurement period, proceed to check Functional Deficit.
3. Check Functional Deficit Affecting Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments:
 - a. If Functional Deficit Affecting Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments as Listed in the Denominator equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Functional Deficit Affecting Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments as Listed in the Denominator equals Yes, proceed to check Patient Evaluation Encounter Performed CPT 97003.
4. Check Patient Evaluation Encounter Performed CPT 97003:
 - a. If Patient Evaluation Encounter Performed CPT 97003 equals No, proceed to check Patient Evaluation Encounter Performed CPT 97001.
 - b. If Patient Evaluation Encounter Performed CPT 97003 equals Yes, proceed to check Patient Re-evaluation/Discharge Encounter Performed CPT 97004.
5. Check Patient Evaluation Encounter Performed CPT 97001:
 - a. If Patient Evaluation Encounter Performed CPT 97001 equals No, do not include in Eligible Patient Population. Stop Processing.
 - b. If Patient Evaluation Encounter Performed CPT 97001 equals Yes, proceed to check Patient Re-evaluation/Discharge Encounter Performed CPT 97002.
6. Check Patient Re-evaluation/Discharge Encounter Performed CPT 97004:
 - a. If Patient Re-evaluation/Discharge Encounter Performed CPT 97004 or Functional Limitation Discharge Status equals No, proceed to Patient Evaluation Encounter Performed CPT 97001.
 - b. If Patient Re-evaluation/Discharge Encounter Performed CPT 97004 or Functional Limitation Discharge Status equals Yes, include in the Eligible population.
7. Check Patient Re-evaluation/Discharge Encounter Performed CPT 97002:
 - a. If Patient Re-evaluation/Discharge Encounter Performed CPT 97002 or Functional Limitation Discharge Status equals No, do not include in Eligible Patient Population. Stop Processing.

- b. If Patient Re-evaluation/Discharge Encounter Performed CPT 97002 or Functional Limitation Discharge Status equals Yes, include in the Eligible population.
8. Denominator Population:
 - a. Denominator population is all Eligible Patients in the denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 8 episodes in the sample calculation.
9. Start Numerator
10. Check Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Successfully Calculated and the Score was greater than or equal to 0:
 - a. If Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Successfully Calculated and the Score was greater than or equal to 0 equals Yes, include in Reporting Met and Performance Met.
 - b. Reporting Met and Performance Met letter is represented in the Reporting Rate and Performance Rate in the Sample Calculation listed at the end of this document. Letter a¹ equals 1 episode in Sample Calculation.
 - c. If Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Successfully Calculated and the Score was greater than or equal to 0 equals No, proceed to Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Successfully Calculated and the Score was less than 0.
11. Check Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Successfully Calculated and the Score was less than 0:
 - a. If Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Successfully Calculated and the Score was less than 0 equals Yes, include in Reporting met and Performance met.
 - b. Reporting Met and Performance Met letter is represented in the Reporting Rate and Performance Rate in the Sample Calculation listed at the end of this document. Letter a² equals 2 episodes in the Sample Calculation.
 - c. If Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Successfully Calculated and the Score was less than 0 equals No, proceed to Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Not Measured, Patient Not Eligible/Not Appropriate.
12. Check Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Not Measured, Patient Not Eligible/Not Appropriate:
 - a. If Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Not Measured, Patient Not Eligible/Not Appropriate equals Yes, include in the reporting met and performance exclusion.

- b. Reporting Met and Performance Exclusion letter is represented in the Reporting Rate and Performance Rate in the Sample Calculation listed at the end of this document. Letter b equals 2 episodes in the Sample Calculation.
- c. If Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Not Measured, Patient Not Eligible/Not Appropriate equals No, proceed to Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Not Measured, because the patient did not complete FOTO's Functional Intake on admission and/or Follow Up Status Survey near discharge Reason Not Given.

13. Check Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Not Measured because the patient did not complete FOTO's Functional Intake on admission and/or Follow Up Status Survey near discharge Reason Not Given:

- a. If Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Not Measured because the patient did not complete FOTO's Functional Intake on admission and/or Follow Up Status Survey near discharge, Reason Not Given equals Yes, include in the Reporting Met and Performance Not Met.
- b. Reporting Met and Performance Not Met letter is represented in the Reporting Rate in the Sample Calculation listed at the end of this document. Letter c equals 2 episodes in the Sample Calculation.
- c. If Risk-Adjusted Functional Status Change Residual Score for the Neck, Cranium, Mandible, Thoracic Spine, Ribs, or Other General Orthopedic Impairments Not Measured because the patient did not complete FOTO's Functional Intake on admission and/or Follow Up Status Survey near discharge, Reason Not Given equals No, proceed to Reporting Not Met.

13. Check Reporting Not Met

- a. If Reporting Not Met equals No, Quality Data Code or equivalent not reported. 1 episode has been subtracted from reporting numerator in the sample calculation.

SAMPLE CALCULATIONS:

Reporting Rate=

$$\frac{\text{Performance Met (a}^1\text{+a}^2\text{=3 episodes) + Performance Exclusion (b=2 episodes) + Performance Not Met (c=2 episodes)}}{\text{Eligible Population / Denominator (d=8 episodes)}} = \frac{7 \text{ episodes}}{8 \text{ episodes}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a}^1\text{+a}^2\text{=3 episodes)}}{\text{Reporting Numerator (7 episodes) - Performance Exclusion (b=2 episodes)}} = \frac{3 \text{ episodes}}{5 \text{ episodes}} = 60.00\%$$